

Личностные особенности женщин обращающихся к пластической хирургии / Гладикова Мария Сергеевна; Факультет философии и социальных наук, Кафедра психологии; науч. рук. Солодухо А.С.

Дипломная работа 75 с., 3 рис., 6 табл., 67 источник.

ПЛАСТИЧЕСКАЯ ХИРУРГИЯ, ЭМОЦИОНАЛЬНО-АФФЕКТИВНЫЕ И СОЦИАЛЬНО-ПСИХОЛОГИЧЕСКИЕ СВОЙСТВА ЛИЧНОСТИ, ДИСМОРФОФОБИЯ

Объект исследования: эмоционально-аффективные и социально-психологические свойства личности.

Цель исследования: охарактеризовать эмоционально-аффективные и социально-психологические свойства личности женщин, прибегающих к пластической хирургии.

Метод проведения работы: анализ эмоционально-аффективных и социально-психологических свойств личности женщин, обращающихся к пластической хирургии.

В результате проведенного исследования были выявлены значимые различия между женщинами, которые хотят изменить внешность путем пластической хирургии и теми, кто не собирается таким радикальным способом менять свою внешность.

Для женщин, прибегающих к услугам пластического хирурга характерны определенные особенности. Они переживают свою малозначимость, неуверенность в себе. Их мнение о себе в основном зависит от мнения окружающих, они не способны принимать решения, справляться со стрессовыми событиями. Обнаружив у себя некий реальный или мнимый дефект, они заикливаются на нем, у них появляются навязчивые мысли и идеи относительно этого изъяна, соответственно, это приводит и к появлению различных навязчивых действий, которые словно ритуалы призваны хотя бы ненадолго снизить тревогу, связанную с данными мыслями. В связи с этим, пытаются избегать ситуаций социального межличностного взаимодействия, у них появляются трудности в социальной адаптации и со временем это приводит к глубокой погруженности в мир своих переживаний. Также, у женщин, обращающихся к пластической хирургии нами были обнаружены признаки дисморфофобии. Причем, чем больше выражены нарушения в эмоционально-аффективных и социально-психологических свойствах личности, тем в большей степени проявляется наличие таких признаков.

В Республике Беларусь исследований в данной сфере еще не проводилось. На основе полученных результатов могут быть разработаны

рекомендации для пластических хирургов, психологов, работающих в сфере
пластической хирургии.

Personality characteristics of women who are turning to plastic surgery / Hladzikava Maryia; Scientific director Alexander S. Saladukha – Candidate of Psychology, Associate Professor

Thesis 75 p., 3 fig., 6 tab., 67 source.

PLASTIC SURGERY, EMOTIONAL-AFFECTIVE AND PSYCHO-SOCIAL PERSONALITY TRAITS, BODY DYSMORPHIC DISORDER.

The object of study: the emotional-affective and psycho-social personality traits.

Research objective: to describe the emotional-affective and psycho-social personality traits of women who resort to plastic surgery.

Method of work: analysis of emotional-affective and psycho-social personality traits of women seeking for plastic surgery.

The study revealed significant differences between the women who want to change appearance through plastic surgery and those who are not going to change their appearance.

For women who resort to the services of a plastic surgeon are characterized by certain features. They experience their insignificance, self-doubt. Their self-image is largely dependent on the opinions of others; they are not able to make decisions, to cope with stressful events. When they find in themselves a real or imaginary defect, they dwell on it, they start having intrusive thoughts and ideas regarding this flaw, respectively, it leads to a variety of compulsive actions that like rituals are designed to at least briefly reduce the anxiety connected with these thoughts. Due to this, they try to avoid social situations of interpersonal interaction, they have difficulties in social adaptation and eventually it leads to a deep dive into the world of their experiences. Also, we found the signs of BDD in women who are turning to plastic surgery. Moreover, the more significant disturbances in the emotional-affective and psycho-social personality traits are, the more evident the presence of such symptoms is.

In Belarus, the researches in this area have not been carried out yet. On the basis of the its results recommendations for plastic surgeons, psychologists working in the field of plastic surgery can be developed.