



# Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at s=13 TeV with the ATLAS detector

著者	The ATLAS Collaboration, Hara K., Kim S.H., Okawa H., Sato K., Ukegawa F.
journal or publication title	Physics letters. B
volume	765
page range	11-31
year	2017-02
権利	(C)2016 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license ( <a href="http://creativecommons.org/licenses/by/4.0/">http://creativecommons.org/licenses/by/4.0/</a> ). Funded by SCOAP3.
URL	<a href="http://hdl.handle.net/2241/00145831">http://hdl.handle.net/2241/00145831</a>

doi: 10.1016/j.physletb.2016.11.035



# Search for dark matter in association with a Higgs boson decaying to $b$ -quarks in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration \*



## ARTICLE INFO

### Article history:

Received 16 September 2016

Received in revised form 17 November 2016

Accepted 21 November 2016

Available online 24 November 2016

Editor: W.-D. Schlatter

## ABSTRACT

A search for dark matter pair production in association with a Higgs boson decaying to a pair of bottom quarks is presented, using  $3.2 \text{ fb}^{-1}$  of  $pp$  collisions at a centre-of-mass energy of 13 TeV collected by the ATLAS detector at the LHC. The decay of the Higgs boson is reconstructed as a high-momentum  $b\bar{b}$  system with either a pair of small-radius jets, or a single large-radius jet with substructure. The observed data are found to be consistent with the expected backgrounds. Results are interpreted using a simplified model with a  $Z'$  gauge boson mediating the interaction between dark matter and the Standard Model as well as a two-Higgs-doublet model containing an additional  $Z'$  boson which decays to a Standard Model Higgs boson and a new pseudoscalar Higgs boson, the latter decaying into a pair of dark matter particles.

© 2016 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP<sup>3</sup>.

## 1. Introduction

Although dark matter (DM) constitutes the dominant component of matter in the universe, little is known about its properties and particle content [1]. The leading hypothesis suggests that most DM is in the form of stable, electrically neutral, massive particles with cosmological constraints indicating that DM interactions with Standard Model (SM) particles occur at a weak scale or below [2]. Collider-based searches for the particle content of DM provide important information complementary to that from direct and indirect detection experiments [3].

A traditional dark-matter signature at a proton–proton collider is one where one or more SM particles,  $X$ , are produced and detected, recoiling against missing transverse momentum – with magnitude  $E_T^{\text{miss}}$  – associated with the non-interacting DM candidate. A number of searches at the Large Hadron Collider (LHC) [4] have been performed recently, where  $X$  is considered to be a hadronic jet [5,6],  $b$ - or  $t$ -quarks [7–9], a photon [10–13], or a  $W/Z$  boson [14–17]. The discovery of a Higgs boson,  $h$  [18,19], provides a new opportunity to search for DM production via the  $h + E_T^{\text{miss}}$  signature [20–22]. In contrast to most of the aforementioned probes, Higgs boson radiation from an initial-state quark is Yukawa-suppressed. As a result, in a potential signal the Higgs boson would be part of the interaction producing the DM, providing unique insight into the structure of the DM coupling to SM particles. Recently, the ATLAS Collaboration has published such searches using  $20.3 \text{ fb}^{-1}$  of proton–proton collision data at  $\sqrt{s} = 8$  TeV, ex-


ploiting the Higgs boson decays to two photons or a pair of bottom quarks [23,24].

This Letter presents an update on the search for  $h + E_T^{\text{miss}}$ , where the Higgs boson decays to a pair of bottom quarks ( $h \rightarrow b\bar{b}$ ), using  $3.2 \text{ fb}^{-1}$  of  $pp$  collision data collected by the ATLAS detector at a centre-of-mass energy of 13 TeV during 2015. The results are interpreted in the context of simplified models of DM, characterised by a minimal particle content and the corresponding renormalisable interactions [25].

Many simplified models of DM production contain a massive particle which can be a vector, an axial-vector, a scalar or a pseudoscalar, and mediates the interaction between DM and Standard Model particles. In this search, simplified models involving a vector mediator are considered following the recommendation in Ref. [26].

In the first model [21], a vector mediator,  $Z'$ , is exchanged in the  $s$ -channel, radiates the Higgs boson and decays into two DM particles. A diagram for this process is shown in Fig. 1(a). The vector mediator has an associated baryon number  $B$ , which is assumed to be gauge invariant under  $U(1)_B$  thus allowing it to couple to quarks [27]. This symmetry is spontaneously broken to generate the  $Z'$  mass. However, there is no  $Z'$  coupling to leptons as such couplings are tightly constrained by dilepton searches. Finally, the dark-matter candidate carries a baryon number, which allows it to couple to quarks through the  $Z'$ . The parameters of this model are as follows: the coupling of  $Z'$  to dark matter ( $g_\chi$ ); the coupling of  $Z'$  to quarks ( $g_q$ ); the coupling of  $Z'$  to the SM Higgs boson ( $g_Z$ ); the mixing angle between the baryonic Higgs boson, introduced in the model to generate the  $Z'$  mass, and the

\* E-mail address: [atlas.publications@cern.ch](mailto:atlas.publications@cern.ch).



**Fig. 1.** Diagrams showing the simplified models where (a) a  $Z'$  decays to a pair of DM candidates  $\chi\bar{\chi}$  after emitting a Higgs boson  $h$ , and where (b) a  $Z'$  decays to a Higgs boson  $h$  and the pseudoscalar  $A$  of a two-Higgs-doublet model, and the latter decays to a pair of DM candidates  $\chi\bar{\chi}$ .

SM Higgs boson ( $\sin\theta$ ); the  $Z'$  mass ( $m_{Z'}$ ); and the DM particle mass ( $m_\chi$ ).

In the second model, apart from the vector mediator, the SM is extended by an additional Higgs field doublet, resulting in five physical Higgs bosons [22]: a light scalar  $h$  associated with the observed Higgs boson, a heavy scalar  $H$ , a pseudoscalar  $A$ , and two charged scalars  $H^\pm$ . The vector mediator is produced resonantly and decays as  $Z' \rightarrow hA$  in a Type-II two-Higgs-doublet model (2HDM) [28]. The pseudoscalar  $A$  subsequently decays into two DM particles with a large branching ratio. A diagram for this process is shown in Fig. 1(b). To define the model, the ratio of the up- and down-type vacuum expectation values,  $\tan\beta$ , must be specified along with the  $Z'$  gauge coupling,  $g_Z$ , the DM particle mass,  $m_\chi$ , and the  $Z'$  and  $A$  masses,  $m_{Z'}$  and  $m_A$ , respectively. The results presented are for the alignment limit, in which the  $h$ - $H$  mixing angle  $\alpha$  is related to  $\beta$  by  $\alpha = \beta - \pi/2$ . Only regions of parameter space consistent with precision electroweak constraints [29] and with constraints from direct searches for di-jet resonances [30–32] are considered. As the  $A$  boson is produced on-shell and decays into DM, the mass of the DM particle does not affect the kinematic properties or cross-section of the signal process if it is below half of the  $A$  boson mass. Hence, the  $Z'$ -2HDM model is interpreted in the parameter spaces of  $Z'$  mass ( $m_{Z'}$ ),  $A$  mass ( $m_A$ ) and  $\tan\beta$ .

## 2. ATLAS detector

ATLAS is a multi-purpose particle physics detector [33] at the LHC, with an approximately forward-backward symmetric and hermetic cylindrical geometry.<sup>1</sup> At its innermost part lies the inner detector (ID), immersed in a 2 T axial magnetic field provided by a thin superconducting solenoid, consisting of silicon pixel and microstrip detectors, which provide precision tracking in the pseudorapidity range  $|\eta| < 2.5$ . It is complemented by a transition radiation tracker providing tracking and particle identification information for  $|\eta| < 2.0$ . Between Run 1 and Run 2 of the LHC, the pixel detector was upgraded by the addition of a new innermost layer [34] that significantly improves the identification of heavy-flavour jets [35,36]. The solenoid is surrounded by sampling calorimeters: a lead/liquid-argon (LAr) electromagnetic calorimeter for  $|\eta| < 3.2$  and a steel/scintillator tile hadronic calorimeter for  $|\eta| < 1.7$ . Additional LAr calorimeters with copper and tungsten absorbers provide coverage up to  $|\eta| = 4.9$ . In the outermost part, air-core toroids provide the magnetic field for the muon spec-

trometer. The latter consists of three layers of gaseous detectors: monitored drift tubes and cathode strip chambers for muon identification and momentum measurements for  $|\eta| < 2.7$ , and resistive-plate and thin-gap chambers for triggering up to  $|\eta| = 2.4$ . A two-level trigger system, custom hardware followed by a software-based level, is used to reduce the event rate to about 1 kHz for offline storage.

## 3. Data and simulation samples

The data sample used in this search, collected during normal operation of the detector, corresponds to an integrated luminosity of  $3.2 \text{ fb}^{-1}$ . The primary data sample is selected using a calorimeter-based  $E_T^{\text{miss}}$  trigger with a threshold of 70 GeV. The trigger efficiency for signal events selected by the offline analysis is about 90% for events with  $E_T^{\text{miss}}$  of 150 GeV and reaches 100% for events with  $E_T^{\text{miss}}$  larger than 200 GeV.

Signal samples are generated at tree level with MADGRAPH5\_aMC@NLO 2.2.3 [37], interfaced to PYTHIA 8.186 [38] using the NNPDF2.3 parton distribution function (PDF) set [39] and the A14 parameter tune [40] for parton showering, hadronisation, underlying-event simulation, and for simulation of the Higgs boson decay to a pair of bottom quarks. For the vector-mediator simplified models, signals are generated with mediator mass between 10 and 2000 GeV and DM particle mass between 1 and 1000 GeV. The event kinematics are largely independent of the other parameters of the model, and thus the same values of these parameters are chosen following the recommendations in Ref. [26]:  $g_\chi = 1.0$ ,  $g_q = 1/3$ ,  $g_Z = m_Z$ ,  $\sin\theta = 0.3$ . For the  $Z'$ -2HDM model,  $pp \rightarrow Z' \rightarrow Ah \rightarrow \chi\bar{\chi}h$  samples are produced with  $Z'$  mass values between 600 and 1000 GeV,  $A$  mass values between 300 and 800 GeV (where kinematically allowed), and a DM mass value of 100 GeV. The other parameters chosen for this model are taken to be  $\tan\beta = 1.0$  and  $g_Z = 0.8$ .

Higgs boson production in association with a  $W$  or  $Z$  vector boson,  $Vh$ , is modelled using PYTHIA 8.186 and the NNPDF2.3 PDF set. The samples are normalised using the SM total cross-sections calculated at next-to-leading order (NLO) [41] and next-to-next-to-leading order (NNLO) [42] in QCD for  $Wh$  and  $Zh$ , respectively, and include NLO electroweak corrections [43]. In all cases, the Higgs boson mass is set to 125 GeV.

Simulated samples of vector boson production in association with jets,  $W/Z + \text{jets}$ , where the  $W$  or  $Z$  bosons decay in all leptonic decay modes, are generated using SHERPA2.1.1 [44], including  $b$ - and  $c$ -quark mass effects, and the CT10 PDF set [45]. Matrix elements are calculated for up to two partons at NLO and four partons at LO using the Comix [46] and OpenLoops [47] matrix element generators and merged with the SHERPA parton shower [48] using the ME + PS@NLO prescription [49]. The cross-sections are determined at NNLO [50] in QCD. Furthermore, these backgrounds are split into different components according to the true flavour of the two jets that are used to identify the flavor of the reconstructed Higgs boson candidate, as described in Section 5:  $l$  denotes a light quark ( $u, d, s$ ) or a gluon and the heavy quarks are denoted by  $c$  and  $b$ . This division is performed to allow accurate modelling of the  $W/Z + \text{heavy-flavour}$  backgrounds in the combined fit described in Section 8.

Diboson production modes, including  $ZZ$ ,  $WW$ , and  $WZ$  processes, with one boson decaying hadronically and the other leptonically are simulated using the SHERPA2.1.1 generator with the CT10 PDF set. They are calculated for up to one ( $ZZ$ ) or zero ( $WW/WZ$ ) additional partons at NLO and up to three additional partons at LO using the Comix and OpenLoops matrix element generators and merged with the SHERPA parton shower using the ME + PS@NLO

<sup>1</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points towards the centre of the LHC ring, and the  $y$ -axis points upwards. Cylindrical coordinates ( $r, \phi$ ) are used in the transverse plane,  $\phi$  is the azimuthal angle around the beam pipe. The pseudorapidity  $\eta$  is defined as  $\eta = -\ln[\tan(\theta/2)]$ , where  $\theta$  is the polar angle. Finally, the angular distance  $\Delta R$  is defined as  $\sqrt{(\Delta\phi)^2 + (\Delta\eta)^2}$ .

prescription. Their cross-sections are determined by the generator at NLO.

The  $t\bar{t}$  and single-top-quark backgrounds are generated with PowhegBox [51] using the CT10 PDF set. It is interfaced with PYTHIA 6.428 [52] to simulate parton showering, fragmentation, and the underlying event, for which the CTEQ6L1 PDF set [53] and the Perugia 2012 parameter tune [54] are used. The  $t\bar{t}$  cross-section is determined at NNLO in QCD and next-to-next-to-leading logarithms (NNLL) for soft gluon radiation [55], while the single-top-quark cross-sections are fixed to those in Refs. [56–58]. A top-quark mass of 172.5 GeV is used throughout.

The simulated event samples are processed with the detailed ATLAS detector simulation [59] based on GEANT4 [60]. Effects of multiple proton–proton interactions (pile-up) as a function of the instantaneous luminosity are taken into account by overlaying simulated minimum-bias events generated with PYTHIA8.186 with the A2 tune [61] and MSTW2008LO PDF set [62] onto the hard-scattering process, such that the distribution of the average number of interactions per bunch crossing in the simulated event samples matches that in the data.

#### 4. Object reconstruction

Proton–proton collision vertices are reconstructed using ID tracks with  $p_T > 0.4$  GeV. The primary vertex is defined as the vertex with the highest  $\Sigma(p_T^{\text{track}})^2$ . Each event is required to have at least one vertex reconstructed from at least two tracks.

Muon candidates are identified by matching tracks found in the ID to either full tracks or track segments reconstructed in the muon spectrometer, and are required to satisfy the *loose* muon identification quality criteria [63]. Electron candidates are identified as ID tracks that are matched to a cluster of energy in the electromagnetic calorimeter. Electron candidates must satisfy a likelihood-based identification requirement [64] based on shower shape and track selection criteria, and are selected using the *loose* working point. Both the muons and electrons are required to originate from the primary vertex, to have  $p_T > 7$  GeV, and to lie within  $|\eta| < 2.5$  for muons and  $|\eta| < 2.47$  for electrons. They are further required to be isolated using requirements on the sum of  $p_T$  of the tracks within a cone around the lepton direction. The cone size and the requirements are varied as a function of the lepton  $p_T$  to obtain an efficiency that is fixed as a function of  $p_T$  such that a 99% efficiency for prompt leptons is retained across a broad kinematic range.

Jets are reconstructed in two categories, small-radius (small- $R$ ) and large-radius (large- $R$ ) jets. In both cases, the jets are reconstructed from topological clusters of calorimeter cells using the anti- $k_t$  jet clustering algorithm [65]. In the case of small- $R$  jets, a radius parameter of  $R = 0.4$  is used and the effects of pile-up are corrected for by a technique based on jet area [66]. In the case of large- $R$  jets, a radius parameter of  $R = 1.0$  is used and the jet trimming algorithm [67,68] is applied to minimise the impact of energy depositions due to pile-up and the underlying event. This algorithm reconstructs subjets within the large- $R$  jet using the  $k_t$  algorithm [69] with radius parameter  $R_{\text{sub}} = 0.2$  and removes any subjet with  $p_T$  less than 5% of the large- $R$  jet  $p_T$ . The jet energy scale, and also in the case of large- $R$  jets the jet mass scale, is calibrated using  $p_T$ - and  $\eta$ -dependent factors determined from simulation, with small- $R$  jets receiving further calibrations using *in situ* measurements [70]. Small- $R$  jets within the ID acceptance,  $|\eta| < 2.5$ , are called *central* in the following and are required to satisfy  $p_T > 20$  GeV. Those with  $2.5 < |\eta| < 4.5$  are called *forward* and are required to satisfy  $p_T > 30$  GeV. To reduce the effects of pile-up in small- $R$  jets with  $p_T < 50$  GeV and  $|\eta| < 2.5$ , a significant fraction of the tracks associated with each jet must have an

origin compatible with the primary vertex, as defined by the jet vertex tagger [71]. Furthermore, small- $R$  jets are removed if they are within a  $\Delta R = 0.2$  cone around an electron candidate. Large- $R$  jets are required to satisfy  $p_T > 250$  GeV and  $|\eta| < 2.0$ .

Track jets are built from tracks using the anti- $k_t$  algorithm with  $R = 0.2$ . Track jets with  $p_T > 10$  GeV and  $|\eta| < 2.5$  are selected and are matched by ghost-association [72] to large- $R$  jets. Small- $R$  jets and track jets containing  $b$ -hadrons are identified – “ $b$ -tagged” – using a boosted decision tree that combines information about the impact parameter and reconstructed secondary vertices of the tracks associated with these jets [35,36,73]. A working point is used which achieves an average efficiency of 70% in identifying small- $R$  calorimeter jet (track jet) containing a  $b$ -hadron with misidentification probabilities of  $\sim 12$  (18)% for charm-quark jets and  $\sim 0.2$  (0.6)% for light-flavour jets, as determined in a simulated sample of  $t\bar{t}$  events. Track jets have higher misidentification probabilities due to the smaller radius parameter used.

The missing transverse momentum,  $\vec{E}_T^{\text{miss}}$ , is defined as the negative vector sum of the transverse momenta of the calibrated physics objects (electrons, muons, small- $R$  jets), with unassociated energy depositions, referred to as the soft-term, accounted for using ID tracks with  $p_T > 0.5$  GeV [74,75]. Furthermore, a track-based missing transverse momentum vector,  $\vec{p}_T^{\text{miss}}$ , is calculated as the negative vector sum of the transverse momenta of tracks with  $|\eta| < 2.5$ , consistent with originating from the primary vertex.<sup>2</sup>

#### 5. Event selection

For an event to be considered in the search, it is required to have  $E_T^{\text{miss}} > 150$  GeV,  $p_T^{\text{miss}} > 30$  GeV, and no identified, isolated muons or electrons. This is referred to as the *zero-lepton region*.

Events with  $E_T^{\text{miss}}$  less than 500 GeV are considered in the *resolved region*. First, this set of events is required to have at least two central small- $R$  jets. Following this selection, the reconstructed small- $R$  jets are ranked as follows. First, the central jets are divided into two categories, those that are  $b$ -tagged and those that are not. Each of these samples of jets are ordered in decreasing  $p_T$ . The ordered set of  $b$ -tagged jets is considered with the highest priority, while those that are central but not  $b$ -tagged are considered with second priority, and finally any forward jets, ordered in decreasing  $p_T$ , are considered last. The two most highly ranked jets are used to reconstruct the Higgs boson candidate,  $h_r$ , and therefore cannot contain forward jets. Furthermore, at least one of the jets constituting  $h_r$  must satisfy  $p_T > 45$  GeV. Finally, events are divided into three categories based on the number of central jets that are  $b$ -tagged being either zero, one, or two  $b$ -tagged central jets. To achieve a high  $E_T^{\text{miss}}$  trigger efficiency, events are retained if the scalar sum of the  $p_T$  of the three leading jets is greater than 150 GeV. This requirement is lowered to 120 GeV if only two central small- $R$  jets are present.

Additional selections are applied to further suppress the multijet background. Specifically, to reject events with  $E_T^{\text{miss}}$  due to mismeasured jets a requirement is placed on the minimum azimuthal angle between the direction of the  $E_T^{\text{miss}}$  and each of the jets,  $\min(\Delta\phi(\vec{E}_T^{\text{miss}}, \text{jets})) > 20^\circ$ , for the three highest-ranked jets. Furthermore, the azimuthal angle between the  $\vec{E}_T^{\text{miss}}$  and the  $\vec{p}_T^{\text{miss}}$ ,  $\Delta\phi(\vec{E}_T^{\text{miss}}, \vec{p}_T^{\text{miss}})$ , is required to be less than  $90^\circ$ , to suppress events with misreconstructed missing transverse momentum. The Higgs boson candidate is required to be well separated

<sup>2</sup> Throughout this search, the magnitude of  $\vec{E}_T^{\text{miss}}$  is referred to as  $E_T^{\text{miss}}$  and the magnitude of  $\vec{p}_T^{\text{miss}}$  is referred to as  $p_T^{\text{miss}}$ . Only when the directionality is necessary does the notation use the vector symbol.

in azimuth from the missing transverse momentum by requiring  $\Delta\phi(\vec{E}_T^{\text{miss}}, h_r) > 120^\circ$ . Finally, to reject back-to-back dijet production, the azimuthal opening angle of the two jets forming the Higgs boson candidate is required to be  $\Delta\phi(j_{h_r}^1, j_{h_r}^2) < 140^\circ$ .

The DM signal is expected to have large  $E_T^{\text{miss}}$ , whereas the background is expected to be most prominent at low  $E_T^{\text{miss}}$ . Therefore, to retain signal efficiency while preserving the increased sensitivity of the high  $E_T^{\text{miss}}$  region, events in the resolved region are separated into three categories based on the reconstructed  $E_T^{\text{miss}}$ : 150–200 GeV, 200–350 GeV, and 350–500 GeV.

In the *merged region* – composed of events with  $E_T^{\text{miss}}$  in excess of 500 GeV – the presence of at least one large- $R$  jet is required, associated with at least two track jets [76], and the highest  $p_T$  large- $R$  jet is taken as the reconstructed Higgs candidate. In an analogous way to the resolved region, the events are classified based on the number of  $b$ -tagged track jets associated with the large- $R$  jet into three categories with zero, one, and two or more  $b$ -tags.

The combined selection of both the resolved and merged selections in the signal region with two or more  $b$ -tags yields a signal acceptance times efficiency ranging between 5 and 30%. The primary change in the signal acceptance is due to the choice of masses (e.g.  $m_Z'$  and  $m_A$ ) in the point of parameter space being probed.

The search is performed by implementing a shape fit of the reconstructed dijet mass ( $m_{jj}$ ) or single large- $R$  jet mass ( $m_j$ ) distribution. After event selection, the energy calibration of the  $b$ -tagged jets is improved as follows. The invariant mass of the candidate is corrected [77] if a muon is identified within  $\Delta R = 0.4$  of a  $b$ -tagged small- $R$  jet, or within  $\Delta R = 1.0$  of the large- $R$  jet. The four-momentum of the closest muon in  $\Delta R$  within a jet is added to the calorimeter-based jet energy after removing the energy deposited in the calorimeter by the muon (muon-in-jet correction). Additionally, a simulation-based jet- $p_T$ -dependent correction [77] is applied in the case of  $b$ -tagged small- $R$  jets to improve the signal resolution of the reconstructed Higgs mass peak. Events consistent with a DM signal would have a reconstructed mass near the Higgs boson mass, thereby allowing the sidebands to act as a natural control region to further constrain the backgrounds estimated from dedicated  $W/Z + \text{jets}$  and  $t\bar{t}$  control regions and the multijet estimates described in Section 6.

## 6. Background estimation

The background is mainly composed of SM  $W/Z + \text{jets}$  and  $t\bar{t}$  events, which constitute 15–65% and 45–80% of the total background, respectively, depending on the  $E_T^{\text{miss}}$  value. The model for these backgrounds is constrained using two dedicated control regions. Other backgrounds, including diboson,  $Vh$ , and single top-quark production, constitute less than 15% of the total background and the estimation is modelled using simulated event samples. The contribution from multijet events arises mainly from events containing jets containing semi-muonic decays of  $b$ -hadrons. It constitutes less than 2% of the background in the resolved region and is negligibly small in the merged region, and is estimated using a data-driven technique.

In addition to the zero-lepton region, which serves as a control region to constrain the  $Z + \text{jets}$  background in the zero- $b$ -tag case and via the reconstructed mass sidebands that enter in the fit as described in Section 8, two dedicated control regions are used to constrain the main  $W/Z + \text{jets}$  and  $t\bar{t}$  backgrounds. These control regions are defined based on the number of leptons and  $b$ -tags in the event and are orthogonal to each other and to the signal region.

The *one-muon control region* is designed to constrain the  $W + \text{jets}$  and  $t\bar{t}$  backgrounds. Events are selected using the  $E_T^{\text{miss}}$  trigger and are required to have exactly one muon candidate and no electron candidates. Furthermore, the full signal region selection is applied after modifying the  $E_T^{\text{miss}}$  observable to mimic the behaviour of such events that contaminate the signal region by adding the  $p_T$  of the reconstructed muon to the  $E_T^{\text{miss}}$ . As in the signal region, these events are divided into exclusive regions based on the number of  $b$ -tags. This division naturally separates  $t\bar{t}$  from  $W + \text{jet}$  events.

The *two-lepton control region* is used to constrain the  $Z + \text{jets}$  background contribution. Events are collected using a single-electron or single-muon trigger and selected by requiring exactly one electron pair or muon pair. Of these two leptons, one is required to have  $p_T > 25 \text{ GeV}$ . The electron (muon) pair must have an invariant mass  $83 < m_{\ell\ell} < 99 \text{ GeV}$  ( $71 < m_{\ell\ell} < 106 \text{ GeV}$ ). In the muon channel, where a larger mass window is used, an opposite-charge requirement is also applied. Furthermore, the missing transverse momentum significance, defined as the ratio of  $E_T^{\text{miss}}$  to the square root of the scalar sum of lepton and jet  $p_T$  in the event, is required to be less than  $3.5 \text{ GeV}^{1/2}$  in order to reject  $t\bar{t}$  background. In this control region, the transverse momentum of the dilepton system,  $p_T^V$ , is used – instead of  $E_T^{\text{miss}}$  – to match the division of the resolved and merged regions and the categorisation of the resolved events. Other than the above, the event selection and Higgs boson candidate requirements are the same as in the signal region.

The multijet background for the resolved analysis is determined using a data-driven method. A sample of events selected to satisfy the analysis trigger,  $p_T^{\text{miss}}$  requirement, and inverted  $\min(\Delta\phi(\vec{E}_T^{\text{miss}}, \text{jets}))$  requirement, is used to provide multijet templates of all the distributions relevant to the analysis. These templates are normalised by a fit to the distribution of the number of small- $R$  jets that contain a muon in the nominal selection. The fit is performed separately for each  $b$ -tag category. Since agreement is found between the categories the average normalisation scale factor is used. In the merged region, it was found that the requirement of high  $E_T^{\text{miss}}$  suppresses the multijet background to a negligible level. Therefore it is not included as a background in the search.

## 7. Systematic uncertainties

The most important experimental systematic uncertainties arise from the determination of the  $b$ -tagging efficiency and mistag rate, the luminosity determination and uncertainties associated with the calibration of the scale and resolution of the jet energy and mass. The uncertainties in the small- $R$  jet energy scale have contributions from *in situ* calibration studies, from the dependence on pile-up activity and on flavour composition of jets, and from the changes of the detector and run conditions between Run 1 and Run 2 [78,79]. The uncertainty in the scale and resolution of large- $R$  jet energy and mass are evaluated by comparing the ratio of calorimeter-based to track-based measurements in dijet data and simulation [80]. The  $b$ -tagging efficiency uncertainty arises mainly from the uncertainty in the measurement of the efficiency in  $t\bar{t}$  events [73,81].

Other experimental systematic uncertainties with a smaller impact are those in the lepton energy and momentum scales, and lepton identification and trigger efficiencies [63,82,83]. An uncertainty in the  $E_T^{\text{miss}}$  soft-term resolution and scale is taken into account [74], and uncertainties due to the lepton energy scales and resolutions, as well as reconstruction and identification efficiencies, are also considered, although they are negligible. The uncertainty

in the integrated luminosity amounts to 2.1%, and is derived following a methodology similar to that detailed in Ref. [84].

Uncertainties are also taken into account for possible differences between data and the simulation modelling used for each process. The SHERPA  $W + \text{jets}$  and  $Z + \text{jets}$  background modelling is studied in the one and two lepton control regions, respectively, as a function of  $p_T$  of the vector boson, the mass  $m_{jj}$  or  $m_l$  and the azimuthal angle difference  $\Delta\phi_{jj}$  between the small- $R$  jets used to reconstruct the Higgs in the resolved region. The shape of the data distributions is described by the simulation with no indication that a correction is needed. A shape uncertainty in these variables is derived, encompassing the data/simulation differences. An uncertainty in the SHERPA description of the flavour composition of the jets in these backgrounds is derived by comparing to MadGraph. The top-quark background modelling is studied in the dedicated one lepton control region, and in a two lepton control region using  $e\mu$  pairs. Both the  $p_T$  and mass of the two small- $R$  jet system are studied. A systematic uncertainty is derived based on the data/simulation comparison in these regions.

The normalisations of the  $W + b\bar{b}$ ,  $Z + b\bar{b}$ , and  $t\bar{t}$  contributions are determined directly from the data by leaving them as free parameters in the combined fit. The normalisations of the other  $W/Z + \text{jets}$  background contributions are obtained from theory predictions, with assigned normalisation uncertainties of 10% for  $W/Z + l$ , 30% for  $W/Z + cl$  and a 30% uncertainty is applied to the relative normalisation between  $W/Z + bc/bl/cc$  to  $W/Z + b\bar{b}$ . In addition, the following normalisation uncertainties are assigned to the background processes: 4% for single-top in the  $s$ - and  $t$ -channels, 7% for single-top in the  $Wt$ -channel [85,86], and 50% for associated ( $W/Z$ ) $h$  [77,87] production. The sources of uncertainty considered for the cross-sections for the diboson production ( $WW$ ,  $WZ$  and  $ZZ$ ) are the renormalisation and factorisation scales, the choice of PDFs and parton-shower and hadronisation model. The multijet contribution is estimated from data and is assigned a 50% uncertainty. Uncertainties arising from the size of the simulated event sample are also taken into account.

Uncertainties in the signal acceptance from the choice of PDFs, from the choice of factorisation and renormalisation scales, and from the choice of parton-shower and underlying-event tune have been taken into account in the analysis. These are typically  $< 10\%$  each, although they can be larger for regions with low acceptance at either low or high  $E_T^{\text{miss}}$  depending on the model and the choice of masses. In addition, uncertainties arising from the limited number of simulated events have been taken into account.

The contribution of the various sources of uncertainty for an example production scenario is given in Table 1.

## 8. Results

Results are extracted by means of a profile likelihood fit to the reconstructed invariant mass distribution of the dijet system or single-large- $R$ -jet simultaneously in all signal and control regions. The normalisations of the major backgrounds are constrained by the data in both the signal and control regions. The shapes of the background distributions are taken from Monte Carlo simulations but can be modified within the systematic errors listed in Section 7. The spectra entering the fit are those from the three selections associated with the number of leptons with each of these regions divided into three categories based on the number of  $b$ -tags and four kinematic regions. In the zero-lepton region, this division is based on  $E_T^{\text{miss}}$  while in the one- and two-lepton regions, it is based on  $p_T(\mu, E_T^{\text{miss}})$  and  $p_T(\ell, \ell)$ , respectively. The shape information is not used in the zero- $b$ -tag distributions in order to simplify the fit. This division is designed to isolate, and more effectively constrain, different backgrounds. In particular, the


**Table 1**

The percentage impact of the various sources of uncertainty on the expected production cross-section for the signal in the vector-mediator model with  $m_{Z'} = 2000$  GeV and  $m_\chi = 1$  GeV, normalised to a cross section of 0.1 pb.

Source of uncertainty	Impact [%]
Total	23.0
Statistical	20.5
Systematic	10.3
Experimental uncertainties	
$b$ -tagging	6.6
Luminosity	4.4
Jets + $E_T^{\text{miss}}$	2.8
Leptons	0.4
Theoretical and modelling uncertainties	
Top	5.1
$Z + \text{jets}$	3.4
Signal	2.6
$W + \text{jets}$	1.5
Diboson	0.6
Multijet	0.5
$Vh (h \rightarrow b\bar{b})$	0.4

$Z + \text{jets}$  background normalisation is constrained both by the sample of events containing two leptons and those containing zero leptons and zero  $b$ -tags. In addition, the set of events containing one lepton and zero  $b$ -tags constrains the  $W + \text{jets}$  normalisation while those containing one or two  $b$ -tags constrain both the  $W + \text{jets}$  and  $t\bar{t}$  normalisations. The parameter of interest in the fit is the signal yield, while all parameters describing the systematic uncertainties and their correlations are included in the likelihood function as nuisance parameters, with Gaussian constraints, implemented using the framework described in Refs. [88,89]. The nuisance parameters with the largest effect on the determination of the parameter of interest are the flavour-tagging and jet systematic uncertainties, together with the normalisation of the  $t\bar{t}$  and  $W + b\bar{b}$  backgrounds. The reconstructed Higgs boson candidate mass distribution is shown in Fig. 2 in each of the  $E_T^{\text{miss}}$  categories for the set of events with two  $b$ -tags with the integrated event yields shown in Table 2. Furthermore, shown in Fig. 3 is the  $E_T^{\text{miss}}$  distribution in the signal region, noting that in the two portions of the spectrum, below and above  $E_T^{\text{miss}} = 500$  GeV, the requirements on the hadronic activity are taken from the small- $R$  and large- $R$  jets, respectively. No significant excess of events is observed above the background, with the global significance of the deviation of the data from the background-only prediction being 0.056.

Upper limits on the production cross-section for the process times branching ratio of the Higgs boson decaying to two bottom quarks ( $\sigma(pp \rightarrow h\chi\chi) \times \text{BR}(h \rightarrow b\bar{b})$ ) are set at 95% confidence level using the  $CL_s$  modified frequentist formalism [90] with the profile-likelihood-ratio test statistic [91]. For the  $Z'$ -2HDM model, these limits range from 191.3 fb for a  $Z'$  mass of 600 GeV and an  $A$  mass of 300 GeV to 6.72 fb for a  $Z'$  mass of 1600 GeV and an  $A$  mass of 600 GeV. For the vector mediator model interpretation, the limits range from 1.01 pb for a mediator mass of 50 GeV and a dark matter mass of 1 GeV to 40.3 fb for a mediator mass of 800 GeV and a dark matter mass of 500 GeV. These are further interpreted as lower limits on the mass parameters of interest in the specific model. In Fig. 4(a) the  $Z'$ -2HDM exclusion contour in the  $(m_{Z'}, m_A)$  plane for  $\tan\beta = 1$ ,  $m_\chi = 100$  GeV is presented, with limits more stringent than obtained in Run 1, excluding  $Z'$  masses up to 1950 GeV and  $A$  masses up to 500 GeV. In Fig. 4(b), the exclusion contour is shown in the  $(m_{Z'}, m_\chi)$  plane for the vector mediator model described in Section 3. This interpretation was not performed in Run 1 and the mass reach for this choice of couplings excludes  $Z'$  masses below 700 GeV for low DM mass.




**Fig. 2.** The reconstructed dijet and single jet invariant mass distribution in the resolved and the merged signal regions for the case where two  $b$ -tags have been identified for the four kinematic regions. The Standard Model background expectation is shown before (after) the profile likelihood fit by the dashed blue line (solid histograms) with the bottom panel showing the ratio of the data to the predicted background after the combined fit with no signal included. For visual clarity the various components of the  $W/Z + \text{jets}$  ( $b\bar{b}, bc, bl, c\bar{c}, cl, ll$ ) backgrounds have been merged and labelled  $W + \text{jets}$  and  $Z + \text{jets}$ . The expected signal in the vector-mediator model with  $m_{Z'} = 2 \text{ TeV}$  and  $m_\chi = 1 \text{ GeV}$ , normalised with a cross-section of  $0.1 \text{ pb}$ , is also shown. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

**Table 2**

The numbers of predicted background events following the profile likelihood fit for each background process, the sum of all background components, and observed data yields in the two  $b$ -tag signal region of the resolved and merged channels for each  $E_T^{\text{miss}}$  region. Statistical and systematic uncertainties are combined. The uncertainties in the total background take into account the correlation of systematic uncertainties among different background processes. The expected signal in the vector-mediator model with  $m_{Z'} = 2000 \text{ GeV}$  and  $m_\chi = 1 \text{ GeV}$ .

$E_T^{\text{miss}}$ [GeV]	Resolved			Merged
	150–200	200–350	350–500	>500
Z + jets	$259 \pm 27$	$171 \pm 13$	$14.6 \pm 1.2$	$3.80 \pm 0.44$
W + jets	$95 \pm 28$	$70 \pm 22$	$7.5 \pm 2.4$	$2.48 \pm 0.71$
$t\bar{t}$ & Single top	$1444 \pm 44$	$656 \pm 25$	$30.8 \pm 1.4$	$4.9 \pm 0.9$
Multijet	$21 \pm 10$	$11.0 \pm 5.0$	$0.58 \pm 0.27$	–
Diboson	$17.8 \pm 1.6$	$18.7 \pm 1.0$	$2.53 \pm 0.22$	$1.20 \pm 0.12$
SM Vh	$2.8 \pm 1.3$	$2.8 \pm 1.4$	$0.46 \pm 0.23$	$0.15 \pm 0.08$
Total Bkg.	$1840 \pm 33$	$930 \pm 20$	$56.5 \pm 2.1$	$12.5 \pm 1.3$
Data	1830	942	56	20
Exp. Signal	$8.0 \pm 0.8$	$24.5 \pm 1.8$	$16.1 \pm 1.2$	$14.9 \pm 3.4$



**Fig. 3.** The reconstructed  $E_T^{\text{miss}}$  distribution in the combined resolved and merged two- $b$ -tag signal regions. The Standard Model prediction is shown before (after) the profile likelihood fit by the dashed blue line (solid histograms) with the bottom panel showing the ratio of the data to the predicted background after the combined fit with no signal included. For visual clarity the various components of the  $W/Z + \text{jets}$  ( $bb, bc, bl, cc, cl, ll$ ) backgrounds have been merged and labelled  $W + \text{jets}$  and  $Z + \text{jets}$ . The multijet background is found to be negligible in the merged region. The expected signal in the vector-mediator model with  $m_{Z'} = 2 \text{ TeV}$  and  $m_\chi = 1 \text{ GeV}$ , normalised with a cross-section of  $0.1 \text{ pb}$ , is also shown.

## 9. Conclusion

A search is presented for dark-matter pair production in association with a Higgs boson decaying into two  $b$ -quarks, using  $3.2 \text{ fb}^{-1}$  of  $pp$  collisions collected at  $\sqrt{s} = 13 \text{ TeV}$  by the ATLAS detector at the LHC. Two regions are considered, a low- $E_T^{\text{miss}}$  region where the two  $b$ -quark jets from the Higgs boson decay are reconstructed separately and a high- $E_T^{\text{miss}}$  region where they are reconstructed inside a single large-radius trimmed jet.

The data are found to be consistent with the background expectation and the results are interpreted for two simplified models involving a massive vector mediator. In the  $Z'$ -two-Higgs-doublet, constraints are placed on the  $(m_{Z'}, m_A)$  space and found to exclude a wide range of  $Z'$  masses with the pseudo-scalar Higgs mass exclusion reaching up to  $500 \text{ GeV}$ . In the context of the vec-


tor mediator model, constraints are placed in the two-dimensional space of  $(m_{Z'}, m_\chi)$  and found to exclude vector mediators with masses up to  $700 \text{ GeV}$ .

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhi, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristea programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [92].



**Fig. 4.** Exclusion contours for (a) the  $Z'$ -2HDM in the  $(m_{Z'}, m_A)$  plane for  $\tan\beta = 1$  and  $m_\chi = 100 \text{ GeV}$  and (b) the vector-mediator model in the  $(m_{Z'}, m_\chi)$  plane for  $\sin\theta = 0.3$ ,  $g_\chi = 1$ ,  $g_0 = 1/3$  and  $g_{Z'} = m_{Z'}$ . The expected limits are given by the dashed lines, while the green and yellow bands indicate the  $\pm 1\sigma$  and  $\pm 2\sigma$  uncertainty bands, respectively. The observed limits are given by the solid lines. The parameter space below the limit contours are excluded at 95% confidence level. Shown for the  $Z'$ -2HDM exclusion is the observed limit from the Run 1 search while no such exclusion is shown from Run 1 for the vector-mediator model as it was not used for interpretation in the Run 1 ATLAS search. (For interpretation of the colours in this figure, the reader is referred to the web version of this article.)

## References

- [1] G. Bertone, D. Hooper, J. Silk, Particle dark matter: evidence, candidates and constraints, Phys. Rep. 405 (2005) 279–390, arXiv:hep-ph/0404175.
- [2] G. Steigman, M.S. Turner, Cosmological constraints on the properties of weakly interacting massive particles, Nucl. Phys. B 253 (1985) 375.
- [3] D. Bauer, et al., Dark matter in the coming decade: complementary paths to discovery and beyond, Phys. Dark Universe 7–8 (2015) 16–23, arXiv:1305.1605 [hep-ph].
- [4] L. Evans, P. Bryant, LHC machine, J. Instrum. 3 (2008) S08001.
- [5] ATLAS Collaboration, Search for new phenomena in final states with an energetic jet and large missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Eur. Phys. J. C 75 (2015) 299, arXiv:1502.01518 [hep-ex].
- [6] CMS Collaboration, Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at  $\sqrt{s} = 8$  TeV, Eur. Phys. J. C 75 (2015) 235, arXiv:1408.3583 [hep-ex].
- [7] ATLAS Collaboration, Search for dark matter in events with heavy quarks and missing transverse momentum in  $pp$  collisions with the ATLAS detector, Eur. Phys. J. C 75 (2015) 92, arXiv:1410.4031 [hep-ex].
- [8] CMS Collaboration, Search for monotop signatures in proton–proton collisions at  $\sqrt{s} = 8$  TeV, Phys. Rev. Lett. 114 (2015) 101801, arXiv:1410.1149 [hep-ex].
- [9] CMS Collaboration, Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton–proton collisions at  $\sqrt{s} = 8$  TeV, J. High Energy Phys. 06 (2015) 121, arXiv:1504.03198 [hep-ex].
- [10] ATLAS Collaboration, Search for new phenomena in events with a photon and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Rev. D 91 (2015) 012008, arXiv:1411.1559 [hep-ex].
- [11] CMS Collaboration, Search for dark matter and large extra dimensions in  $pp$  collisions yielding a photon and missing transverse energy, Phys. Rev. Lett. 108 (2012) 261803, arXiv:1204.0821 [hep-ex].
- [12] CMS Collaboration, Search for new phenomena in monophoton final states in proton–proton collisions at  $\sqrt{s} = 8$  TeV, Phys. Lett. B 755 (2016) 102–124, arXiv:1410.8812 [hep-ex].
- [13] CMS Collaboration, Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton–proton collisions at  $\sqrt{s} = 8$  TeV, Phys. Rev. D 91 (2015) 092005, arXiv:1408.2745 [hep-ex].
- [14] ATLAS Collaboration, Search for new particles in events with one lepton and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, J. High Energy Phys. 09 (2014) 037, arXiv:1407.7494 [hep-ex].
- [15] ATLAS Collaboration, Search for dark matter in events with a  $Z$  boson and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Rev. D 90 (2014) 012004, arXiv:1404.0051 [hep-ex].
- [16] ATLAS Collaboration, Search for dark matter in events with a hadronically decaying  $W$  or  $Z$  boson and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Rev. Lett. 112 (2014) 041802, arXiv:1309.4017 [hep-ex].
- [17] CMS Collaboration, Search for dark matter and unparticles produced in association with a  $Z$  boson in proton–proton collisions at  $\sqrt{s} = 8$  TeV, Phys. Rev. D 93 (2016) 052011, arXiv:1511.09375 [hep-ex].
- [18] ATLAS Collaboration, Observation of a new particle in the search for the standard model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1–29, arXiv:1207.7214 [hep-ex].
- [19] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30–61, arXiv:1207.7235 [hep-ex].
- [20] A.A. Petrov, W. Shepherd, Searching for dark matter at LHC with mono-Higgs production, Phys. Lett. B 730 (2014) 178–183, arXiv:1311.1511 [hep-ph].
- [21] L. Carpenter, et al., Mono-Higgs-boson: a new collider probe of dark matter, Phys. Rev. D 89 (2014) 075017, arXiv:1312.2592 [hep-ph].
- [22] A. Berlin, T. Lin, L.-T. Wang, Mono-Higgs detection of dark matter at the LHC, J. High Energy Phys. 06 (2014) 078, arXiv:1402.7074 [hep-ph].
- [23] ATLAS Collaboration, Search for dark matter in events with missing transverse momentum and a Higgs boson decaying to two photons in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Rev. Lett. 115 (2015) 131801, arXiv:1506.01081 [hep-ex].
- [24] ATLAS Collaboration, Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Rev. D 93 (2016) 072007, arXiv:1510.06218 [hep-ex].
- [25] J. Abdallah, et al., Simplified models for dark matter searches at the LHC, Phys. Dark Universe 9–10 (2015) 8–23, arXiv:1506.03116 [hep-ph].
- [26] D. Abercrombie, et al., Dark matter benchmark models for early LHC Run-2 searches: report of the ATLAS/CMS dark matter forum, arXiv:1507.00966 [hep-ex], 2015.
- [27] F. del Aguila, et al., Superstring inspired models, Nucl. Phys. B 272 (1986) 413.
- [28] G.C. Branco, et al., Theory and phenomenology of two-Higgs-doublet models, Phys. Rep. 516 (2012) 1–102, arXiv:1106.0034 [hep-ph].
- [29] K.A. Olive, et al., Review of particle physics, Section 10.7 Chin. Phys. C 38 (2014) 090001.
- [30] CDF Collaboration, T. Altonen, et al., Search for new particles decaying into dijets in proton–antiproton collisions at  $\sqrt{s} = 1.96$  TeV, Phys. Rev. D 79 (2009) 112002, arXiv:0812.4036 [hep-ex].
- [31] CMS Collaboration, Search for narrow resonances and quantum black holes in inclusive and  $b$ -tagged dijet mass spectra from  $pp$  collisions at  $\sqrt{s} = 7$  TeV, J. High Energy Phys. 01 (2013) 013, arXiv:1210.2387 [hep-ex].
- [32] CMS Collaboration, Search for resonances and quantum black holes using dijet mass spectra in proton–proton collisions at  $\sqrt{s} = 8$  TeV, Phys. Rev. D 91 (2015) 052009, arXiv:1501.04198 [hep-ex].
- [33] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. 3 (2008) S08003.
- [34] ATLAS Collaboration, ATLAS Insertable B-Layer Technical Design Report, ATLAS-TDR-19, 2010, <http://cds.cern.ch/record/1291633>; ATLAS Collaboration, ATLAS Insertable B-Layer Technical Design Report Addendum, ATLAS-TDR-19-ADD-1, 2012, <http://cds.cern.ch/record/1451888>.
- [35] ATLAS Collaboration, Expected performance of the ATLAS  $b$ -tagging algorithms in Run-2, ATL-PHYS-PUB-2015-022, 2015, <http://cds.cern.ch/record/2037697>.
- [36] ATLAS Collaboration, Commissioning of the ATLAS  $b$ -tagging algorithms using  $t\bar{t}$  events in early Run-2 data, ATL-PHYS-PUB-2015-039, 2015, <http://cds.cern.ch/record/2047871>.
- [37] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [38] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852–867, arXiv:0710.3820 [hep-ph].
- [39] R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244–289, arXiv:1207.1303 [hep-ph].
- [40] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, 2014, <http://cdsweb.cern.ch/record/1966419>.
- [41] T. Han, S. Willenbrock, QCD correction to the  $pp \rightarrow WH$  and  $ZH$  total cross-sections, Phys. Lett. B 273 (1991) 167–172.
- [42] O. Brein, A. Djouadi, R. Harlander, NNLO QCD corrections to the Higgs-strahlung processes at hadron colliders, Phys. Lett. B 579 (2004) 149–156, arXiv:hep-ph/0307206.
- [43] M.L. Ciccolini, S. Dittmaier, M. Kramer, Electroweak radiative corrections to associated  $WH$  and  $ZH$  production at hadron colliders, Phys. Rev. D 68 (2003) 073003, arXiv:hep-ph/0306234.
- [44] T. Gleisberg, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [45] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [46] T. Gleisberg, S. Höche, Comix, a new matrix element generator, J. High Energy Phys. 12 (2008) 039, arXiv:0808.3674 [hep-ph].
- [47] F. Cascioli, P. Maierhofer, S. Pozzorini, Scattering amplitudes with open loops, Phys. Rev. Lett. 108 (2012) 111601, arXiv:1111.5206 [hep-ph].
- [48] S. Schumann, F. Krauss, A Parton shower algorithm based on Catani–Seymour dipole factorisation, J. High Energy Phys. 03 (2008) 038, arXiv:0709.1027 [hep-ph].
- [49] S. Höche, et al., QCD matrix elements + parton showers: the NLO case, J. High Energy Phys. 04 (2013) 027, arXiv:1207.5030 [hep-ph].
- [50] K. Melnikov, F. Petriello, Electroweak gauge boson production at hadron colliders through  $O(\alpha_s^2)$ , Phys. Rev. D 74 (2006) 114017, arXiv:hep-ph/0609070.
- [51] S. Alioli, et al., A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [52] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, J. High Energy Phys. 05 (2006) 026, arXiv:hep-ph/0603175.
- [53] P.M. Nadolsky, et al., Implications of CTEQ global analysis for collider observables, Phys. Rev. D 78 (2008) 013004, arXiv:0802.0007 [hep-ph].
- [54] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, Phys. Rev. D 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [55] M. Czakon, P. Fiedler, A. Mitov, The total top quark pair production cross-section at hadron colliders through  $O(\alpha_s^4)$ , Phys. Rev. Lett. 110 (2013) 252004, arXiv:1303.6254 [hep-ph].
- [56] N. Kidonakis, Next-to-next-to-leading-order collinear and soft gluon corrections for t-channel single top quark production, Phys. Rev. D 83 (2011) 091503, arXiv:1103.2792 [hep-ph].
- [57] N. Kidonakis, NNLL resummation for s-channel single top quark production, Phys. Rev. D 81 (2010) 054028, arXiv:1001.5034 [hep-ph].
- [58] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a  $W^-$  or  $H^-$ , Phys. Rev. D 82 (2010) 054018, arXiv:1005.4451 [hep-ph].
- [59] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823–874, arXiv:1005.4568 [physics.ins-det].
- [60] S. Agostinelli, et al., GEANT4: a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250–303.
- [61] ATLAS Collaboration, Summary of ATLAS Pythia 8 tunes, ATL-PHYS-PUB-2012-003, 2012, <http://cds.cern.ch/record/1474107>.

- [62] G. Watt, R. Thorne, Study of Monte Carlo approach to experimental uncertainty propagation with MSTW 2008 PDFs, *J. High Energy Phys.* 08 (2012) 052, arXiv:1205.4024 [hep-ph].
- [63] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at  $\sqrt{s} = 13$  TeV, *Eur. Phys. J. C* 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [64] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton–proton collision data, ATLAS-CONF-2014-032, 2014, <http://cds.cern.ch/record/1706245>.
- [65] M. Cacciari, G.P. Salam, G. Soyez, The anti- $k(t)$  jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [66] M. Cacciari, G.P. Salam, G. Soyez, The catchment area of jets, *J. High Energy Phys.* 04 (2008) 005, arXiv:0802.1188 [hep-ph].
- [67] S.D. Ellis, D.E. Soper, Successive combination jet algorithm for hadron collisions, *Phys. Rev. D* 48 (1993) 3160, arXiv:hep-ph/9305266.
- [68] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, *J. High Energy Phys.* 02 (2010) 084, arXiv:0912.1342 [hep-ph].
- [69] S. Catani, et al., Longitudinally invariant  $K_\perp$  clustering algorithms for hadron–hadron collisions, *Nucl. Phys. B* 406 (1993) 187–224.
- [70] ATLAS Collaboration, Jet energy measurement with the ATLAS detector in proton–proton collisions at  $\sqrt{s} = 7$  TeV, *Eur. Phys. J. C* 73 (2013) 2304, arXiv:1112.6426 [hep-ex].
- [71] ATLAS Collaboration, Tagging and suppression of pileup jets with the ATLAS detector, <https://cds.cern.ch/record/1700870>, 2014.
- [72] M. Cacciari, G.P. Salam, Pileup subtraction using jet areas, *Phys. Lett. B* 659 (2008) 119–126, arXiv:0707.1378 [hep-ph].
- [73] ATLAS Collaboration, Performance of  $b$ -jet identification in the ATLAS experiment, *J. Instrum.* 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [74] ATLAS Collaboration, Expected performance of missing transverse momentum reconstruction for the ATLAS detector at  $\sqrt{s} = 13$  TeV, ATL-PHYS-PUB-2015-023, 2015, <http://cds.cern.ch/record/2037700>.
- [75] ATLAS Collaboration, Performance of missing transverse momentum reconstruction in proton–proton collisions at 7 TeV with ATLAS, *Eur. Phys. J. C* 72 (2012) 1844, arXiv:1108.5602 [hep-ex].
- [76] ATLAS Collaboration, Expected performance of boosted Higgs ( $\rightarrow b\bar{b}$ ) boson identification with the ATLAS detector at  $\sqrt{s} = 13$  TeV, ATL-PHYS-PUB-2015-035, 2015, <http://cds.cern.ch/record/2042155>.
- [77] ATLAS Collaboration, Search for the  $b\bar{b}$  decay of the standard model Higgs boson in associated ( $W/Z/H$ ) production with the ATLAS detector, *J. High Energy Phys.* 01 (2015) 069, arXiv:1409.6212 [hep-ex].
- [78] ATLAS Collaboration, Jet energy measurement and its systematic uncertainty in proton–proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, *Eur. Phys. J. C* 75 (2015) 17, arXiv:1406.0076 [hep-ex].
- [79] ATLAS Collaboration, Jet calibration and systematic uncertainties for jets reconstructed in the ATLAS detector at  $\sqrt{s} = 13$  TeV, ATL-PHYS-PUB-2015-015, 2015, <http://cds.cern.ch/record/2037613>.
- [80] ATLAS Collaboration, Identification of boosted, hadronically-decaying  $W$  and  $Z$  bosons in  $\sqrt{s} = 13$  TeV Monte Carlo simulations for ATLAS, ATL-PHYS-PUB-2015-033, 2015, <http://cds.cern.ch/record/2041461>.
- [81] ATLAS Collaboration, Boosted Higgs ( $\rightarrow b\bar{b}$ ) boson identification with the ATLAS detector at  $\sqrt{s} = 13$  TeV, ATLAS-CONF-2016-039, 2016, <http://cds.cern.ch/record/2206038>.
- [82] ATLAS Collaboration, Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data, *Eur. Phys. J. C* 74 (2014) 2941, arXiv:1404.2240 [hep-ex].
- [83] ATLAS Collaboration, Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data, *Eur. Phys. J. C* 74 (2014) 3071, arXiv:1407.5063 [hep-ex].
- [84] ATLAS Collaboration, Improved luminosity determination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* 73 (2013) 2518, arXiv:1302.4393 [hep-ex].
- [85] M. Aliev, et al., HATHOR: hadronic top and heavy quarks cross section calculator, *Comput. Phys. Commun.* 182 (2011) 1034–1046, arXiv:1007.1327 [hep-ph].
- [86] P. Kant, et al., HatHor for single top-quark production: updated predictions and uncertainty estimates for single top-quark production in hadronic collisions, *Comput. Phys. Commun.* 191 (2015) 74–89, arXiv:1406.4403 [hep-ph].
- [87] CMS Collaboration, Search for the standard model Higgs boson produced in association with a  $W$  or a  $Z$  boson and decaying to bottom quarks, *Phys. Rev. D* 89 (2014) 012003, arXiv:1310.3687 [hep-ex].
- [88] W. Verkerke, D.P. Kirkby, The RooFit toolkit for data modeling, arXiv:physics/0306116, 2003.
- [89] L. Moneta, et al., The RooStats Project, arXiv:1009.1003 [physics.data-an], 2010.
- [90] A.L. Read, Presentation of search results: the  $CL(s)$  technique, *J. Phys. G* 28 (2002) 2693–2704.
- [91] G. Cowan, et al., Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* 71 (2011) 1554, Erratum: *Eur. Phys. J. C* 73 (2013) 2501, arXiv:1007.1727 [physics.data-an].
- [92] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, 2016, <https://cds.cern.ch/record/2202407>.

## ATLAS Collaboration

M. Aaboud <sup>136d</sup>, G. Aad <sup>87</sup>, B. Abbott <sup>114</sup>, J. Abdallah <sup>65</sup>, O. Abdinov <sup>12</sup>, B. Abeloos <sup>118</sup>, R. Aben <sup>108</sup>, O.S. AbouZeid <sup>138</sup>, N.L. Abraham <sup>152</sup>, H. Abramowicz <sup>156</sup>, B.S. Acharya <sup>167a,167b,a</sup>, L. Adamczyk <sup>40a</sup>, D.L. Adams <sup>27</sup>, J. Adelman <sup>109</sup>, S. Adomeit <sup>101</sup>, T. Adye <sup>132</sup>, A.A. Affolder <sup>76</sup>, T. Agatonovic-Jovin <sup>14</sup>, J. Agricola <sup>56</sup>, J.A. Aguilar-Saavedra <sup>127a,127f</sup>, S.P. Ahlen <sup>24</sup>, F. Ahmadov <sup>67,b</sup>, G. Aielli <sup>134a,134b</sup>, H. Akerstedt <sup>149a,149b</sup>, T.P.A. Åkesson <sup>83</sup>, A.V. Akimov <sup>97</sup>, G.L. Alberghi <sup>22a,22b</sup>, J. Albert <sup>172</sup>, S. Albrand <sup>57</sup>, M.J. Alconada Verzini <sup>73</sup>, M. Aleksa <sup>32</sup>, I.N. Aleksandrov <sup>67</sup>, C. Alexa <sup>28b</sup>, G. Alexander <sup>156</sup>, T. Alexopoulos <sup>10</sup>, M. Alhroob <sup>114</sup>, B. Ali <sup>129</sup>, M. Aliev <sup>75a,75b</sup>, G. Alimonti <sup>93a</sup>, J. Alison <sup>33</sup>, S.P. Alkire <sup>37</sup>, B.M.M. Allbrooke <sup>152</sup>, B.W. Allen <sup>117</sup>, P.P. Allport <sup>19</sup>, A. Aloisio <sup>105a,105b</sup>, A. Alonso <sup>38</sup>, F. Alonso <sup>73</sup>, C. Alpigiani <sup>139</sup>, M. Alstathy <sup>87</sup>, B. Alvarez Gonzalez <sup>32</sup>, D. Álvarez Piqueras <sup>170</sup>, M.G. Alvaggi <sup>105a,105b</sup>, B.T. Amadio <sup>16</sup>, K. Amako <sup>68</sup>, Y. Amaral Coutinho <sup>26a</sup>, C. Amelung <sup>25</sup>, D. Amidei <sup>91</sup>, S.P. Amor Dos Santos <sup>127a,127c</sup>, A. Amorim <sup>127a,127b</sup>, S. Amoroso <sup>32</sup>, G. Amundsen <sup>25</sup>, C. Anastopoulos <sup>142</sup>, L.S. Ancu <sup>51</sup>, N. Andari <sup>109</sup>, T. Andeen <sup>11</sup>, C.F. Anders <sup>60b</sup>, G. Anders <sup>32</sup>, J.K. Anders <sup>76</sup>, K.J. Anderson <sup>33</sup>, A. Andreazza <sup>93a,93b</sup>, V. Andrei <sup>60a</sup>, S. Angelidakis <sup>9</sup>, I. Angelozzi <sup>108</sup>, P. Anger <sup>46</sup>, A. Angerami <sup>37</sup>, F. Anghinolfi <sup>32</sup>, A.V. Anisenkov <sup>110,c</sup>, N. Anjos <sup>13</sup>, A. Annovi <sup>125a,125b</sup>, C. Antel <sup>60a</sup>, M. Antonelli <sup>49</sup>, A. Antonov <sup>99,\*</sup>, F. Anulli <sup>133a</sup>, M. Aoki <sup>68</sup>, L. Aperio Bella <sup>19</sup>, G. Arabidze <sup>92</sup>, Y. Arai <sup>68</sup>, J.P. Araque <sup>127a</sup>, A.T.H. Arce <sup>47</sup>, F.A. Arduh <sup>73</sup>, J-F. Arguin <sup>96</sup>, S. Argyropoulos <sup>65</sup>, M. Arik <sup>20a</sup>, A.J. Armbruster <sup>146</sup>, L.J. Armitage <sup>78</sup>, O. Arnaez <sup>32</sup>, H. Arnold <sup>50</sup>, M. Arratia <sup>30</sup>, O. Arslan <sup>23</sup>, A. Artamonov <sup>98</sup>, G. Artoni <sup>121</sup>, S. Artz <sup>85</sup>, S. Asai <sup>158</sup>, N. Asbah <sup>44</sup>, A. Ashkenazi <sup>156</sup>, B. Åsman <sup>149a,149b</sup>, L. Asquith <sup>152</sup>, K. Assamagan <sup>27</sup>, R. Astalos <sup>147a</sup>, M. Atkinson <sup>169</sup>, N.B. Atlay <sup>144</sup>, K. Augsten <sup>129</sup>, G. Avolio <sup>32</sup>, B. Axen <sup>16</sup>, M.K. Ayoub <sup>118</sup>, G. Azuelos <sup>96,d</sup>, M.A. Baak <sup>32</sup>, A.E. Baas <sup>60a</sup>, M.J. Baca <sup>19</sup>, H. Bachacou <sup>137</sup>, K. Bachas <sup>75a,75b</sup>, M. Backes <sup>32</sup>, M. Backhaus <sup>32</sup>, P. Bagiacchi <sup>133a,133b</sup>, P. Bagnaia <sup>133a,133b</sup>, Y. Bai <sup>35a</sup>, J.T. Baines <sup>132</sup>, O.K. Baker <sup>179</sup>, E.M. Baldin <sup>110,c</sup>, P. Balek <sup>175</sup>, T. Balestri <sup>151</sup>, F. Balli <sup>137</sup>, W.K. Balunas <sup>123</sup>, E. Banas <sup>41</sup>, Sw. Banerjee <sup>176,e</sup>, A.A.E. Bannoura <sup>178</sup>, L. Barak <sup>32</sup>, E.L. Barberio <sup>90</sup>, D. Barberis <sup>52a,52b</sup>, M. Barbero <sup>87</sup>, T. Barillari <sup>102</sup>,

- M-S Barisits 32, T. Barklow 146, N. Barlow 30, S.L. Barnes 86, B.M. Barnett 132, R.M. Barnett 16,  
 Z. Barnovska-Blenessy 5, A. Baroncelli 135a, G. Barone 25, A.J. Barr 121, L. Barranco Navarro 170,  
 F. Barreiro 84, J. Barreiro Guimaraes da Costa 35a, R. Bartoldus 146, A.E. Barton 74, P. Bartos 147a,  
 A. Basalaev 124, A. Bassalat 118,f, R.L. Bates 55, S.J. Batista 162, J.R. Batley 30, M. Battaglia 138,  
 M. Bauce 133a,133b, F. Bauer 137, H.S. Bawa 146,g, J.B. Beacham 112, M.D. Beattie 74, T. Beau 82,  
 P.H. Beauchemin 165, P. Bechtle 23, H.P. Beck 18,h, K. Becker 121, M. Becker 85, M. Beckingham 173,  
 C. Becot 111, A.J. Beddall 20e, A. Beddall 20b, V.A. Bednyakov 67, M. Bedognetti 108, C.P. Bee 151,  
 L.J. Beemster 108, T.A. Beermann 32, M. Begel 27, J.K. Behr 44, C. Belanger-Champagne 89, A.S. Bell 80,  
 G. Bella 156, L. Bellagamba 22a, A. Bellerive 31, M. Bellomo 88, K. Belotskiy 99, O. Beltramello 32,  
 N.L. Belyaev 99, O. Benary 156,\* D. Benchekroun 136a, M. Bender 101, K. Bendtz 149a,149b, N. Benekos 10,  
 Y. Benhammou 156, E. Benhar Noccioli 179, J. Benitez 65, D.P. Benjamin 47, J.R. Bensinger 25,  
 S. Bentvelsen 108, L. Beresford 121, M. Beretta 49, D. Berge 108, E. Bergeaas Kuutmann 168, N. Berger 5,  
 J. Beringer 16, S. Berlendis 57, N.R. Bernard 88, C. Bernius 111, F.U. Bernlochner 23, T. Berry 79, P. Berta 130,  
 C. Bertella 85, G. Bertoli 149a,149b, F. Bertolucci 125a,125b, I.A. Bertram 74, C. Bertsche 44, D. Bertsche 114,  
 G.J. Besjes 38, O. Bessidskaia Bylund 149a,149b, M. Bessner 44, N. Besson 137, C. Betancourt 50, S. Bethke 102,  
 A.J. Bevan 78, W. Bhimji 16, R.M. Bianchi 126, L. Bianchini 25, M. Bianco 32, O. Biebel 101, D. Biedermann 17,  
 R. Bielski 86, N.V. Biesuz 125a,125b, M. Biglietti 135a, J. Bilbao De Mendizabal 51, H. Bilokon 49, M. Bindi 56,  
 S. Binet 118, A. Bingul 20b, C. Bini 133a,133b, S. Biondi 22a,22b, D.M. Bjergaard 47, C.W. Black 153, J.E. Black 146,  
 K.M. Black 24, D. Blackburn 139, R.E. Blair 6, J.-B. Blanchard 137, J.E. Blanco 79, T. Blazek 147a, I. Bloch 44,  
 C. Blocker 25, W. Blum 85,\* U. Blumenschein 56, S. Blunier 34a, G.J. Bobbink 108, V.S. Bobrovnikov 110,c,  
 S.S. Bocchetta 83, A. Bocci 47, C. Bock 101, M. Boehler 50, D. Boerner 178, J.A. Bogaerts 32, D. Bogavac 14,  
 A.G. Bogdanchikov 110, C. Bohm 149a, V. Boisvert 79, P. Bokan 14, T. Bold 40a, A.S. Boldyrev 167a,167c,  
 M. Bomben 82, M. Bona 78, M. Boonekamp 137, A. Borisov 131, G. Borissov 74, J. Bortfeldt 32,  
 D. Bortoletto 121, V. Bortolotto 62a,62b,62c, K. Bos 108, D. Boscherini 22a, M. Bosman 13, J.D. Bossio Sola 29,  
 J. Boudreau 126, J. Bouffard 2, E.V. Bouhova-Thacker 74, D. Boumediene 36, C. Bourdarios 118, S.K. Boutle 55,  
 A. Boveia 32, J. Boyd 32, I.R. Boyko 67, J. Bracinik 19, A. Brandt 8, G. Brandt 56, O. Brandt 60a, U. Bratzler 159,  
 B. Brau 88, J.E. Brau 117, H.M. Braun 178,\* W.D. Breaden Madden 55, K. Brendlinger 123, A.J. Brennan 90,  
 L. Brenner 108, R. Brenner 168, S. Bressler 175, T.M. Bristow 48, D. Britton 55, D. Britzger 44, F.M. Brochu 30,  
 I. Brock 23, R. Brock 92, G. Brooijmans 37, T. Brooks 79, W.K. Brooks 34b, J. Brosamer 16, E. Brost 109,  
 J.H. Broughton 19, P.A. Bruckman de Renstrom 41, D. Bruncko 147b, R. Bruneliere 50, A. Bruni 22a,  
 G. Bruni 22a, L.S. Bruni 108, BH Brunt 30, M. Bruschi 22a, N. Bruscino 23, P. Bryant 33, L. Bryngemark 83,  
 T. Buanes 15, Q. Buat 145, P. Buchholz 144, A.G. Buckley 55, I.A. Budagov 67, F. Buehrer 50, M.K. Bugge 120,  
 O. Bulekov 99, D. Bullock 8, H. Burckhart 32, S. Burdin 76, C.D. Burgard 50, B. Burghgrave 109, K. Burka 41,  
 S. Burke 132, I. Burmeister 45, J.T.P. Burr 121, E. Busato 36, D. Büscher 50, V. Büscher 85, P. Bussey 55,  
 J.M. Butler 24, C.M. Buttar 55, J.M. Butterworth 80, P. Butti 108, W. Buttlinger 27, A. Buzatu 55,  
 A.R. Buzykaev 110,c, S. Cabrera Urbán 170, D. Caforio 129, V.M. Cairo 39a,39b, O. Cakir 4a, N. Calace 51,  
 P. Calafiura 16, A. Calandri 87, G. Calderini 82, P. Calfayan 101, L.P. Caloba 26a, S. Calvente Lopez 84,  
 D. Calvet 36, S. Calvet 36, T.P. Calvet 87, R. Camacho Toro 33, S. Camarda 32, P. Camarri 134a,134b,  
 D. Cameron 120, R. Caminal Armadans 169, C. Camincher 57, S. Campana 32, M. Campanelli 80,  
 A. Camplani 93a,93b, A. Campoverde 144, V. Canale 105a,105b, A. Canepa 163a, M. Cano Bret 141, J. Cantero 115,  
 R. Cantrill 127a, T. Cao 42, M.D.M. Capeans Garrido 32, I. Caprini 28b, M. Caprini 28b, M. Capua 39a,39b,  
 R. Caputo 85, R.M. Carbone 37, R. Cardarelli 134a, F. Cardillo 50, I. Carli 130, T. Carli 32, G. Carlino 105a,  
 L. Carminati 93a,93b, S. Caron 107, E. Carquin 34b, G.D. Carrillo-Montoya 32, J.R. Carter 30,  
 J. Carvalho 127a,127c, D. Casadei 19, M.P. Casado 13,i, M. Casolino 13, D.W. Casper 166,  
 E. Castaneda-Miranda 148a, R. Castelijn 108, A. Castelli 108, V. Castillo Gimenez 170, N.F. Castro 127a,j,  
 A. Catinaccio 32, J.R. Catmore 120, A. Cattai 32, J. Caudron 85, V. Cavaliere 169, E. Cavallaro 13, D. Cavalli 93a,  
 M. Cavalli-Sforza 13, V. Cavasinni 125a,125b, F. Ceradini 135a,135b, L. Cerdá Alberich 170, B.C. Cerio 47,  
 A.S. Cerqueira 26b, A. Cerri 152, L. Cerrito 78, F. Cerutti 16, M. Cerv 32, A. Cervelli 18, S.A. Cetin 20d,  
 A. Chafaq 136a, D. Chakraborty 109, S.K. Chan 58, Y.L. Chan 62a, P. Chang 169, J.D. Chapman 30,  
 D.G. Charlton 19, A. Chatterjee 51, C.C. Chau 162, C.A. Chavez Barajas 152, S. Che 112, S. Cheatham 74,  
 A. Chegwidden 92, S. Chekanov 6, S.V. Chekulaev 163a, G.A. Chelkov 67,k, M.A. Chelstowska 91, C. Chen 66,  
 H. Chen 27, K. Chen 151, S. Chen 35b, S. Chen 158, X. Chen 35c, Y. Chen 69, H.C. Cheng 91, H.J. Cheng 35a,

- Y. Cheng <sup>33</sup>, A. Cheplakov <sup>67</sup>, E. Cheremushkina <sup>131</sup>, R. Cherkoui El Moursli <sup>136e</sup>, V. Chernyatin <sup>27,\*</sup>,  
 E. Cheu <sup>7</sup>, L. Chevalier <sup>137</sup>, V. Chiarella <sup>49</sup>, G. Chiarelli <sup>125a,125b</sup>, G. Chiodini <sup>75a</sup>, A.S. Chisholm <sup>19</sup>,  
 A. Chitan <sup>28b</sup>, M.V. Chizhov <sup>67</sup>, K. Choi <sup>63</sup>, A.R. Chomont <sup>36</sup>, S. Chouridou <sup>9</sup>, B.K.B. Chow <sup>101</sup>,  
 V. Christodoulou <sup>80</sup>, D. Chromek-Burckhart <sup>32</sup>, J. Chudoba <sup>128</sup>, A.J. Chuinard <sup>89</sup>, J.J. Chwastowski <sup>41</sup>,  
 L. Chytka <sup>116</sup>, G. Ciapetti <sup>133a,133b</sup>, A.K. Ciftci <sup>4a</sup>, D. Cinca <sup>45</sup>, V. Cindro <sup>77</sup>, I.A. Cioara <sup>23</sup>, C. Ciocca <sup>22a,22b</sup>,  
 A. Ciocio <sup>16</sup>, F. Cirotto <sup>105a,105b</sup>, Z.H. Citron <sup>175</sup>, M. Citterio <sup>93a</sup>, M. Ciubancan <sup>28b</sup>, A. Clark <sup>51</sup>, B.L. Clark <sup>58</sup>,  
 M.R. Clark <sup>37</sup>, P.J. Clark <sup>48</sup>, R.N. Clarke <sup>16</sup>, C. Clement <sup>149a,149b</sup>, Y. Coadou <sup>87</sup>, M. Cobal <sup>167a,167c</sup>,  
 A. Coccaro <sup>51</sup>, J. Cochran <sup>66</sup>, L. Coffey <sup>25</sup>, L. Colasurdo <sup>107</sup>, B. Cole <sup>37</sup>, A.P. Colijn <sup>108</sup>, J. Collot <sup>57</sup>,  
 T. Colombo <sup>32</sup>, G. Compostella <sup>102</sup>, P. Conde Muiño <sup>127a,127b</sup>, E. Coniavitis <sup>50</sup>, S.H. Connell <sup>148b</sup>,  
 I.A. Connolly <sup>79</sup>, V. Consorti <sup>50</sup>, S. Constantinescu <sup>28b</sup>, G. Conti <sup>32</sup>, F. Conventi <sup>105a,l</sup>, M. Cooke <sup>16</sup>,  
 B.D. Cooper <sup>80</sup>, A.M. Cooper-Sarkar <sup>121</sup>, K.J.R. Cormier <sup>162</sup>, T. Cornelissen <sup>178</sup>, M. Corradi <sup>133a,133b</sup>,  
 F. Corriveau <sup>89,m</sup>, A. Corso-Radu <sup>166</sup>, A. Cortes-Gonzalez <sup>13</sup>, G. Cortiana <sup>102</sup>, G. Costa <sup>93a</sup>, M.J. Costa <sup>170</sup>,  
 D. Costanzo <sup>142</sup>, G. Cottin <sup>30</sup>, G. Cowan <sup>79</sup>, B.E. Cox <sup>86</sup>, K. Cranmer <sup>111</sup>, S.J. Crawley <sup>55</sup>, G. Cree <sup>31</sup>,  
 S. Crépé-Renaudin <sup>57</sup>, F. Crescioli <sup>82</sup>, W.A. Cribbs <sup>149a,149b</sup>, M. Crispin Ortuzar <sup>121</sup>, M. Cristinziani <sup>23</sup>,  
 V. Croft <sup>107</sup>, G. Crosetti <sup>39a,39b</sup>, T. Cuhadar Donszelmann <sup>142</sup>, J. Cummings <sup>179</sup>, M. Curatolo <sup>49</sup>, J. Cúth <sup>85</sup>,  
 C. Cuthbert <sup>153</sup>, H. Czirr <sup>144</sup>, P. Czodrowski <sup>3</sup>, G. D'amen <sup>22a,22b</sup>, S. D'Auria <sup>55</sup>, M. D'Onofrio <sup>76</sup>,  
 M.J. Da Cunha Sargedas De Sousa <sup>127a,127b</sup>, C. Da Via <sup>86</sup>, W. Dabrowski <sup>40a</sup>, T. Dado <sup>147a</sup>, T. Dai <sup>91</sup>,  
 O. Dale <sup>15</sup>, F. Dallaire <sup>96</sup>, C. Dallapiccola <sup>88</sup>, M. Dam <sup>38</sup>, J.R. Dandoy <sup>33</sup>, N.P. Dang <sup>50</sup>, A.C. Daniells <sup>19</sup>,  
 N.S. Dann <sup>86</sup>, M. Danninger <sup>171</sup>, M. Dano Hoffmann <sup>137</sup>, V. Dao <sup>50</sup>, G. Darbo <sup>52a</sup>, S. Darmora <sup>8</sup>,  
 J. Dassoulas <sup>3</sup>, A. Dattagupta <sup>63</sup>, W. Davey <sup>23</sup>, C. David <sup>172</sup>, T. Davidek <sup>130</sup>, M. Davies <sup>156</sup>, P. Davison <sup>80</sup>,  
 E. Dawe <sup>90</sup>, I. Dawson <sup>142</sup>, R.K. Daya-Ishmukhametova <sup>88</sup>, K. De <sup>8</sup>, R. de Asmundis <sup>105a</sup>, A. De Benedetti <sup>114</sup>,  
 S. De Castro <sup>22a,22b</sup>, S. De Cecco <sup>82</sup>, N. De Groot <sup>107</sup>, P. de Jong <sup>108</sup>, H. De la Torre <sup>84</sup>, F. De Lorenzi <sup>66</sup>,  
 A. De Maria <sup>56</sup>, D. De Pedis <sup>133a</sup>, A. De Salvo <sup>133a</sup>, U. De Sanctis <sup>152</sup>, A. De Santo <sup>152</sup>,  
 J.B. De Vivie De Regie <sup>118</sup>, W.J. Dearnaley <sup>74</sup>, R. Debbe <sup>27</sup>, C. Debenedetti <sup>138</sup>, D.V. Dedovich <sup>67</sup>,  
 N. Dehghanian <sup>3</sup>, I. Deigaard <sup>108</sup>, M. Del Gaudio <sup>39a,39b</sup>, J. Del Peso <sup>84</sup>, T. Del Prete <sup>125a,125b</sup>, D. Delgove <sup>118</sup>,  
 F. Deliot <sup>137</sup>, C.M. Delitzsch <sup>51</sup>, M. Deliyergiyev <sup>77</sup>, A. Dell'Acqua <sup>32</sup>, L. Dell'Asta <sup>24</sup>, M. Dell'Orso <sup>125a,125b</sup>,  
 M. Della Pietra <sup>105a,l</sup>, D. della Volpe <sup>51</sup>, M. Delmastro <sup>5</sup>, P.A. Delsart <sup>57</sup>, D.A. DeMarco <sup>162</sup>, S. Demers <sup>179</sup>,  
 M. Demichev <sup>67</sup>, A. Demilly <sup>82</sup>, S.P. Denisov <sup>131</sup>, D. Denysiuk <sup>137</sup>, D. Derendarz <sup>41</sup>, J.E. Derkaoui <sup>136d</sup>,  
 F. Derue <sup>82</sup>, P. Dervan <sup>76</sup>, K. Desch <sup>23</sup>, C. Deterre <sup>44</sup>, K. Dette <sup>45</sup>, P.O. Deviveiros <sup>32</sup>, A. Dewhurst <sup>132</sup>,  
 S. Dhaliwal <sup>25</sup>, A. Di Ciaccio <sup>134a,134b</sup>, L. Di Ciaccio <sup>5</sup>, W.K. Di Clemente <sup>123</sup>, C. Di Donato <sup>133a,133b</sup>,  
 A. Di Girolamo <sup>32</sup>, B. Di Girolamo <sup>32</sup>, B. Di Micco <sup>135a,135b</sup>, R. Di Nardo <sup>32</sup>, A. Di Simone <sup>50</sup>, R. Di Sipio <sup>162</sup>,  
 D. Di Valentino <sup>31</sup>, C. Diaconu <sup>87</sup>, M. Diamond <sup>162</sup>, F.A. Dias <sup>48</sup>, M.A. Diaz <sup>34a</sup>, E.B. Diehl <sup>91</sup>, J. Dietrich <sup>17</sup>,  
 S. Diglio <sup>87</sup>, A. Dimitrievska <sup>14</sup>, J. Dingfelder <sup>23</sup>, P. Dita <sup>28b</sup>, S. Dita <sup>28b</sup>, F. Dittus <sup>32</sup>, F. Djama <sup>87</sup>,  
 T. Djobava <sup>53b</sup>, J.I. Djupsland <sup>60a</sup>, M.A.B. do Vale <sup>26c</sup>, D. Dobos <sup>32</sup>, M. Dobre <sup>28b</sup>, C. Doglioni <sup>83</sup>,  
 T. Dohmae <sup>158</sup>, J. Dolejsi <sup>130</sup>, Z. Dolezal <sup>130</sup>, B.A. Dolgoshein <sup>99,\*</sup>, M. Donadelli <sup>26d</sup>, S. Donati <sup>125a,125b</sup>,  
 P. Dondero <sup>122a,122b</sup>, J. Donini <sup>36</sup>, J. Dopke <sup>132</sup>, A. Doria <sup>105a</sup>, M.T. Dova <sup>73</sup>, A.T. Doyle <sup>55</sup>, E. Drechsler <sup>56</sup>,  
 M. Dris <sup>10</sup>, Y. Du <sup>140</sup>, J. Duarte-Campderros <sup>156</sup>, E. Duchovni <sup>175</sup>, G. Duckeck <sup>101</sup>, O.A. Ducu <sup>96,n</sup>,  
 D. Duda <sup>108</sup>, A. Dudarev <sup>32</sup>, E.M. Duffield <sup>16</sup>, L. Duflot <sup>118</sup>, L. Duguid <sup>79</sup>, M. Dührssen <sup>32</sup>, M. Dumancic <sup>175</sup>,  
 M. Dunford <sup>60a</sup>, H. Duran Yildiz <sup>4a</sup>, M. Düren <sup>54</sup>, A. Durglishvili <sup>53b</sup>, D. Duschinger <sup>46</sup>, B. Dutta <sup>44</sup>,  
 M. Dyndal <sup>44</sup>, C. Eckardt <sup>44</sup>, K.M. Ecker <sup>102</sup>, R.C. Edgar <sup>91</sup>, N.C. Edwards <sup>48</sup>, T. Eifert <sup>32</sup>, G. Eigen <sup>15</sup>,  
 K. Einsweiler <sup>16</sup>, T. Ekelof <sup>168</sup>, M. El Kacimi <sup>136c</sup>, V. Ellajosyula <sup>87</sup>, M. Ellert <sup>168</sup>, S. Elles <sup>5</sup>, F. Ellinghaus <sup>178</sup>,  
 A.A. Elliot <sup>172</sup>, N. Ellis <sup>32</sup>, J. Elmsheuser <sup>27</sup>, M. Elsing <sup>32</sup>, D. Emeliyanov <sup>132</sup>, Y. Enari <sup>158</sup>, O.C. Endner <sup>85</sup>,  
 M. Endo <sup>119</sup>, J.S. Ennis <sup>173</sup>, J. Erdmann <sup>45</sup>, A. Ereditato <sup>18</sup>, G. Ernis <sup>178</sup>, J. Ernst <sup>2</sup>, M. Ernst <sup>27</sup>, S. Errede <sup>169</sup>,  
 E. Ertel <sup>85</sup>, M. Escalier <sup>118</sup>, H. Esch <sup>45</sup>, C. Escobar <sup>126</sup>, B. Esposito <sup>49</sup>, A.I. Etienne <sup>137</sup>, E. Etzion <sup>156</sup>,  
 H. Evans <sup>63</sup>, A. Ezhilov <sup>124</sup>, F. Fabbri <sup>22a,22b</sup>, L. Fabbri <sup>22a,22b</sup>, G. Facini <sup>33</sup>, R.M. Fakhrutdinov <sup>131</sup>,  
 S. Falciano <sup>133a</sup>, R.J. Falla <sup>80</sup>, J. Faltova <sup>32</sup>, Y. Fang <sup>35a</sup>, M. Fanti <sup>93a,93b</sup>, A. Farbin <sup>8</sup>, A. Farilla <sup>135a</sup>,  
 C. Farina <sup>126</sup>, E.M. Farina <sup>122a,122b</sup>, T. Farooque <sup>13</sup>, S. Farrell <sup>16</sup>, S.M. Farrington <sup>173</sup>, P. Farthouat <sup>32</sup>,  
 F. Fassi <sup>136e</sup>, P. Fassnacht <sup>32</sup>, D. Fassouliotis <sup>9</sup>, M. Faucci Giannelli <sup>79</sup>, A. Favareto <sup>52a,52b</sup>, W.J. Fawcett <sup>121</sup>,  
 L. Fayard <sup>118</sup>, O.L. Fedin <sup>124,o</sup>, W. Fedorko <sup>171</sup>, S. Feigl <sup>120</sup>, L. Feligioni <sup>87</sup>, C. Feng <sup>140</sup>, E.J. Feng <sup>32</sup>, H. Feng <sup>91</sup>,  
 A.B. Fenyuk <sup>131</sup>, L. Feremenga <sup>8</sup>, P. Fernandez Martinez <sup>170</sup>, S. Fernandez Perez <sup>13</sup>, J. Ferrando <sup>55</sup>,  
 A. Ferrari <sup>168</sup>, P. Ferrari <sup>108</sup>, R. Ferrari <sup>122a</sup>, D.E. Ferreira de Lima <sup>60b</sup>, A. Ferrer <sup>170</sup>, D. Ferrere <sup>51</sup>,  
 C. Ferretti <sup>91</sup>, A. Ferretto Parodi <sup>52a,52b</sup>, F. Fiedler <sup>85</sup>, A. Filipčič <sup>77</sup>, M. Filipuzzi <sup>44</sup>, F. Filthaut <sup>107</sup>,

- M. Fincke-Keeler 172, K.D. Finelli 153, M.C.N. Fiolhais 127a, 127c, L. Fiorini 170, A. Firan 42, A. Fischer 2,  
 C. Fischer 13, J. Fischer 178, W.C. Fisher 92, N. Flaschel 44, I. Fleck 144, P. Fleischmann 91, G.T. Fletcher 142,  
 R.R.M. Fletcher 123, T. Flick 178, A. Floderus 83, L.R. Flores Castillo 62a, M.J. Flowerdew 102, G.T. Forcolin 86,  
 A. Formica 137, A. Forti 86, A.G. Foster 19, D. Fournier 118, H. Fox 74, S. Fracchia 13, P. Francavilla 82,  
 M. Franchini 22a, 22b, D. Francis 32, L. Franconi 120, M. Franklin 58, M. Frate 166, M. Fraternali 122a, 122b,  
 D. Freeborn 80, S.M. Fressard-Batraneanu 32, F. Friedrich 46, D. Froidevaux 32, J.A. Frost 121, C. Fukunaga 159,  
 E. Fullana Torregrosa 85, T. Fusayasu 103, J. Fuster 170, C. Gabaldon 57, O. Gabizon 178, A. Gabrielli 22a, 22b,  
 A. Gabrielli 16, G.P. Gach 40a, S. Gadatsch 32, S. Gadomski 51, G. Gagliardi 52a, 52b, L.G. Gagnon 96,  
 P. Gagnon 63, C. Galea 107, B. Galhardo 127a, 127c, E.J. Gallas 121, B.J. Gallop 132, P. Gallus 129, G. Galster 38,  
 K.K. Gan 112, J. Gao 59, Y. Gao 48, Y.S. Gao 146, g, F.M. Garay Walls 48, C. García 170, J.E. García Navarro 170,  
 M. Garcia-Sciveres 16, R.W. Gardner 33, N. Garelli 146, V. Garonne 120, A. Gascon Bravo 44, C. Gatti 49,  
 A. Gaudiello 52a, 52b, G. Gaudio 122a, B. Gaur 144, L. Gauthier 96, I.L. Gavrilenco 97, C. Gay 171, G. Gaycken 23,  
 E.N. Gazis 10, Z. Gecse 171, C.N.P. Gee 132, Ch. Geich-Gimbel 23, M. Geisen 85, M.P. Geisler 60a,  
 C. Gemme 52a, M.H. Genest 57, C. Geng 59, p, S. Gentile 133a, 133b, C. Gentsos 157, S. George 79,  
 D. Gerbaudo 13, A. Gershon 156, S. Ghasemi 144, H. Ghazlane 136b, M. Ghneimat 23, B. Giacobbe 22a,  
 S. Giagu 133a, 133b, P. Giannetti 125a, 125b, B. Gibbard 27, S.M. Gibson 79, M. Gignac 171, M. Gilchriese 16,  
 T.P.S. Gillam 30, D. Gillberg 31, G. Gilles 178, D.M. Gingrich 3, d, N. Giokaris 9, M.P. Giordani 167a, 167c,  
 F.M. Giorgi 22a, F.M. Giorgi 17, P.F. Giraud 137, P. Giromini 58, D. Giugni 93a, F. Giuli 121, C. Giuliani 102,  
 M. Giulini 60b, B.K. Gjelsten 120, S. Gkaitatzis 157, I. Gkialas 157, E.L. Gkougkousis 118, L.K. Gladilin 100,  
 C. Glasman 84, J. Glatzer 50, P.C.F. Glaysher 48, A. Glazov 44, M. Goblirsch-Kolb 25, J. Godlewski 41,  
 S. Goldfarb 90, T. Golling 51, D. Golubkov 131, A. Gomes 127a, 127b, 127d, R. Gonçalo 127a,  
 J. Goncalves Pinto Firmino Da Costa 137, G. Gonella 50, L. Gonella 19, A. Gongadze 67,  
 S. González de la Hoz 170, G. Gonzalez Parra 13, S. Gonzalez-Sevilla 51, L. Goossens 32, P.A. Gorbounov 98,  
 H.A. Gordon 27, I. Gorelov 106, B. Gorini 32, E. Gorini 75a, 75b, A. Gorišek 77, E. Gornicki 41, A.T. Goshaw 47,  
 C. Gössling 45, M.I. Gostkin 67, C.R. Goudet 118, D. Goujdami 136c, A.G. Goussiou 139, N. Govender 148b, q,  
 E. Gozani 155, L. Graber 56, I. Grabowska-Bold 40a, P.O.J. Gradin 57, P. Grafström 22a, 22b, J. Gramling 51,  
 E. Gramstad 120, S. Grancagnolo 17, V. Gratchev 124, P.M. Gravila 28e, H.M. Gray 32, E. Graziani 135a,  
 Z.D. Greenwood 81, r, C. Grefe 23, K. Gregersen 80, I.M. Gregor 44, P. Grenier 146, K. Grevtsov 5, J. Griffiths 8,  
 A.A. Grillo 138, K. Grimm 74, S. Grinstein 13, s, Ph. Gris 36, J.-F. Grivaz 118, S. Groh 85, J.P. Grohs 46,  
 E. Gross 175, J. Grosse-Knetter 56, G.C. Grossi 81, Z.J. Grout 152, L. Guan 91, W. Guan 176, J. Guenther 64,  
 F. Guescini 51, D. Guest 166, O. Gueta 156, E. Guido 52a, 52b, T. Guillemin 5, S. Guindon 2, U. Gul 55,  
 C. Gumpert 32, J. Guo 141, Y. Guo 59, p, R. Gupta 42, S. Gupta 121, G. Gustavino 133a, 133b, P. Gutierrez 114,  
 N.G. Gutierrez Ortiz 80, C. Gutschow 46, C. Guyot 137, C. Gwenlan 121, C.B. Gwilliam 76, A. Haas 111,  
 C. Haber 16, H.K. Hadavand 8, N. Haddad 136e, A. Hadef 87, P. Haefner 23, S. Hageböck 23, Z. Hajduk 41,  
 H. Hakobyan 180, \*, M. Haleem 44, J. Haley 115, G. Halladjian 92, G.D. Hallewell 87, K. Hamacher 178,  
 P. Hamal 116, K. Hamano 172, A. Hamilton 148a, G.N. Hamity 142, P.G. Hamnett 44, L. Han 59, K. Hanagaki 68, t,  
 K. Hanawa 158, M. Hance 138, B. Haney 123, P. Hanke 60a, R. Hanna 137, J.B. Hansen 38, J.D. Hansen 38,  
 M.C. Hansen 23, P.H. Hansen 38, K. Hara 164, A.S. Hard 176, T. Harenberg 178, F. Hariri 118, S. Harkusha 94,  
 R.D. Harrington 48, P.F. Harrison 173, F. Hartjes 108, N.M. Hartmann 101, M. Hasegawa 69, Y. Hasegawa 143,  
 A. Hasib 114, S. Hassani 137, S. Haug 18, R. Hauser 92, L. Hauswald 46, M. Havranek 128, C.M. Hawkes 19,  
 R.J. Hawkings 32, D. Hayden 92, C.P. Hays 121, J.M. Hays 78, H.S. Hayward 76, S.J. Haywood 132, S.J. Head 19,  
 T. Heck 85, V. Hedberg 83, L. Heelan 8, S. Heim 123, T. Heim 16, B. Heinemann 16, J.J. Heinrich 101,  
 L. Heinrich 111, C. Heinz 54, J. Hejbal 128, L. Helary 24, S. Hellman 149a, 149b, C. Helsens 32, J. Henderson 121,  
 R.C.W. Henderson 74, Y. Heng 176, S. Henkelmann 171, A.M. Henriques Correia 32, S. Henrot-Versille 118,  
 G.H. Herbert 17, Y. Hernández Jiménez 170, G. Herten 50, R. Hertenberger 101, L. Hervas 32, G.G. Hesketh 80,  
 N.P. Hessey 108, J.W. Hetherly 42, R. Hickling 78, E. Higón-Rodriguez 170, E. Hill 172, J.C. Hill 30, K.H. Hiller 44,  
 S.J. Hillier 19, I. Hinchliffe 16, E. Hines 123, R.R. Hinman 16, M. Hirose 50, D. Hirschbuehl 178, J. Hobbs 151,  
 N. Hod 163a, M.C. Hodgkinson 142, P. Hodgson 142, A. Hoecker 32, M.R. Hoeferkamp 106, F. Hoenig 101,  
 D. Hohn 23, T.R. Holmes 16, M. Homann 45, T.M. Hong 126, B.H. Hooberman 169, W.H. Hopkins 117,  
 Y. Horii 104, A.J. Horton 145, J-Y. Hostachy 57, S. Hou 154, A. Hoummada 136a, J. Howarth 44,  
 M. Hrabovsky 116, I. Hristova 17, J. Hrivnac 118, T. Hrynevich 95, C. Hsu 148c, P.J. Hsu 154, u,  
 S.-C. Hsu 139, D. Hu 37, Q. Hu 59, Y. Huang 44, Z. Hubacek 129, F. Hubaut 87, F. Huegging 23, T.B. Huffman 121,

- E.W. Hughes <sup>37</sup>, G. Hughes <sup>74</sup>, M. Huhtinen <sup>32</sup>, P. Huo <sup>151</sup>, N. Huseynov <sup>67,b</sup>, J. Huston <sup>92</sup>, J. Huth <sup>58</sup>, G. Iacobucci <sup>51</sup>, G. Iakovidis <sup>27</sup>, I. Ibragimov <sup>144</sup>, L. Iconomidou-Fayard <sup>118</sup>, E. Ideal <sup>179</sup>, Z. Idrissi <sup>136e</sup>, P. Iengo <sup>32</sup>, O. Igolkina <sup>108,v</sup>, T. Iizawa <sup>174</sup>, Y. Ikegami <sup>68</sup>, M. Ikeno <sup>68</sup>, Y. Ilchenko <sup>11,w</sup>, D. Iliadis <sup>157</sup>, N. Ilic <sup>146</sup>, T. Ince <sup>102</sup>, G. Introzzi <sup>122a,122b</sup>, P. Ioannou <sup>9,\*</sup>, M. Iodice <sup>135a</sup>, K. Iordanidou <sup>37</sup>, V. Ippolito <sup>58</sup>, N. Ishijima <sup>119</sup>, M. Ishino <sup>70</sup>, M. Ishitsuka <sup>160</sup>, R. Ishmukhametov <sup>112</sup>, C. Issever <sup>121</sup>, S. Istiin <sup>20a</sup>, F. Ito <sup>164</sup>, J.M. Iturbe Ponce <sup>86</sup>, R. Iuppa <sup>134a,134b</sup>, W. Iwanski <sup>64</sup>, H. Iwasaki <sup>68</sup>, J.M. Izen <sup>43</sup>, V. Izzo <sup>105a</sup>, S. Jabbar <sup>3</sup>, B. Jackson <sup>123</sup>, M. Jackson <sup>76</sup>, P. Jackson <sup>1</sup>, V. Jain <sup>2</sup>, K.B. Jakobi <sup>85</sup>, K. Jakobs <sup>50</sup>, S. Jakobsen <sup>32</sup>, T. Jakoubek <sup>128</sup>, D.O. Jamin <sup>115</sup>, D.K. Jana <sup>81</sup>, E. Jansen <sup>80</sup>, R. Jansky <sup>64</sup>, J. Janssen <sup>23</sup>, M. Janus <sup>56</sup>, G. Jarlskog <sup>83</sup>, N. Javadov <sup>67,b</sup>, T. Javurek <sup>50</sup>, F. Jeanneau <sup>137</sup>, L. Jeanty <sup>16</sup>, G.-Y. Jeng <sup>153</sup>, D. Jennens <sup>90</sup>, P. Jenni <sup>50,x</sup>, J. Jentzsch <sup>45</sup>, C. Jeske <sup>173</sup>, S. Jézéquel <sup>5</sup>, H. Ji <sup>176</sup>, J. Jia <sup>151</sup>, H. Jiang <sup>66</sup>, Y. Jiang <sup>59</sup>, S. Jiggins <sup>80</sup>, J. Jimenez Pena <sup>170</sup>, S. Jin <sup>35a</sup>, A. Jinaru <sup>28b</sup>, O. Jinnouchi <sup>160</sup>, P. Johansson <sup>142</sup>, K.A. Johns <sup>7</sup>, W.J. Johnson <sup>139</sup>, K. Jon-And <sup>149a,149b</sup>, G. Jones <sup>173</sup>, R.W.L. Jones <sup>74</sup>, S. Jones <sup>7</sup>, T.J. Jones <sup>76</sup>, J. Jongmanns <sup>60a</sup>, P.M. Jorge <sup>127a,127b</sup>, J. Jovicevic <sup>163a</sup>, X. Ju <sup>176</sup>, A. Juste Rozas <sup>13,s</sup>, M.K. Köhler <sup>175</sup>, A. Kaczmarcka <sup>41</sup>, M. Kado <sup>118</sup>, H. Kagan <sup>112</sup>, M. Kagan <sup>146</sup>, S.J. Kahn <sup>87</sup>, E. Kajomovitz <sup>47</sup>, C.W. Kalderon <sup>121</sup>, A. Kaluza <sup>85</sup>, S. Kama <sup>42</sup>, A. Kamenshchikov <sup>131</sup>, N. Kanaya <sup>158</sup>, S. Kaneti <sup>30</sup>, L. Kanjir <sup>77</sup>, V.A. Kantserov <sup>99</sup>, J. Kanzaki <sup>68</sup>, B. Kaplan <sup>111</sup>, L.S. Kaplan <sup>176</sup>, A. Kapliy <sup>33</sup>, D. Kar <sup>148c</sup>, K. Karakostas <sup>10</sup>, A. Karamaoun <sup>3</sup>, N. Karastathis <sup>10</sup>, M.J. Kareem <sup>56</sup>, E. Karentzos <sup>10</sup>, M. Karnevskiy <sup>85</sup>, S.N. Karpov <sup>67</sup>, Z.M. Karpova <sup>67</sup>, K. Karthik <sup>111</sup>, V. Kartvelishvili <sup>74</sup>, A.N. Karyukhin <sup>131</sup>, K. Kasahara <sup>164</sup>, L. Kashif <sup>176</sup>, R.D. Kass <sup>112</sup>, A. Kastanas <sup>15</sup>, Y. Kataoka <sup>158</sup>, C. Kato <sup>158</sup>, A. Katre <sup>51</sup>, J. Katzy <sup>44</sup>, K. Kawade <sup>104</sup>, K. Kawagoe <sup>72</sup>, T. Kawamoto <sup>158</sup>, G. Kawamura <sup>56</sup>, S. Kazama <sup>158</sup>, V.F. Kazanin <sup>110,c</sup>, R. Keeler <sup>172</sup>, R. Kehoe <sup>42</sup>, J.S. Keller <sup>44</sup>, J.J. Kempster <sup>79</sup>, H. Keoshkerian <sup>162</sup>, O. Kepka <sup>128</sup>, B.P. Kerševan <sup>77</sup>, S. Kersten <sup>178</sup>, R.A. Keyes <sup>89</sup>, M. Khader <sup>169</sup>, F. Khalil-zada <sup>12</sup>, A. Khanov <sup>115</sup>, A.G. Kharlamov <sup>110,c</sup>, T.J. Khoo <sup>51</sup>, V. Khovanskiy <sup>98</sup>, E. Khramov <sup>67</sup>, J. Khubua <sup>53b,y</sup>, S. Kido <sup>69</sup>, H.Y. Kim <sup>8</sup>, S.H. Kim <sup>164</sup>, Y.K. Kim <sup>33</sup>, N. Kimura <sup>157</sup>, O.M. Kind <sup>17</sup>, B.T. King <sup>76</sup>, M. King <sup>170</sup>, S.B. King <sup>171</sup>, J. Kirk <sup>132</sup>, A.E. Kiryunin <sup>102</sup>, T. Kishimoto <sup>69</sup>, D. Kisielewska <sup>40a</sup>, F. Kiss <sup>50</sup>, K. Kiuchi <sup>164</sup>, O. Kivernyk <sup>137</sup>, E. Kladiva <sup>147b</sup>, M.H. Klein <sup>37</sup>, M. Klein <sup>76</sup>, U. Klein <sup>76</sup>, K. Kleinknecht <sup>85</sup>, P. Klimek <sup>109</sup>, A. Klimentov <sup>27</sup>, R. Klingenberg <sup>45</sup>, J.A. Klinger <sup>142</sup>, T. Klioutchnikova <sup>32</sup>, E.-E. Kluge <sup>60a</sup>, P. Kluit <sup>108</sup>, S. Kluth <sup>102</sup>, J. Knapik <sup>41</sup>, E. Kneringer <sup>64</sup>, E.B.F.G. Knoops <sup>87</sup>, A. Knue <sup>55</sup>, A. Kobayashi <sup>158</sup>, D. Kobayashi <sup>160</sup>, T. Kobayashi <sup>158</sup>, M. Kobel <sup>46</sup>, M. Kocian <sup>146</sup>, P. Kodys <sup>130</sup>, T. Koffas <sup>31</sup>, E. Koffeman <sup>108</sup>, T. Koi <sup>146</sup>, H. Kolanoski <sup>17</sup>, M. Kolb <sup>60b</sup>, I. Koletsou <sup>5</sup>, A.A. Komar <sup>97,\*</sup>, Y. Komori <sup>158</sup>, T. Kondo <sup>68</sup>, N. Kondrashova <sup>44</sup>, K. Köneke <sup>50</sup>, A.C. König <sup>107</sup>, T. Kono <sup>68,z</sup>, R. Konoplich <sup>111,aa</sup>, N. Konstantinidis <sup>80</sup>, R. Kopeliansky <sup>63</sup>, S. Koperny <sup>40a</sup>, L. Köpke <sup>85</sup>, A.K. Kopp <sup>50</sup>, K. Korcyl <sup>41</sup>, K. Kordas <sup>157</sup>, A. Korn <sup>80</sup>, A.A. Korol <sup>110,c</sup>, I. Korolkov <sup>13</sup>, E.V. Korolkova <sup>142</sup>, O. Kortner <sup>102</sup>, S. Kortner <sup>102</sup>, T. Kosek <sup>130</sup>, V.V. Kostyukhin <sup>23</sup>, A. Kotwal <sup>47</sup>, A. Kourkoumeli-Charalampidi <sup>157</sup>, C. Kourkoumelis <sup>9</sup>, V. Kouskoura <sup>27</sup>, A.B. Kowalewska <sup>41</sup>, R. Kowalewski <sup>172</sup>, T.Z. Kowalski <sup>40a</sup>, C. Kozakai <sup>158</sup>, W. Kozanecki <sup>137</sup>, A.S. Kozhin <sup>131</sup>, V.A. Kramarenko <sup>100</sup>, G. Kramberger <sup>77</sup>, D. Krasnoperovtsev <sup>99</sup>, M.W. Krasny <sup>82</sup>, A. Krasznahorkay <sup>32</sup>, J.K. Kraus <sup>23</sup>, A. Kravchenko <sup>27</sup>, M. Kretz <sup>60c</sup>, J. Kretzschmar <sup>76</sup>, K. Kreutzfeldt <sup>54</sup>, P. Krieger <sup>162</sup>, K. Krizka <sup>33</sup>, K. Kroeninger <sup>45</sup>, H. Kroha <sup>102</sup>, J. Kroll <sup>123</sup>, J. Kroseberg <sup>23</sup>, J. Krstic <sup>14</sup>, U. Kruchonak <sup>67</sup>, H. Krüger <sup>23</sup>, N. Krumnack <sup>66</sup>, A. Kruse <sup>176</sup>, M.C. Kruse <sup>47</sup>, M. Kruskal <sup>24</sup>, T. Kubota <sup>90</sup>, H. Kucuk <sup>80</sup>, S. Kuday <sup>4b</sup>, J.T. Kuechler <sup>178</sup>, S. Kuehn <sup>50</sup>, A. Kugel <sup>60c</sup>, F. Kuger <sup>177</sup>, A. Kuhl <sup>138</sup>, T. Kuhl <sup>44</sup>, V. Kukhtin <sup>67</sup>, R. Kukla <sup>137</sup>, Y. Kulchitsky <sup>94</sup>, S. Kuleshov <sup>34b</sup>, M. Kuna <sup>133a,133b</sup>, T. Kunigo <sup>70</sup>, A. Kupco <sup>128</sup>, H. Kurashige <sup>69</sup>, Y.A. Kurochkin <sup>94</sup>, V. Kus <sup>128</sup>, E.S. Kuwertz <sup>172</sup>, M. Kuze <sup>160</sup>, J. Kvita <sup>116</sup>, T. Kwan <sup>172</sup>, D. Kyriazopoulos <sup>142</sup>, A. La Rosa <sup>102</sup>, J.L. La Rosa Navarro <sup>26d</sup>, L. La Rotonda <sup>39a,39b</sup>, C. Lacasta <sup>170</sup>, F. Lacava <sup>133a,133b</sup>, J. Lacey <sup>31</sup>, H. Lacker <sup>17</sup>, D. Lacour <sup>82</sup>, V.R. Lacuesta <sup>170</sup>, E. Ladygin <sup>67</sup>, R. Lafaye <sup>5</sup>, B. Laforge <sup>82</sup>, T. Lagouri <sup>179</sup>, S. Lai <sup>56</sup>, S. Lammers <sup>63</sup>, W. Lampl <sup>7</sup>, E. Lançon <sup>137</sup>, U. Landgraf <sup>50</sup>, M.P.J. Landon <sup>78</sup>, V.S. Lang <sup>60a</sup>, J.C. Lange <sup>13</sup>, A.J. Lankford <sup>166</sup>, F. Lanni <sup>27</sup>, K. Lantzsch <sup>23</sup>, A. Lanza <sup>122a</sup>, S. Laplace <sup>82</sup>, C. Lapoire <sup>32</sup>, J.F. Laporte <sup>137</sup>, T. Lari <sup>93a</sup>, F. Lasagni Manghi <sup>22a,22b</sup>, M. Lassnig <sup>32</sup>, P. Laurelli <sup>49</sup>, W. Lavrijsen <sup>16</sup>, A.T. Law <sup>138</sup>, P. Laycock <sup>76</sup>, T. Lazovich <sup>58</sup>, M. Lazzaroni <sup>93a,93b</sup>, B. Le <sup>90</sup>, O. Le Dortz <sup>82</sup>, E. Le Guirriec <sup>87</sup>, E.P. Le Quilleuc <sup>137</sup>, M. LeBlanc <sup>172</sup>, T. LeCompte <sup>6</sup>, F. Ledroit-Guillon <sup>57</sup>, C.A. Lee <sup>27</sup>, S.C. Lee <sup>154</sup>, L. Lee <sup>1</sup>, G. Lefebvre <sup>82</sup>, M. Lefebvre <sup>172</sup>, F. Legger <sup>101</sup>, C. Leggett <sup>16</sup>, A. Lehan <sup>76</sup>, G. Lehmann Miotto <sup>32</sup>, X. Lei <sup>7</sup>, W.A. Leight <sup>31</sup>, A.G. Lester <sup>179</sup>, M.A.L. Leite <sup>26d</sup>, R. Leitner <sup>130</sup>, D. Lellouch <sup>175</sup>, B. Lemmer <sup>56</sup>, K.J.C. Leney <sup>80</sup>, T. Lenz <sup>23</sup>, B. Lenzi <sup>32</sup>, R. Leone <sup>7</sup>, S. Leone <sup>125a,125b</sup>, C. Leonidopoulos <sup>48</sup>, S. Leontsinis <sup>10</sup>, G. Lerner <sup>152</sup>, C. Leroy <sup>96</sup>, A.A.J. Lesage <sup>137</sup>, C.G. Lester <sup>30</sup>, M. Levchenko <sup>124</sup>, J. Levêque <sup>5</sup>, D. Levin <sup>91</sup>, L.J. Levinson <sup>175</sup>, M. Levy <sup>19</sup>,

- D. Lewis <sup>78</sup>, A.M. Leyko <sup>23</sup>, M. Leyton <sup>43</sup>, B. Li <sup>59,p</sup>, H. Li <sup>151</sup>, H.L. Li <sup>33</sup>, L. Li <sup>47</sup>, L. Li <sup>141</sup>, Q. Li <sup>35a</sup>, S. Li <sup>47</sup>, X. Li <sup>86</sup>, Y. Li <sup>144</sup>, Z. Liang <sup>35a</sup>, B. Liberti <sup>134a</sup>, A. Liblong <sup>162</sup>, P. Lichard <sup>32</sup>, K. Lie <sup>169</sup>, J. Liebal <sup>23</sup>, W. Liebig <sup>15</sup>, A. Limosani <sup>153</sup>, S.C. Lin <sup>154,ab</sup>, T.H. Lin <sup>85</sup>, B.E. Lindquist <sup>151</sup>, A.E. Lionti <sup>51</sup>, E. Lipeles <sup>123</sup>, A. Lipniacka <sup>15</sup>, M. Lisovyi <sup>60b</sup>, T.M. Liss <sup>169</sup>, A. Lister <sup>171</sup>, A.M. Litke <sup>138</sup>, B. Liu <sup>154,ac</sup>, D. Liu <sup>154</sup>, H. Liu <sup>91</sup>, H. Liu <sup>27</sup>, J. Liu <sup>87</sup>, J.B. Liu <sup>59</sup>, K. Liu <sup>87</sup>, L. Liu <sup>169</sup>, M. Liu <sup>47</sup>, M. Liu <sup>59</sup>, Y.L. Liu <sup>59</sup>, Y. Liu <sup>59</sup>, M. Livan <sup>122a,122b</sup>, A. Lleres <sup>57</sup>, J. Llorente Merino <sup>35a</sup>, S.L. Lloyd <sup>78</sup>, F. Lo Sterzo <sup>154</sup>, E.M. Lobodzinska <sup>44</sup>, P. Loch <sup>7</sup>, W.S. Lockman <sup>138</sup>, F.K. Loebinger <sup>86</sup>, A.E. Loevschall-Jensen <sup>38</sup>, K.M. Loew <sup>25</sup>, A. Loginov <sup>179,\*</sup>, T. Lohse <sup>17</sup>, K. Lohwasser <sup>44</sup>, M. Lokajicek <sup>128</sup>, B.A. Long <sup>24</sup>, J.D. Long <sup>169</sup>, R.E. Long <sup>74</sup>, L. Longo <sup>75a,75b</sup>, K.A.Looper <sup>112</sup>, L. Lopes <sup>127a</sup>, D. Lopez Mateos <sup>58</sup>, B. Lopez Paredes <sup>142</sup>, I. Lopez Paz <sup>13</sup>, A. Lopez Solis <sup>82</sup>, J. Lorenz <sup>101</sup>, N. Lorenzo Martinez <sup>63</sup>, M. Losada <sup>21</sup>, P.J. Lösel <sup>101</sup>, X. Lou <sup>35a</sup>, A. Lounis <sup>118</sup>, J. Love <sup>6</sup>, P.A. Love <sup>74</sup>, H. Lu <sup>62a</sup>, N. Lu <sup>91</sup>, H.J. Lubatti <sup>139</sup>, C. Luci <sup>133a,133b</sup>, A. Lucotte <sup>57</sup>, C. Luedtke <sup>50</sup>, F. Luehring <sup>63</sup>, W. Lukas <sup>64</sup>, L. Luminari <sup>133a</sup>, O. Lundberg <sup>149a,149b</sup>, B. Lund-Jensen <sup>150</sup>, P.M. Luzi <sup>82</sup>, D. Lynn <sup>27</sup>, R. Lysak <sup>128</sup>, E. Lytken <sup>83</sup>, V. Lyubushkin <sup>67</sup>, H. Ma <sup>27</sup>, L.L. Ma <sup>140</sup>, Y. Ma <sup>140</sup>, G. Maccarrone <sup>49</sup>, A. Macchiolo <sup>102</sup>, C.M. Macdonald <sup>142</sup>, B. Maćek <sup>77</sup>, J. Machado Miguens <sup>123,127b</sup>, D. Madaffari <sup>87</sup>, R. Madar <sup>36</sup>, H.J. Maddocks <sup>168</sup>, W.F. Mader <sup>46</sup>, A. Madsen <sup>44</sup>, J. Maeda <sup>69</sup>, S. Maeland <sup>15</sup>, T. Maeno <sup>27</sup>, A. Maevskiy <sup>100</sup>, E. Magradze <sup>56</sup>, J. Mahlstedt <sup>108</sup>, C. Maiani <sup>118</sup>, C. Maidantchik <sup>26a</sup>, A.A. Maier <sup>102</sup>, T. Maier <sup>101</sup>, A. Maio <sup>127a,127b,127d</sup>, S. Majewski <sup>117</sup>, Y. Makida <sup>68</sup>, N. Makovec <sup>118</sup>, B. Malaescu <sup>82</sup>, Pa. Malecki <sup>41</sup>, V.P. Maleev <sup>124</sup>, F. Malek <sup>57</sup>, U. Mallik <sup>65</sup>, D. Malon <sup>6</sup>, C. Malone <sup>146</sup>, S. Maltezos <sup>10</sup>, S. Malyukov <sup>32</sup>, J. Mamuzic <sup>170</sup>, G. Mancini <sup>49</sup>, B. Mandelli <sup>32</sup>, L. Mandelli <sup>93a</sup>, I. Mandić <sup>77</sup>, J. Maneira <sup>127a,127b</sup>, L. Manhaes de Andrade Filho <sup>26b</sup>, J. Manjarres Ramos <sup>163b</sup>, A. Mann <sup>101</sup>, A. Manousos <sup>32</sup>, B. Mansoulie <sup>137</sup>, J.D. Mansour <sup>35a</sup>, R. Mantifel <sup>89</sup>, M. Mantoani <sup>56</sup>, S. Manzoni <sup>93a,93b</sup>, L. Mapelli <sup>32</sup>, G. Marceca <sup>29</sup>, L. March <sup>51</sup>, G. Marchiori <sup>82</sup>, M. Marcisovsky <sup>128</sup>, M. Marjanovic <sup>14</sup>, D.E. Marley <sup>91</sup>, F. Marroquim <sup>26a</sup>, S.P. Marsden <sup>86</sup>, Z. Marshall <sup>16</sup>, S. Marti-Garcia <sup>170</sup>, B. Martin <sup>92</sup>, T.A. Martin <sup>173</sup>, V.J. Martin <sup>48</sup>, B. Martin dit Latour <sup>15</sup>, M. Martinez <sup>13,s</sup>, V.I. Martinez Outschoorn <sup>169</sup>, S. Martin-Haugh <sup>132</sup>, V.S. Martoiu <sup>28b</sup>, A.C. Martyniuk <sup>80</sup>, M. Marx <sup>139</sup>, A. Marzin <sup>32</sup>, L. Masetti <sup>85</sup>, T. Mashimo <sup>158</sup>, R. Mashinistov <sup>97</sup>, J. Masik <sup>86</sup>, A.L. Maslennikov <sup>110,c</sup>, I. Massa <sup>22a,22b</sup>, L. Massa <sup>22a,22b</sup>, P. Mastrandrea <sup>5</sup>, A. Mastroberardino <sup>39a,39b</sup>, T. Masubuchi <sup>158</sup>, P. Mättig <sup>178</sup>, J. Mattmann <sup>85</sup>, J. Maurer <sup>28b</sup>, S.J. Maxfield <sup>76</sup>, D.A. Maximov <sup>110,c</sup>, R. Mazini <sup>154</sup>, S.M. Mazza <sup>93a,93b</sup>, N.C. Mc Fadden <sup>106</sup>, G. Mc Goldrick <sup>162</sup>, S.P. Mc Kee <sup>91</sup>, A. McCarn <sup>91</sup>, R.L. McCarthy <sup>151</sup>, T.G. McCarthy <sup>102</sup>, L.I. McClymont <sup>80</sup>, E.F. McDonald <sup>90</sup>, J.A. Mcfayden <sup>80</sup>, G. Mchedlidze <sup>56</sup>, S.J. McMahon <sup>132</sup>, R.A. McPherson <sup>172,m</sup>, M. Medinnis <sup>44</sup>, S. Meehan <sup>139</sup>, S. Mehlhase <sup>101</sup>, A. Mehta <sup>76</sup>, K. Meier <sup>60a</sup>, C. Meineck <sup>101</sup>, B. Meirose <sup>43</sup>, D. Melini <sup>170</sup>, B.R. Mellado Garcia <sup>148c</sup>, M. Melo <sup>147a</sup>, F. Meloni <sup>18</sup>, A. Mengarelli <sup>22a,22b</sup>, S. Menke <sup>102</sup>, E. Meoni <sup>165</sup>, S. Mergelmeyer <sup>17</sup>, P. Mermod <sup>51</sup>, L. Merola <sup>105a,105b</sup>, C. Meroni <sup>93a</sup>, F.S. Merritt <sup>33</sup>, A. Messina <sup>133a,133b</sup>, J. Metcalfe <sup>6</sup>, A.S. Mete <sup>166</sup>, C. Meyer <sup>85</sup>, C. Meyer <sup>123</sup>, J-P. Meyer <sup>137</sup>, J. Meyer <sup>108</sup>, H. Meyer Zu Theenhausen <sup>60a</sup>, F. Miano <sup>152</sup>, R.P. Middleton <sup>132</sup>, S. Miglioranzi <sup>52a,52b</sup>, L. Mijović <sup>23</sup>, G. Mikenberg <sup>175</sup>, M. Mikestikova <sup>128</sup>, M. Mikuž <sup>77</sup>, M. Milesi <sup>90</sup>, A. Milic <sup>64</sup>, D.W. Miller <sup>33</sup>, C. Mills <sup>48</sup>, A. Milov <sup>175</sup>, D.A. Milstead <sup>149a,149b</sup>, A.A. Minaenko <sup>131</sup>, Y. Minami <sup>158</sup>, I.A. Minashvili <sup>67</sup>, A.I. Mincer <sup>111</sup>, B. Mindur <sup>40a</sup>, M. Mineev <sup>67</sup>, Y. Ming <sup>176</sup>, L.M. Mir <sup>13</sup>, K.P. Mistry <sup>123</sup>, T. Mitani <sup>174</sup>, J. Mitrevski <sup>101</sup>, V.A. Mitsou <sup>170</sup>, A. Miucci <sup>51</sup>, P.S. Miyagawa <sup>142</sup>, J.U. Mjörnmark <sup>83</sup>, T. Moa <sup>149a,149b</sup>, K. Mochizuki <sup>96</sup>, S. Mohapatra <sup>37</sup>, S. Molander <sup>149a,149b</sup>, R. Moles-Valls <sup>23</sup>, R. Monden <sup>70</sup>, M.C. Mondragon <sup>92</sup>, K. Mönig <sup>44</sup>, J. Monk <sup>38</sup>, E. Monnier <sup>87</sup>, A. Montalbano <sup>151</sup>, J. Montejo Berlingen <sup>32</sup>, F. Monticelli <sup>73</sup>, S. Monzani <sup>93a,93b</sup>, R.W. Moore <sup>3</sup>, N. Morange <sup>118</sup>, D. Moreno <sup>21</sup>, M. Moreno Llácer <sup>56</sup>, P. Morettini <sup>52a</sup>, S. Morgenstern <sup>32</sup>, D. Mori <sup>145</sup>, T. Mori <sup>158</sup>, M. Morii <sup>58</sup>, M. Morinaga <sup>158</sup>, V. Morisbak <sup>120</sup>, S. Moritz <sup>85</sup>, A.K. Morley <sup>153</sup>, G. Mornacchi <sup>32</sup>, J.D. Morris <sup>78</sup>, S.S. Mortensen <sup>38</sup>, L. Morvaj <sup>151</sup>, M. Mosidze <sup>53b</sup>, J. Moss <sup>146,ad</sup>, K. Motohashi <sup>160</sup>, R. Mount <sup>146</sup>, E. Mountricha <sup>27</sup>, S.V. Mouraviev <sup>97,\*</sup>, E.J.W. Moyse <sup>88</sup>, S. Muanza <sup>87</sup>, R.D. Mudd <sup>19</sup>, F. Mueller <sup>102</sup>, J. Mueller <sup>126</sup>, R.S.P. Mueller <sup>101</sup>, T. Mueller <sup>30</sup>, D. Muenstermann <sup>74</sup>, P. Mullen <sup>55</sup>, G.A. Mullier <sup>18</sup>, F.J. Munoz Sanchez <sup>86</sup>, J.A. Murillo Quijada <sup>19</sup>, W.J. Murray <sup>173,132</sup>, H. Musheghyan <sup>56</sup>, M. Muškinja <sup>77</sup>, A.G. Myagkov <sup>131,ae</sup>, M. Myska <sup>129</sup>, B.P. Nachman <sup>146</sup>, O. Nackenhorst <sup>51</sup>, K. Nagai <sup>121</sup>, R. Nagai <sup>68,z</sup>, K. Nagano <sup>68</sup>, Y. Nagasaka <sup>61</sup>, K. Nagata <sup>164</sup>, M. Nagel <sup>50</sup>, E. Nagy <sup>87</sup>, A.M. Nairz <sup>32</sup>, Y. Nakahama <sup>32</sup>, K. Nakamura <sup>68</sup>, T. Nakamura <sup>158</sup>, I. Nakano <sup>113</sup>, H. Namasivayam <sup>43</sup>, R.F. Naranjo Garcia <sup>44</sup>, R. Narayan <sup>11</sup>, D.I. Narrias Villar <sup>60a</sup>, I. Naryshkin <sup>124</sup>, T. Naumann <sup>44</sup>, G. Navarro <sup>21</sup>, R. Nayyar <sup>7</sup>, H.A. Neal <sup>91</sup>, P.Yu. Nechaeva <sup>97</sup>, T.J. Neep <sup>86</sup>, P.D. Nef <sup>146</sup>,

- A. Negri 122a, 122b, M. Negrini 22a, S. Nektarijevic 107, C. Nellist 118, A. Nelson 166, S. Nemecek 128,  
 P. Nemethy 111, A.A. Nepomuceno 26a, M. Nessi 32, af, M.S. Neubauer 169, M. Neumann 178, R.M. Neves 111,  
 P. Nevski 27, P.R. Newman 19, D.H. Nguyen 6, T. Nguyen Manh 96, R.B. Nickerson 121, R. Nicolaïdou 137,  
 J. Nielsen 138, A. Nikiforov 17, V. Nikolaenko 131, ae, I. Nikolic-Audit 82, K. Nikolopoulos 19, J.K. Nilsen 120,  
 P. Nilsson 27, Y. Ninomiya 158, A. Nisati 133a, R. Nisius 102, T. Nobe 158, L. Nodulman 6, M. Nomachi 119,  
 I. Nomidis 31, T. Nooney 78, S. Norberg 114, M. Nordberg 32, N. Norjoharuddeen 121, O. Novgorodova 46,  
 S. Nowak 102, M. Nozaki 68, L. Nozka 116, K. Ntekas 10, E. Nurse 80, F. Nuti 90, F. O’grady 7, D.C. O’Neil 145,  
 A.A. O’Rourke 44, V. O’Shea 55, F.G. Oakham 31, d, H. Oberlack 102, T. Obermann 23, J. Ocariz 82, A. Ochi 69,  
 I. Ochoa 37, J.P. Ochoa-Ricoux 34a, S. Oda 72, S. Odaka 68, H. Ogren 63, A. Oh 86, S.H. Oh 47, C.C. Ohm 16,  
 H. Ohman 168, H. Oide 32, H. Okawa 164, Y. Okumura 33, T. Okuyama 68, A. Olariu 28b,  
 L.F. Oleiro Seabra 127a, S.A. Olivares Pino 48, D. Oliveira Damazio 27, A. Olszewski 41, J. Olszowska 41,  
 A. Onofre 127a, 127e, K. Onogi 104, P.U.E. Onyisi 11, w, M.J. Oreglia 33, Y. Oren 156, D. Orestano 135a, 135b,  
 N. Orlando 62b, R.S. Orr 162, B. Osculati 52a, 52b, \*, R. Ospanov 86, G. Otero y Garzon 29, H. Otono 72,  
 M. Ouchrif 136d, F. Ould-Saada 120, A. Ouraou 137, K.P. Oussoren 108, Q. Ouyang 35a, M. Owen 55,  
 R.E. Owen 19, V.E. Ozcan 20a, N. Ozturk 8, K. Pachal 145, A. Pacheco Pages 13, L. Pacheco Rodriguez 137,  
 C. Padilla Aranda 13, M. Pagáčová 50, S. Pagan Griso 16, F. Paige 27, P. Pais 88, K. Pajchel 120, G. Palacino 163b,  
 S. Palazzo 39a, 39b, S. Palestini 32, M. Palka 40b, D. Pallin 36, A. Palma 127a, 127b, E. St. Panagiotopoulou 10,  
 C.E. Pandini 82, J.G. Panduro Vazquez 79, P. Pani 149a, 149b, S. Panitkin 27, D. Pantea 28b, L. Paolozzi 51,  
 Th.D. Papadopoulou 10, K. Papageorgiou 157, A. Paramonov 6, D. Paredes Hernandez 179, A.J. Parker 74,  
 M.A. Parker 30, K.A. Parker 142, F. Parodi 52a, 52b, J.A. Parsons 37, U. Parzefall 50, V.R. Pascuzzi 162,  
 E. Pasqualucci 133a, S. Passaggio 52a, Fr. Pastore 79, G. Pásztor 31, ag, S. Pataraia 178, J.R. Pater 86, T. Pauly 32,  
 J. Pearce 172, B. Pearson 114, L.E. Pedersen 38, M. Pedersen 120, S. Pedraza Lopez 170, R. Pedro 127a, 127b,  
 S.V. Peleganchuk 110, c, D. Pelikan 168, O. Penc 128, C. Peng 35a, H. Peng 59, J. Penwell 63, B.S. Peralva 26b,  
 M.M. Perego 137, D.V. Perepelitsa 27, E. Perez Codina 163a, L. Perini 93a, 93b, H. Pernegger 32,  
 S. Perrella 105a, 105b, R. Peschke 44, V.D. Peshekhonov 67, K. Peters 44, R.F.Y. Peters 86, B.A. Petersen 32,  
 T.C. Petersen 38, E. Petit 57, A. Petridis 1, C. Petridou 157, P. Petroff 118, E. Petrolo 133a, M. Petrov 121,  
 F. Petrucci 135a, 135b, N.E. Pettersson 88, A. Peyaud 137, R. Pezoa 34b, P.W. Phillips 132, G. Piacquadio 146, ah,  
 E. Pianori 173, A. Picazio 88, E. Piccaro 78, M. Piccinini 22a, 22b, M.A. Pickering 121, R. Piegaia 29,  
 J.E. Pilcher 33, A.D. Pilkington 86, A.W.J. Pin 86, M. Pinamonti 167a, 167c, ai, J.L. Pinfold 3, A. Pingel 38,  
 S. Pires 82, H. Pirumov 44, M. Pitt 175, L. Plazak 147a, M.-A. Pleier 27, V. Pleskot 85, E. Plotnikova 67,  
 P. Plucinski 92, D. Pluth 66, R. Poettgen 149a, 149b, L. Poggiali 118, D. Pohl 23, G. Polesello 122a, A. Poley 44,  
 A. Policicchio 39a, 39b, R. Polifka 162, A. Polini 22a, C.S. Pollard 55, V. Polychronakos 27, K. Pommès 32,  
 L. Pontecorvo 133a, B.G. Pope 92, G.A. Popeneiciu 28c, D.S. Popovic 14, A. Poppleton 32, S. Pospisil 129,  
 K. Potamianos 16, I.N. Potrap 67, C.J. Potter 30, C.T. Potter 117, G. Poulard 32, J. Poveda 32, V. Pozdnyakov 67,  
 M.E. Pozo Astigarraga 32, P. Pralavorio 87, A. Pranko 16, S. Prell 66, D. Price 86, L.E. Price 6, M. Primavera 75a,  
 S. Prince 89, M. Proissl 48, K. Prokofiev 62c, F. Prokoshin 34b, S. Protopopescu 27, J. Proudfoot 6,  
 M. Przybycien 40a, D. Puddu 135a, 135b, M. Purohit 27, aj, P. Puzo 118, J. Qian 91, G. Qin 55, Y. Qin 86,  
 A. Quadt 56, W.B. Quayle 167a, 167b, M. Queitsch-Maitland 86, D. Quilty 55, S. Raddum 120, V. Radeka 27,  
 V. Radescu 60b, S.K. Radhakrishnan 151, P. Radloff 117, P. Rados 90, F. Ragusa 93a, 93b, G. Rahal 181,  
 J.A. Raine 86, S. Rajagopalan 27, M. Rammensee 32, C. Rangel-Smith 168, M.G. Ratti 93a, 93b, F. Rauscher 101,  
 S. Rave 85, T. Ravenscroft 55, I. Ravinovich 175, M. Raymond 32, A.L. Read 120, N.P. Readioff 76,  
 M. Reale 75a, 75b, D.M. Rebuzzi 122a, 122b, A. Redelbach 177, G. Redlinger 27, R. Reece 138, K. Reeves 43,  
 L. Rehnisch 17, J. Reichert 123, H. Reisin 29, C. Rembser 32, H. Ren 35a, M. Rescigno 133a, S. Resconi 93a,  
 O.L. Rezanova 110, c, P. Reznicek 130, R. Rezvani 96, R. Richter 102, S. Richter 80, E. Richter-Was 40b,  
 O. Ricken 23, M. Ridel 82, P. Rieck 17, C.J. Riegel 178, J. Rieger 56, O. Rifki 114, M. Rijssenbeek 151,  
 A. Rimoldi 122a, 122b, M. Rimoldi 18, L. Rinaldi 22a, B. Ristić 51, E. Ritsch 32, I. Riu 13, F. Rizatdinova 115,  
 E. Rizvi 78, C. Rizzi 13, S.H. Robertson 89, m, A. Robichaud-Veronneau 89, D. Robinson 30, J.E.M. Robinson 44,  
 A. Robson 55, C. Roda 125a, 125b, Y. Rodina 87, ak, A. Rodriguez Perez 13, D. Rodriguez Rodriguez 170, S. Roe 32,  
 C.S. Rogan 58, O. Røhne 120, R. Röhrlig 102, A. Romanouk 99, M. Romano 22a, 22b, S.M. Romano Saez 36,  
 E. Romero Adam 170, N. Rompotis 139, M. Ronzani 50, L. Roos 82, E. Ros 170, S. Rosati 133a, K. Rosbach 50,  
 P. Rose 138, O. Rosenthal 144, N.-A. Rosien 56, V. Rossetti 149a, 149b, E. Rossi 105a, 105b, L.P. Rossi 52a,  
 J.H.N. Rosten 30, R. Rosten 139, M. Rotaru 28b, I. Roth 175, J. Rothberg 139, D. Rousseau 118, C.R. Royon 137,

- A. Rozanov 87, Y. Rozen 155, X. Ruan 148c, F. Rubbo 146, M.S. Rudolph 162, F. Rühr 50, A. Ruiz-Martinez 31,  
 Z. Rurikova 50, N.A. Rusakovich 67, A. Ruschke 101, H.L. Russell 139, J.P. Rutherford 7, N. Ruthmann 32,  
 Y.F. Ryabov 124, M. Rybar 169, G. Rybkin 118, S. Ryu 6, A. Ryzhov 131, G.F. Rzechorz 56, A.F. Saavedra 153,  
 G. Sabato 108, S. Sacerdoti 29, H.F-W. Sadrozinski 138, R. Sadykov 67, F. Safai Tehrani 133a, P. Saha 109,  
 M. Sahinsoy 60a, M. Saimpert 137, T. Saito 158, H. Sakamoto 158, Y. Sakurai 174, G. Salamanna 135a, 135b,  
 A. Salamon 134a, 134b, J.E. Salazar Loyola 34b, D. Salek 108, P.H. Sales De Bruin 139, D. Salihagic 102,  
 A. Salnikov 146, J. Salt 170, D. Salvatore 39a, 39b, F. Salvatore 152, A. Salvucci 62a, A. Salzburger 32,  
 D. Sammel 50, D. Sampsonidis 157, J. Sánchez 170, V. Sanchez Martinez 170, A. Sanchez Pineda 105a, 105b,  
 H. Sandaker 120, R.L. Sandbach 78, H.G. Sander 85, M. Sandhoff 178, C. Sandoval 21, R. Sandstroem 102,  
 D.P.C. Sankey 132, M. Sannino 52a, 52b, A. Sansoni 49, C. Santoni 36, R. Santonico 134a, 134b, H. Santos 127a,  
 I. Santoyo Castillo 152, K. Sapp 126, A. Sapronov 67, J.G. Saraiva 127a, 127d, B. Sarrazin 23, O. Sasaki 68,  
 Y. Sasaki 158, K. Sato 164, G. Sauvage 5,\* E. Sauvan 5, G. Savage 79, P. Savard 162, d, C. Sawyer 132,  
 L. Sawyer 81, r, J. Saxon 33, C. Sbarra 22a, A. Sbrizzi 22a, 22b, T. Scanlon 80, D.A. Scannicchio 166,  
 M. Scarcella 153, V. Scarfone 39a, 39b, J. Schaarschmidt 175, P. Schacht 102, B.M. Schachtner 101,  
 D. Schaefer 32, R. Schaefer 44, J. Schaeffer 85, S. Schaepe 23, S. Schaetzle 60b, U. Schäfer 85, A.C. Schaffer 118,  
 D. Schaile 101, R.D. Schamberger 151, V. Scharf 60a, V.A. Schegelsky 124, D. Scheirich 130, M. Schernau 166,  
 C. Schiavi 52a, 52b, S. Schier 138, C. Schillo 50, M. Schioppa 39a, 39b, S. Schlenker 32,  
 K.R. Schmidt-Sommerfeld 102, K. Schmieden 32, C. Schmitt 85, S. Schmitt 44, S. Schmitz 85,  
 B. Schneider 163a, U. Schnoor 50, L. Schoeffel 137, A. Schoening 60b, B.D. Schoenrock 92, E. Schopf 23,  
 M. Schott 85, J. Schovancova 8, S. Schramm 51, M. Schreyer 177, N. Schuh 85, A. Schulte 85, M.J. Schultens 23,  
 H.-C. Schultz-Coulon 60a, H. Schulz 17, M. Schumacher 50, B.A. Schumm 138, Ph. Schune 137,  
 A. Schwartzman 146, T.A. Schwarz 91, Ph. Schwegler 102, H. Schweiger 86, Ph. Schwemling 137,  
 R. Schwienhorst 92, J. Schwindling 137, T. Schwindt 23, G. Sciolla 25, F. Scuri 125a, 125b, F. Scutti 90,  
 J. Searcy 91, P. Seema 23, S.C. Seidel 106, A. Seiden 138, F. Seifert 129, J.M. Seixas 26a, G. Sekhniaidze 105a,  
 K. Sekhon 91, S.J. Sekula 42, D.M. Seliverstov 124, \*, N. Semprini-Cesari 22a, 22b, C. Serfon 120, L. Serin 118,  
 L. Serkin 167a, 167b, M. Sessa 135a, 135b, R. Seuster 172, H. Severini 114, T. Sfiligoj 77, F. Sforza 32, A. Sfyrla 51,  
 E. Shabalina 56, N.W. Shaikh 149a, 149b, L.Y. Shan 35a, R. Shang 169, J.T. Shank 24, M. Shapiro 16,  
 P.B. Shatalov 98, K. Shaw 167a, 167b, S.M. Shaw 86, A. Shcherbakova 149a, 149b, C.Y. Shehu 152, P. Sherwood 80,  
 L. Shi 154, al, S. Shimizu 69, C.O. Shimmin 166, M. Shimojima 103, M. Shiyakova 67, am, A. Shmeleva 97,  
 D. Shoaleh Saadi 96, M.J. Shochet 33, S. Shojaei 93a, 93b, S. Shrestha 112, E. Shulga 99, M.A. Shupe 7,  
 P. Sicho 128, A.M. Sickles 169, P.E. Sidebo 150, O. Sidiropoulou 177, D. Sidorov 115, A. Sidoti 22a, 22b,  
 F. Siegert 46, Dj. Sijacki 14, J. Silva 127a, 127d, S.B. Silverstein 149a, V. Simak 129, O. Simard 5, Lj. Simic 14,  
 S. Simion 118, E. Simioni 85, B. Simmons 80, D. Simon 36, M. Simon 85, P. Sinervo 162, N.B. Sinev 117,  
 M. Sioli 22a, 22b, G. Siragusa 177, S.Yu. Sivoklokov 100, J. Sjölin 149a, 149b, M.B. Skinner 74, H.P. Skottowe 58,  
 P. Skubic 114, M. Slater 19, T. Slavicek 129, M. Slawinska 108, K. Sliwa 165, R. Slovak 130, V. Smakhtin 175,  
 B.H. Smart 5, L. Smestad 15, J. Smiesko 147a, S.Yu. Smirnov 99, Y. Smirnov 99, L.N. Smirnova 100, an,  
 O. Smirnova 83, M.N.K. Smith 37, R.W. Smith 37, M. Smizanska 74, K. Smolek 129, A.A. Snesarev 97,  
 S. Snyder 27, R. Sobie 172, m, F. Socher 46, A. Soffer 156, D.A. Soh 154, G. Sokhrannyi 77,  
 C.A. Solans Sanchez 32, M. Solar 129, E.Yu. Soldatov 99, U. Soldevila 170, A.A. Solodkov 131, A. Soloshenko 67,  
 O.V. Solovyev 131, V. Solovyev 124, P. Sommer 50, H. Son 165, H.Y. Song 59, ao, A. Sood 16, A. Sopczak 129,  
 V. Sopko 129, V. Sorin 13, D. Sosa 60b, C.L. Sotiropoulou 125a, 125b, R. Soualah 167a, 167c, A.M. Soukharev 110, c,  
 D. South 44, B.C. Sowden 79, S. Spagnolo 75a, 75b, M. Spalla 125a, 125b, M. Spangenberg 173, F. Spanò 79,  
 D. Sperlich 17, F. Spettel 102, R. Spighi 22a, G. Spigo 32, L.A. Spiller 90, M. Spousta 130, R.D. St. Denis 55, \*,  
 A. Stabile 93a, R. Stamen 60a, S. Stamm 17, E. Stancka 41, R.W. Stanek 6, C. Stanescu 135a,  
 M. Stanescu-Bellu 44, M.M. Stanitzki 44, S. Stapnes 120, E.A. Starchenko 131, G.H. Stark 33, J. Stark 57,  
 P. Staroba 128, P. Starovoitov 60a, S. Stärz 32, R. Staszewski 41, P. Steinberg 27, B. Stelzer 145, H.J. Stelzer 32,  
 O. Stelzer-Chilton 163a, H. Stenzel 54, G.A. Stewart 55, J.A. Stillings 23, M.C. Stockton 89, M. Stoebe 89,  
 G. Stoica 28b, P. Stolte 56, S. Stonjek 102, A.R. Stradling 8, A. Straessner 46, M.E. Stramaglia 18,  
 J. Strandberg 150, S. Strandberg 149a, 149b, A. Strandlie 120, M. Strauss 114, P. Strizenec 147b, R. Ströhmer 177,  
 D.M. Strom 117, R. Stroynowski 42, A. Strubig 107, S.A. Stucci 18, B. Stugu 15, N.A. Styles 44, D. Su 146,  
 J. Su 126, R. Subramaniam 81, S. Suchek 60a, Y. Sugaya 119, M. Suk 129, V.V. Sulin 97, S. Sultansoy 4c,  
 T. Sumida 70, S. Sun 58, X. Sun 35a, J.E. Sundermann 50, K. Suruliz 152, G. Susinno 39a, 39b, M.R. Sutton 152,

- S. Suzuki 68, M. Svatos 128, M. Swiatlowski 33, I. Sykora 147a, T. Sykora 130, D. Ta 50, C. Taccini 135a, 135b, K. Tackmann 44, J. Taenzer 162, A. Taffard 166, R. Tafirout 163a, N. Taiblum 156, H. Takai 27, R. Takashima 71, T. Takeshita 143, Y. Takubo 68, M. Talby 87, A.A. Talyshov 110,c, K.G. Tan 90, J. Tanaka 158, R. Tanaka 118, S. Tanaka 68, B.B. Tannenwald 112, S. Tapia Araya 34b, S. Tapprogge 85, S. Tarem 155, G.F. Tartarelli 93a, P. Tas 130, M. Tasevsky 128, T. Tashiro 70, E. Tassi 39a, 39b, A. Tavares Delgado 127a, 127b, Y. Tayalati 136d, A.C. Taylor 106, G.N. Taylor 90, P.T.E. Taylor 90, W. Taylor 163b, F.A. Teischinger 32, P. Teixeira-Dias 79, K.K. Temming 50, D. Temple 145, H. Ten Kate 32, P.K. Teng 154, J.J. Teoh 119, F. Tepel 178, S. Terada 68, K. Terashi 158, J. Terron 84, S. Terzo 102, M. Testa 49, R.J. Teuscher 162,m, T. Theveneaux-Pelzer 87, J.P. Thomas 19, J. Thomas-Wilsker 79, E.N. Thompson 37, P.D. Thompson 19, A.S. Thompson 55, L.A. Thomsen 179, E. Thomson 123, M. Thomson 30, M.J. Tibbetts 16, R.E. Ticse Torres 87, V.O. Tikhomirov 97, ap, Yu.A. Tikhonov 110,c, S. Timoshenko 99, P. Tipton 179, S. Tisserant 87, K. Todome 160, T. Todorov 5,\* S. Todorova-Nova 130, J. Tojo 72, S. Tokár 147a, K. Tokushuku 68, E. Tolley 58, L. Tomlinson 86, M. Tomoto 104, L. Tompkins 146,aq, K. Toms 106, B. Tong 58, E. Torrence 117, H. Torres 145, E. Torró Pastor 139, J. Toth 87, ar, F. Touchard 87, D.R. Tovey 142, T. Trefzger 177, A. Tricoli 27, I.M. Trigger 163a, S. Trincaz-Duvold 82, M.F. Tripiana 13, W. Trischuk 162, B. Trocmé 57, A. Trofymov 44, C. Troncon 93a, M. Trottier-McDonald 16, M. Trovatelli 172, L. Truong 167a, 167c, M. Trzebinski 41, A. Trzupek 41, J.C.-L. Tseng 121, P.V. Tsiareshka 94, G. Tsipolitis 10, N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 50, E.G. Tskhadadze 53a, K.M. Tsui 62a, I.I. Tsukerman 98, V. Tsulaia 16, S. Tsuno 68, D. Tsybychev 151, A. Tudorache 28b, V. Tudorache 28b, A.N. Tuna 58, S.A. Tupputi 22a, 22b, S. Turchikhin 100, an, D. Turecek 129, D. Turgeman 175, R. Turra 93a, 93b, A.J. Turvey 42, P.M. Tuts 37, M. Tyndel 132, G. Ucchielli 22a, 22b, I. Ueda 158, M. Ughetto 149a, 149b, F. Ukegawa 164, G. Unal 32, A. Undrus 27, G. Unel 166, F.C. Ungaro 90, Y. Unno 68, C. Unverdorben 101, J. Urban 147b, P. Urquijo 90, P. Urrejola 85, G. Usai 8, A. Usanova 64, L. Vacavant 87, V. Vacek 129, B. Vachon 89, C. Valderanis 101, E. Valdes Santurio 149a, 149b, N. Valencic 108, S. Valentinetto 22a, 22b, A. Valero 170, L. Valery 13, S. Valkar 130, S. Vallecorsa 51, J.A. Valls Ferrer 170, W. Van Den Wollenberg 108, P.C. Van Der Deijl 108, R. van der Geer 108, H. van der Graaf 108, N. van Eldik 155, P. van Gemmeren 6, J. Van Nieuwkoop 145, I. van Vulpen 108, M.C. van Woerden 32, M. Vanadia 133a, 133b, W. Vandelli 32, R. Vanguri 123, A. Vaniachine 161, P. Vankov 108, G. Vardanyan 180, R. Vari 133a, E.W. Varnes 7, T. Varol 42, D. Varouchas 82, A. Vartapetian 8, K.E. Varvell 153, J.G. Vasquez 179, F. Vazeille 36, T. Vazquez Schroeder 89, J. Veatch 56, L.M. Veloce 162, F. Veloso 127a, 127c, S. Veneziano 133a, A. Ventura 75a, 75b, M. Venturi 172, N. Venturi 162, A. Venturini 25, V. Vercesi 122a, M. Verducci 133a, 133b, W. Verkerke 108, J.C. Vermeulen 108, A. Vest 46, as, M.C. Vetterli 145, d, O. Viazlo 83, I. Vichou 169, \*, T. Vickey 142, O.E. Vickey Boeriu 142, G.H.A. Viehhauser 121, S. Viel 16, L. Vigani 121, R. Vigne 64, M. Villa 22a, 22b, M. Villaplana Perez 93a, 93b, E. Vilucchi 49, M.G. Vincter 31, V.B. Vinogradov 67, C. Vittori 22a, 22b, I. Vivarelli 152, S. Vlachos 10, M. Vlasak 129, M. Vogel 178, P. Vokac 129, G. Volpi 125a, 125b, M. Volpi 90, H. von der Schmitt 102, E. von Toerne 23, V. Vorobel 130, K. Vorobev 99, M. Vos 170, R. Voss 32, J.H. Vossebeld 76, N. Vranjes 14, M. Vranjes Milosavljevic 14, V. Vrba 128, M. Vreeswijk 108, R. Vuillermet 32, I. Vukotic 33, Z. Vykydal 129, P. Wagner 23, W. Wagner 178, H. Wahlberg 73, S. Wahrmund 46, J. Wakabayashi 104, J. Walder 74, R. Walker 101, W. Walkowiak 144, V. Wallangen 149a, 149b, C. Wang 35b, C. Wang 140, 87, F. Wang 176, H. Wang 16, H. Wang 42, J. Wang 44, J. Wang 153, K. Wang 89, R. Wang 6, S.M. Wang 154, T. Wang 23, T. Wang 37, W. Wang 59, X. Wang 179, C. Wanotayaroj 117, A. Warburton 89, C.P. Ward 30, D.R. Wardrope 80, A. Washbrook 48, P.M. Watkins 19, A.T. Watson 19, M.F. Watson 19, G. Watts 139, S. Watts 86, B.M. Waugh 80, S. Webb 85, M.S. Weber 18, S.W. Weber 177, J.S. Webster 6, A.R. Weidberg 121, B. Weinert 63, J. Weingarten 56, C. Weiser 50, H. Weits 108, P.S. Wells 32, T. Wenaus 27, T. Wengler 32, S. Wenig 32, N. Wermes 23, M. Werner 50, M.D. Werner 66, P. Werner 32, M. Wessels 60a, J. Wetter 165, K. Whalen 117, N.L. Whallon 139, A.M. Wharton 74, A. White 8, M.J. White 1, R. White 34b, D. Whiteson 166, F.J. Wickens 132, W. Wiedenmann 176, M. Wielers 132, P. Wienemann 23, C. Wiglesworth 38, L.A.M. Wiik-Fuchs 23, A. Wildauer 102, F. Wilk 86, H.G. Wilkens 32, H.H. Williams 123, S. Williams 108, C. Willis 92, S. Willocq 88, J.A. Wilson 19, I. Wingerter-Seez 5, F. Winklmeier 117, O.J. Winston 152, B.T. Winter 23, M. Wittgen 146, J. Wittkowski 101, M.W. Wolter 41, H. Wolters 127a, 127c, S.D. Worm 132, B.K. Wosiek 41, J. Wotschack 32, M.J. Woudstra 86, K.W. Wozniak 41, M. Wu 57, M. Wu 33, S.L. Wu 176, X. Wu 51, Y. Wu 91, T.R. Wyatt 86, B.M. Wynne 48, S. Xella 38, D. Xu 35a, L. Xu 27, B. Yabsley 153, S. Yacoob 148a, R. Yakabe 69, D. Yamaguchi 160, Y. Yamaguchi 119, A. Yamamoto 68, S. Yamamoto 158,

T. Yamanaka <sup>158</sup>, K. Yamauchi <sup>104</sup>, Y. Yamazaki <sup>69</sup>, Z. Yan <sup>24</sup>, H. Yang <sup>141</sup>, H. Yang <sup>176</sup>, Y. Yang <sup>154</sup>, Z. Yang <sup>15</sup>, W-M. Yao <sup>16</sup>, Y.C. Yap <sup>82</sup>, Y. Yasu <sup>68</sup>, E. Yatsenko <sup>5</sup>, K.H. Yau Wong <sup>23</sup>, J. Ye <sup>42</sup>, S. Ye <sup>27</sup>, I. Yeletskikh <sup>67</sup>, A.L. Yen <sup>58</sup>, E. Yildirim <sup>85</sup>, K. Yorita <sup>174</sup>, R. Yoshida <sup>6</sup>, K. Yoshihara <sup>123</sup>, C. Young <sup>146</sup>, C.J.S. Young <sup>32</sup>, S. Youssef <sup>24</sup>, D.R. Yu <sup>16</sup>, J. Yu <sup>8</sup>, J.M. Yu <sup>91</sup>, J. Yu <sup>66</sup>, L. Yuan <sup>69</sup>, S.P.Y. Yuen <sup>23</sup>, I. Yusuff <sup>30,at</sup>, B. Zabinski <sup>41</sup>, R. Zaidan <sup>140</sup>, A.M. Zaitsev <sup>131,ae</sup>, N. Zakharchuk <sup>44</sup>, J. Zalieckas <sup>15</sup>, A. Zaman <sup>151</sup>, S. Zambito <sup>58</sup>, L. Zanello <sup>133a,133b</sup>, D. Zanzi <sup>90</sup>, C. Zeitnitz <sup>178</sup>, M. Zeman <sup>129</sup>, A. Zemla <sup>40a</sup>, J.C. Zeng <sup>169</sup>, Q. Zeng <sup>146</sup>, K. Zengel <sup>25</sup>, O. Zenin <sup>131</sup>, T. Ženiš <sup>147a</sup>, D. Zerwas <sup>118</sup>, D. Zhang <sup>91</sup>, F. Zhang <sup>176</sup>, G. Zhang <sup>59,ao</sup>, H. Zhang <sup>35b</sup>, J. Zhang <sup>6</sup>, L. Zhang <sup>50</sup>, R. Zhang <sup>23</sup>, R. Zhang <sup>59,au</sup>, X. Zhang <sup>140</sup>, Z. Zhang <sup>118</sup>, X. Zhao <sup>42</sup>, Y. Zhao <sup>140</sup>, Z. Zhao <sup>59</sup>, A. Zhemchugov <sup>67</sup>, J. Zhong <sup>121</sup>, B. Zhou <sup>91</sup>, C. Zhou <sup>47</sup>, L. Zhou <sup>37</sup>, L. Zhou <sup>42</sup>, M. Zhou <sup>151</sup>, N. Zhou <sup>35c</sup>, C.G. Zhu <sup>140</sup>, H. Zhu <sup>35a</sup>, J. Zhu <sup>91</sup>, Y. Zhu <sup>59</sup>, X. Zhuang <sup>35a</sup>, K. Zhukov <sup>97</sup>, A. Zibell <sup>177</sup>, D. Zieminska <sup>63</sup>, N.I. Zimine <sup>67</sup>, C. Zimmermann <sup>85</sup>, S. Zimmermann <sup>50</sup>, Z. Zinonos <sup>56</sup>, M. Zinser <sup>85</sup>, M. Ziolkowski <sup>144</sup>, L. Živković <sup>14</sup>, G. Zobernig <sup>176</sup>, A. Zoccoli <sup>22a,22b</sup>, M. zur Nedden <sup>17</sup>, L. Zwalski <sup>32</sup>

<sup>1</sup> Department of Physics, University of Adelaide, Adelaide, Australia

<sup>2</sup> Physics Department, SUNY Albany, Albany NY, United States

<sup>3</sup> Department of Physics, University of Alberta, Edmonton AB, Canada

<sup>4</sup> <sup>(a)</sup> Department of Physics, Ankara University, Ankara; <sup>(b)</sup> Istanbul Aydin University, Istanbul; <sup>(c)</sup> Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

<sup>5</sup> LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France

<sup>6</sup> High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States

<sup>7</sup> Department of Physics, University of Arizona, Tucson AZ, United States

<sup>8</sup> Department of Physics, The University of Texas at Arlington, Arlington TX, United States

<sup>9</sup> Physics Department, University of Athens, Athens, Greece

<sup>10</sup> Physics Department, National Technical University of Athens, Zografou, Greece

<sup>11</sup> Department of Physics, The University of Texas at Austin, Austin TX, United States

<sup>12</sup> Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

<sup>13</sup> Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain

<sup>14</sup> Institute of Physics, University of Belgrade, Belgrade, Serbia

<sup>15</sup> Department for Physics and Technology, University of Bergen, Bergen, Norway

<sup>16</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States

<sup>17</sup> Department of Physics, Humboldt University, Berlin, Germany

<sup>18</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

<sup>19</sup> School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

<sup>20</sup> <sup>(a)</sup> Department of Physics, Bogazici University, Istanbul; <sup>(b)</sup> Department of Physics Engineering, Gaziantep University, Gaziantep; <sup>(d)</sup> Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; <sup>(e)</sup> Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey

<sup>21</sup> Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

<sup>22</sup> <sup>(a)</sup> INFN Sezione di Bologna; <sup>(b)</sup> Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

<sup>23</sup> Physikalisches Institut, University of Bonn, Bonn, Germany

<sup>24</sup> Department of Physics, Boston University, Boston MA, United States

<sup>25</sup> Department of Physics, Brandeis University, Waltham MA, United States

<sup>26</sup> <sup>(a)</sup> Universidade Federal do Rio De Janeiro, COPPE/EE/IF, Rio de Janeiro; <sup>(b)</sup> Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; <sup>(c)</sup> Federal University of São João do Rei (UFSJ), São João do Rei; <sup>(d)</sup> Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

<sup>27</sup> Physics Department, Brookhaven National Laboratory, Upton NY, United States

<sup>28</sup> <sup>(a)</sup> Transilvania University of Brasov, Brasov, Romania; <sup>(b)</sup> National Institute of Physics and Nuclear Engineering, Bucharest; <sup>(c)</sup> National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; <sup>(d)</sup> University Politehnica Bucharest, Bucharest; <sup>(e)</sup> West University in Timisoara, Timisoara, Romania

<sup>29</sup> Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

<sup>30</sup> Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

<sup>31</sup> Department of Physics, Carleton University, Ottawa ON, Canada

<sup>32</sup> CERN, Geneva, Switzerland

<sup>33</sup> Enrico Fermi Institute, University of Chicago, Chicago IL, United States

<sup>34</sup> <sup>(a)</sup> Departamento de Física, Pontifícia Universidad Católica de Chile, Santiago; <sup>(b)</sup> Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

<sup>35</sup> <sup>(a)</sup> Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; <sup>(b)</sup> Department of Physics, Nanjing University, Jiangsu; <sup>(c)</sup> Physics Department, Tsinghua University, Beijing 100084, China

<sup>36</sup> Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

<sup>37</sup> Nevis Laboratory, Columbia University, Irvington NY, United States

<sup>38</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

<sup>39</sup> <sup>(a)</sup> INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; <sup>(b)</sup> Dipartimento di Fisica, Università della Calabria, Rende, Italy

<sup>40</sup> <sup>(a)</sup> AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; <sup>(b)</sup> Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

<sup>41</sup> Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

<sup>42</sup> Physics Department, Southern Methodist University, Dallas TX, United States

<sup>43</sup> Physics Department, University of Texas at Dallas, Richardson TX, United States

<sup>44</sup> DESY, Hamburg and Zeuthen, Germany

<sup>45</sup> Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

<sup>46</sup> Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

<sup>47</sup> Department of Physics, Duke University, Durham NC, United States

<sup>48</sup> SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

<sup>49</sup> INFN Laboratori Nazionali di Frascati, Frascati, Italy

<sup>50</sup> Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

<sup>51</sup> Section de Physique, Université de Genève, Geneva, Switzerland

<sup>52</sup> <sup>(a)</sup> INFN Sezione di Genova; <sup>(b)</sup> Dipartimento di Fisica, Università di Genova, Genova, Italy

<sup>53</sup> <sup>(a)</sup> E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; <sup>(b)</sup> High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

<sup>54</sup> II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

- <sup>55</sup> SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom  
<sup>56</sup> II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany  
<sup>57</sup> Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France  
<sup>58</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States  
<sup>59</sup> Department of Modern Physics, University of Science and Technology of China, Anhui, China  
<sup>60</sup> <sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(c)</sup> ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany  
<sup>61</sup> Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan  
<sup>62</sup> <sup>(a)</sup> Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; <sup>(b)</sup> Department of Physics, The University of Hong Kong, Hong Kong; <sup>(c)</sup> Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China  
<sup>63</sup> Department of Physics, Indiana University, Bloomington IN, United States  
<sup>64</sup> Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria  
<sup>65</sup> University of Iowa, Iowa City IA, United States  
<sup>66</sup> Department of Physics and Astronomy, Iowa State University, Ames IA, United States  
<sup>67</sup> Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia  
<sup>68</sup> KEK, High Energy Accelerator Research Organization, Tsukuba, Japan  
<sup>69</sup> Graduate School of Science, Kobe University, Kobe, Japan  
<sup>70</sup> Faculty of Science, Kyoto University, Kyoto, Japan  
<sup>71</sup> Kyoto University of Education, Kyoto, Japan  
<sup>72</sup> Department of Physics, Kyushu University, Fukuoka, Japan  
<sup>73</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina  
<sup>74</sup> Physics Department, Lancaster University, Lancaster, United Kingdom  
<sup>75</sup> <sup>(a)</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy  
<sup>76</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom  
<sup>77</sup> Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia  
<sup>78</sup> School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom  
<sup>79</sup> Department of Physics, Royal Holloway University of London, Surrey, United Kingdom  
<sup>80</sup> Department of Physics and Astronomy, University College London, London, United Kingdom  
<sup>81</sup> Louisiana Tech University, Ruston LA, United States  
<sup>82</sup> Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France  
<sup>83</sup> Fysiska institutionen, Lunds universitet, Lund, Sweden  
<sup>84</sup> Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain  
<sup>85</sup> Institut für Physik, Universität Mainz, Mainz, Germany  
<sup>86</sup> School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom  
<sup>87</sup> CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France  
<sup>88</sup> Department of Physics, University of Massachusetts, Amherst MA, United States  
<sup>89</sup> Department of Physics, McGill University, Montreal QC, Canada  
<sup>90</sup> School of Physics, University of Melbourne, Victoria, Australia  
<sup>91</sup> Department of Physics, The University of Michigan, Ann Arbor MI, United States  
<sup>92</sup> Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States  
<sup>93</sup> <sup>(a)</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano, Italy  
<sup>94</sup> B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus  
<sup>95</sup> National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus  
<sup>96</sup> Group of Particle Physics, University of Montreal, Montreal QC, Canada  
<sup>97</sup> P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia  
<sup>98</sup> Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia  
<sup>99</sup> National Research Nuclear University MEPhI, Moscow, Russia  
<sup>100</sup> D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia  
<sup>101</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany  
<sup>102</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany  
<sup>103</sup> Nagasaki Institute of Applied Science, Nagasaki, Japan  
<sup>104</sup> Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan  
<sup>105</sup> <sup>(a)</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Fisica, Università di Napoli, Napoli, Italy  
<sup>106</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States  
<sup>107</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands  
<sup>108</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands  
<sup>109</sup> Department of Physics, Northern Illinois University, DeKalb IL, United States  
<sup>110</sup> Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia  
<sup>111</sup> Department of Physics, New York University, New York NY, United States  
<sup>112</sup> Ohio State University, Columbus OH, United States  
<sup>113</sup> Faculty of Science, Okayama University, Okayama, Japan  
<sup>114</sup> Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States  
<sup>115</sup> Department of Physics, Oklahoma State University, Stillwater OK, United States  
<sup>116</sup> Palacký University, RCPMT, Olomouc, Czechia  
<sup>117</sup> Center for High Energy Physics, University of Oregon, Eugene OR, United States  
<sup>118</sup> LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France  
<sup>119</sup> Graduate School of Science, Osaka University, Osaka, Japan  
<sup>120</sup> Department of Physics, University of Oslo, Oslo, Norway  
<sup>121</sup> Department of Physics, Oxford University, Oxford, United Kingdom  
<sup>122</sup> <sup>(a)</sup> INFN Sezione di Pavia; <sup>(b)</sup> Dipartimento di Fisica, Università di Pavia, Pavia, Italy  
<sup>123</sup> Department of Physics, University of Pennsylvania, Philadelphia PA, United States  
<sup>124</sup> National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia  
<sup>125</sup> <sup>(a)</sup> INFN Sezione di Pisa; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy  
<sup>126</sup> Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States  
<sup>127</sup> <sup>(a)</sup> Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; <sup>(b)</sup> Faculdade de Ciências, Universidade de Lisboa, Lisboa; <sup>(c)</sup> Department of Physics, University of Coimbra, Coimbra; <sup>(d)</sup> Centro de Física Nuclear da Universidade de Lisboa, Lisboa; <sup>(e)</sup> Departamento de Física, Universidade do Minho, Braga; <sup>(f)</sup> Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); <sup>(g)</sup> Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal  
<sup>128</sup> Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czechia  
<sup>129</sup> Czech Technical University in Prague, Praha, Czechia

- 130 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czechia
- 131 State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- 132 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- 133 <sup>(a)</sup> INFN Sezione di Roma; <sup>(b)</sup> Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- 134 <sup>(a)</sup> INFN Sezione di Roma Tor Vergata; <sup>(b)</sup> Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- 135 <sup>(a)</sup> INFN Sezione di Roma Tre; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- 136 <sup>(a)</sup> Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; <sup>(b)</sup> Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; <sup>(c)</sup> Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; <sup>(d)</sup> Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; <sup>(e)</sup> Faculté des Sciences, Université Mohammed V, Rabat, Morocco
- 137 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- 138 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
- 139 Department of Physics, University of Washington, Seattle WA, United States
- 140 School of Physics, Shandong University, Shandong, China
- 141 Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai, China <sup>av</sup>
- 142 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- 143 Department of Physics, Shinshu University, Nagano, Japan
- 144 Fachbereich Physik, Universität Siegen, Siegen, Germany
- 145 Department of Physics, Simon Fraser University, Burnaby BC, Canada
- 146 SLAC National Accelerator Laboratory, Stanford CA, United States
- 147 <sup>(a)</sup> Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- 148 <sup>(a)</sup> Department of Physics, University of Cape Town, Cape Town; <sup>(b)</sup> Department of Physics, University of Johannesburg, Johannesburg; <sup>(c)</sup> School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- 149 <sup>(a)</sup> Department of Physics, Stockholm University; <sup>(b)</sup> The Oskar Klein Centre, Stockholm, Sweden
- 150 Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 151 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States
- 152 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- 153 School of Physics, University of Sydney, Sydney, Australia
- 154 Institute of Physics, Academia Sinica, Taipei, Taiwan
- 155 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- 156 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- 157 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- 158 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- 159 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- 160 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- 161 Tomsk State University, Tomsk, Russia
- 162 Department of Physics, University of Toronto, Toronto ON, Canada
- 163 <sup>(a)</sup> TRIUMF, Vancouver BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto ON, Canada
- 164 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
- 165 Department of Physics and Astronomy, Tufts University, Medford MA, United States
- 166 Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
- 167 <sup>(a)</sup> INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- 168 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- 169 Department of Physics, University of Illinois, Urbana IL, United States
- 170 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- 171 Department of Physics, University of British Columbia, Vancouver BC, Canada
- 172 Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- 173 Department of Physics, University of Warwick, Coventry, United Kingdom
- 174 Waseda University, Tokyo, Japan
- 175 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- 176 Department of Physics, University of Wisconsin, Madison WI, United States
- 177 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- 178 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- 179 Department of Physics, Yale University, New Haven CT, United States
- 180 Yerevan Physics Institute, Yerevan, Armenia
- 181 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

<sup>a</sup> Also at Department of Physics, King's College London, London, United Kingdom.

<sup>b</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

<sup>c</sup> Also at Novosibirsk State University, Novosibirsk, Russia.

<sup>d</sup> Also at TRIUMF, Vancouver BC, Canada.

<sup>e</sup> Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.

<sup>f</sup> Also at Physics Department, An-Najah National University, Nablus, Palestine.

<sup>g</sup> Also at Department of Physics, California State University, Fresno CA, United States of America.

<sup>h</sup> Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

<sup>i</sup> Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.

<sup>j</sup> Also at Departamento de Física e Astronomía, Faculdade de Ciencias, Universidade do Porto, Portugal.

<sup>k</sup> Also at Tomsk State University, Tomsk, Russia.

<sup>l</sup> Also at Universita di Napoli Parthenope, Napoli, Italy.

<sup>m</sup> Also at Institute of Particle Physics (IPP), Canada.

<sup>n</sup> Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania.

<sup>o</sup> Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

<sup>p</sup> Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.

<sup>q</sup> Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.

<sup>r</sup> Also at Louisiana Tech University, Ruston LA, United States of America.

<sup>s</sup> Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

- <sup>t</sup> Also at Graduate School of Science, Osaka University, Osaka, Japan.
- <sup>u</sup> Also at Department of Physics, National Tsing Hua University, Taiwan.
- <sup>v</sup> Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
- <sup>w</sup> Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.
- <sup>x</sup> Also at CERN, Geneva, Switzerland.
- <sup>y</sup> Also at Georgian Technical University (GTU), Tbilisi, Georgia.
- <sup>z</sup> Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.
- <sup>aa</sup> Also at Manhattan College, New York NY, United States of America.
- <sup>ab</sup> Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
- <sup>ac</sup> Also at School of Physics, Shandong University, Shandong, China.
- <sup>ad</sup> Also at Department of Physics, California State University, Sacramento CA, United States of America.
- <sup>ae</sup> Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- <sup>af</sup> Also at Section de Physique, Université de Genève, Geneva, Switzerland.
- <sup>ag</sup> Also at Eotvos Lorand University, Budapest, Hungary.
- <sup>ah</sup> Also at Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America.
- <sup>ai</sup> Also at International School for Advanced Studies (SISSA), Trieste, Italy.
- <sup>aj</sup> Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America.
- <sup>ak</sup> Also at Institut de Fisica d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.
- <sup>al</sup> Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
- <sup>am</sup> Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
- <sup>an</sup> Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
- <sup>ao</sup> Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- <sup>ap</sup> Also at National Research Nuclear University MEPhI, Moscow, Russia.
- <sup>aq</sup> Also at Department of Physics, Stanford University, Stanford CA, United States of America.
- <sup>ar</sup> Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- <sup>as</sup> Also at Flensburg University of Applied Sciences, Flensburg, Germany.
- <sup>at</sup> Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
- <sup>au</sup> Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
- <sup>av</sup> Also affiliated with PKU-CHEP.
- \* Deceased.