

UNIVERSITY OF BIRMINGHAM

Research at Birmingham

Search for new phenomena in high-mass diphoton final states using 37 fb⁻¹ of proton–proton collisions collected at s=13TeV with the ATLAS detector

ATLAS Collaboration; Newman, Paul

DOI:

[10.1016/j.physletb.2017.10.039](https://doi.org/10.1016/j.physletb.2017.10.039)

License:

Creative Commons: Attribution (CC BY)

Document Version

Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

ATLAS Collaboration 2017, 'Search for new phenomena in high-mass diphoton final states using 37 fb⁻¹ of proton–proton collisions collected at s=13TeV with the ATLAS detector', *Physical Review Letters*, vol. 775, pp. 105-125. <https://doi.org/10.1016/j.physletb.2017.10.039>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

Checked for eligibility 06/12/2018

<https://doi.org/10.1016/j.physletb.2017.10.039>

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.



Search for new phenomena in high-mass diphoton final states using 37 fb^{-1} of proton–proton collisions collected at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector

The ATLAS Collaboration *

ARTICLE INFO

Article history:

Received 14 July 2017

Received in revised form 19 October 2017

Accepted 20 October 2017

Available online 24 October 2017

Editor: L. Rolandi

ABSTRACT

Searches for new phenomena in high-mass diphoton final states with the ATLAS experiment at the LHC are presented. The analysis is based on pp collision data corresponding to an integrated luminosity of 36.7 fb^{-1} at a centre-of-mass energy $\sqrt{s} = 13 \text{ TeV}$ recorded in 2015 and 2016. Searches are performed for resonances with spin 0, as predicted by theories with an extended Higgs sector, and for resonances with spin 2, using a warped extra-dimension model as a benchmark model, as well as for non-resonant signals, assuming a large extra-dimension scenario. No significant deviation from the Standard Model is observed. Upper limits are placed on the production cross section times branching ratio to two photons as a function of the resonance mass. In addition, lower limits are set on the ultraviolet cutoff scale in the large extra-dimensions model.

© 2017 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.



1. Introduction

New high-mass states decaying into two photons are predicted in extensions of the Standard Model (SM). The diphoton final state provides a clean experimental signature with excellent invariant-mass resolution and moderate backgrounds. This Letter presents an update of the searches for new high-mass states decaying into two photons, using both 2015 and 2016 proton–proton (pp) collision datasets recorded at a centre-of-mass energy $\sqrt{s} = 13 \text{ TeV}$ by the ATLAS detector at the CERN Large Hadron Collider (LHC), corresponding to a total integrated luminosity of 36.7 fb^{-1} . The analysis closely follows that described in Ref. [1], and includes small improvements in the photon reconstruction, selection and energy calibration. From the many extensions of the SM that predict new high-mass resonances decaying into two photons, the two benchmark signal models studied in Ref. [1] are considered: a spin-0 resonance (X) as predicted in theories with an extended Higgs sector [2–8], and the lightest Kaluza–Klein (KK) [9] spin-2 graviton excitation (G^*) of a Randall–Sundrum [10] model with one warped extra dimension, later referred to as RS1. The ATLAS and CMS collaborations reported a modest excess in the diphoton invariant-mass spectra with respect to the SM continuum background near a mass value of 750 GeV [1,11], using $3.2\text{--}3.3 \text{ fb}^{-1}$ of pp collision data recorded in 2015 at the LHC. The ATLAS result corresponds to a global significance of 2.1 standard deviations (σ).

The CMS result corresponds to a global significance of 1.6σ . No significant excess is observed by CMS in 12.9 fb^{-1} of data collected in 2016 [12].

In addition to searching for a resonant signal, data are interpreted using the model proposed by Arkani-Hamed, Dimopoulos and Dvali (ADD) [13]. Motivated by the weakness of gravity, the ADD model predicts the existence of n extra dimensions of space-time where only gravity can propagate. If the ultraviolet cutoff scale (M_S) of the Kaluza–Klein spectrum is lower than the Planck scale in the $(4+n)$ -dimensional space-time, the extra dimensions may be detected via virtual KK graviton exchange before being observed via direct KK graviton emission. The strength of gravity in the presence of extra dimensions is typically parameterized by $\eta_G = F/M_S^4$, where F is a dimensionless parameter of order unity reflecting the dependence of the virtual KK graviton exchange on the number of extra dimensions. Several theoretical formalisms exist in the literature [14–16]. While the definition of η_G is consistent, each formalism uses a different convention for F , which consequently leads to a different definition of M_S . The KK graviton exchange creates a set of finely spaced resonances, which manifests itself as a non-resonant deviation from the expected SM background in the diphoton mass distribution due to limited experimental resolution. The effective diphoton cross section is the result of the SM and ADD amplitudes, as well as their interference. The interference term in the effective cross section is linear in η_G and the pure KK graviton exchange term is quadratic in η_G . The interference effect is assumed to be constructive in formalisms considered in this Letter. Previous searches for an ADD graviton

* E-mail address: atlas.publications@cern.ch.

signal in the diphoton decay channel were carried out by the ATLAS [17] and CMS [18] experiments based on LHC Run 1 data. The substantial increase in the centre-of-mass energy in LHC Run 2 greatly enhances the sensitivity to the ADD scenario at higher mass scales [19].

2. ATLAS detector

The ATLAS detector [20,21] is a multi-purpose detector with a forward–backward symmetric cylindrical geometry.¹ The systems most relevant for the presented searches are the inner detector (ID), immersed in a 2 T magnetic field produced by a thin superconducting solenoid, and the calorimeters. The ID consists of fine-granularity silicon pixel and microstrip detectors covering the pseudorapidity range $|\eta| < 2.5$ complemented by a gas-filled straw-tube transition radiation tracker (TRT) at larger radii which covers the region $|\eta| < 2.0$ and provides electron identification capabilities. The electromagnetic (EM) calorimeter is a lead/liquid-argon sampling calorimeter with accordion geometry. It is divided into a barrel section covering $|\eta| < 1.475$ and two end-cap sections covering $1.375 < |\eta| < 3.2$. For $|\eta| < 2.5$, it is divided into three layers in depth, which are finely segmented in η and ϕ . A thin presampler layer, covering $|\eta| < 1.8$, is used to correct for fluctuations in upstream energy losses. Hadronic calorimetry in the region $|\eta| < 1.7$ uses steel absorbers and scintillator tiles as the active medium. Liquid-argon calorimetry with copper absorbers is used in the hadronic end-cap calorimeters, which cover the region $1.5 < |\eta| < 3.2$. A forward calorimeter using copper and tungsten absorbers with liquid argon completes the calorimeter coverage up to $|\eta| = 4.9$. The muon spectrometer, located beyond the calorimeters, consists of three large air-core superconducting toroid systems with precision tracking chambers providing accurate muon tracking for $|\eta| < 2.7$ and fast detectors for triggering for $|\eta| < 2.4$.

Events are selected using a first-level trigger implemented in custom electronics, which reduces the event rate to a design value of at most 100 kHz using a subset of detector information [22]. Software algorithms with access to the full detector information are then used in the high-level trigger to yield an average recorded event rate of about 1 kHz.

3. Data and simulated event samples

Data were collected in 2015 and 2016 using pp collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with a bunch spacing of 25 ns. The average number of pp interactions per bunch crossing is 13 in 2015 and 25 in 2016, with a peak instantaneous luminosity up to $1.4 \times 10^{34} \text{ cm}^{-2}\text{s}^{-1}$. Events from pp collisions are recorded using a diphoton trigger with transverse energy (E_T) thresholds of 35 GeV and 25 GeV for the E_T -ordered leading and subleading photon candidates, respectively. In the high-level trigger, the shapes of the energy depositions in the EM calorimeter are required to match those expected for electromagnetic showers initiated by photons. The trigger has a signal efficiency close to 100% for events fulfilling the final event selection, with an uncertainty below 0.4%. After applying data-quality requirements, the data sample corresponds to an integrated luminosity of 3.2 fb^{-1}

for the 2015 data and 33.5 fb^{-1} for the 2016 data. The measurement of the integrated luminosity has an uncertainty of 2.1% for the 2015 data and 3.4% for the 2016 data. The uncertainties in the 2015 and 2016 integrated luminosities are derived following a methodology similar to that detailed in Ref. [23], from a calibration of the luminosity scale using a x - y beam-separation scan performed in August 2015, and a preliminary calibration using a scan performed in May 2016, respectively. The correlation between the two years' luminosity uncertainties is taken into account.

Simulated Monte Carlo (MC) events are used for optimizing the search strategy [23], and for the signal and background modelling studies detailed in Sections 5 and 6, respectively. Interference effects between the resonant signal and the background processes are neglected.

The spin-0 signal MC samples were generated using the effective-field-theory approach implemented in MADGRAPH5_AMC@NLO [24] version 2.3.3 at next-to-leading order (NLO) in quantum chromodynamics (QCD). From the Higgs characterization framework [25], CP-even dimension-five operators coupling the new resonance to gluons and photons were included. Samples were generated with the NNPDF3.0 NLO parton distribution functions (PDFs) [26], using the A14 set of tuned parameters (tune) of PYTHIA 8.186 [27,28] for the parton-shower and hadronization simulation. Simulated samples were produced for fixed values of the mass and width of the assumed resonance, spanning the range 200–2400 GeV for the mass, and the range from 4 MeV to 10% of the mass for the decay width. Choosing an improved signal model with an event generator different from the one used in Ref. [1] provides a description of the signal which is less sensitive to modelling effects from the off-shell region. The impact of this change is only visible in scenarios with a large signal decay width, with mass values at the TeV scale.

Spin-2 signal samples for the RS1 model were generated using PYTHIA 8.186, with the NNPDF23LO PDF set [29] and the A14 tune. Only the lightest KK graviton excitation was generated. Its mass m_{G^*} was varied in the range between 500 GeV and 5000 GeV. The dimensionless coupling $k/\overline{M}_{\text{Pl}}$, where $\overline{M}_{\text{Pl}} = M_{\text{Pl}}/\sqrt{8\pi}$ is the reduced Planck scale and k the curvature scale of the extra dimension, is assumed to be in the range 0.01 to 0.3. For $k/\overline{M}_{\text{Pl}} < 0.3$, the KK graviton is expected to be a fairly narrow resonance [30], with a width given by $1.44(k/\overline{M}_{\text{Pl}})^2 m_{G^*}$.

The non-resonant KK graviton signal was simulated using the ADD model with the representation proposed by Giudice, Rattazzi and Wells (GRW) [14]. The SHERPA event generator (version 2.1.1) was used to simulate both the SM and ADD processes at the same time, including their interference. The ultraviolet cutoff scale M_S was varied between 3500 GeV and 6000 GeV in the simulation.

Events containing two prompt photons, representing an irreducible background to the search, were simulated using the SHERPA [31] event generator, version 2.1.1. Matrix elements were calculated with up to two additional partons at leading order (LO) in QCD and merged with the SHERPA parton-shower simulation [32] using the ME+PS@LO prescription [33]. The gluon-induced box process was also included. The CT10 PDF set [34] was used in conjunction with a dedicated parton-shower tune of SHERPA. Samples of the photon+jet reducible background component were also generated using SHERPA, version 2.1.1, with matrix elements calculated at LO with up to four additional partons. The same PDF set, parton-shower tune and merging prescription as for the diphoton sample were used. To study the dependence of data composition results (Section 4) on the event generator, PYTHIA8 was also used to generate SM diphoton events, based on the LO quark–antiquark t -channel diagram and the gluon-induced box process, and photon+jet events. The same PDF set and parton-shower tune as for the RS1 model signal samples were used.

¹ The ATLAS experiment uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. The transverse energy is defined as $E_T = E \sin(\theta)$.

The generated events were passed through a full detector simulation [35] based on GEANT4 [36]. Pile-up from additional pp collisions in the same or neighbouring bunch crossings was simulated by overlaying each MC event with a variable number of simulated inelastic pp collisions, generated using PYTHIA8 with the AZNLO tune [37]. The MC events were weighted to reproduce the distribution of the average number of interactions per bunch crossing observed in the data.

4. Event selection

The event selection criteria are the same as those described in Ref. [1]. Photon candidates are reconstructed from clusters of energy deposited in the EM calorimeter, and may have tracks and conversion vertices reconstructed in the ID. They are required to be in a fiducial region of the EM calorimeter defined by $|\eta| < 2.37$, not including the transition region $1.37 < |\eta| < 1.52$ between the barrel and end-cap calorimeters. Compared to the processing used in Ref. [1], the reconstruction of converted photons from stand-alone TRT tracks was re-optimized to improve the efficiency and to cope with higher pile-up in the 2016 data-taking period. For an average number of interactions per bunch crossing close to 40, the re-optimized algorithm maintains the same reconstruction efficiency for genuine photon conversions, while the rate of unconverted photons reconstructed as converted is reduced from around 20% to around 5%. In addition, a small bias in the track parameters was corrected. These changes lead to small event-by-event differences between the two reconstructions in the classification of the photons as either converted or unconverted.

The two photon candidates with the highest transverse energies in each event, satisfying $E_T > 40$ GeV and 30 GeV, are retained. The energy measurement is based on a multivariate regression algorithm [38] used to determine corrections to the energy of the clusters, developed and optimized on simulated events. The calibration of the energies deposited in each layer of the calorimeter, the overall energy scale and energy resolution are determined in situ. The regression algorithm was retrained to account for the small changes in the conversion reconstruction. For photons near the transition region between the barrel and end-cap calorimeters, the information from the scintillators located in front of the end-cap cryostat usually improves the energy resolution by a few percent compared to Ref. [1], although in a few rare cases a significant shift of the measured energy may occur. At E_T values larger than 100–200 GeV the energy resolution is dominated by the constant term of the calorimeter energy resolution, which varies from 0.9% to 2.0% in different η regions. The uncertainty in the photon energy scale for $E_T > 100$ GeV is typically 0.5–1.5% depending on η . The uncertainty in the photon energy resolution is driven by the uncertainty in the constant term in the E_T range relevant to this analysis. At $E_T = 300$ GeV, the relative uncertainty is 30–40% depending on η .

Photons are required to fulfil *tight* identification criteria [39] based on variables that measure the shape of the electromagnetic showers in the calorimeter (“shower shapes”), in particular in the finely segmented first layer. The efficiency of the photon identification increases with E_T from 90% at 50 GeV to 95% at 200 GeV. The associated η -dependent uncertainties were measured in the whole dataset from 2015 and 2016 using the same methods as in Ref. [39]. They vary between 0.2% and 4% below 200 GeV, and between 1% and 4% above.

To further reject the background from jets misidentified as photons, the candidates are required to be isolated using both calorimeter and tracking detector information. The scalar sum of the E_T of energy clusters within a cone of size $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.4$ around the photon candidate, excluding

the photon energy deposits and correcting for pile-up and underlying-event contributions [40–42], is required to be below $0.022E_T + 2.45$ GeV, where E_T is the transverse energy of the photon candidate. The sum of the transverse momentum (p_T) of tracks within $\Delta R = 0.2$ of the photon candidate, not including tracks associated with a photon conversion, is required to be below $0.05E_T$. In order to minimize pile-up effects and to improve the separation between signal and background processes, tracks with $p_T < 1$ GeV are excluded from the sum. Tracks are also excluded if they have a large impact parameter with respect to the primary vertex identified by combining the photon direction measurements from the calorimeter with the tracking information from the ID as described in Ref. [1]. The efficiency of the combined isolation requirement for photons fulfilling the tight identification selection in signal MC samples is 88% to 97% in the E_T range from 100 GeV to 500 GeV, with an uncertainty around 1%. Compared to Ref. [1], improvements in the selection of tracks associated with photon conversions lead to a few percent increase in the efficiency of the isolation requirement for genuinely converted photons.

Different kinematic selections [1] are applied in the searches for spin-0 and spin-2 signals to exploit the kinematic properties of the decay photons. In the selection used to search for a spin-0 resonance, the transverse energy is required to be $E_T > 0.4m_{\gamma\gamma}$ for the leading photon and $E_T > 0.3m_{\gamma\gamma}$ for the subleading photon, for a given value of the diphoton invariant mass $m_{\gamma\gamma}$. With these requirements, 84 189 (32 755) events are selected in the data with $m_{\gamma\gamma} > 150$ GeV (> 200 GeV). In the selection used to search for spin-2 resonant and non-resonant signals, the transverse energy of each photon is required to be $E_T > 55$ GeV. With these requirements, 57 785 diphoton events with $m_{\gamma\gamma} > 200$ GeV are selected in the data. The search for a non-resonant signal uses only events with $m_{\gamma\gamma} > 2240$ GeV, which is optimized for the expected limit on the ultraviolet cutoff scale M_S in the ADD model using the signal and background samples described in Section 3.

The composition of the selected data sample is studied using three methods detailed in Ref. [1]. The 2×2 D sideband method and the matrix method are based on sidebands constructed by inverting photon identification and isolation requirements. The results from these two methods are in good agreement as shown in Fig. 1. The selected samples consist mainly of events from diphoton production, with a purity estimated by the 2×2 D sideband method to be $(91^{+3}_{-7})\%$ for the spin-0 selection and $(91^{+3}_{-8})\%$ for the spin-2 selection, increasing by a few percent with $m_{\gamma\gamma}$. Uncertainties in these purity estimates originate from the statistical uncertainty in the data sample, the definition of the control region failing the tight identification requirement, the event generator dependence (difference between SHERPA 2.2.1 and PYTHIA8), the modelling of the isolation and shower-shape distributions, and possible correlations between the isolation variables and the inverted identification criteria. The remaining background is mostly composed of photon+jet and dijet production, with one or two jets misidentified as photons. Backgrounds from other sources are negligible. The composition derived from the 2×2 D sideband method is used to select the function to model the background in the spin-0 resonance search. In the background estimate used for the spin-2 resonance and non-resonant signal searches, the composition of the data sample is determined by a third method, which exploits the isolation profile of the two photons in the calorimeter, with consistent results obtained for the spin-2 selection as mentioned above.

5. Signal modelling

For both spin-0 and spin-2 resonance searches, parametric models of the diphoton invariant-mass distributions are used in




Fig. 1. The diphoton invariant-mass distributions of the data are shown in the upper panels for (a) the spin-0 and (b) the spin-2 selections and their decomposition into contributions from genuine diphoton ($\gamma\gamma$), photon+jet (γj and $j\gamma$) and dijet (jj) events as determined using the 2×2 D sideband method. The bottom panels show the purity of diphoton events as determined by the matrix method and the 2×2 D sideband method. Each point in the distributions is plotted in the centre of the corresponding bin. The total uncertainties, including statistical and systematic components added in quadrature, are shown as error bars.

order to test for different resonance masses and widths or k/\bar{M}_{Pl} . The distribution for a signal of given mass and width is obtained by convolving the detector resolution with the predicted mass line-shape distribution at the particle level. The detector resolution is modelled by a double-sided Crystal Ball (DSCB) function, composed of a Gaussian core with power-law tails [1]. The line-shape at the particle level for each signal model is taken to be the product of the analytic differential cross-section expression for particle production and decay to photons, and a parametrised form of the parton luminosity. The signal model is in good agreement with invariant-mass distributions from simulated signal samples introduced in Section 3 with corresponding values of resonance mass and width (k/\bar{M}_{Pl}) for the spin-0 (spin-2) case. Potential differences in the tails between the signal model and the simulation are found to have negligible impact on the extracted signal yield. For relative widths comparable to or below the detector resolution of 1% ($k/\bar{M}_{\text{Pl}} \lesssim 0.08$), the searches have limited sensitivity to the decay width.

In the spin-0 resonance search, a fiducial region at particle level that closely follows the selection criteria applied to the reconstructed data is defined for setting limits: $|\eta| < 2.37$ and $E_T > 0.4m_{\gamma\gamma}$ ($0.3m_{\gamma\gamma}$) for the leading (subleading) photon. In addition, an isolation requirement of $E_T^{\text{iso}} < 0.05E_T + 6$ GeV is applied to reproduce the selection applied at the reconstruction level. The particle-level isolation is calculated using all particles with lifetime greater than 10 ps at the event-generator level in a cone of $\Delta R = 0.4$ around the photon direction. Compared to the fiducial region definition used in Ref. [1], the mass range requirement introduced to reduce the model-dependence from the off-shell region is removed since its impact is found to be negligible using the new `MADGRAPH5_AMC@NLO` signal model. The combined reconstruction and identification efficiency, defined as the ratio of the number of events fulfilling all the selections placed on reconstructed quantities to the number of events in the fiducial acceptance, varies from 64% at 200 GeV to 75% at 2700 GeV. It is evaluated with signal MC samples corresponding to the narrow-

width approximation (NWA, $\Gamma_X = 4$ MeV), with a 2.8% uncertainty assigned to cover variations in the decay width (0–10%).

In the spin-2 resonance search, the results are evaluated assuming the acceptance as well as the reconstruction and identification efficiencies obtained by the MC simulation of KK graviton decays. The product of these two terms is evaluated as a function of the KK graviton mass m_{G^*} using MC samples with $k/\bar{M}_{\text{Pl}} = 0.2$. It increases from 45% at 500 GeV to 65% at 5000 GeV, with a 2.9% uncertainty that results from varying k/\bar{M}_{Pl} .

In the non-resonant signal search, the acceptance and reconstruction and identification efficiencies are evaluated for the excess yield in the presence of an ADD signal, which is defined as the difference between the sum of ADD and SM contributions (including their interference) and the SM contribution. The acceptance for the excess yields in the signal region increases from 58% at $M_S = 3.5$ TeV to 65% at $M_S = 5$ TeV. For larger values of M_S , the acceptance decreases to about 58% at 8 TeV due to a larger contribution from the interference term, which has smaller acceptance. The combined reconstruction and identification efficiency for the excess yields at different M_S values is approximately constant at 77% within MC statistical uncertainties.

Uncertainties in the signal parameterization and in the acceptance and detector efficiency correction factors for the signal considered in each search are summarized in Table 1.

6. Background estimates

Two different methods [1] are used to estimate the SM background contributions to the $m_{\gamma\gamma}$ distribution. The approach adopted in the spin-0 search, appropriate for a mass range with enough data close to the investigated resonance mass, is based on a fit using a smooth functional form, with parameter values determined simultaneously with the signal and background yields by the fit. The mass distribution is fitted in the range above 180 GeV (or 150 GeV when fitting 2015 data alone), and the search range for the signal is 200–2700 GeV. The procedure detailed in Ref. [43] is used to check that the functional form is flexible enough to accommodate different physics-motivated underlying background

Table 1

Summary of the relative systematic uncertainties (in percent). For mass-dependent uncertainties, the quoted values cover the range from 200 GeV (500 GeV) to 2700 GeV (5000 GeV) for the spin-0 (spin-2) resonance search. The uncertainty in the total signal yield corresponds to the sum in quadrature of the individual components, not including the uncertainty in the mass resolution.

Uncertainty source	Spin-0 resonance [%]	Spin-2 resonance [%]	Spin-2 non-resonant [%]
Signal mass resolution	17–38	28–36	–
Signal photon identification efficiency	1.3–3.0	2.6–3.1	3.2
Signal photon isolation efficiency	1.1–1.3	1.2–1.4	1.4
Signal width dependence	2.8	2.9	–
Trigger efficiency	0.4	0.4	0.4
Luminosity		2.1 (2015), 3.4 (2016)	
Total uncertainty in signal yield	4.6–5.4	5.3–5.5	4.8

Table 2

Summary of pre-fit relative systematic uncertainties in the background estimation used in the searches. For mass-dependent uncertainties, the quoted mass ranges cover 200 GeV (500 GeV) until 2700 GeV for the spin-0 (spin-2) resonance search. In the spin-2 searches the PDF uncertainty in the irreducible background component dominates the total uncertainty beyond 2700 GeV, rising to 130% at 5000 GeV.

Uncertainty source	Spin-0 resonance	
Spurious signal [events]	Narrow width 10% relative width	74–0.006 195–0.04
Uncertainty source	Spin-2 resonance [%]	Spin-2 non-resonant [%]
Scales and PDFs in DIPHOX computation	1–19	20
Shape of the reducible background	1–10	11
Relative normalization of reducible and irreducible backgrounds	1–2	2
Parton-level isolation requirement in DIPHOX	10–12	9
MC statistical uncertainty		< 1
Total	10–25	25

distributions from MC simulations, within the uncertainties in the measured background composition and PDF set. The potential bias due to the choice of the functional form is estimated by the fitted signal yield (“spurious signal”) in these background distributions, and is considered as a systematic uncertainty. The spurious signal is required to be less than 30% of the statistical uncertainty in the fitted signal yield (from the background distributions) over most of the investigated mass range. Below 400 GeV, where the statistical uncertainty in the MC sample used to determine the spurious signal uncertainty is comparable to the maximum spurious signal allowed, the criterion is relaxed to 50%.

In the spin-2 resonance search and also in the non-resonant signal search, both of which target KK graviton signals at the TeV scale, the small number of data events at high $m_{\gamma\gamma}$ values does not effectively constrain the invariant-mass distribution of the background. The shape of the distribution of the irreducible diphoton background is thus predicted using the DIPHOX [44] computation at NLO in QCD, which is found to be in good agreement with the predictions from SHERPA version 2.2.2 [45] using the same order in QCD. The background from photon+jet and dijet events is added using control samples from the data with the same method as discussed in Ref. [1]. An alternative method, based on the rate of jets misidentified as photons extracted from inclusive photon data and applied to similar control samples, gives compatible results. The different background components are combined according to the decomposition studies in data reported in Section 4 for the $m_{\gamma\gamma}$ distribution of the total background. The normalization of the background is a free parameter in the maximum-likelihood fit to the data spectrum. Uncertainty in the total background’s shape results from uncertainties in both the shape and the relative normalization of each component [1], including the shape of the reducible background, the relative normalization of the reducible and irreducible backgrounds, the impact of the parton-level isolation requirement in DIPHOX, and the effect of the uncertainties in the scales and PDF set used in the DIPHOX computation. These un-

certainties are taken to be correlated across the entire mass range. Statistical uncertainties in the simulated samples are also considered in each bin. The uncertainty from the parton-level isolation requirement in DIPHOX is constrained by the low-mass sideband of the data $m_{\gamma\gamma}$ spectrum in the maximum-likelihood fit, and thus reduces to about 1% across most of the mass range.

In the non-resonant signal search, the SM yield and the associated uncertainties are computed directly as integrals of the above background estimates in the signal region $m_{\gamma\gamma} > 2240$ GeV, before the likelihood maximization.

The systematic uncertainties in the description of the background shapes are summarized in Table 2.

7. Statistical procedure

In the spin-0 and spin-2 resonance searches, the numbers of signal and background events are estimated from maximum-likelihood fits of the signal-plus-background models to the corresponding $m_{\gamma\gamma}$ distribution of the selected events. In the search for an ADD graviton signal, a counting experiment is performed in the region $m_{\gamma\gamma} > 2240$ GeV with the excess and the SM yields extracted using the methods discussed in Sections 5 and 6, respectively. Systematic uncertainties summarized in Tables 1 and 2 are included in the fits via nuisance parameters constrained by Gaussian or log-normal penalty terms.

The p -value is determined from a profile-likelihood-ratio-test statistic [46] as detailed in Ref. [1]. For the resonance searches, the local p -value for compatibility with the background-only hypothesis when testing a given signal hypothesis (p_0) is evaluated based on the asymptotic approximation [46], and expressed in standard deviations in the following. Global significance values are computed from background-only pseudo-experiments to account for the trial factors due to scanning both the signal mass and the width hypotheses. The expected and observed 95% confidence level (CL) exclusion limits on the cross section times branching ratio to




Fig. 2. Distributions of the diphoton invariant mass for events passing (a) the spin-0 selection or (b) the spin-2 selection, with the background-only fits superimposed. The data points are plotted at the centre of each bin. The error bars indicate statistical uncertainties. The differences between the data and the fits are shown in the bottom panels. The arrows in the lower panels indicate values outside the range by more than one standard deviation. There is no data event with $m_{\gamma\gamma} > 2700$ GeV.

two photons are computed using a modified frequentist approach CL_s [47] with the asymptotic approximation to the test-statistic distribution [46] for all three searches. For resonance searches, cross-checks with sampling distributions generated using pseudo-experiments are performed for a few signal mass points across the searched mass range. Below 2500 GeV, the difference between the observed and expected limits is at the 0.01 fb level, which is well covered by the $\pm 1\sigma$ limit band. In the mass range above 2500 GeV covered by the spin-2 resonance search, the asymptotic approximation is no longer valid due to the small number of data events. The observed and expected limits in this region are hence determined with pseudo-experiments.

8. Results

Since the results of the 2015 data analysis were published in Ref. [1], photon reconstruction and energy calibration have been improved. The results for both the spin-0 and spin-2 resonance searches are updated as summarized below. In the light of the modest excess observed in the 2015 data alone, results are reported first considering the 2015 and 2016 data samples individually, before reporting the combined results.

- **Spin-0:** the largest local deviation from the background-only hypothesis in the 2015 dataset is 3.3σ at a mass of 736 GeV with a relative width of 8%. The results obtained on the same dataset with the old reconstruction and calibration, published in Ref. [1], presented a deviation of 3.9σ at 750 GeV with a relative width of 6%.
 - **Spin-2:** the largest local deviation from the background-only hypothesis in the mass range 700–800 GeV in the 2015 dataset is 3.2σ at a mass of 742 GeV with a $k/\overline{M}_{\text{Pl}}$ value of 0.28. The results obtained on the same dataset with the old reconstruction and calibration, published in Ref. [1], presented a deviation of 3.8σ at 750 GeV with a $k/\overline{M}_{\text{Pl}}$ value of 0.23.

In the 2016 dataset, the observations are summarized as follows.

- **Spin-0:** the largest local deviation from the background-only hypothesis corresponds to a 2.0σ narrow-width excess at 304 GeV. Within the mass interval 700–800 GeV, the largest local deviation from the background-only hypothesis corresponds to a 1.8σ narrow-width excess at 780 GeV.
 - **Spin-2:** the largest local deviation from the background-only hypothesis corresponds to a 2.8σ excess at 698 GeV with a best-fit $k/\overline{M}_{\text{Pl}}$ value of 0.05.

The results combining the 2015 and 2016 datasets are summarized below. A complete set of tables with the full limit results, including those from additional width and k/\bar{M}_{Pl} scenarios not covered in this Letter, are available at the Durham HepData repository.

- **Spin-0:** the diphoton invariant-mass distribution of the events passing the spin-0 selection is shown in Fig. 2(a). The compatibility of the data with the background-only hypothesis as a function of both the assumed mass and width values is shown in Fig. 3(a). The largest deviation from the background-only hypothesis is observed at a mass of 730 GeV for a narrow width, with a local p_0 of 2.6σ . The corresponding global significance is null, as the local deviation is less than the median largest deviation in background-only pseudo-experiments in the search region defined by 200–2700 GeV in resonance mass and 0–10% in relative width. Fig. 4(a) shows the upper limits on the signal fiducial cross section times branching ratio to two photons for a narrow-width (4 MeV) spin-0 resonance as a function of its mass. The limit on the fiducial cross section times branching ratio ranges from 11.4 fb at 200 GeV to about 0.1 fb at 2700 GeV. The impact of the systematic uncertainties on the expected limit decreases with the resonance mass from 29% at 200 GeV to 5% at 700 GeV. Above 700 GeV, the impact is typically 2–3%.
 - **Spin-2:** the invariant-mass distribution of the events passing the spin-2 selection is shown in Fig. 2(b). The local compatibility of the data with the background-only hypothesis as a function of both the resonance mass and k/\bar{M}_{Pl} values is shown in




Fig. 3. Compatibility, in terms of local p_0 quantified in standard deviations σ , with the background-only hypothesis (a) as a function of the assumed signal mass m_X and relative width Γ_X/m_X for the spin-0 resonance search and (b) as a function of the assumed signal mass m_{G^*} and k/\bar{M}_{Pl} for the spin-2 resonance search. Only positive excesses are considered.




Fig. 4. (a) Upper limits on the fiducial cross section times branching ratio to two photons at $\sqrt{s} = 13$ TeV of a narrow-width ($\Gamma_X = 4$ MeV) spin-0 resonance as a function of its mass m_X . (b) Upper limits on the production cross section times branching ratio to two photons at $\sqrt{s} = 13$ TeV of the lightest KK graviton as a function of its mass m_{G^*} for $k/\bar{M}_{\text{Pl}} = 0.1$. For $m_{G^*} > 2500$ GeV, the observed and expected limits are determined with pseudo-experiments shown by the blue solid and dashed lines, respectively. Predictions are shown for the RS1 model, where the grey shaded band represents the PDF uncertainty. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

Fig. 3(b). The largest deviation from the background-only hypothesis in the combined dataset is observed for a mass of 708 GeV, and k/\bar{M}_{Pl} of 0.30, corresponding to 3.0σ local p_0 . The global significance, estimated from pseudo-experiments in the search region of 500–2700 GeV in mass and 0.01–0.3 in k/\bar{M}_{Pl} , is 0.8σ . **Fig. 4(b)** shows the limits on the KK graviton cross section times branching ratio to two photons as a function of the resonance mass with $k/\bar{M}_{\text{Pl}} = 0.1$. The cross sections predicted by the benchmark model are computed at LO in QCD using PYTHIA8, and are shown on the same figure. The uncertainty band on the predictions represents the PDF uncertainty estimated from the variations of the NNPDF23LO PDF set. The observed limits on the cross section times branching ratio range from 4.6 fb to about 0.1 fb for a KK graviton mass between 500 GeV and 5000 GeV. The RS1 model with $k/\bar{M}_{\text{Pl}} = 0.1$ is excluded for m_{G^*} below 4.1 TeV, based on the observed limit determined with pseudo-experiments. The impact of systematic uncertainties on the expected limit is below 5% over the entire mass range, and typically 2–3% below 2 TeV. The spin-2 spectrum shown in **Fig. 2(b)** is also interpreted in the context of the ADD model. A counting experiment is performed in the signal region $m_{\gamma\gamma} > 2240$ GeV. In this region,

four events are observed in data for 4.3 ± 1.0 expected. The expected 95% CL upper limit on the number of excess events is 5.4, and the observed limit has the same value. The limit on the number of events can be translated into a lower limit on the ultraviolet cutoff scale M_S in the ADD model for different theoretical formalisms as summarized in **Table 3**. Besides the GRW formalism used for the simulation, the Han–Lykken–Zhang (HLZ) [15] formalism and the Hewett [16] formalism with positive interference are also considered. A K-factor of about 1.4 was computed using ADD samples generated at LO and NLO using MADGRAPH5_AMC@NLO, and is included in the results to indicate the potential impact from the higher-order calculation. The uncertainty in the signal theory prediction typically varies the limit results by 8%.

9. Conclusion

Searches for new phenomena in high-mass diphoton final states with the ATLAS experiment at the LHC are presented. The proton–proton collision data corresponding to an integrated luminosity of 36.7 fb^{-1} were recorded in 2015 and 2016 at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. Analyses optimized for the search for

Table 3

Observed 95% CL lower limits on the ADD model parameter M_S for the GRW, the Hewett (with positive interference) and the HLZ formalisms. For the HLZ formalism, the number of extra dimensions (n) is varied between 3 and 6. The second row shows results based on MC samples generated at LO by SHERPA 2.2.1. A K-factor was computed using ADD samples generated at LO and NLO using MADGRAPH5_AMC@NLO, and is included in the results shown in the third row to indicate the potential impact from the higher-order calculation.

	ADD formalism parameter	GRW	Hewett positive	HLZ			
				$n = 3$	$n = 4$	$n = 5$	$n = 6$
Without K-factor	M_S observed limit [TeV]	6.8	6.1	8.1	6.8	6.1	5.7
With K-factor	M_S observed limit [TeV]	7.2	6.5	8.6	7.2	6.5	6.1

spin-0 resonances with masses above 200 GeV, for spin-2 resonances predicted by the Randall–Sundrum model with masses above 500 GeV, and for non-resonant Kaluza–Klein graviton signals in the Arkani-Hamed–Dimopoulos–Dvali scenario are performed.

The data are consistent with the Standard Model background expectation. At a mass around 750 GeV, where the largest deviation from the background hypothesis was previously observed, no excess is seen in the 2016 data. In the combined dataset, the largest local deviation from the background-only hypothesis for the spin-0 (spin-2) resonance search is 2.6σ (3.0σ) for a mass near 730 GeV and narrow width (mass near 708 GeV and $k/\overline{M}_{\text{Pl}} = 0.30$). The global significance of this excess is null (0.8σ) for the spin-0 (spin-2) resonance search.

In the spin-0 resonance search, the observed 95% CL upper limits on the fiducial cross section times branching ratio for a narrow-width signal range from 11.4 fb at 200 GeV to about 0.1 fb at 2700 GeV. In the spin-2 resonance search, the observed limits on the cross section times branching ratio for $k/\overline{M}_{\text{Pl}} = 0.1$ range from 4.6 fb to about 0.1 fb for a KK graviton mass between 500 GeV and 5000 GeV. The RS1 model with $k/\overline{M}_{\text{Pl}} = 0.1$ is excluded below $m_{G^*} = 4.1$ TeV. These results supersede those previously reported by ATLAS based on 2015 data.

In the ADD scenario, lower limits between 5.7 TeV and 8.6 TeV are set on the ultraviolet cutoff scale M_S , depending on the number of extra dimensions and the theoretical formalism used.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; SRNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed

by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [48].

References

- [1] ATLAS Collaboration, Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector, *J. High Energy Phys.* 09 (2016) 001, arXiv:1606.03833 [hep-ex].
- [2] A. Hill, J.J. van der Bij, Strongly interacting singlet – doublet Higgs model, *Phys. Rev. D* 36 (1987) 3463.
- [3] M.J.G. Veltman, F.J. Yndurain, Radiative correction to WW scattering, *Nucl. Phys. B* 325 (1989) 1.
- [4] T. Binot, J.J. van der Bij, Influence of strongly coupled, hidden scalars on Higgs signals, *Z. Phys. C* 75 (1997) 17, arXiv:hep-ph/9608245.
- [5] R. Schabinger, J.D. Wells, A minimal spontaneously broken hidden sector and its impact on Higgs boson physics at the CERN Large Hadron Collider, *Phys. Rev. D* 72 (2005) 093007, arXiv:hep-ph/0509209.
- [6] B. Patt, F. Wilczek, Higgs-field portal into hidden sectors, arXiv:hep-ph/0605188, 2006.
- [7] G.M. Pruna, T. Robens, Higgs singlet extension parameter space in the light of the LHC discovery, *Phys. Rev. D* 88 (2013) 115012, arXiv:1303.1150 [hep-ph].
- [8] T.D. Lee, A theory of spontaneous T violation, *Phys. Rev. D* 8 (1973) 1226.
- [9] T. Appelquist, A. Chodos, P. Freund, Modern Kaluza–Klein Theories, *Frontiers in Physics*, vol. 65, Addison-Wesley, 1987.
- [10] L. Randall, R. Sundrum, A large mass hierarchy from a small extra dimension, *Phys. Rev. Lett.* 83 (1999) 3370, arXiv:hep-ph/9905221.
- [11] CMS Collaboration, Search for resonant production of high-mass photon pairs in proton–proton collisions at $\sqrt{s} = 8$ and 13 TeV, *Phys. Rev. Lett.* 117 (2016) 051802, arXiv:1606.04093 [hep-ex].
- [12] CMS Collaboration, Search for high-mass diphoton resonances in proton–proton collisions at 13 TeV and combination with 8 TeV search, *Phys. Lett. B* 767 (2017) 147, arXiv:1609.02507 [hep-ex].
- [13] N. Arkani-Hamed, S. Dimopoulos, G.R. Dvali, The hierarchy problem and new dimensions at a millimeter, *Phys. Lett. B* 429 (1998) 263, arXiv:hep-ph/9803315.
- [14] G.F. Giudice, R. Rattazzi, J.D. Wells, Quantum gravity and extra dimensions at high-energy colliders, *Nucl. Phys. B* 544 (1999) 3, arXiv:hep-ph/9811291.
- [15] T. Han, J.D. Lykken, R.-J. Zhang, On Kaluza–Klein states from large extra dimensions, *Phys. Rev. D* 59 (1999) 105006, arXiv:hep-ph/9811350.
- [16] J.L. Hewett, Indirect collider signals for extra dimensions, *Phys. Rev. Lett.* 82 (1999) 4765, arXiv:hep-ph/9811356.
- [17] ATLAS Collaboration, Search for extra dimensions in diphoton events using proton–proton collisions recorded at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, *New J. Phys.* 15 (2013) 043007, arXiv:1210.8389 [hep-ex].
- [18] CMS Collaboration, Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider, *Phys. Rev. Lett.* 108 (2012) 111801, arXiv:1112.0688 [hep-ex].
- [19] CMS Collaboration, Search for new physics with dijet angular distributions in proton–proton collisions at $\sqrt{s} = 13$ TeV, arXiv:1703.09986 [hep-ex], 2017.
- [20] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, *J. Instrum.* 3 (2008) S08003.
- [21] ATLAS Collaboration, ATLAS Insertable B-Layer Technical Design Report, ATLAS-TDR-19, <https://cds.cern.ch/record/1291633>, 2010, ATLAS Insertable B-Layer

- Technical Design Report Addendum, ATLAS-TDR-19-ADD-1, <https://cds.cern.ch/record/1451888>, 2012.
- [22] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [23] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [24] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [25] P. Artoisenet, et al., A framework for Higgs characterisation, J. High Energy Phys. 11 (2013) 043, arXiv:1306.6464 [hep-ph].
- [26] R.D. Ball, et al., Parton distributions for the LHC Run II, J. High Energy Phys. 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- [27] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [28] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [29] S. Carrazza, S. Forte, R. Rojo, Parton distributions and event generators, arXiv:1311.5887 [hep-ph], 2013.
- [30] H. Davoudiasl, J. Hewett, T. Rizzo, Phenomenology of the Randall–Sundrum gauge hierarchy model, Phys. Rev. Lett. 84 (2000) 2080, arXiv:hep-ph/9909255.
- [31] T. Gleisberg, S. Höche, F. Krauss, M. Schönherr, S. Schumann, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [32] S. Schumann, F. Krauss, A parton shower algorithm based on Catani–Seymour dipole factorisation, J. High Energy Phys. 03 (2008) 038, arXiv:0709.1027 [hep-ph].
- [33] S. Höche, F. Krauss, S. Schumann, F. Siegert, QCD matrix elements and truncated showers, J. High Energy Phys. 05 (2009) 053, arXiv:0903.1219 [hep-ph].
- [34] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [35] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [36] S. Agostinelli, et al., GEANT4 – a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [37] ATLAS Collaboration, Measurement of the Z boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, J. High Energy Phys. 09 (2014) 145, arXiv:1406.3660 [hep-ex].
- [38] ATLAS Collaboration, Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data, Eur. Phys. J. C 74 (2014) 3071, arXiv:1407.5063 [hep-ex].
- [39] ATLAS Collaboration, Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data, Eur. Phys. J. C 76 (2016) 666, arXiv:1606.01813 [hep-ex].
- [40] ATLAS Collaboration, Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Rev. D 83 (2011) 052005, arXiv:1012.4389 [hep-ex].
- [41] M. Cacciari, G.P. Salam, G. Soyez, The catchment area of jets, J. High Energy Phys. 04 (2008) 005, arXiv:0802.1188 [hep-ph].
- [42] M. Cacciari, G.P. Salam, S. Sapeta, On the characterisation of the underlying event, J. High Energy Phys. 04 (2010) 065, arXiv:0912.4926 [hep-ph].
- [43] ATLAS Collaboration, Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, Phys. Rev. D 90 (2014) 112015, arXiv:1408.7084 [hep-ex].
- [44] T. Bineth, J. Guillet, E. Pilon, M. Werlen, A full next-to-leading order study of direct photon pair production in hadronic collisions, Eur. Phys. J. C 16 (2000) 311, arXiv:hep-ph/9911340.
- [45] F. Siegert, A practical guide to event generation for prompt photon production, J. Phys. G 44 (2017) 044007, arXiv:1611.07226 [hep-ph].
- [46] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an], Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [47] A.L. Read, Presentation of search results: the CL_s technique, J. Phys. G 28 (2002) 2693.
- [48] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

- M. Aaboud ^{137d}, G. Aad ⁸⁸, B. Abbott ¹¹⁵, O. Abdinov ^{12,*}, B. Abelsoos ¹¹⁹, S.H. Abidi ¹⁶¹, O.S. AbouZeid ¹³⁹, N.L. Abraham ¹⁵¹, H. Abramowicz ¹⁵⁵, H. Abreu ¹⁵⁴, R. Abreu ¹¹⁸, Y. Abulaiti ^{148a,148b}, B.S. Acharya ^{167a,167b,a}, S. Adachi ¹⁵⁷, L. Adamczyk ^{41a}, J. Adelman ¹¹⁰, M. Adlersberger ¹⁰², T. Adye ¹³³, A.A. Affolder ¹³⁹, Y. Afik ¹⁵⁴, T. Agatonovic-Jovin ¹⁴, C. Agheorghiesei ^{28c}, J.A. Aguilar-Saavedra ^{128a,128f}, S.P. Ahlen ²⁴, F. Ahmadov ^{68,b}, G. Aielli ^{135a,135b}, S. Akatsuka ⁷¹, H. Akerstedt ^{148a,148b}, T.P.A. Åkesson ⁸⁴, E. Akilli ⁵², A.V. Akimov ⁹⁸, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁷², P. Albicocco ⁵⁰, M.J. Alconada Verzini ⁷⁴, S.C. Alderweireldt ¹⁰⁸, M. Aleksa ³², I.N. Aleksandrov ⁶⁸, C. Alexa ^{28b}, G. Alexander ¹⁵⁵, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁵, B. Ali ¹³⁰, M. Aliev ^{76a,76b}, G. Alimonti ^{94a}, J. Alison ³³, S.P. Alkire ³⁸, B.M.M. Allbrooke ¹⁵¹, B.W. Allen ¹¹⁸, P.P. Allport ¹⁹, A. Aloisio ^{106a,106b}, A. Alonso ³⁹, F. Alonso ⁷⁴, C. Alpigiani ¹⁴⁰, A.A. Alshehri ⁵⁶, M.I. Alstaty ⁸⁸, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁷⁰, M.G. Alvaggi ^{106a,106b}, B.T. Amadio ¹⁶, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹², S.P. Amor Dos Santos ^{128a,128c}, S. Amoroso ³², G. Amundsen ²⁵, C. Anastopoulos ¹⁴¹, L.S. Ancu ⁵², N. Andari ¹⁹, T. Andeen ¹¹, C.F. Anders ^{60b}, J.K. Anders ⁷⁷, K.J. Anderson ³³, A. Andreazza ^{94a,94b}, V. Andrei ^{60a}, S. Angelidakis ³⁷, I. Angelozzi ¹⁰⁹, A. Angerami ³⁸, A.V. Anisenkov ^{111,c}, N. Anjos ¹³, A. Annovi ^{126a,126b}, C. Antel ^{60a}, M. Antonelli ⁵⁰, A. Antonov ^{100,*}, D.J. Antrim ¹⁶⁶, F. Anulli ^{134a}, M. Aoki ⁶⁹, L. Aperio Bella ³², G. Arabidze ⁹³, Y. Arai ⁶⁹, J.P. Araque ^{128a}, V. Araujo Ferraz ^{26a}, A.T.H. Arce ⁴⁸, R.E. Ardell ⁸⁰, F.A. Arduh ⁷⁴, J-F. Arguin ⁹⁷, S. Argyropoulos ⁶⁶, M. Arik ^{20a}, A.J. Armbruster ³², L.J. Armitage ⁷⁹, O. Arnaez ¹⁶¹, H. Arnold ⁵¹, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ^{99,*}, G. Artoni ¹²², S. Artz ⁸⁶, S. Asai ¹⁵⁷, N. Asbah ⁴⁵, A. Ashkenazi ¹⁵⁵, L. Asquith ¹⁵¹, K. Assamagan ²⁷, R. Astalos ^{146a}, M. Atkinson ¹⁶⁹, N.B. Atlay ¹⁴³, K. Augsten ¹³⁰, G. Avolio ³², B. Axen ¹⁶, M.K. Ayoub ^{35a}, G. Azuelos ^{97,d}, A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁸, K. Bachas ^{76a,76b}, M. Backes ¹²², P. Bagnaia ^{134a,134b}, M. Bahmani ⁴², H. Bahrasemani ¹⁴⁴, J.T. Baines ¹³³, M. Bajic ³⁹, O.K. Baker ¹⁷⁹, P.J. Bakker ¹⁰⁹, E.M. Baldin ^{111,c}, P. Balek ¹⁷⁵, F. Balli ¹³⁸, W.K. Balunas ¹²⁴, E. Banas ⁴², A. Bandyopadhyay ²³, Sw. Banerjee ^{176,e}, A.A.E. Bannoura ¹⁷⁸, L. Barak ¹⁵⁵, E.L. Barberio ⁹¹, D. Barberis ^{53a,53b}, M. Barbero ⁸⁸, T. Barillari ¹⁰³, M-S Barisits ³², J.T. Barkeloo ¹¹⁸, T. Barklow ¹⁴⁵, N. Barlow ³⁰, S.L. Barnes ^{36c}, B.M. Barnett ¹³³, R.M. Barnett ¹⁶, Z. Barnovska-Blenessy ^{36a}, A. Baroncelli ^{136a}, G. Barone ²⁵, A.J. Barr ¹²², L. Barranco Navarro ¹⁷⁰, F. Barreiro ⁸⁵, J. Barreiro Guimarães da Costa ^{35a}, R. Bartoldus ¹⁴⁵, A.E. Barton ⁷⁵, P. Bartos ^{146a}, A. Basalaev ¹²⁵, A. Bassalat ^{119,f}, R.L. Bates ⁵⁶, S.J. Batista ¹⁶¹, J.R. Batley ³⁰, M. Battaglia ¹³⁹, M. Baucé ^{134a,134b}, F. Bauer ¹³⁸,

- H.S. Bawa ^{145,g}, J.B. Beacham ¹¹³, M.D. Beattie ⁷⁵, T. Beau ⁸³, P.H. Beauchemin ¹⁶⁵, P. Bechtle ²³, H.P. Beck ^{18,h}, H.C. Beck ⁵⁷, K. Becker ¹²², M. Becker ⁸⁶, C. Becot ¹¹², A.J. Beddall ^{20d}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁸, M. Bedognetti ¹⁰⁹, C.P. Bee ¹⁵⁰, T.A. Beermann ³², M. Begalli ^{26a}, M. Begel ²⁷, J.K. Behr ⁴⁵, A.S. Bell ⁸¹, G. Bella ¹⁵⁵, L. Bellagamba ^{22a}, A. Bellerive ³¹, M. Bellomo ¹⁵⁴, K. Belotskiy ¹⁰⁰, O. Beltramello ³², N.L. Belyaev ¹⁰⁰, O. Benary ^{155,*}, D. Benchekroun ^{137a}, M. Bender ¹⁰², N. Benekos ¹⁰, Y. Benhammou ¹⁵⁵, E. Benhar Noccioli ¹⁷⁹, J. Benitez ⁶⁶, D.P. Benjamin ⁴⁸, M. Benoit ⁵², J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁹, L. Beresford ¹²², M. Beretta ⁵⁰, D. Berge ¹⁰⁹, E. Bergeaas Kuutmann ¹⁶⁸, N. Berger ⁵, J. Beringer ¹⁶, S. Berlendis ⁵⁸, N.R. Bernard ⁸⁹, G. Bernardi ⁸³, C. Bernius ¹⁴⁵, F.U. Bernlochner ²³, T. Berry ⁸⁰, P. Berta ⁸⁶, C. Bertella ^{35a}, G. Bertoli ^{148a,148b}, I.A. Bertram ⁷⁵, C. Bertsche ⁴⁵, D. Bertsche ¹¹⁵, G.J. Besjes ³⁹, O. Bessidskaia Bylund ^{148a,148b}, M. Bessner ⁴⁵, N. Besson ¹³⁸, A. Bethani ⁸⁷, S. Bethke ¹⁰³, A. Betti ²³, A.J. Bevan ⁷⁹, J. Beyer ¹⁰³, R.M. Bianchi ¹²⁷, O. Biebel ¹⁰², D. Biedermann ¹⁷, R. Bielski ⁸⁷, K. Bierwagen ⁸⁶, N.V. Biesuz ^{126a,126b}, M. Biglietti ^{136a}, T.R.V. Billoud ⁹⁷, H. Bilokon ⁵⁰, M. Bindi ⁵⁷, A. Bingul ^{20b}, C. Bini ^{134a,134b}, S. Biondi ^{22a,22b}, T. Bisanz ⁵⁷, C. Bittrich ⁴⁷, D.M. Bjergaard ⁴⁸, J.E. Black ¹⁴⁵, K.M. Black ²⁴, R.E. Blair ⁶, T. Blazek ^{146a}, I. Bloch ⁴⁵, C. Blocker ²⁵, A. Blue ⁵⁶, W. Blum ^{86,*}, U. Blumenschein ⁷⁹, S. Blunier ^{34a}, G.J. Bobbink ¹⁰⁹, V.S. Bobrovnikov ^{111,c}, S.S. Bocchetta ⁸⁴, A. Bocci ⁴⁸, C. Bock ¹⁰², M. Boehler ⁵¹, D. Boerner ¹⁷⁸, D. Bogavac ¹⁰², A.G. Bogdanchikov ¹¹¹, C. Bohm ^{148a}, V. Boisvert ⁸⁰, P. Bokan ^{168,i}, T. Bold ^{41a}, A.S. Boldyrev ¹⁰¹, A.E. Bolz ^{60b}, M. Bomben ⁸³, M. Bona ⁷⁹, M. Boonekamp ¹³⁸, A. Borisov ¹³², G. Borissov ⁷⁵, J. Bortfeldt ³², D. Bortoletto ¹²², V. Bortolotto ^{62a}, D. Boscherini ^{22a}, M. Bosman ¹³, J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁷, J. Bouffard ², E.V. Bouhova-Thacker ⁷⁵, D. Boumediene ³⁷, C. Bourdarios ¹¹⁹, S.K. Boutle ⁵⁶, A. Boveia ¹¹³, J. Boyd ³², I.R. Boyko ⁶⁸, A.J. Bozson ⁸⁰, J. Bracinik ¹⁹, A. Brandt ⁸, G. Brandt ⁵⁷, O. Brandt ^{60a}, F. Braren ⁴⁵, U. Bratzler ¹⁵⁸, B. Brau ⁸⁹, J.E. Brau ¹¹⁸, W.D. Breaden Madden ⁵⁶, K. Brendlinger ⁴⁵, A.J. Brennan ⁹¹, L. Brenner ¹⁰⁹, R. Brenner ¹⁶⁸, S. Bressler ¹⁷⁵, D.L. Briglin ¹⁹, T.M. Bristow ⁴⁹, D. Britton ⁵⁶, D. Britzger ⁴⁵, F.M. Brochu ³⁰, I. Brock ²³, R. Brock ⁹³, G. Brooijmans ³⁸, T. Brooks ⁸⁰, W.K. Brooks ^{34b}, J. Brosamer ¹⁶, E. Brost ¹¹⁰, J.H. Broughton ¹⁹, P.A. Bruckman de Renstrom ⁴², D. Bruncko ^{146b}, A. Brunni ^{22a}, G. Bruni ^{22a}, L.S. Bruni ¹⁰⁹, S. Bruno ^{135a,135b}, BH Brunt ³⁰, M. Bruschi ^{22a}, N. Bruscino ¹²⁷, P. Bryant ³³, L. Bryngemark ⁴⁵, T. Buanes ¹⁵, Q. Buat ¹⁴⁴, P. Buchholz ¹⁴³, A.G. Buckley ⁵⁶, I.A. Budagov ⁶⁸, F. Buehrer ⁵¹, M.K. Bugge ¹²¹, O. Bulekov ¹⁰⁰, D. Bullock ⁸, T.J. Burch ¹¹⁰, S. Burdin ⁷⁷, C.D. Burgard ⁵¹, A.M. Burger ⁵, B. Burghgrave ¹¹⁰, K. Burka ⁴², S. Burke ¹³³, I. Burmeister ⁴⁶, J.T.P. Burr ¹²², E. Busato ³⁷, D. Büscher ⁵¹, V. Büscher ⁸⁶, P. Bussey ⁵⁶, J.M. Butler ²⁴, C.M. Buttar ⁵⁶, J.M. Butterworth ⁸¹, P. Butti ³², W. Buttlinger ²⁷, A. Buzatu ¹⁵³, A.R. Buzykaev ^{111,c}, S. Cabrera Urbán ¹⁷⁰, D. Caforio ¹³⁰, H. Cai ¹⁶⁹, V.M. Cairo ^{40a,40b}, O. Cakir ^{4a}, N. Calace ⁵², P. Calafiura ¹⁶, A. Calandri ⁸⁸, G. Calderini ⁸³, P. Calfayan ⁶⁴, G. Callea ^{40a,40b}, L.P. Caloba ^{26a}, S. Calvente Lopez ⁸⁵, D. Calvet ³⁷, S. Calvet ³⁷, T.P. Calvet ⁸⁸, R. Camacho Toro ³³, S. Camarda ³², P. Camarri ^{135a,135b}, D. Cameron ¹²¹, R. Caminal Armadans ¹⁶⁹, C. Camincher ⁵⁸, S. Campana ³², M. Campanelli ⁸¹, A. Camplani ^{94a,94b}, A. Campoverde ¹⁴³, V. Canale ^{106a,106b}, M. Cano Bret ^{36c}, J. Cantero ¹¹⁶, T. Cao ¹⁵⁵, M.D.M. Capeans Garrido ³², I. Caprini ^{28b}, M. Caprini ^{28b}, M. Capua ^{40a,40b}, R.M. Carbone ³⁸, R. Cardarelli ^{135a}, F. Cardillo ⁵¹, I. Carli ¹³¹, T. Carli ³², G. Carlino ^{106a}, B.T. Carlson ¹²⁷, L. Carminati ^{94a,94b}, R.M.D. Carney ^{148a,148b}, S. Caron ¹⁰⁸, E. Carquin ^{34b}, S. Carrá ^{94a,94b}, G.D. Carrillo-Montoya ³², D. Casadei ¹⁹, M.P. Casado ^{13,j}, M. Casolino ¹³, D.W. Casper ¹⁶⁶, R. Castelijn ¹⁰⁹, V. Castillo Gimenez ¹⁷⁰, N.F. Castro ^{128a,k}, A. Catinaccio ³², J.R. Catmore ¹²¹, A. Cattai ³², J. Caudron ²³, V. Cavalieri ¹⁶⁹, E. Cavallaro ¹³, D. Cavalli ^{94a}, M. Cavalli-Sforza ¹³, V. Cavasinni ^{126a,126b}, E. Celebi ^{20c}, F. Ceradini ^{136a,136b}, L. Cerdá Alberich ¹⁷⁰, A.S. Cerqueira ^{26b}, A. Cerri ¹⁵¹, L. Cerrito ^{135a,135b}, F. Cerutti ¹⁶, A. Cervelli ^{22a,22b}, S.A. Cetin ^{20c}, A. Chafaq ^{137a}, D. Chakraborty ¹¹⁰, S.K. Chan ⁵⁹, W.S. Chan ¹⁰⁹, Y.L. Chan ^{62a}, P. Chang ¹⁶⁹, J.D. Chapman ³⁰, D.G. Charlton ¹⁹, C.C. Chau ³¹, C.A. Chavez Barajas ¹⁵¹, S. Che ¹¹³, S. Cheatham ^{167a,167c}, A. Chegwidden ⁹³, S. Chekanov ⁶, S.V. Chekulaev ^{163a}, G.A. Chelkov ^{68,l}, M.A. Chelstowska ³², C. Chen ^{36a}, C. Chen ⁶⁷, H. Chen ²⁷, J. Chen ^{36a}, S. Chen ^{35b}, S. Chen ¹⁵⁷, X. Chen ^{35c,m}, Y. Chen ⁷⁰, H.C. Cheng ⁹², H.J. Cheng ^{35a,35d}, A. Cheplakov ⁶⁸, E. Cheremushkina ¹³², R. Cherkaoui El Moursli ^{137e}, E. Cheu ⁷, K. Cheung ⁶³, L. Chevalier ¹³⁸, V. Chiarella ⁵⁰, G. Chiarella ^{126a,126b}, G. Chiodini ^{76a}, A.S. Chisholm ³², A. Chitan ^{28b}, Y.H. Chiu ¹⁷², M.V. Chizhov ⁶⁸, K. Choi ⁶⁴, A.R. Chomont ³⁷, S. Chouridou ¹⁵⁶, Y.S. Chow ^{62a}, V. Christodoulou ⁸¹, M.C. Chu ^{62a}, J. Chudoba ¹²⁹, A.J. Chuinard ⁹⁰, J.J. Chwastowski ⁴², L. Chytka ¹¹⁷, A.K. Ciftci ^{4a}, D. Cinca ⁴⁶, V. Cindro ⁷⁸, I.A. Cioara ²³, A. Ciocio ¹⁶, F. Cirocco ^{106a,106b}, Z.H. Citron ¹⁷⁵, M. Citterio ^{94a}, M. Ciubancan ^{28b}, A. Clark ⁵², B.L. Clark ⁵⁹, M.R. Clark ³⁸, P.J. Clark ⁴⁹, R.N. Clarke ¹⁶,

- C. Clement ^{148a,148b}, Y. Coadou ⁸⁸, M. Cobal ^{167a,167c}, A. Coccato ⁵², J. Cochran ⁶⁷, L. Colasurdo ¹⁰⁸,
 B. Cole ³⁸, A.P. Colijn ¹⁰⁹, J. Collot ⁵⁸, T. Colombo ¹⁶⁶, P. Conde Muñoz ^{128a,128b}, E. Coniavitis ⁵¹,
 S.H. Connell ^{147b}, I.A. Connolly ⁸⁷, S. Constantinescu ^{28b}, G. Conti ³², F. Conventi ^{106a,n}, M. Cooke ¹⁶,
 A.M. Cooper-Sarkar ¹²², F. Cormier ¹⁷¹, K.J.R. Cormier ¹⁶¹, M. Corradi ^{134a,134b}, F. Corriveau ^{90,o},
 A. Cortes-Gonzalez ³², G. Costa ^{94a}, M.J. Costa ¹⁷⁰, D. Costanzo ¹⁴¹, G. Cottin ³⁰, G. Cowan ⁸⁰, B.E. Cox ⁸⁷,
 K. Cranmer ¹¹², S.J. Crawley ⁵⁶, R.A. Creager ¹²⁴, G. Cree ³¹, S. Crépé-Renaudin ⁵⁸, F. Crescioli ⁸³,
 W.A. Cribbs ^{148a,148b}, M. Cristinziani ²³, V. Croft ¹¹², G. Crosetti ^{40a,40b}, A. Cueto ⁸⁵,
 T. Cuhadar Donszelmann ¹⁴¹, A.R. Cukierman ¹⁴⁵, J. Cummings ¹⁷⁹, M. Curatolo ⁵⁰, J. Cúth ⁸⁶,
 S. Czekiera ⁴², P. Czodrowski ³², G. D'amen ^{22a,22b}, S. D'Auria ⁵⁶, L. D'eramo ⁸³, M. D'Onofrio ⁷⁷,
 M.J. Da Cunha Sargedas De Sousa ^{128a,128b}, C. Da Via ⁸⁷, W. Dabrowski ^{41a}, T. Dado ^{146a}, T. Dai ⁹²,
 O. Dale ¹⁵, F. Dallaire ⁹⁷, C. Dallapiccola ⁸⁹, M. Dam ³⁹, J.R. Dandoy ¹²⁴, M.F. Daneri ²⁹, N.P. Dang ¹⁷⁶,
 A.C. Daniells ¹⁹, N.S. Dann ⁸⁷, M. Danner ¹⁷¹, M. Dano Hoffmann ¹³⁸, V. Dao ¹⁵⁰, G. Darbo ^{53a},
 S. Darmora ⁸, J. Dassoulas ³, A. Dattagupta ¹¹⁸, T. Daubney ⁴⁵, W. Davey ²³, C. David ⁴⁵, T. Davidek ¹³¹,
 D.R. Davis ⁴⁸, P. Davison ⁸¹, E. Dawe ⁹¹, I. Dawson ¹⁴¹, K. De ⁸, R. de Asmundis ^{106a}, A. De Benedetti ¹¹⁵,
 S. De Castro ^{22a,22b}, S. De Cecco ⁸³, N. De Groot ¹⁰⁸, P. de Jong ¹⁰⁹, H. De la Torre ⁹³, F. De Lorenzi ⁶⁷,
 A. De Maria ⁵⁷, D. De Pedis ^{134a}, A. De Salvo ^{134a}, U. De Sanctis ^{135a,135b}, A. De Santo ¹⁵¹,
 K. De Vasconcelos Corga ⁸⁸, J.B. De Vivie De Regie ¹¹⁹, R. Debbe ²⁷, C. Debenedetti ¹³⁹, D.V. Dedovich ⁶⁸,
 N. Dehghanian ³, I. Deigaard ¹⁰⁹, M. Del Gaudio ^{40a,40b}, J. Del Peso ⁸⁵, D. Delgove ¹¹⁹, F. Deliot ¹³⁸,
 C.M. Delitzsch ⁷, A. Dell'Acqua ³², L. Dell'Asta ²⁴, M. Dell'Orso ^{126a,126b}, M. Della Pietra ^{106a,106b},
 D. della Volpe ⁵², M. Delmastro ⁵, C. Delporte ¹¹⁹, P.A. Delsart ⁵⁸, D.A. DeMarco ¹⁶¹, S. Demers ¹⁷⁹,
 M. Demichev ⁶⁸, A. Demilly ⁸³, S.P. Denisov ¹³², D. Denysiuk ¹³⁸, D. Derendarz ⁴², J.E. Derkaoui ^{137d},
 F. Derue ⁸³, P. Dervan ⁷⁷, K. Desch ²³, C. Deterre ⁴⁵, K. Dette ¹⁶¹, M.R. Devesa ²⁹, P.O. Deviveiros ³²,
 A. Dewhurst ¹³³, S. Dhaliwal ²⁵, F.A. Di Bello ⁵², A. Di Ciaccio ^{135a,135b}, L. Di Ciaccio ⁵,
 W.K. Di Clemente ¹²⁴, C. Di Donato ^{106a,106b}, A. Di Girolamo ³², B. Di Girolamo ³², B. Di Micco ^{136a,136b},
 R. Di Nardo ³², K.F. Di Petrillo ⁵⁹, A. Di Simone ⁵¹, R. Di Sipio ¹⁶¹, D. Di Valentino ³¹, C. Diaconu ⁸⁸,
 M. Diamond ¹⁶¹, F.A. Dias ³⁹, M.A. Diaz ^{34a}, E.B. Diehl ⁹², J. Dietrich ¹⁷, S. Díez Cornell ⁴⁵,
 A. Dimitrieva ¹⁴, J. Dingfelder ²³, P. Dita ^{28b}, S. Dita ^{28b}, F. Dittus ³², F. Djama ⁸⁸, T. Djobava ^{54b},
 J.I. Djuvstrand ^{60a}, M.A.B. do Vale ^{26c}, D. Dobos ³², M. Dobre ^{28b}, D. Dodsworth ²⁵, C. Doglioni ⁸⁴,
 J. Dolejsi ¹³¹, Z. Dolezal ¹³¹, M. Donadelli ^{26d}, S. Donati ^{126a,126b}, P. Dondero ^{123a,123b}, J. Donini ³⁷,
 J. Dopke ¹³³, A. Doria ^{106a}, M.T. Dova ⁷⁴, A.T. Doyle ⁵⁶, E. Drechsler ⁵⁷, M. Dris ¹⁰, Y. Du ^{36b},
 J. Duarte-Campderros ¹⁵⁵, A. Dubreuil ⁵², E. Duchovni ¹⁷⁵, G. Duckeck ¹⁰², A. Ducourthial ⁸³,
 O.A. Ducu ^{97,p}, D. Duda ¹⁰⁹, A. Dudarev ³², A.Chr. Dudder ⁸⁶, E.M. Duffield ¹⁶, L. Duflot ¹¹⁹, M. Dührssen ³²,
 C. Dulsen ¹⁷⁸, M. Dumancic ¹⁷⁵, A.E. Dumitriu ^{28b}, A.K. Duncan ⁵⁶, M. Dunford ^{60a}, A. Duperrin ⁸⁸,
 H. Duran Yildiz ^{4a}, M. Düren ⁵⁵, A. Durglishvili ^{54b}, D. Duschinger ⁴⁷, B. Dutta ⁴⁵, D. Duvnjak ¹,
 M. Dyndal ⁴⁵, B.S. Dziedzic ⁴², C. Eckardt ⁴⁵, K.M. Ecker ¹⁰³, R.C. Edgar ⁹², T. Eifert ³², G. Eigen ¹⁵,
 K. Einsweiler ¹⁶, T. Ekelof ¹⁶⁸, M. El Kacimi ^{137c}, R. El Kosseifi ⁸⁸, V. Ellajosyula ⁸⁸, M. Ellert ¹⁶⁸, S. Elles ⁵,
 F. Ellinghaus ¹⁷⁸, A.A. Elliot ¹⁷², N. Ellis ³², J. Elmsheuser ²⁷, M. Elsing ³², D. Emeliyanov ¹³³, Y. Enari ¹⁵⁷,
 O.C. Endner ⁸⁶, J.S. Ennis ¹⁷³, M.B. Epland ⁴⁸, J. Erdmann ⁴⁶, A. Ereditato ¹⁸, M. Ernst ²⁷, S. Errede ¹⁶⁹,
 M. Escalier ¹¹⁹, C. Escobar ¹⁷⁰, B. Esposito ⁵⁰, O. Estrada Pastor ¹⁷⁰, A.I. Etienne ¹³⁸, E. Etzion ¹⁵⁵,
 H. Evans ⁶⁴, A. Ezhilov ¹²⁵, M. Ezzi ^{137e}, F. Fabbri ^{22a,22b}, L. Fabbri ^{22a,22b}, V. Fabiani ¹⁰⁸, G. Facini ⁸¹,
 R.M. Fakhruddinov ¹³², S. Falciano ^{134a}, R.J. Falla ⁸¹, J. Faltova ³², Y. Fang ^{35a}, M. Fanti ^{94a,94b}, A. Farbin ⁸,
 A. Farilla ^{136a}, C. Farina ¹²⁷, E.M. Farina ^{123a,123b}, T. Farooque ⁹³, S. Farrell ¹⁶, S.M. Farrington ¹⁷³,
 P. Farthouat ³², F. Fassi ^{137e}, P. Fassnacht ³², D. Fassouliotis ⁹, M. Facci Giannelli ⁴⁹, A. Favareto ^{53a,53b},
 W.J. Fawcett ¹²², L. Fayard ¹¹⁹, O.L. Fedin ^{125,q}, W. Fedorko ¹⁷¹, S. Feigl ¹²¹, L. Feligioni ⁸⁸, C. Feng ^{36b},
 E.J. Feng ³², M.J. Fenton ⁵⁶, A.B. Fenyuk ¹³², L. Feremenga ⁸, P. Fernandez Martinez ¹⁷⁰,
 S. Fernandez Perez ¹³, J. Ferrando ⁴⁵, A. Ferrari ¹⁶⁸, P. Ferrari ¹⁰⁹, R. Ferrari ^{123a}, D.E. Ferreira de Lima ^{60b},
 A. Ferrer ¹⁷⁰, D. Ferrere ⁵², C. Ferretti ⁹², F. Fiedler ⁸⁶, A. Filipčič ⁷⁸, M. Filipuzzi ⁴⁵, F. Filthaut ¹⁰⁸,
 M. Fincke-Keeler ¹⁷², K.D. Finelli ¹⁵², M.C.N. Fiolhais ^{128a,128c,r}, L. Fiorini ¹⁷⁰, A. Fischer ², C. Fischer ¹³,
 J. Fischer ¹⁷⁸, W.C. Fisher ⁹³, N. Flaschel ⁴⁵, I. Fleck ¹⁴³, P. Fleischmann ⁹², R.R.M. Fletcher ¹²⁴, T. Flick ¹⁷⁸,
 B.M. Flierl ¹⁰², L.R. Flores Castillo ^{62a}, M.J. Flowerdew ¹⁰³, G.T. Forcolin ⁸⁷, A. Formica ¹³⁸, F.A. Förster ¹³,
 A. Forti ⁸⁷, A.G. Foster ¹⁹, D. Fournier ¹¹⁹, H. Fox ⁷⁵, S. Fracchia ¹⁴¹, P. Francavilla ⁸³, M. Franchini ^{22a,22b},
 S. Franchino ^{60a}, D. Francis ³², L. Franconi ¹²¹, M. Franklin ⁵⁹, M. Frate ¹⁶⁶, M. Fraternali ^{123a,123b},

- D. Freeborn 81, S.M. Fressard-Batraneanu 32, B. Freund 97, D. Froidevaux 32, J.A. Frost 122, C. Fukunaga 158, T. Fusayasu 104, J. Fuster 170, O. Gabizon 154, A. Gabrielli 22a, 22b, A. Gabrielli 16, G.P. Gach 41a, S. Gadatsch 32, S. Gadomski 80, G. Gagliardi 53a, 53b, L.G. Gagnon 97, C. Galea 108, B. Galhardo 128a, 128c, E.J. Gallas 122, B.J. Gallop 133, P. Gallus 130, G. Galster 39, K.K. Gan 113, S. Ganguly 37, Y. Gao 77, Y.S. Gao 145,g, F.M. Garay Walls 34a, C. García 170, J.E. García Navarro 170, J.A. García Pascual 35a, M. Garcia-Sciveres 16, R.W. Gardner 33, N. Garelli 145, V. Garonne 121, A. Gascon Bravo 45, K. Gasnikova 45, C. Gatti 50, A. Gaudiello 53a, 53b, G. Gaudio 123a, I.L. Gavrilenko 98, C. Gay 171, G. Gaycken 23, E.N. Gazis 10, C.N.P. Gee 133, J. Geisen 57, M. Geisen 86, M.P. Geisler 60a, K. Gellerstedt 148a, 148b, C. Gemme 53a, M.H. Genest 58, C. Geng 92, S. Gentile 134a, 134b, C. Gentsos 156, S. George 80, D. Gerbaudo 13, G. Geßner 46, S. Ghazemi 143, M. Ghneimat 23, B. Giacobbe 22a, S. Giagu 134a, 134b, N. Giangiacomi 22a, 22b, P. Giannetti 126a, 126b, S.M. Gibson 80, M. Gignac 171, M. Gilchriese 16, D. Gillberg 31, G. Gilles 178, D.M. Gingrich 3,d, M.P. Giordani 167a, 167c, F.M. Giorgi 22a, P.F. Giraud 138, P. Giromini 59, G. Giugliarelli 167a, 167c, D. Giugni 94a, F. Giuli 122, C. Giuliani 103, M. Giulini 60b, B.K. Gjelsten 121, S. Gkaitatzis 156, I. Gkialas 9,s, E.L. Gkougkousis 13, P. Gkountoumis 10, L.K. Gladilin 10i, C. Glasman 85, J. Glatzer 13, P.C.F. Glaysher 45, A. Glazov 45, M. Goblirsch-Kolb 25, J. Godlewski 42, S. Goldfarb 91, T. Golling 52, D. Golubkov 132, A. Gomes 128a, 128b, 128d, R. Gonçalo 128a, R. Goncalves Gama 26a, J. Goncalves Pinto Firmino Da Costa 138, G. Gonella 51, L. Gonella 19, A. Gongadze 68, S. González de la Hoz 170, S. Gonzalez-Sevilla 52, L. Goossens 32, P.A. Gorbounov 99, H.A. Gordon 27, I. Gorelov 107, B. Gorini 32, E. Gorini 76a, 76b, A. Gorišek 78, A.T. Goshaw 48, C. Gössling 46, M.I. Gostkin 68, C.A. Gottardo 23, C.R. Goudet 119, D. Goujdami 137c, A.G. Goussiou 140, N. Govender 147b,t, E. Gozani 154, I. Grabowska-Bold 41a, P.O.J. Gradin 168, J. Gramling 166, E. Gramstad 121, S. Grancagnolo 17, V. Gratchev 125, P.M. Gravila 28f, C. Gray 56, H.M. Gray 16, Z.D. Greenwood 82,u, C. Grefe 23, K. Gregersen 81, I.M. Gregor 45, P. Grenier 145, K. Grevtsov 5, J. Griffiths 8, A.A. Grillo 139, K. Grimm 75, S. Grinstein 13,v, Ph. Gris 37, J.-F. Grivaz 119, S. Groh 86, E. Gross 175, J. Grosse-Knetter 57, G.C. Grossi 82, Z.J. Grout 81, A. Grummer 107, L. Guan 92, W. Guan 176, J. Guenther 32, F. Guescini 163a, D. Guest 166, O. Gueta 155, B. Gui 113, E. Guido 53a, 53b, T. Guillemin 5, S. Guindon 32, U. Gul 56, C. Gumpert 32, J. Guo 36c, W. Guo 92, Y. Guo 36a,w, R. Gupta 43, S. Gupta 122, S. Gurbuz 20a, G. Gustavino 115, B.J. Gutelman 154, P. Gutierrez 115, N.G. Gutierrez Ortiz 81, C. Gutschow 81, C. Guyot 138, M.P. Guzik 41a, C. Gwenlan 122, C.B. Gwilliam 77, A. Haas 112, C. Haber 16, H.K. Hadavand 8, N. Haddad 137e, A. Hadef 88, S. Hageböck 23, M. Hagihara 164, H. Hakobyan 180,* , M. Haleem 45, J. Haley 116, G. Halladjian 93, G.D. Hallewell 88, K. Hamacher 178, P. Hamal 117, K. Hamano 172, A. Hamilton 147a, G.N. Hamity 141, P.G. Hamnett 45, L. Han 36a, S. Han 35a, 35d, K. Hanagaki 69,x, K. Hanawa 157, M. Hance 139, B. Haney 124, P. Hanke 60a, J.B. Hansen 39, J.D. Hansen 39, M.C. Hansen 23, P.H. Hansen 39, K. Hara 164, A.S. Hard 176, T. Harenberg 178, F. Hariri 119, S. Harkusha 95, P.F. Harrison 173, N.M. Hartmann 102, Y. Hasegawa 142, A. Hasib 49, S. Hassani 138, S. Haug 18, R. Hauser 93, L. Hauswald 47, L.B. Havener 38, M. Havranek 130, C.M. Hawkes 19, R.J. Hawkings 32, D. Hayakawa 159, D. Hayden 93, C.P. Hays 122, J.M. Hays 79, H.S. Hayward 77, S.J. Haywood 133, S.J. Head 19, T. Heck 86, V. Hedberg 84, L. Heelan 8, S. Heer 23, K.K. Heidegger 51, S. Heim 45, T. Heim 16, B. Heinemann 45,y, J.J. Heinrich 102, L. Heinrich 112, C. Heinz 55, J. Hejbal 129, L. Helary 32, A. Held 171, S. Hellman 148a, 148b, C. Helsens 32, R.C.W. Henderson 75, Y. Heng 176, S. Henkelmann 171, A.M. Henriques Correia 32, S. Henrot-Versille 119, G.H. Herbert 17, H. Herde 25, V. Herget 177, Y. Hernández Jiménez 147c, H. Herr 86, G. Herten 51, R. Hertenberger 102, L. Hervas 32, T.C. Herwig 124, G.G. Hesketh 81, N.P. Hessey 163a, J.W. Hetherly 43, S. Higashino 69, E. Higón-Rodriguez 170, K. Hildebrand 33, E. Hill 172, J.C. Hill 30, K.H. Hiller 45, S.J. Hillier 19, M. Hils 47, I. Hinchliffe 16, M. Hirose 51, D. Hirschbuehl 178, B. Hiti 78, O. Hladik 129, X. Hoad 49, J. Hobbs 150, N. Hod 163a, M.C. Hodgkinson 141, P. Hodgson 141, A. Hoecker 32, M.R. Hoeferkamp 107, F. Hoenig 102, D. Hohn 23, T.R. Holmes 33, M. Homann 46, S. Honda 164, T. Honda 69, T.M. Hong 127, B.H. Hooperman 169, W.H. Hopkins 118, Y. Horii 105, A.J. Horton 144, J-Y. Hostachy 58, A. Hostiuc 140, S. Hou 153, A. Hoummada 137a, J. Howarth 87, J. Hoya 74, M. Hrabovsky 117, J. Hrdinka 32, I. Hristova 17, J. Hrivnac 119, T. Hrynev'ova 5, A. Hrynevich 96, P.J. Hsu 63, S.-C. Hsu 140, Q. Hu 36a, S. Hu 36c, Y. Huang 35a, Z. Hubacek 130, F. Hubaut 88, F. Huegging 23, T.B. Huffman 122, E.W. Hughes 38, G. Hughes 75, M. Huhtinen 32, R.F.H. Hunter 31, P. Huo 150, N. Huseynov 68,b, J. Huston 93, J. Huth 59, R. Hyneman 92, G. Iacobucci 52, G. Iakovidis 27, I. Ibragimov 143, L. Iconomidou-Fayard 119, Z. Idrissi 137e, P. Iengo 32, O. Igonkina 109,z, T. Iizawa 174, Y. Ikegami 69, M. Ikeno 69, Y. Ilchenko 11,aa, D. Iliadis 156, N. Illic 145,

- F. Iltzsche ⁴⁷, G. Introzzi ^{123a,123b}, P. Ioannou ^{9,*}, M. Iodice ^{136a}, K. Iordanidou ³⁸, V. Ippolito ⁵⁹, M.F. Isacson ¹⁶⁸, N. Ishijima ¹²⁰, M. Ishino ¹⁵⁷, M. Ishitsuka ¹⁵⁹, C. Issever ¹²², S. Istiin ^{20a}, F. Ito ¹⁶⁴, J.M. Iturbe Ponce ^{62a}, R. Iuppa ^{162a,162b}, H. Iwasaki ⁶⁹, J.M. Izen ⁴⁴, V. Izzo ^{106a}, S. Jabbar ³, P. Jackson ¹, R.M. Jacobs ²³, V. Jain ², K.B. Jakobi ⁸⁶, K. Jakobs ⁵¹, S. Jakobsen ⁶⁵, T. Jakoubek ¹²⁹, D.O. Jamin ¹¹⁶, D.K. Jana ⁸², R. Jansky ⁵², J. Janssen ²³, M. Janus ⁵⁷, P.A. Janus ^{41a}, G. Jarlskog ⁸⁴, N. Javadov ^{68,b}, T. Javurek ⁵¹, M. Javurkova ⁵¹, F. Jeanneau ¹³⁸, L. Jeanty ¹⁶, J. Jejelava ^{54a,ab}, A. Jelinskas ¹⁷³, P. Jenni ^{51,ac}, C. Jeske ¹⁷³, S. Jézéquel ⁵, H. Ji ¹⁷⁶, J. Jia ¹⁵⁰, H. Jiang ⁶⁷, Y. Jiang ^{36a}, Z. Jiang ¹⁴⁵, S. Jiggins ⁸¹, J. Jimenez Pena ¹⁷⁰, S. Jin ^{35a}, A. Jinaru ^{28b}, O. Jinnouchi ¹⁵⁹, H. Jivan ^{147c}, P. Johansson ¹⁴¹, K.A. Johns ⁷, C.A. Johnson ⁶⁴, W.J. Johnson ¹⁴⁰, K. Jon-And ^{148a,148b}, R.W.L. Jones ⁷⁵, S.D. Jones ¹⁵¹, S. Jones ⁷, T.J. Jones ⁷⁷, J. Jongmanns ^{60a}, P.M. Jorge ^{128a,128b}, J. Jovicevic ^{163a}, X. Ju ¹⁷⁶, A. Juste Rozas ^{13,v}, M.K. Köhler ¹⁷⁵, A. Kaczmarska ⁴², M. Kado ¹¹⁹, H. Kagan ¹¹³, M. Kagan ¹⁴⁵, S.J. Kahn ⁸⁸, T. Kaji ¹⁷⁴, E. Kajomovitz ¹⁵⁴, C.W. Kalderon ⁸⁴, A. Kaluza ⁸⁶, S. Kama ⁴³, A. Kamenshchikov ¹³², N. Kanaya ¹⁵⁷, L. Kanjir ⁷⁸, V.A. Kantserov ¹⁰⁰, J. Kanzaki ⁶⁹, B. Kaplan ¹¹², L.S. Kaplan ¹⁷⁶, D. Kar ^{147c}, K. Karakostas ¹⁰, N. Karastathis ¹⁰, M.J. Kareem ^{163b}, E. Karentzos ¹⁰, S.N. Karpov ⁶⁸, Z.M. Karpova ⁶⁸, K. Karthik ¹¹², V. Kartvelishvili ⁷⁵, A.N. Karyukhin ¹³², K. Kasahara ¹⁶⁴, L. Kashif ¹⁷⁶, R.D. Kass ¹¹³, A. Kastanas ¹⁴⁹, Y. Kataoka ¹⁵⁷, C. Kato ¹⁵⁷, A. Katre ⁵², J. Katzy ⁴⁵, K. Kawade ⁷⁰, K. Kawagoe ⁷³, T. Kawamoto ¹⁵⁷, G. Kawamura ⁵⁷, E.F. Kay ⁷⁷, V.F. Kazanin ^{111,c}, R. Keeler ¹⁷², R. Kehoe ⁴³, J.S. Keller ³¹, E. Kellermann ⁸⁴, J.J. Kempster ⁸⁰, J. Kendrick ¹⁹, H. Keoshkerian ¹⁶¹, O. Kepka ¹²⁹, B.P. Kerševan ⁷⁸, S. Kersten ¹⁷⁸, R.A. Keyes ⁹⁰, M. Khader ¹⁶⁹, F. Khalil-zada ¹², A. Khanov ¹¹⁶, A.G. Kharlamov ^{111,c}, T. Kharlamova ^{111,c}, A. Khodinov ¹⁶⁰, T.J. Khoo ⁵², V. Khovanskiy ^{99,*}, E. Khramov ⁶⁸, J. Khubua ^{54b,ad}, S. Kido ⁷⁰, C.R. Kilby ⁸⁰, H.Y. Kim ⁸, S.H. Kim ¹⁶⁴, Y.K. Kim ³³, N. Kimura ¹⁵⁶, O.M. Kind ¹⁷, B.T. King ⁷⁷, D. Kirchmeier ⁴⁷, J. Kirk ¹³³, A.E. Kiryunin ¹⁰³, T. Kishimoto ¹⁵⁷, D. Kisielewska ^{41a}, V. Kitali ⁴⁵, O. Kivernyk ⁵, E. Kladiva ^{146b}, T. Klapdor-Kleingrothaus ⁵¹, M.H. Klein ⁹², M. Klein ⁷⁷, U. Klein ⁷⁷, K. Kleinknecht ⁸⁶, P. Klimek ¹¹⁰, A. Klimentov ²⁷, R. Klingenberg ⁴⁶, T. Klingl ²³, T. Klioutchnikova ³², E.-E. Kluge ^{60a}, P. Kluit ¹⁰⁹, S. Kluth ¹⁰³, E. Knerner ⁶⁵, E.B.F.G. Knoops ⁸⁸, A. Knue ¹⁰³, A. Kobayashi ¹⁵⁷, D. Kobayashi ⁷³, T. Kobayashi ¹⁵⁷, M. Kobel ⁴⁷, M. Kocian ¹⁴⁵, P. Kodys ¹³¹, T. Koffman ¹⁰⁹, N.M. Köhler ¹⁰³, T. Koi ¹⁴⁵, M. Kolb ^{60b}, I. Koletsou ⁵, A.A. Komar ^{98,*}, T. Kondo ⁶⁹, N. Kondrashova ^{36c}, K. Köneke ⁵¹, A.C. König ¹⁰⁸, T. Kono ^{69,ae}, R. Konoplich ^{112,af}, N. Konstantinidis ⁸¹, R. Kopeliansky ⁶⁴, S. Koperny ^{41a}, A.K. Kopp ⁵¹, K. Korcyl ⁴², K. Kordas ¹⁵⁶, A. Korn ⁸¹, A.A. Korol ^{111,c}, I. Korolkov ¹³, E.V. Korolkova ¹⁴¹, O. Kortner ¹⁰³, S. Kortner ¹⁰³, T. Kosek ¹³¹, V.V. Kostyukhin ²³, A. Kotwal ⁴⁸, A. Koulouris ¹⁰, A. Kourkoumeli-Charalampidi ^{123a,123b}, C. Kourkoumelis ⁹, E. Kourlitis ¹⁴¹, V. Kouskoura ²⁷, A.B. Kowalewska ⁴², R. Kowalewski ¹⁷², T.Z. Kowalski ^{41a}, C. Kozakai ¹⁵⁷, W. Kozanecki ¹³⁸, A.S. Kozhin ¹³², V.A. Kramarenko ¹⁰¹, G. Kramberger ⁷⁸, D. Krasnopervtsev ¹⁰⁰, M.W. Krasny ⁸³, A. Krasznahorkay ³², D. Krauss ¹⁰³, J.A. Kremer ^{41a}, J. Kretzschmar ⁷⁷, K. Kreutzfeldt ⁵⁵, P. Krieger ¹⁶¹, K. Krizka ¹⁶, K. Kroeninger ⁴⁶, H. Kroha ¹⁰³, J. Kroll ¹²⁹, J. Kroll ¹²⁴, J. Kroseberg ²³, J. Krstic ¹⁴, U. Kruchonak ⁶⁸, H. Krüger ²³, N. Krumnack ⁶⁷, M.C. Kruse ⁴⁸, T. Kubota ⁹¹, H. Kucuk ⁸¹, S. Kuday ^{4b}, J.T. Kuechler ¹⁷⁸, S. Kuehn ³², A. Kugel ^{60a}, F. Kuger ¹⁷⁷, T. Kuhl ⁴⁵, V. Kukhtin ⁶⁸, R. Kukla ⁸⁸, Y. Kulchitsky ⁹⁵, S. Kuleshov ^{34b}, Y.P. Kulinich ¹⁶⁹, M. Kuna ^{134a,134b}, T. Kunigo ⁷¹, A. Kupco ¹²⁹, T. Kupfer ⁴⁶, O. Kuprash ¹⁵⁵, H. Kurashige ⁷⁰, L.L. Kurchaninov ^{163a}, Y.A. Kurochkin ⁹⁵, M.G. Kurth ^{35a,35d}, E.S. Kuwertz ¹⁷², M. Kuze ¹⁵⁹, J. Kvita ¹¹⁷, T. Kwan ¹⁷², D. Kyriazopoulos ¹⁴¹, A. La Rosa ¹⁰³, J.L. La Rosa Navarro ^{26d}, L. La Rotonda ^{40a,40b}, F. La Ruffa ^{40a,40b}, C. Lacasta ¹⁷⁰, F. Lacava ^{134a,134b}, J. Lacey ⁴⁵, D.P.J. Lack ⁸⁷, H. Lacker ¹⁷, D. Lacour ⁸³, E. Ladygin ⁶⁸, R. Lafaye ⁵, B. Laforge ⁸³, T. Lagouri ¹⁷⁹, S. Lai ⁵⁷, S. Lammers ⁶⁴, W. Lampl ⁷, E. Lançon ²⁷, U. Landgraf ⁵¹, M.P.J. Landon ⁷⁹, M.C. Lanfermann ⁵², V.S. Lang ⁴⁵, J.C. Lange ¹³, R.J. Langenberg ³², A.J. Lankford ¹⁶⁶, F. Lanni ²⁷, K. Lantzsch ²³, A. Lanza ^{123a}, A. Lapertosa ^{53a,53b}, S. Laplace ⁸³, J.F. Laporte ¹³⁸, T. Lari ^{94a}, F. Lasagni Manghi ^{22a,22b}, M. Lassnig ³², T.S. Lau ^{62a}, P. Laurelli ⁵⁰, W. Lavrijisen ¹⁶, A.T. Law ¹³⁹, P. Laycock ⁷⁷, T. Lazovich ⁵⁹, M. Lazzaroni ^{94a,94b}, B. Le ⁹¹, O. Le Dortz ⁸³, E. Le Guiriec ⁸⁸, E.P. Le Quilleuc ¹³⁸, M. LeBlanc ¹⁷², T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁸, C.A. Lee ²⁷, G.R. Lee ^{34a}, S.C. Lee ¹⁵³, L. Lee ⁵⁹, B. Lefebvre ⁹⁰, G. Lefebvre ⁸³, M. Lefebvre ¹⁷², F. Legger ¹⁰², C. Leggett ¹⁶, G. Lehmann Miotto ³², X. Lei ⁷, W.A. Leight ⁴⁵, M.A.L. Leite ^{26d}, R. Leitner ¹³¹, D. Lellouch ¹⁷⁵, B. Lemmer ⁵⁷, K.J.C. Leney ⁸¹, T. Lenz ²³, B. Lenzi ³², R. Leone ⁷, S. Leone ^{126a,126b}, C. Leonidopoulos ⁴⁹, G. Lerner ¹⁵¹, C. Leroy ⁹⁷, R. Les ¹⁶¹, A.A.J. Lesage ¹³⁸, C.G. Lester ³⁰, M. Levchenko ¹²⁵, J. Levêque ⁵, D. Levin ⁹², L.J. Levinson ¹⁷⁵, M. Levy ¹⁹, D. Lewis ⁷⁹, B. Li ^{36a,w}, Changqiao Li ^{36a}, H. Li ¹⁵⁰, L. Li ^{36c},

- Q. Li ^{35a,35d}, Q. Li ^{36a}, S. Li ⁴⁸, X. Li ^{36c}, Y. Li ¹⁴³, Z. Liang ^{35a}, B. Liberti ^{135a}, A. Liblong ¹⁶¹, K. Lie ^{62c},
 J. Liebal ²³, W. Liebig ¹⁵, A. Limosani ¹⁵², K. Lin ⁹³, S.C. Lin ¹⁸², T.H. Lin ⁸⁶, R.A. Linck ⁶⁴, B.E. Lindquist ¹⁵⁰,
 A.E. Lionti ⁵², E. Lipeles ¹²⁴, A. Lipniacka ¹⁵, M. Lisovyi ^{60b}, T.M. Liss ^{169,ag}, A. Lister ¹⁷¹, A.M. Litke ¹³⁹,
 B. Liu ⁶⁷, H. Liu ⁹², H. Liu ²⁷, J.K.K. Liu ¹²², J. Liu ^{36b}, J.B. Liu ^{36a}, K. Liu ⁸⁸, L. Liu ¹⁶⁹, M. Liu ^{36a}, Y.L. Liu ^{36a},
 Y. Liu ^{36a}, M. Livan ^{123a,123b}, A. Lleres ⁵⁸, J. Llorente Merino ^{35a}, S.L. Lloyd ⁷⁹, C.Y. Lo ^{62b}, F. Lo Sterzo ⁴³,
 E.M. Lobodzinska ⁴⁵, P. Loch ⁷, F.K. Loebinger ⁸⁷, A. Loesle ⁵¹, K.M. Loew ²⁵, T. Lohse ¹⁷, K. Lohwasser ¹⁴¹,
 M. Lokajicek ¹²⁹, B.A. Long ²⁴, J.D. Long ¹⁶⁹, R.E. Long ⁷⁵, L. Longo ^{76a,76b}, K.A.Looper ¹¹³, J.A. Lopez ^{34b},
 I. Lopez Paz ¹³, A. Lopez Solis ⁸³, J. Lorenz ¹⁰², N. Lorenzo Martinez ⁵, M. Losada ²¹, P.J. Lösel ¹⁰²,
 X. Lou ^{35a}, A. Lounis ¹¹⁹, J. Love ⁶, P.A. Love ⁷⁵, H. Lu ^{62a}, N. Lu ⁹², Y.J. Lu ⁶³, H.J. Lubatti ¹⁴⁰, C. Luci ^{134a,134b},
 A. Lucotte ⁵⁸, C. Luedtke ⁵¹, F. Luehring ⁶⁴, W. Lukas ⁶⁵, L. Luminari ^{134a}, O. Lundberg ^{148a,148b},
 B. Lund-Jensen ¹⁴⁹, M.S. Lutz ⁸⁹, P.M. Luzi ⁸³, D. Lynn ²⁷, R. Lysak ¹²⁹, E. Lytken ⁸⁴, F. Lyu ^{35a},
 V. Lyubushkin ⁶⁸, H. Ma ²⁷, L.L. Ma ^{36b}, Y. Ma ^{36b}, G. Maccarrone ⁵⁰, A. Macchiolo ¹⁰³, C.M. Macdonald ¹⁴¹,
 B. Maček ⁷⁸, J. Machado Miguens ^{124,128b}, D. Madaffari ¹⁷⁰, R. Madar ³⁷, W.F. Mader ⁴⁷, A. Madsen ⁴⁵,
 N. Madysa ⁴⁷, J. Maeda ⁷⁰, S. Maeland ¹⁵, T. Maeno ²⁷, A.S. Maevskiy ¹⁰¹, V. Magerl ⁵¹, C. Maiani ¹¹⁹,
 C. Maidantchik ^{26a}, T. Maier ¹⁰², A. Maio ^{128a,128b,128d}, O. Majersky ^{146a}, S. Majewski ¹¹⁸, Y. Makida ⁶⁹,
 N. Makovec ¹¹⁹, B. Malaescu ⁸³, Pa. Malecki ⁴², V.P. Maleev ¹²⁵, F. Malek ⁵⁸, U. Mallik ⁶⁶, D. Malon ⁶,
 C. Malone ³⁰, S. Maltezos ¹⁰, S. Malyukov ³², J. Mamuzic ¹⁷⁰, G. Mancini ⁵⁰, I. Mandić ⁷⁸,
 J. Maneira ^{128a,128b}, L. Manhaes de Andrade Filho ^{26b}, J. Manjarres Ramos ⁴⁷, K.H. Mankinen ⁸⁴,
 A. Mann ¹⁰², A. Manousos ³², B. Mansoulie ¹³⁸, J.D. Mansour ^{35a}, R. Mantifel ⁹⁰, M. Mantoani ⁵⁷,
 S. Manzoni ^{94a,94b}, L. Mapelli ³², G. Marceca ²⁹, L. March ⁵², L. Marchese ¹²², G. Marchiori ⁸³,
 M. Marcisovsky ¹²⁹, C.A. Marin Tobon ³², M. Marjanovic ³⁷, D.E. Marley ⁹², F. Marroquim ^{26a},
 S.P. Marsden ⁸⁷, Z. Marshall ¹⁶, M.U.F Martensson ¹⁶⁸, S. Marti-Garcia ¹⁷⁰, C.B. Martin ¹¹³, T.A. Martin ¹⁷³,
 V.J. Martin ⁴⁹, B. Martin dit Latour ¹⁵, M. Martinez ^{13,v}, V.I. Martinez Outschoorn ¹⁶⁹, S. Martin-Haugh ¹³³,
 V.S. Martoiu ^{28b}, A.C. Martyniuk ⁸¹, A. Marzin ³², L. Masetti ⁸⁶, T. Mashimo ¹⁵⁷, R. Mashinistov ⁹⁸,
 J. Masik ⁸⁷, A.L. Maslennikov ^{111,c}, L.H. Mason ⁹¹, L. Massa ^{135a,135b}, P. Mastrandrea ⁵,
 A. Mastroberardino ^{40a,40b}, T. Masubuchi ¹⁵⁷, P. Mättig ¹⁷⁸, J. Maurer ^{28b}, S.J. Maxfield ⁷⁷,
 D.A. Maximov ^{111,c}, R. Mazini ¹⁵³, I. Maznas ¹⁵⁶, S.M. Mazza ^{94a,94b}, N.C. Mc Fadden ¹⁰⁷,
 G. Mc Goldrick ¹⁶¹, S.P. Mc Kee ⁹², A. McCarn ⁹², R.L. McCarthy ¹⁵⁰, T.G. McCarthy ¹⁰³, L.I. McClymont ⁸¹,
 E.F. McDonald ⁹¹, J.A. Mcfayden ³², G. Mchedlidze ⁵⁷, S.J. McMahon ¹³³, P.C. McNamara ⁹¹, C.J. McNicol ¹⁷³,
 R.A. McPherson ^{172,o}, S. Meehan ¹⁴⁰, T.J. Megy ⁵¹, S. Mehlhase ¹⁰², A. Mehta ⁷⁷, T. Meideck ⁵⁸, K. Meier ^{60a},
 B. Meirose ⁴⁴, D. Melini ^{170,ah}, B.R. Mellado Garcia ^{147c}, J.D. Mellenthin ⁵⁷, M. Melo ^{146a}, F. Meloni ¹⁸,
 A. Melzer ²³, S.B. Menary ⁸⁷, L. Meng ⁷⁷, X.T. Meng ⁹², A. Mengarelli ^{22a,22b}, S. Menke ¹⁰³, E. Meoni ^{40a,40b},
 S. Mergelmeyer ¹⁷, C. Merlassino ¹⁸, P. Mermod ⁵², L. Merola ^{106a,106b}, C. Meroni ^{94a}, F.S. Merritt ³³,
 A. Messina ^{134a,134b}, J. Metcalfe ⁶, A.S. Mete ¹⁶⁶, C. Meyer ¹²⁴, J-P. Meyer ¹³⁸, J. Meyer ¹⁰⁹,
 H. Meyer Zu Theenhausen ^{60a}, F. Miano ¹⁵¹, R.P. Middleton ¹³³, S. Miglioranzi ^{53a,53b}, L. Mijović ⁴⁹,
 G. Mikenberg ¹⁷⁵, M. Mikestikova ¹²⁹, M. Mikuž ⁷⁸, M. Milesi ⁹¹, A. Milic ¹⁶¹, D.A. Millar ⁷⁹, D.W. Miller ³³,
 C. Mills ⁴⁹, A. Milov ¹⁷⁵, D.A. Milstead ^{148a,148b}, A.A. Minaenko ¹³², Y. Minami ¹⁵⁷, I.A. Minashvili ^{54b},
 A.I. Mincer ¹¹², B. Mindur ^{41a}, M. Mineev ⁶⁸, Y. Minegishi ¹⁵⁷, Y. Ming ¹⁷⁶, L.M. Mir ¹³, A. Mirta ^{76a,76b},
 K.P. Mistry ¹²⁴, T. Mitani ¹⁷⁴, J. Mitrevski ¹⁰², V.A. Mitsou ¹⁷⁰, A. Miucci ¹⁸, P.S. Miyagawa ¹⁴¹,
 A. Mizukami ⁶⁹, J.U. Mjörnmark ⁸⁴, T. Mkrtchyan ¹⁸⁰, M. Mlynarikova ¹³¹, T. Moa ^{148a,148b}, K. Mochizuki ⁹⁷,
 P. Mogg ⁵¹, S. Mohapatra ³⁸, S. Molander ^{148a,148b}, R. Moles-Valls ²³, M.C. Mondragon ⁹³, K. Mönig ⁴⁵,
 J. Monk ³⁹, E. Monnier ⁸⁸, A. Montalbano ¹⁵⁰, J. Montejo Berlingen ³², F. Monticelli ⁷⁴, S. Monzani ^{94a,94b},
 R.W. Moore ³, N. Morange ¹¹⁹, D. Moreno ²¹, M. Moreno Llácer ³², P. Morettini ^{53a}, S. Morgenstern ³²,
 D. Mori ¹⁴⁴, T. Mori ¹⁵⁷, M. Morii ⁵⁹, M. Morinaga ¹⁷⁴, V. Morisbak ¹²¹, A.K. Morley ³², G. Mornacchi ³²,
 J.D. Morris ⁷⁹, L. Morvaj ¹⁵⁰, P. Moschovakos ¹⁰, M. Mosidze ^{54b}, H.J. Moss ¹⁴¹, J. Moss ^{145,ai},
 K. Motohashi ¹⁵⁹, R. Mount ¹⁴⁵, E. Mountricha ²⁷, E.J.W. Moyse ⁸⁹, S. Muanza ⁸⁸, F. Mueller ¹⁰³,
 J. Mueller ¹²⁷, R.S.P. Mueller ¹⁰², D. Muenstermann ⁷⁵, P. Mullen ⁵⁶, G.A. Mullier ¹⁸, F.J. Munoz Sanchez ⁸⁷,
 W.J. Murray ^{173,133}, H. Musheghyan ³², M. Muškinja ⁷⁸, A.G. Myagkov ^{132,aj}, M. Myska ¹³⁰,
 B.P. Nachman ¹⁶, O. Nackenhorst ⁵², K. Nagai ¹²², R. Nagai ^{69,ae}, K. Nagano ⁶⁹, Y. Nagasaka ⁶¹, K. Nagata ¹⁶⁴,
 M. Nagel ⁵¹, E. Nagy ⁸⁸, A.M. Nairz ³², Y. Nakahama ¹⁰⁵, K. Nakamura ⁶⁹, T. Nakamura ¹⁵⁷, I. Nakano ¹¹⁴,
 R.F. Naranjo Garcia ⁴⁵, R. Narayan ¹¹, D.I. Narriás Villar ^{60a}, I. Naryshkin ¹²⁵, T. Naumann ⁴⁵, G. Navarro ²¹,
 R. Nayyar ⁷, H.A. Neal ⁹², P.Yu. Nechaeva ⁹⁸, T.J. Neep ¹³⁸, A. Negri ^{123a,123b}, M. Negrini ^{22a},

- S. Nektarijevic ¹⁰⁸, C. Nellist ⁵⁷, A. Nelson ¹⁶⁶, M.E. Nelson ¹²², S. Nemecek ¹²⁹, P. Nemethy ¹¹²,
 M. Nessi ^{32,ak}, M.S. Neubauer ¹⁶⁹, M. Neumann ¹⁷⁸, P.R. Newman ¹⁹, T.Y. Ng ^{62c}, T. Nguyen Manh ⁹⁷,
 R.B. Nickerson ¹²², R. Nicolaïdou ¹³⁸, J. Nielsen ¹³⁹, N. Nikiforou ¹¹, V. Nikolaenko ^{132,aj}, I. Nikolic-Audit ⁸³,
 K. Nikolopoulos ¹⁹, J.K. Nilsen ¹²¹, P. Nilsson ²⁷, Y. Ninomiya ¹⁵⁷, A. Nisati ^{134a}, N. Nishu ^{36c}, R. Nisius ¹⁰³,
 I. Nitsche ⁴⁶, T. Nitta ¹⁷⁴, T. Nobe ¹⁵⁷, Y. Noguchi ⁷¹, M. Nomachi ¹²⁰, I. Nomidis ³¹, M.A. Nomura ²⁷,
 T. Nooney ⁷⁹, M. Nordberg ³², N. Norjoharuddeen ¹²², O. Novgorodova ⁴⁷, M. Nozaki ⁶⁹, L. Nozka ¹¹⁷,
 K. Ntekas ¹⁶⁶, E. Nurse ⁸¹, F. Nuti ⁹¹, K. O’Connor ²⁵, D.C. O’Neil ¹⁴⁴, A.A. O’Rourke ⁴⁵, V. O’Shea ⁵⁶,
 F.G. Oakham ^{31,d}, H. Oberlack ¹⁰³, T. Obermann ²³, J. Ocariz ⁸³, A. Ochi ⁷⁰, I. Ochoa ³⁸, J.P. Ochoa-Ricoux ^{34a},
 S. Oda ⁷³, S. Odaka ⁶⁹, A. Oh ⁸⁷, S.H. Oh ⁴⁸, C.C. Ohm ¹⁴⁹, H. Ohman ¹⁶⁸, H. Oide ^{53a,53b}, H. Okawa ¹⁶⁴,
 Y. Okumura ¹⁵⁷, T. Okuyama ⁶⁹, A. Olariu ^{28b}, L.F. Oleiro Seabra ^{128a}, S.A. Olivares Pino ^{34a},
 D. Oliveira Damazio ²⁷, A. Olszewski ⁴², J. Olszowska ⁴², A. Onofre ^{128a,128e}, K. Onogi ¹⁰⁵, P.U.E. Onyisi ^{11,aa},
 H. Oppen ¹²¹, M.J. Oreglia ³³, Y. Oren ¹⁵⁵, D. Orestano ^{136a,136b}, N. Orlando ^{62b}, R.S. Orr ¹⁶¹,
 B. Osculati ^{53a,53b,*}, R. Ospanov ^{36a}, G. Otero y Garzon ²⁹, H. Otono ⁷³, M. Ouchrif ^{137d}, F. Ould-Saada ¹²¹,
 A. Ouraou ¹³⁸, K.P. Oussoren ¹⁰⁹, Q. Ouyang ^{35a}, M. Owen ⁵⁶, R.E. Owen ¹⁹, V.E. Ozcan ^{20a}, N. Ozturk ⁸,
 K. Pachal ¹⁴⁴, A. Pacheco Pages ¹³, L. Pacheco Rodriguez ¹³⁸, C. Padilla Aranda ¹³, S. Pagan Griso ¹⁶,
 M. Paganini ¹⁷⁹, F. Paige ²⁷, G. Palacino ⁶⁴, S. Palazzo ^{40a,40b}, S. Palestini ³², M. Palka ^{41b}, D. Pallin ³⁷,
 E. St. Panagiotopoulou ¹⁰, I. Panagoulias ¹⁰, C.E. Pandini ⁵², J.G. Panduro Vazquez ⁸⁰, P. Pani ³²,
 S. Panitkin ²⁷, D. Pantea ^{28b}, L. Paolozzi ⁵², Th.D. Papadopoulou ¹⁰, K. Papageorgiou ^{9,s}, A. Paramonov ⁶,
 D. Paredes Hernandez ¹⁷⁹, A.J. Parker ⁷⁵, M.A. Parker ³⁰, K.A. Parker ⁴⁵, F. Parodi ^{53a,53b}, J.A. Parsons ³⁸,
 U. Parzefall ⁵¹, V.R. Pascuzzi ¹⁶¹, J.M. Pasner ¹³⁹, E. Pasqualucci ^{134a}, S. Passaggio ^{53a}, Fr. Pastore ⁸⁰,
 S. Pataria ⁸⁶, J.R. Pater ⁸⁷, T. Pauly ³², B. Pearson ¹⁰³, S. Pedraza Lopez ¹⁷⁰, R. Pedro ^{128a,128b},
 S.V. Peleganchuk ^{111,c}, O. Penc ¹²⁹, C. Peng ^{35a,35d}, H. Peng ^{36a}, J. Penwell ⁶⁴, B.S. Peralva ^{26b},
 M.M. Perego ¹³⁸, D.V. Perepelitsa ²⁷, F. Peri ¹⁷, L. Perini ^{94a,94b}, H. Pernegger ³², S. Perrella ^{106a,106b},
 R. Peschke ⁴⁵, V.D. Peshekhonov ^{68,*}, K. Peters ⁴⁵, R.F.Y. Peters ⁸⁷, B.A. Petersen ³², T.C. Petersen ³⁹,
 E. Petit ⁵⁸, A. Petridis ¹, C. Petridou ¹⁵⁶, P. Petroff ¹¹⁹, E. Petrolo ^{134a}, M. Petrov ¹²², F. Petrucci ^{136a,136b},
 N.E. Pettersson ⁸⁹, A. Peyaud ¹³⁸, R. Pezoa ^{34b}, F.H. Phillips ⁹³, P.W. Phillips ¹³³, G. Piacquadio ¹⁵⁰,
 E. Pianori ¹⁷³, A. Picazio ⁸⁹, E. Piccaro ⁷⁹, M.A. Pickering ¹²², R. Piegaia ²⁹, J.E. Pilcher ³³, A.D. Pilkington ⁸⁷,
 M. Pinamonti ^{135a,135b}, J.L. Pinfold ³, H. Pirumov ⁴⁵, M. Pitt ¹⁷⁵, L. Plazak ^{146a}, M.-A. Pleier ²⁷, V. Pleskot ⁸⁶,
 E. Plotnikova ⁶⁸, D. Pluth ⁶⁷, P. Podberezko ¹¹¹, R. Poettgen ⁸⁴, R. Poggi ^{123a,123b}, L. Poggiali ¹¹⁹,
 I. Pogrebnyak ⁹³, D. Pohl ²³, I. Pokharel ⁵⁷, G. Polesello ^{123a}, A. Poley ⁴⁵, A. Policicchio ^{40a,40b}, R. Polifka ³²,
 A. Polini ^{22a}, C.S. Pollard ⁵⁶, V. Polychronakos ²⁷, K. Pommès ³², D. Ponomarenko ¹⁰⁰, L. Pontecorvo ^{134a},
 G.A. Popenciu ^{28d}, D.M. Portillo Quintero ⁸³, S. Pospisil ¹³⁰, K. Potamianos ⁴⁵, I.N. Potrap ⁶⁸, C.J. Potter ³⁰,
 H. Potti ¹¹, T. Poulsen ⁸⁴, J. Poveda ³², M.E. Pozo Astigarraga ³², P. Pralavorio ⁸⁸, A. Pranko ¹⁶, S. Prell ⁶⁷,
 D. Price ⁸⁷, M. Primavera ^{76a}, S. Prince ⁹⁰, N. Proklova ¹⁰⁰, K. Prokofiev ^{62c}, F. Prokoshin ^{34b},
 S. Protopopescu ²⁷, J. Proudfoot ⁶, M. Przybycien ^{41a}, A. Puri ¹⁶⁹, P. Puzo ¹¹⁹, J. Qian ⁹², G. Qin ⁵⁶, Y. Qin ⁸⁷,
 A. Quadt ⁵⁷, M. Queitsch-Maitland ⁴⁵, D. Quilty ⁵⁶, S. Raddum ¹²¹, V. Radeka ²⁷, V. Radescu ¹²²,
 S.K. Radhakrishnan ¹⁵⁰, P. Radloff ¹¹⁸, P. Rados ⁹¹, F. Ragusa ^{94a,94b}, G. Rahal ¹⁸¹, J.A. Raine ⁸⁷,
 S. Rajagopalan ²⁷, C. Rangel-Smith ¹⁶⁸, T. Rashid ¹¹⁹, S. Raspopov ⁵, M.G. Ratti ^{94a,94b}, D.M. Rauch ⁴⁵,
 F. Rauscher ¹⁰², S. Rave ⁸⁶, I. Ravinovich ¹⁷⁵, J.H. Rawling ⁸⁷, M. Raymond ³², A.L. Read ¹²¹, N.P. Readioff ⁵⁸,
 M. Reale ^{76a,76b}, D.M. Rebuzzi ^{123a,123b}, A. Redelbach ¹⁷⁷, G. Redlinger ²⁷, R. Reece ¹³⁹, R.G. Reed ^{147c},
 K. Reeves ⁴⁴, L. Rehnisch ¹⁷, J. Reichert ¹²⁴, A. Reiss ⁸⁶, C. Rembser ³², H. Ren ^{35a,35d}, M. Rescigno ^{134a},
 S. Resconi ^{94a}, E.D. Ressegue ¹²⁴, S. Rettie ¹⁷¹, E. Reynolds ¹⁹, O.L. Rezanova ^{111,c}, P. Reznicek ¹³¹,
 R. Rezvani ⁹⁷, R. Richter ¹⁰³, S. Richter ⁸¹, E. Richter-Was ^{41b}, O. Ricken ²³, M. Ridel ⁸³, P. Rieck ¹⁰³,
 C.J. Riegel ¹⁷⁸, J. Rieger ⁵⁷, O. Rifki ¹¹⁵, M. Rijssenbeek ¹⁵⁰, A. Rimoldi ^{123a,123b}, M. Rimoldi ¹⁸, L. Rinaldi ^{22a},
 G. Ripellino ¹⁴⁹, B. Ristić ³², E. Ritsch ³², I. Riu ¹³, F. Rizatdinova ¹¹⁶, E. Rizvi ⁷⁹, C. Rizzi ¹³, R.T. Roberts ⁸⁷,
 S.H. Robertson ^{90,o}, A. Robichaud-Veronneau ⁹⁰, D. Robinson ³⁰, J.E.M. Robinson ⁴⁵, A. Robson ⁵⁶,
 E. Rocco ⁸⁶, C. Roda ^{126a,126b}, Y. Rodina ^{88,al}, S. Rodriguez Bosca ¹⁷⁰, A. Rodriguez Perez ¹³,
 D. Rodriguez Rodriguez ¹⁷⁰, S. Roe ³², C.S. Rogan ⁵⁹, O. Røhne ¹²¹, J. Roloff ⁵⁹, A. Romanikou ¹⁰⁰,
 M. Romano ^{22a,22b}, S.M. Romano Saez ³⁷, E. Romero Adam ¹⁷⁰, N. Rompotis ⁷⁷, M. Ronzani ⁵¹, L. Roos ⁸³,
 S. Rosati ^{134a}, K. Rosbach ⁵¹, P. Rose ¹³⁹, N.-A. Rosien ⁵⁷, E. Rossi ^{106a,106b}, L.P. Rossi ^{53a}, J.H.N. Rosten ³⁰,
 R. Rosten ¹⁴⁰, M. Rotaru ^{28b}, J. Rothberg ¹⁴⁰, D. Rousseau ¹¹⁹, A. Rozanov ⁸⁸, Y. Rozen ¹⁵⁴, X. Ruan ^{147c},
 F. Rubbo ¹⁴⁵, F. Rühr ⁵¹, A. Ruiz-Martinez ³¹, Z. Rurikova ⁵¹, N.A. Rusakovich ⁶⁸, H.L. Russell ⁹⁰,

- J.P. Rutherford ⁷, N. Ruthmann ³², Y.F. Ryabov ¹²⁵, M. Rybar ¹⁶⁹, G. Rybkin ¹¹⁹, S. Ryu ⁶, A. Ryzhov ¹³², G.F. Rzehorž ⁵⁷, A.F. Saavedra ¹⁵², G. Sabato ¹⁰⁹, S. Sacerdoti ²⁹, H.F-W. Sadrozinski ¹³⁹, R. Sadykov ⁶⁸, F. Safai Tehrani ^{134a}, P. Saha ¹¹⁰, M. Sahinsoy ^{60a}, M. Saimpert ⁴⁵, M. Saito ¹⁵⁷, T. Saito ¹⁵⁷, H. Sakamoto ¹⁵⁷, Y. Sakurai ¹⁷⁴, G. Salamanna ^{136a,136b}, J.E. Salazar Loyola ^{34b}, D. Salek ¹⁰⁹, P.H. Sales De Bruin ¹⁶⁸, D. Salihagic ¹⁰³, A. Salnikov ¹⁴⁵, J. Salt ¹⁷⁰, D. Salvatore ^{40a,40b}, F. Salvatore ¹⁵¹, A. Salvucci ^{62a,62b,62c}, A. Salzburger ³², D. Sammel ⁵¹, D. Sampsonidis ¹⁵⁶, D. Sampsonidou ¹⁵⁶, J. Sánchez ¹⁷⁰, V. Sanchez Martinez ¹⁷⁰, A. Sanchez Pineda ^{167a,167c}, H. Sandaker ¹²¹, R.L. Sandbach ⁷⁹, C.O. Sander ⁴⁵, M. Sandhoff ¹⁷⁸, C. Sandoval ²¹, D.P.C. Sankey ¹³³, M. Sannino ^{53a,53b}, Y. Sano ¹⁰⁵, A. Sansoni ⁵⁰, C. Santoni ³⁷, H. Santos ^{128a}, I. Santoyo Castillo ¹⁵¹, A. Sapronov ⁶⁸, J.G. Saraiva ^{128a,128d}, B. Sarrazin ²³, O. Sasaki ⁶⁹, K. Sato ¹⁶⁴, E. Sauvan ⁵, G. Savage ⁸⁰, P. Savard ^{161,d}, N. Savic ¹⁰³, C. Sawyer ¹³³, L. Sawyer ^{82,u}, J. Saxon ³³, C. Sbarra ^{22a}, A. Sbrizzi ^{22a,22b}, T. Scanlon ⁸¹, D.A. Scannicchio ¹⁶⁶, J. Schaarschmidt ¹⁴⁰, P. Schacht ¹⁰³, B.M. Schachtner ¹⁰², D. Schaefer ³³, L. Schaefer ¹²⁴, R. Schaefer ⁴⁵, J. Schaeffer ⁸⁶, S. Schaepe ²³, S. Schatzel ^{60b}, U. Schäfer ⁸⁶, A.C. Schaffer ¹¹⁹, D. Schaile ¹⁰², R.D. Schamberger ¹⁵⁰, V.A. Schegelsky ¹²⁵, D. Scheirich ¹³¹, M. Schernau ¹⁶⁶, C. Schiavi ^{53a,53b}, S. Schier ¹³⁹, L.K. Schildgen ²³, C. Schillo ⁵¹, M. Schioppa ^{40a,40b}, S. Schlenker ³², K.R. Schmidt-Sommerfeld ¹⁰³, K. Schmieden ³², C. Schmitt ⁸⁶, S. Schmitt ⁴⁵, S. Schmitz ⁸⁶, U. Schnoor ⁵¹, L. Schoeffel ¹³⁸, A. Schoening ^{60b}, B.D. Schoenrock ⁹³, E. Schopf ²³, M. Schott ⁸⁶, J.F.P. Schouwenberg ¹⁰⁸, J. Schovancova ³², S. Schramm ⁵², N. Schuh ⁸⁶, A. Schulte ⁸⁶, M.J. Schultens ²³, H.-C. Schultz-Coulon ^{60a}, H. Schulz ¹⁷, M. Schumacher ⁵¹, B.A. Schumm ¹³⁹, Ph. Schune ¹³⁸, A. Schwartzman ¹⁴⁵, T.A. Schwarz ⁹², H. Schweiger ⁸⁷, Ph. Schwemling ¹³⁸, R. Schwienhorst ⁹³, J. Schwindling ¹³⁸, A. Sciandra ²³, G. Sciolla ²⁵, M. Scornajenghi ^{40a,40b}, F. Scuri ^{126a,126b}, F. Scutti ⁹¹, J. Searcy ⁹², P. Seema ²³, S.C. Seidel ¹⁰⁷, A. Seiden ¹³⁹, J.M. Seixas ^{26a}, G. Sekhniaidze ^{106a}, K. Sekhon ⁹², S.J. Sekula ⁴³, N. Semprini-Cesari ^{22a,22b}, S. Senkin ³⁷, C. Serfon ¹²¹, L. Serin ¹¹⁹, L. Serkin ^{167a,167b}, M. Sessa ^{136a,136b}, R. Seuster ¹⁷², H. Severini ¹¹⁵, T. Sfiligoj ⁷⁸, F. Sforza ¹⁶⁵, A. Sfyrla ⁵², E. Shabalina ⁵⁷, N.W. Shaikh ^{148a,148b}, L.Y. Shan ^{35a}, R. Shang ¹⁶⁹, J.T. Shank ²⁴, M. Shapiro ¹⁶, P.B. Shatalov ⁹⁹, K. Shaw ^{167a,167b}, S.M. Shaw ⁸⁷, A. Shcherbakova ^{148a,148b}, C.Y. Shehu ¹⁵¹, Y. Shen ¹¹⁵, N. Sherafati ³¹, P. Sherwood ⁸¹, L. Shi ^{153,am}, S. Shimizu ⁷⁰, C.O. Shimmin ¹⁷⁹, M. Shimojima ¹⁰⁴, I.P.J. Shipsey ¹²², S. Shirabe ⁷³, M. Shiyakova ^{68,an}, J. Shlomi ¹⁷⁵, A. Shmeleva ⁹⁸, D. Shoaleh Saadi ⁹⁷, M.J. Shochet ³³, S. Shojaii ^{94a,94b}, D.R. Shope ¹¹⁵, S. Shrestha ¹¹³, E. Shulga ¹⁰⁰, M.A. Shupe ⁷, P. Sicho ¹²⁹, A.M. Sickles ¹⁶⁹, P.E. Sidebo ¹⁴⁹, E. Sideras Haddad ^{147c}, O. Sidiropoulou ¹⁷⁷, A. Sidoti ^{22a,22b}, F. Siegert ⁴⁷, Dj. Sijacki ¹⁴, J. Silva ^{128a,128d}, M. Silva Jr. ¹⁷⁶, S.B. Silverstein ^{148a}, V. Simak ¹³⁰, L. Simic ⁶⁸, S. Simion ¹¹⁹, E. Simioni ⁸⁶, B. Simmons ⁸¹, M. Simon ⁸⁶, P. Sinervo ¹⁶¹, N.B. Sinev ¹¹⁸, M. Sioli ^{22a,22b}, G. Siragusa ¹⁷⁷, I. Siral ⁹², S.Yu. Sivoklokov ¹⁰¹, J. Sjölin ^{148a,148b}, M.B. Skinner ⁷⁵, P. Skubic ¹¹⁵, M. Slater ¹⁹, T. Slavicek ¹³⁰, M. Slawinska ⁴², K. Sliwa ¹⁶⁵, R. Slovak ¹³¹, V. Smakhtin ¹⁷⁵, B.H. Smart ⁵, J. Smiesko ^{146a}, N. Smirnov ¹⁰⁰, S.Yu. Smirnov ¹⁰⁰, Y. Smirnov ¹⁰⁰, L.N. Smirnova ^{101,ao}, O. Smirnova ⁸⁴, J.W. Smith ⁵⁷, M.N.K. Smith ³⁸, R.W. Smith ³⁸, M. Smizanska ⁷⁵, K. Smolek ¹³⁰, A.A. Snesarev ⁹⁸, I.M. Snyder ¹¹⁸, S. Snyder ²⁷, R. Sobie ^{172,o}, F. Socher ⁴⁷, A. Soffer ¹⁵⁵, A. Søgaard ⁴⁹, D.A. Soh ¹⁵³, G. Sokhrannyi ⁷⁸, C.A. Solans Sanchez ³², M. Solar ¹³⁰, E.Yu. Soldatov ¹⁰⁰, U. Soldevila ¹⁷⁰, A.A. Solodkov ¹³², A. Soloshenko ⁶⁸, O.V. Solovyanov ¹³², V. Solovyev ¹²⁵, P. Sommer ⁵¹, H. Son ¹⁶⁵, A. Sopczak ¹³⁰, D. Sosa ^{60b}, C.L. Sotiropoulou ^{126a,126b}, S. Sottocornola ^{123a,123b}, R. Soualah ^{167a,167c}, A.M. Soukharev ^{111,c}, D. South ⁴⁵, B.C. Sowden ⁸⁰, S. Spagnolo ^{76a,76b}, M. Spalla ^{126a,126b}, M. Spangenberg ¹⁷³, F. Spanò ⁸⁰, D. Sperlich ¹⁷, F. Spettel ¹⁰³, T.M. Speker ^{60a}, R. Spighi ^{22a}, G. Spigo ³², L.A. Spiller ⁹¹, M. Spousta ¹³¹, R.D. St. Denis ^{56,*}, A. Stabile ^{94a}, R. Stamen ^{60a}, S. Stamm ¹⁷, E. Stanecka ⁴², R.W. Stanek ⁶, C. Stanescu ^{136a}, M.M. Stanitzki ⁴⁵, B.S. Stapf ¹⁰⁹, S. Stapnes ¹²¹, E.A. Starchenko ¹³², G.H. Stark ³³, J. Stark ⁵⁸, S.H. Stark ³⁹, P. Staroba ¹²⁹, P. Starovoitov ^{60a}, S. Stärz ³², R. Staszewski ⁴², M. Stegler ⁴⁵, P. Steinberg ²⁷, B. Stelzer ¹⁴⁴, H.J. Stelzer ³², O. Stelzer-Chilton ^{163a}, H. Stenzel ⁵⁵, G.A. Stewart ⁵⁶, M.C. Stockton ¹¹⁸, M. Stoebe ⁹⁰, G. Stoica ^{28b}, P. Stolte ⁵⁷, S. Stonjek ¹⁰³, A.R. Stradling ⁸, A. Straessner ⁴⁷, M.E. Stramaglia ¹⁸, J. Strandberg ¹⁴⁹, S. Strandberg ^{148a,148b}, M. Strauss ¹¹⁵, P. Strizenec ^{146b}, R. Ströhmer ¹⁷⁷, D.M. Strom ¹¹⁸, R. Stroynowski ⁴³, A. Strubig ⁴⁹, S.A. Stucci ²⁷, B. Stugu ¹⁵, N.A. Styles ⁴⁵, D. Su ¹⁴⁵, J. Su ¹²⁷, S. Suchek ^{60a}, Y. Sugaya ¹²⁰, M. Suk ¹³⁰, V.V. Sulin ⁹⁸, DMS Sultan ^{162a,162b}, S. Sultansoy ^{4c}, T. Sumida ⁷¹, S. Sun ⁵⁹, X. Sun ³, K. Suruliz ¹⁵¹, C.J.E. Suster ¹⁵², M.R. Sutton ¹⁵¹, S. Suzuki ⁶⁹, M. Svatos ¹²⁹, M. Swiatlowski ³³, S.P. Swift ², I. Sykora ^{146a}, T. Sykora ¹³¹, D. Ta ⁵¹, K. Tackmann ⁴⁵, J. Taenzer ¹⁵⁵, A. Taffard ¹⁶⁶, R. Tafirout ^{163a}, E. Tahirovic ⁷⁹,

- N. Taiblum 155, H. Takai 27, R. Takashima 72, E.H. Takasugi 103, K. Takeda 70, T. Takeshita 142, Y. Takubo 69, M. Talby 88, A.A. Talyshев 111,c, J. Tanaka 157, M. Tanaka 159, R. Tanaka 119, S. Tanaka 69, R. Tanioka 70, B.B. Tannenwald 113, S. Tapia Araya 34b, S. Tapprogge 86, S. Tarem 154, G.F. Tartarelli 94a, P. Tas 131, M. Tasevsky 129, T. Tashiro 71, E. Tassi 40a,40b, A. Tavares Delgado 128a,128b, Y. Tayalati 137e, A.C. Taylor 107, A.J. Taylor 49, G.N. Taylor 91, P.T.E. Taylor 91, W. Taylor 163b, P. Teixeira-Dias 80, D. Temple 144, H. Ten Kate 32, P.K. Teng 153, J.J. Teoh 120, F. Tepel 178, S. Terada 69, K. Terashi 157, J. Terron 85, S. Terzo 13, M. Testa 50, R.J. Teuscher 161,o, T. Theveneaux-Pelzer 88, F. Thiele 39, J.P. Thomas 19, J. Thomas-Wilsker 80, P.D. Thompson 19, A.S. Thompson 56, L.A. Thomsen 179, E. Thomson 124, Y. Tian 38, M.J. Tibbetts 16, R.E. Ticse Torres 88, V.O. Tikhomirov 98,ap, Yu.A. Tikhonov 111,c, S. Timoshenko 100, P. Tipton 179, S. Tisserant 88, K. Todome 159, S. Todorova-Nova 5, S. Todt 47, J. Tojo 73, S. Tokár 146a, K. Tokushuku 69, E. Tolley 113, L. Tomlinson 87, M. Tomoto 105, L. Tompkins 145,aq, K. Toms 107, B. Tong 59, P. Tornambe 51, E. Torrence 118, H. Torres 47, E. Torró Pastor 140, J. Toth 88,ar, F. Touchard 88, D.R. Tovey 141, C.J. Treado 112, T. Trefzger 177, F. Tresoldi 151, A. Tricoli 27, I.M. Trigger 163a, S. Trincaz-Duvold 83, M.F. Tripiana 13, W. Trischuk 161, B. Trocmé 58, A. Trofymov 45, C. Troncon 94a, M. Trottier-McDonald 16, M. Trovatelli 172, L. Truong 147b, M. Trzebinski 42, A. Trzupek 42, K.W. Tsang 62a, J.C.-L. Tseng 122, P.V. Tsiareshka 95, G. Tsipolitis 10, N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 51, E.G. Tskhadadze 54a, I.I. Tsukerman 99, V. Tsulaia 16, S. Tsuno 69, D. Tsybychev 150, Y. Tu 62b, A. Tudorache 28b, V. Tudorache 28b, T.T. Tulbure 28a, A.N. Tuna 59, S. Turchikhin 68, D. Turgeman 175, I. Turk Cakir 4b,as, R. Turra 94a, P.M. Tuts 38, G. Ucchielli 22a,22b, I. Ueda 69, M. Ughetto 148a,148b, F. Ukegawa 164, G. Unal 32, A. Undrus 27, G. Unel 166, F.C. Ungaro 91, Y. Unno 69, K. Uno 157, C. Unverdorben 102, J. Urban 146b, P. Urquijo 91, P. Urrejola 86, G. Usai 8, J. Usui 69, L. Vacavant 88, V. Vacek 130, B. Vachon 90, K.O.H. Vadla 121, A. Vaidya 81, C. Valderanis 102, E. Valdes Santurio 148a,148b, M. Valente 52, S. Valentinetto 22a,22b, A. Valero 170, L. Valéry 13, S. Valkar 131, A. Vallier 5, J.A. Valls Ferrer 170, W. Van Den Wollenberg 109, H. van der Graaf 109, P. van Gemmeren 6, J. Van Nieuwkoop 144, I. van Vulpen 109, M.C. van Woerden 109, M. Vanadia 135a,135b, W. Vandelli 32, A. Vaniachine 160, P. Vankov 109, G. Vardanyan 180, R. Vari 134a, E.W. Varnes 7, C. Varni 53a,53b, T. Varol 43, D. Varouchas 119, A. Vartapetian 8, K.E. Varvell 152, J.G. Vasquez 179, G.A. Vasquez 34b, F. Vazeille 37, D. Vazquez Furelos 13, T. Vazquez Schroeder 90, J. Veatch 57, V. Veeraraghavan 7, L.M. Veloce 161, F. Veloso 128a,128c, S. Veneziano 134a, A. Ventura 76a,76b, M. Venturi 172, N. Venturi 32, A. Venturini 25, V. Vercesi 123a, M. Verducci 136a,136b, W. Verkerke 109, A.T. Vermeulen 109, J.C. Vermeulen 109, M.C. Vetterli 144,d, N. Viaux Maira 34b, O. Viazlo 84, I. Vichou 169,* , T. Vickey 141, O.E. Vickey Boeriu 141, G.H.A. Viehhauser 122, S. Viel 16, L. Vigani 122, M. Villa 22a,22b, M. Villaplana Perez 94a,94b, E. Vilucchi 50, M.G. Vinchter 31, V.B. Vinogradov 68, A. Vishwakarma 45, C. Vittori 22a,22b, I. Vivarelli 151, S. Vlachos 10, M. Vogel 178, P. Vokac 130, G. Volpi 13, H. von der Schmitt 103, E. von Toerne 23, V. Vorobel 131, K. Vorobev 100, M. Vos 170, R. Voss 32, J.H. Vossebeld 77, N. Vranjes 14, M. Vranjes Milosavljevic 14, V. Vrba 130, M. Vreeswijk 109, R. Vuillermet 32, I. Vukotic 33, P. Wagner 23, W. Wagner 178, J. Wagner-Kuhr 102, H. Wahlberg 74, S. Wahrmund 47, J. Walder 75, R. Walker 102, W. Walkowiak 143, V. Wallangen 148a,148b, C. Wang 35b, C. Wang 36b,at, F. Wang 176, H. Wang 16, H. Wang 3, J. Wang 45, J. Wang 152, Q. Wang 115, R.-J. Wang 83, R. Wang 6, S.M. Wang 153, T. Wang 38, W. Wang 153,au, W. Wang 36a,av, Z. Wang 36c, C. Wanotayaroj 45, A. Warburton 90, C.P. Ward 30, D.R. Wardrobe 81, A. Washbrook 49, P.M. Watkins 19, A.T. Watson 19, M.F. Watson 19, G. Watts 140, S. Watts 87, B.M. Waugh 81, A.F. Webb 11, S. Webb 86, M.S. Weber 18, S.M. Weber 60a, S.W. Weber 177, S.A. Weber 31, J.S. Webster 6, A.R. Weidberg 122, B. Weinert 64, J. Weingarten 57, M. Weirich 86, C. Weiser 51, H. Weits 109, P.S. Wells 32, T. Wenaus 27, T. Wengler 32, S. Wenig 32, N. Wermes 23, M.D. Werner 67, P. Werner 32, M. Wessels 60a, T.D. Weston 18, K. Whalen 118, N.L. Whallon 140, A.M. Wharton 75, A.S. White 92, A. White 8, M.J. White 1, R. White 34b, D. Whiteson 166, B.W. Whitmore 75, F.J. Wickens 133, W. Wiedenmann 176, M. Wielers 133, C. Wiglesworth 39, L.A.M. Wiik-Fuchs 51, A. Wildauer 103, F. Wilk 87, H.G. Wilkens 32, H.H. Williams 124, S. Williams 109, C. Willis 93, S. Willocq 89, J.A. Wilson 19, I. Wingerter-Seez, E. Winkels 151, F. Winklmeier 118, O.J. Winston 151, B.T. Winter 23, M. Wittgen 145, M. Wobisch 82,u, T.M.H. Wolf 109, R. Wolff 88, M.W. Wolter 42, H. Wolters 128a,128c, V.W.S. Wong 171, N.L. Woods 139, S.D. Worm 19, B.K. Wosiek 42, J. Wotschack 32, K.W. Wozniak 42, M. Wu 33, S.L. Wu 176, X. Wu 52, Y. Wu 92, T.R. Wyatt 87, B.M. Wynne 49, S. Xella 39, Z. Xi 92, L. Xia 35c, D. Xu 35a, L. Xu 27, T. Xu 138, B. Yabsley 152, S. Yacoob 147a, D. Yamaguchi 159, Y. Yamaguchi 159, A. Yamamoto 69, S. Yamamoto 157, T. Yamanaka 157, F. Yamane 70,

M. Yamatani ¹⁵⁷, Y. Yamazaki ⁷⁰, Z. Yan ²⁴, H. Yang ^{36c}, H. Yang ¹⁶, Y. Yang ¹⁵³, Z. Yang ¹⁵, W-M. Yao ¹⁶, Y.C. Yap ⁴⁵, Y. Yasu ⁶⁹, E. Yatsenko ⁵, K.H. Yau Wong ²³, J. Ye ⁴³, S. Ye ²⁷, I. Yeletskikh ⁶⁸, E. Yigitbasi ²⁴, E. Yildirim ⁸⁶, K. Yorita ¹⁷⁴, K. Yoshihara ¹²⁴, C. Young ¹⁴⁵, C.J.S. Young ³², J. Yu ⁸, J. Yu ⁶⁷, S.P.Y. Yuen ²³, I. Yusuff ^{30,aw}, B. Zabinski ⁴², G. Zacharis ¹⁰, R. Zaidan ¹³, A.M. Zaitsev ^{132,aj}, N. Zakharchuk ⁴⁵, J. Zalieckas ¹⁵, A. Zaman ¹⁵⁰, S. Zambito ⁵⁹, D. Zanzi ⁹¹, C. Zeitnitz ¹⁷⁸, G. Zemaityte ¹²², A. Zemla ^{41a}, J.C. Zeng ¹⁶⁹, Q. Zeng ¹⁴⁵, O. Zenin ¹³², T. Ženiš ^{146a}, D. Zerwas ¹¹⁹, D. Zhang ^{36b}, D. Zhang ⁹², F. Zhang ¹⁷⁶, G. Zhang ^{36a,av}, H. Zhang ¹¹⁹, J. Zhang ⁶, L. Zhang ⁵¹, L. Zhang ^{36a}, M. Zhang ¹⁶⁹, P. Zhang ^{35b}, R. Zhang ²³, R. Zhang ^{36a,at}, X. Zhang ^{36b}, Y. Zhang ^{35a,35d}, Z. Zhang ¹¹⁹, X. Zhao ⁴³, Y. Zhao ^{36b,ax}, Z. Zhao ^{36a}, A. Zhemchugov ⁶⁸, B. Zhou ⁹², C. Zhou ¹⁷⁶, L. Zhou ⁴³, M. Zhou ^{35a,35d}, M. Zhou ¹⁵⁰, N. Zhou ^{35c}, Y. Zhou ⁷, C.G. Zhu ^{36b}, H. Zhu ^{35a}, J. Zhu ⁹², Y. Zhu ^{36a}, X. Zhuang ^{35a}, K. Zhukov ⁹⁸, A. Zibell ¹⁷⁷, D. Ziemska ⁶⁴, N.I. Zimine ⁶⁸, C. Zimmermann ⁸⁶, S. Zimmermann ⁵¹, Z. Zinonos ¹⁰³, M. Zinser ⁸⁶, M. Ziolkowski ¹⁴³, L. Živković ¹⁴, G. Zobernig ¹⁷⁶, A. Zoccoli ^{22a,22b}, R. Zou ³³, M. zur Nedden ¹⁷, L. Zwalski ³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany NY, United States³ Department of Physics, University of Alberta, Edmonton AB, Canada⁴ (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States⁷ Department of Physics, University of Arizona, Tucson AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States¹⁷ Department of Physics, Humboldt University, Berlin, Germany¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom²⁰ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) İstanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; (d) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia²² (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²³ Physikalisches Institut, University of Bonn, Bonn, Germany²⁴ Department of Physics, Boston University, Boston MA, United States²⁵ Department of Physics, Brandeis University, Waltham MA, United States²⁶ (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d) Instituto de Física, Universidade de Sao Paulo, Sao Paulo, Brazil²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States²⁸ (a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (e) University Politehnica Bucharest, Bucharest; (f) West University in Timisoara, Timisoara, Romania²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom³¹ Department of Physics, Carleton University, Ottawa ON, Canada³² CERN, Geneva, Switzerland³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States³⁴ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³⁵ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Physics, Nanjing University, Jiangsu; (c) Physics Department, Tsinghua University, Beijing 100084; (d) University of Chinese Academy of Science (UCAS), Beijing, China³⁶ (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; (b) School of Physics, Shandong University, Shandong; (c) Department of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai, China ^{ay}³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States³⁹ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark⁴⁰ (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy⁴¹ (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland⁴³ Physics Department, Southern Methodist University, Dallas TX, United States⁴⁴ Physics Department, University of Texas at Dallas, Richardson TX, United States⁴⁵ DESY, Hamburg and Zeuthen, Germany⁴⁶ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴⁷ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany⁴⁸ Department of Physics, Duke University, Durham NC, United States⁴⁹ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy⁵¹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland

- ⁵³ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
⁵⁴ ^(a) E. Andronikashvili Institute of Physics, Iv.Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
⁵⁵ II Physikalischs Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁵⁶ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁷ II Physikalischs Institut, Georg-August-Universität, Göttingen, Germany
⁵⁸ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States
⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T.; ^(b) Department of Physics, The University of Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶³ Department of Physics, National Tsing Hua University, Taiwan
⁶⁴ Department of Physics, Indiana University, Bloomington IN, United States
⁶⁵ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶⁶ University of Iowa, Iowa City IA, United States
⁶⁷ Department of Physics and Astronomy, Iowa State University, Ames IA, United States
⁶⁸ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁷⁰ Graduate School of Science, Kobe University, Kobe, Japan
⁷¹ Faculty of Science, Kyoto University, Kyoto, Japan
⁷² Kyoto University of Education, Kyoto, Japan
⁷³ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
⁷⁴ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷⁵ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁶ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁷ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁸ Department of Experimental Particle Physics, Jozef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
⁷⁹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁸⁰ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁸¹ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸² Louisiana Tech University, Ruston LA, United States
⁸³ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸⁴ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁵ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁶ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁷ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁸ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁹ Department of Physics, University of Massachusetts, Amherst MA, United States
⁹⁰ Department of Physics, McGill University, Montreal QC, Canada
⁹¹ School of Physics, University of Melbourne, Victoria, Australia
⁹² Department of Physics, The University of Michigan, Ann Arbor MI, United States
⁹³ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
⁹⁴ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
⁹⁷ Group of Particle Physics, University of Montreal, Montreal QC, Canada
⁹⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia
¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁶ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States
¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹² Department of Physics, New York University, New York NY, United States
¹¹³ Ohio State University, Columbus OH, United States
¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States
¹¹⁷ Palacky University, RCPTM, Olomouc, Czech Republic
¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States
¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan
¹²¹ Department of Physics, University of Oslo, Oslo, Norway
¹²² Department of Physics, Oxford University, Oxford, United Kingdom
¹²³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States
¹²⁵ National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁶ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
¹²⁸ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada; ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal

- 129 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
 130 Czech Technical University in Prague, Praha, Czech Republic
 131 Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
 132 State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
 133 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
 134 (a) INFN Sezione di Roma; (b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
 135 (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 136 (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
 137 (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; (b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
 138 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
 139 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
 140 Department of Physics, University of Washington, Seattle WA, United States
 141 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 142 Department of Physics, Shinshu University, Nagano, Japan
 143 Department Physik, Universität Siegen, Siegen, Germany
 144 Department of Physics, Simon Fraser University, Burnaby BC, Canada
 145 SLAC National Accelerator Laboratory, Stanford CA, United States
 146 (a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 147 (a) Department of Physics, University of Cape Town, Cape Town; (b) Department of Physics, University of Johannesburg, Johannesburg; (c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 148 (a) Department of Physics, Stockholm University; (b) The Oskar Klein Centre, Stockholm, Sweden
 149 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 150 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States
 151 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 152 School of Physics, University of Sydney, Sydney, Australia
 153 Institute of Physics, Academia Sinica, Taipei, Taiwan
 154 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 155 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 156 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 157 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 158 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 159 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 160 Tomsk State University, Tomsk, Russia
 161 Department of Physics, University of Toronto, Toronto ON, Canada
 162 (a) INFN-TIFPA; (b) University of Trento, Trento, Italy
 163 (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON, Canada
 164 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
 165 Department of Physics and Astronomy, Tufts University, Medford MA, United States
 166 Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
 167 (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 168 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 169 Department of Physics, University of Illinois, Urbana IL, United States
 170 Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Spain
 171 Department of Physics, University of British Columbia, Vancouver BC, Canada
 172 Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
 173 Department of Physics, University of Warwick, Coventry, United Kingdom
 174 Waseda University, Tokyo, Japan
 175 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 176 Department of Physics, University of Wisconsin, Madison WI, United States
 177 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 178 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 179 Department of Physics, Yale University, New Haven CT, United States
 180 Yerevan Physics Institute, Yerevan, Armenia
 181 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
 182 Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

^a Also at Department of Physics, King's College London, London, United Kingdom.

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^c Also at Novosibirsk State University, Novosibirsk, Russia.

^d Also at TRIUMF, Vancouver BC, Canada.

^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.

^f Also at Physics Department, An-Najah National University, Nablus, Palestine.

^g Also at Department of Physics, California State University, Fresno CA, United States of America.

^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

ⁱ Also at II Physikalischescs Institut, Georg-August-Universität, Göttingen, Germany.

^j Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.

^k Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

^l Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

^m Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

ⁿ Also at Università di Napoli Parthenope, Napoli, Italy.

^o Also at Institute of Particle Physics (IPP), Canada.

^p Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.

^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States of America.

- ^s Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.
^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.
^u Also at Louisiana Tech University, Ruston LA, United States of America.
^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
^w Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.
^x Also at Graduate School of Science, Osaka University, Osaka, Japan.
^y Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany.
^z Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
^{aa} Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.
^{ab} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
^{ac} Also at CERN, Geneva, Switzerland.
^{ad} Also at Georgian Technical University (GTU), Tbilisi, Georgia.
^{ae} Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
^{af} Also at Manhattan College, New York NY, United States of America.
^{ag} Also at The City College of New York, New York NY, United States of America.
^{ah} Also at Departamento de Fisica Teorica y del Cosmos, Universidad de Granada, Granada, Portugal.
^{ai} Also at Department of Physics, California State University, Sacramento CA, United States of America.
^{aj} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{ak} Also at Departement de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland.
^{al} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.
^{am} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.
^{an} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
^{ao} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia.
^{ap} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{aq} Also at Department of Physics, Stanford University, Stanford CA, United States of America.
^{ar} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{as} Also at Giresun University, Faculty of Engineering, Turkey.
^{at} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^{au} Also at Department of Physics, Nanjing University, Jiangsu, China.
^{av} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{aw} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
^{ax} Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.
^{ay} Also at PKU-CHEP.
* Deceased.