



Search for $W' \rightarrow tb$ decays in the hadronic final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration *



ARTICLE INFO

Article history:

Received 25 January 2018

Received in revised form 13 March 2018

Accepted 13 March 2018

Available online 4 April 2018

Editor: W.-D. Schlatter

ABSTRACT

A search for W' -boson production in the $W' \rightarrow t\bar{b} \rightarrow q\bar{q}'b\bar{b}$ decay channel is presented using 36.1 fb^{-1} of 13 TeV proton–proton collision data collected by the ATLAS detector at the Large Hadron Collider in 2015 and 2016. The search is interpreted in terms of both a left-handed and a right-handed chiral W' boson within the mass range 1–5 TeV. Identification of the hadronically decaying top quark is performed using jet substructure tagging techniques based on a shower deconstruction algorithm. No significant deviation from the Standard Model prediction is observed and the results are expressed as upper limits on the $W' \rightarrow t\bar{b}$ production cross-section times branching ratio as a function of the W' -boson mass. These limits exclude W' bosons with right-handed couplings with masses below 3.0 TeV and W' bosons with left-handed couplings with masses below 2.9 TeV, at the 95% confidence level.

© 2018 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

Several theories beyond the Standard Model (SM) involve enhanced symmetries that predict new gauge bosons, usually called W' or Z' bosons. The W' boson is the mediator of a new charged vector current that can be massive enough to decay into a top quark and a b -quark (as in Fig. 1). Many models such as those with extra dimensions [1], strong dynamics [2–5], composite Higgs [6], or the Little Higgs [7,8] predict new vector charged-current interactions, some with preferential couplings to quarks or third-generation particles [6,9–12]. Due to the large mass of the top quark, its interactions decouple from the rest of the phenomenology in many theories beyond the SM. An effective Lagrangian is used to capture the relevant phenomenology of the Sequential Standard Model (SSM) [13] $W' \rightarrow t\bar{b}$ signal [14,15], which has the same coupling strength to fermions as the SM W boson but higher mass.

Searches for a W' boson decaying into $t\bar{b}$,¹ classified as either leptonic or hadronic according to the decay products of the W boson originating from the top quark, were performed at the Tevatron [16,17] and the Large Hadron Collider (LHC) in final states that include leptons [18–21] or that are fully hadronic [22]. The specific search for a W' boson decaying into $t\bar{b}$ allows for a right-handed W' boson (W'_R) in models in which the right-handed neutrino's mass is assumed to be much higher than that of the W' boson.




Fig. 1. Feynman diagram for W' -boson production with decay into $t\bar{b}$ and a hadronically decaying top quark.

($m_{\nu_R} > m_{W'}$), which the leptonic decay mode cannot access. In such a model, the branching ratio for a W'_R boson decaying into $t\bar{b}$ is $\mathcal{O}(10\%)$ higher relative to that for a W'_L boson decaying into $t\bar{b}$ since a W'_L boson can also decay to a lepton and neutrino. Limits on a SSM left-handed W' boson (W'_L) decaying into a lepton and a neutrino have been set previously [23,24]. Previous searches in the all-hadronic final state exclude W'_R bosons with masses up to 2 TeV, set at the 95% confidence level (CL) using 20.3 fb^{-1} of pp collision data at a centre-of-mass energy (\sqrt{s}) of 8 TeV [22]. A recent search by the CMS Collaboration in the lepton+jets final state excludes W'_R -boson masses up to 3.6 TeV using 35.9 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV [18].

This analysis searches for a W' boson decaying into $t\bar{b}$ with a mass in the range of 1–5 TeV, in the invariant mass spectrum of the top quark and bottom quark (m_{tb}) reconstructed in the fully hadronic channel. This includes a W'_R boson that is not kinematically allowed to decay into a lepton and neutrino and a W'_L boson that can decay into quarks or leptons. The large W' mass results

* E-mail address: atlas.publications@cern.ch.

¹ For simplicity, the notation “ $t\bar{b}$ ” is used to denote the final state for both $W'^+ \rightarrow t\bar{b}$ and $W'^- \rightarrow \bar{t}b$ decays.

in a top quark and a b -quark that have high transverse momentum (p_T).² The decay products of the top quark become more collimated as the top-quark p_T increases, and their showers partially overlap [25]. This high- p_T topology is referred to as *boosted*. The boosted top-quark decay is reconstructed as a single jet. The shower deconstruction (SD) algorithm [26,27] is employed to select, or tag, jets from boosted top-quark decays. A signal would be reconstructed as a localised excess in the m_{tb} distribution rising above the smoothly falling background originating mostly from jets created by the strong interaction described by quantum chromodynamics (QCD). This analysis represents an improvement on the previous ATLAS analysis in this channel [22] due to a higher centre-of-mass energy, higher integrated luminosity, and better top-tagging techniques, understanding of systematic uncertainties, and statistical treatment.

2. ATLAS detector

The ATLAS detector [28] at the LHC covers almost the entire solid angle around the collision point. Charged particles in the pseudorapidity range $|\eta| < 2.5$ are reconstructed with the inner detector (ID), which consists of several layers of semiconductor detectors (pixel and strip) and a straw-tube transition-radiation tracker, the latter covering $|\eta| < 2.0$. The high-granularity silicon pixel detector provides four measurements per track; the closest layer to the interaction point is known as the insertable B-layer (IBL) [29]. The IBL was added in 2014 and provides high-resolution hits at small radius to improve the tracking performance. The ID is immersed in a 2 T magnetic field provided by a superconducting solenoid. The solenoid is surrounded by electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting toroid magnet systems. The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Electromagnetic calorimetry is performed with barrel and endcap high-granularity lead/liquid-argon (LAr) electromagnetic calorimeters, within the region $|\eta| < 3.2$. There is an additional thin LAr presampler covering $|\eta| < 1.8$, to correct for energy loss in material upstream of the calorimeters. For $|\eta| < 2.5$, the LAr calorimeters are divided into three layers in depth. Hadronic calorimetry is performed with a steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadronic endcap calorimeters, which cover the region $1.5 < |\eta| < 3.2$. The forward solid angle up to $|\eta| = 4.9$ is covered by copper/LAr and tungsten/LAr calorimeter modules, which are optimised for energy measurements of electrons/photons and hadrons, respectively. The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers that measure the deflection of muons in a magnetic field generated by superconducting air-core toroids. The ATLAS detector uses a tiered trigger system to select interesting events. The first level is implemented in custom electronics and reduces the event rate from the LHC crossing frequency of 40 MHz to a design value of 100 kHz. The second level is implemented in software running on a general-purpose processor farm which processes the events and reduces the rate of recorded events to ~ 1 kHz [30].

3. Data and simulation samples

This analysis uses data from proton-proton (pp) collisions at $\sqrt{s} = 13$ TeV collected with the ATLAS detector in 2015 and 2016 that satisfy a number of criteria to ensure that the ATLAS detector was in good operating condition. The amount of data used in this analysis corresponds to an integrated luminosity of 36.1 fb^{-1} . The average number of pp interactions delivered per LHC bunch crossing was 23.7.

Monte Carlo (MC) event generators were used to simulate signal and background events. Signal events were generated at leading order (LO) in QCD by `MADGRAPH5_AMC@NLO` v2.2.3 [31], using a chiral W' -boson model in which the coupling strength of the W' boson to the right- and left-handed fermions are the same as those of the SM W boson to left-handed fermions. The W'_L boson can decay into all left-handed fermions, but the W'_R boson can decay only into right-handed quarks as the right-handed neutrino is assumed to be more massive than the W'_R boson. `MADGRAPH` was used to simulate the top-quark and W -boson decays, taking spin correlations into account. `PYTHIA` v8.186 [32] was used for the modelling of the parton shower, fragmentation and the underlying event. The `NNPDF23LO` parton distributions function (PDF) set [33] and the A14 set of tuned parameters [34] were used for the event generation. All simulated samples were rescaled to next-to-leading-order (NLO) calculations using NLO/LO K -factors ranging from 1.3 to 1.4, depending on the mass and handedness of the W' boson, calculated with `ZTOP` [15]. The width of the `MADGRAPH` simulated W' boson is set to the NLO `ZTOP` width calculation, $\mathcal{O}(3\%)$ of its mass. Signal samples with gauge-boson masses between 1 and 3 TeV were generated in 250 GeV steps, and between 3 and 5 TeV in 500 GeV steps.

The dominant SM background process is multi-jet production. In order to reduce the dependence on the modelling of the simulation a data-driven method is implemented as described in Section 5. Corrections in this method are estimated using QCD dijet simulation produced at LO by `PYTHIA` v8.186. Uncertainties in this method are obtained using simulated QCD dijet events produced at LO by `HERWIG++` v2.7.1 [35] and `SHERPA` v2.1.1 [36], and at NLO by `POWHEG-Box` v2 [37,38] with either `PYTHIA8` or `HERWIG+JIMMY` [39] for the parton shower, fragmentation and the underlying event simulation (referred to as `Powheg+Pythia` and `Powheg+Herwig`, respectively). Vector bosons (W/Z) produced in association with jets are included in the data-driven approach. These processes are expected to contribute less than 1% of the multi-jet background. This $W/Z + \text{jets}$ prediction is checked using events simulated with the `SHERPA` v2.2.1 [36] generator and the CT10 PDF set [40].

Top-quark pair production is an important background with an inclusive cross-section of $\sigma_{tt} = 832^{+46}_{-51}$ pb for a top-quark mass of 172.5 GeV as obtained from calculations accurate to next-to-next-to-leading order and next-to-next-to-leading logarithms (NNLO+NNLL) in QCD with `Top++2.0` [41–47]. Simulated top-quark pair processes were produced using the NLO `POWHEG-Box` v2 generator with the CT10 PDF. The parton shower, fragmentation and the underlying event were added using `PYTHIA` v6.42 [48] with the Perugia 2012 set of tuned parameters [49]. To increase the number of simulated events at high mass, samples were produced binned in $t\bar{t}$ mass. Interference and background contributions from the SM s -channel single-top process are found to be negligible and are not considered further in this analysis.

The generation of the simulated event samples includes the effect of multiple pp interactions per bunch crossing, as well as the effect on the detector response due to interactions from bunch crossings before or after the one containing the hard interaction. For all `MADGRAPH`, `POWHEG`, `PYTHIA` and `HERWIG` samples, the `EvtGen` v1.2.0 program [50] was used for the bottom and charm

² ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular separation is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$, where $\Delta\eta$ and $\Delta\phi$ are the separations in η and ϕ . Momentum in the transverse plane is denoted by p_T .

hadron decays. The simulated samples were passed through the GEANT4-based ATLAS detector simulation [51,52] and were reconstructed with the same algorithms as the data events.

4. Event reconstruction and shower deconstruction

4.1. Event reconstruction

This analysis relies on the reconstruction and identification of jets initiated by the top- and bottom-quark daughters of the W' boson. Jets are built from topologically related energy depositions in the calorimeters with the anti- k_t algorithm [53] using the FastJet package [54]. Two radius parameters are used for jet reconstruction: a small radius (small- R) of 0.4 and a large radius (large- R) of 1.0. The momenta of both the small- R and large- R jets are corrected for energy losses in passive material and for the non-compensating response of the calorimeter [55]. Small- R jets are also corrected for the average additional energy due to pile-up interactions [56]. Energy depositions from pile-up are removed from large- R jets using the trimming algorithm [57]: the constituents of the large- R jet are reclustered using the k_t jet algorithm [58, 59] with $R = 0.2$. Constituent jets contributing less than 5% of the large- R jet's p_T are removed. The remaining energy depositions are used to calculate the trimmed-jet kinematics and substructure properties. In order to improve on the angular resolution of the calorimeter, the mass of a large- R jet is computed using a combination of calorimeter and tracking information [60].

Small- R jets are used to identify the jets compatible with originating from a b -quark created either directly from the W' boson or from the top-quark decay. Only small- R jets with $p_T > 25$ GeV and $|\eta| < 2.5$ (in order to be within the coverage of the ID) are considered in this analysis. Additional p_T requirements are applied to enhance the sensitivity of the search (see Section 5). To reduce the number of small- R jets originating from pile-up interactions, a likelihood discriminant, based on track and vertex information, is used to determine whether the primary vertex³ is the origin of the charged-particle tracks associated with a jet candidate and rejects jets originating from pile-up interactions [61]. This is done only for small- R jets with $p_T < 60$ GeV and $|\eta| < 2.4$. Small- R jets which originate from b -quarks are identified using a multivariate b -tagging algorithm [62,63]. Several observables, such as those based on the long lifetime of b -hadrons and the b - to c -hadron decay topology, are used as algorithm inputs to discriminate between b -jets, c -jets and other jets. The b -tagging requirement corresponding to an efficiency of 77% to identify b -jets with $p_T > 20$ GeV, as determined from a sample of simulated $t\bar{t}$ events, is found to be optimal for the statistical significance of this search. This 77% working point (WP) provides rejection factors against light-flavour/gluon jets and c -jets of 134 and 6 respectively [63,64]. Jets identified this way are referred to as b -tagged jets. Since the b -tagging factors are measured in a different p_T region, an uncertainty is assigned to the extrapolation of the measurement to the high p_T region of interest.

Events with reconstructed electrons [65] or muons [66] are vetoed in order to ensure statistical independence of this analysis from analyses using the leptonic decay of the W boson from the top quark [19]. Electrons and muons with transverse momenta above 25 GeV and selected with criteria similar to those used in Ref. [67] are considered for this veto.

³ Collision vertices are formed from tracks with $p_T > 400$ MeV. If an event contains more than one vertex candidate, the one with the highest $\sum p_T^2$ of its associated tracks is selected as the primary vertex.

4.2. Boosted-top identification using shower deconstruction

The SD algorithm can be used to identify the jets compatible with the hadronic decay of a W/Z boson, Higgs boson, or a top quark as well as to discriminate between quark- and gluon-initiated jets. In this analysis, an SD-algorithm-based tagger (SD tagger) is used to identify jets originating from the top quark. The SD tagger calculates likelihoods that a given large- R jet originates from a hadronic top-quark decay or from a high-momentum light quark or gluon. The constituents of the trimmed large- R jet are used to build exclusive subjets [54], and the four-momenta of these subjets serve as inputs to the SD algorithm. These subjets are used as substitutes for individual quarks and gluons originating from the hard scatter. A likelihood weight is calculated for each possible shower history that can lead to the observed subjet configuration. This step is analogous to running a parton shower MC generator in reverse, where emission and decay probabilities at each vertex, colour connections, and kinematic requirements are considered. For each shower history, the assigned weight is proportional to the probability that the assumed initial particle generates the final configuration, taking into account the SM amplitude for the underlying hard process and the Sudakov form factors for the parton shower. A variable called χ_{SD} is defined as the ratio of the sum of the signal-hypothesis weights to the sum of the background-hypothesis weights. For a set $\{p_i^k\}$ of N observed subjet four-momenta, where $i \in [1, N]$, the value of χ_{SD} is given by:

$$\chi_{\text{SD}}(\{p_i^k\}) = \frac{\sum_{\text{perm}} P(\{p_i^k\} | \text{top-quark jet})}{\sum_{\text{perm}} P(\{p_i^k\} | \text{gluon/light-quark jet})},$$

where $P(\{p_i^k\} | \text{top-quark jet})$ is built using the weights for the hypothesis that a signal process leads to the observed subjet configuration $\{p_i^k\}$ and $P(\{p_i^k\} | \text{gluon/light-quark jet})$ is built using the weights for the hypothesis that a background process leads to the observed subjet configuration. The \sum_{perm} notation represents the sum over all the shower histories in which signal processes lead to the subjet configuration. The large- R jet is tagged as a top-quark jet if χ_{SD} is larger than a given value, which is adjusted to achieve the desired tagging efficiency. There is an internal mechanism in the SD algorithm to suppress pile-up contributions to the jets, through the application of additional weights in the likelihood ratio, which contain the probability that a subset of the subjets did not originate from the hard interaction but from pile-up [68].

The SD algorithm selects events that are kinematically compatible with a hadronic top-quark decay. The following requirements are made to optimise the algorithm to achieve a balance between good top-quark jet signal selection efficiency and rejection of gluon/light-quark jet backgrounds: the large- R jet has at least three subjets; two or more subjets must have a combined invariant mass in a 60.3–100.3 GeV window centred on the W -boson mass; and at least one more subjet can be added to obtain a total mass in a 132–212 GeV window centred on the top-quark mass.

The SD tagger was optimised for this analysis so that it is more efficient for top-quark jet signal selection and gluon/light-quark jet background rejection for $p_T > 800$ GeV compared to the version of the SD tagger first studied by the ATLAS Collaboration [25]. This is done by building subjets obtained by using an exclusive k_t algorithm [54]. First, the k_t algorithm with $R = 1.0$ is run over the large- R jet constituents and the k_t reclustering is stopped if the splitting scale [69] is larger than 15 GeV. Once the k_t reclustering is stopped the reclustered protojets are used as subjets. The choice of a 15 GeV requirement is based on the expected discrimination between signal and background events. The six highest p_T




Fig. 2. Comparison of the $\log(\chi_{\text{SD}})$ distribution between data (dots), $t\bar{t}$ MC events (line histogram) and background MC events (solid histogram) in samples with an enriched contribution from hadronically decaying top quarks using selection criteria similar to those in Ref. [25]. The hatched band shows the effect of the SD uncertainty described in Section 6.

subjets are used as inputs to the SD algorithm. This reduces the computation time needed for the calculation of χ_{SD} , which grows exponentially with the subjet multiplicity, without loss of background rejection power.

The signal efficiency WP of the SD tagger is set by applying a selection on the logarithm of χ_{SD} . The 50% and 80% signal efficiency WPs are used in this analysis (see Section 5). The background rejection for the 50% (80%) signal efficiency WP is 80 (25) for a jet p_{T} of 0.45 TeV and 30 (10) for a p_{T} of 1.3 TeV. The $\log(\chi_{\text{SD}})$ variable is studied using samples enriched in hadronically decaying top quarks by selecting $t\bar{t}$ events where one top quark decays hadronically and the other into lepton+jets for events with large- R jet p_{T} (p_{T}^j) > 420 GeV and $|\eta|$ ($|\eta^j|$) < 2.0. To obtain a top-quark-enriched sample, events are selected with two b -tagged jets and either an electron or muon using criteria similar to those used in Ref. [25]. The data are found to be consistent with simulation in the $\log(\chi_{\text{SD}})$ distribution within the SD tagger uncertainty, described in Section 6, as shown in Fig. 2.

5. Event selection and background estimation

An initial selection of events is made at the trigger level by requiring at least one small- R jet [30] with p_{T} larger than 380 GeV.

To ensure that the analysis is performed in the fully efficient regime of the trigger, the p_{T} values of the large- R and small- R jets, used to identify the top- and b -quark daughters from the W' -boson decay, are required to be larger than 420 GeV. Candidate events must have at least one primary vertex.

The top-quark jet candidate is selected from the large- R jets satisfying the requirements defined in Section 4. The large- R jet with the largest value of $m_j + 0.15 \times m_J$, where m_j is the mass of the highest- p_{T} small- R jet with minimum $p_{\text{T}} > 25$ GeV with $\Delta R < 1.0$ of the large- R jet and m_J is the mass of the large- R jet, is selected as the top-quark jet candidate. This combination enhances the fraction of events where the selected large- R jet is associated with the top quark, since m_j is less affected by final-state radiation effects, which are important at high p_{T} [70]. The highest- p_{T} small- R jet with $p_{\text{T}} > 420$ GeV and $\Delta R > 2.0$ from the top-quark jet candidate is chosen as the b -quark jet candidate in the event. The top- and b -tagging criteria are applied to the selected top- and b -quark jet candidates after rejecting events in which the b -quark jet candidate has $|\eta| > 1.2$. This improves the signal sensitivity at high m_{tb} since the high- p_{T} b -quark jets from the W' -boson decay tend to be more central (smaller $|\eta|$) than the jets from the multi-jet background. A summary of the top- and b -quark jet candidate selection is shown in Table 1.

Events are divided into two categories: the “1 b -tag in” category and the “0 b -tag in” category. For the “1 b -tag in” category, exactly one b -tagged small- R jet with $p_{\text{T}} > 25$ GeV with $\Delta R < 1.0$ from the top-quark jet candidate is required, while for the “0 b -tag in” category, it is required that there be zero b -tagged small- R jets with $p_{\text{T}} > 25$ GeV within the large- R jet.

The binning of the m_{tb} distribution is chosen to balance the sensitivity coming from the different signal and background distribution shapes against the diminishing statistical sensitivity of the data at high m_{tb} . Requirements are imposed on the expected number of background events per bin and the bin width is adapted to a resolution function that represents the width of the reconstructed mass peak for each studied W' -boson signal sample. For each m_{tb} bin and in each of the “ b -tag in” categories, the data sample is divided into six regions by using top-tagging and b -tagging criteria, which are described in Fig. 3. The “not loose top-tagged” regions consist of events where the selected top-quark jet candidate fails to meet the loose top-tagged (80% WP) identification criteria, the “loose-but-not-tight top-tagged” regions consist of events where the selected top-quark jet candidate satisfies the loose top-tagged identification criteria but not the tight top-tagged criteria (50% WP) and the “tight top-tagged” regions consist of events where the selected top-quark jet candidate satisfies the tight top-tagged criteria. The signal regions are constructed from events in which the selected small- R jet b -candidate is b -tagged: signal region SR1 consists of events classified as “tight top-tagged, 0 b -tag in”, sig-

Table 1

Summary of the top-quark jet candidate and b -quark jet candidate selections before categorisation of events into signal and control regions. The selections are defined in Sections 4 and 5. The events satisfying these criteria are grouped into the categories and regions described in Fig. 3.

Event reconstruction and selection	
Large- R jet (J)	$p_{\text{T}}^J > 420$ GeV, $ \eta < 2.0$
Small- R jet (j)	$p_{\text{T}}^j > 25$ GeV, $ \eta < 2.5$
Top-quark jet candidate ($J_{\text{top}}^{\text{cand}}$)	jet J with highest $m_j + 0.15 \times m_J$
b -quark jet candidate (j_b^{cand})	highest- p_{T} jet j with $p_{\text{T}}^j > 420$ GeV, $\Delta R(J_{\text{top}}^{\text{cand}}, j) > 2.0$
Lepton veto	zero leptons with $p_{\text{T}} > 25$ GeV, $ \eta < 2.5$
b -quark jet candidate η	zero j_b^{cand} with $ \eta > 1.2$
0 b -tag in	zero b -tagged jets j with $\Delta R(J_{\text{top}}^{\text{cand}}, j) < 1.0$
1 b -tag in	exactly one b -tagged jet j with $\Delta R(J_{\text{top}}^{\text{cand}}, j) < 1.0$




Fig. 3. Illustration of the 2D sideband method showing the two-dimensional plane of the large-R jet substructure variables vs the small-R jet *b*-tagging information used to estimate the background yield in regions A (B), from the observed yield in the three control regions C, F, D (C, F, E) for the (left) “0 *b*-tag in” and (right) “1 *b*-tag in” categories. The top- and *b*-tagging criteria are applied after rejecting events in which the *b*-quark jet candidate has $|\eta| > 1.2$.

nal region SR2 consists of events classified as “loose-but-not-tight top-tagged, 1 *b*-tag in” and signal region SR3 consists of events classified as “tight top-tagged, 1 *b*-tag in”. A validation region (VR), with negligible signal contamination, is defined to test the performance of the data-driven method of estimating the multi-jet + $W/Z+jets$ background. This region consists of events where the *b*-candidate is *b*-tagged, and classified as “loose-but-not-tight top-tagged, 0 *b*-tag in”. The prediction is found to be in agreement with data within uncertainties.

The W' -boson signal selection efficiency, for masses below 2.5 TeV, is higher in SR2 and SR3 than in SR1, due to the requirement of zero *b*-tagged jets with $\Delta R < 1.0$ of the large-R jet (“0 *b*-tag in” category) in SR1, making the topology less like the signal in SR1. For masses above 2.5 TeV, the signal efficiency is higher in SR1 than in SR2 and SR3 for the same reason: the *b*-tagging efficiency, decreasing with p_T , affects SR2 and SR3 more due to the requirement of the additional *b*-tagged jet. Thus, the addition of the “0 *b*-tag in” category improves the signal sensitivity at large W' -boson masses. The W' -boson signal event selection efficiency is about 10% at low mass, decreasing to about 7% at high mass. The difference between the W'_R -boson and W'_L -boson signal selection efficiencies depends on the signal region and the efficiency is on average $\sim 10\%$ higher for W'_R -boson signal samples. The difference in efficiency between W'_R -boson and W'_L -boson signals comes from a difference in angular separation between the W boson and the *b*-quark from the top-quark decay due to the different W' -boson handedness, leading to a difference in the overall top-tagging efficiency. For instance, the 3 TeV W'_R -boson signal sample has a selection efficiency of 2.9% in SR1, 2.5% in SR2 and 2.4% in SR3, while the 3 TeV W'_L -boson signal sample has a selection efficiency of 2.7% in SR1, 2.3% in SR2 and 2.3% in SR3.

The dominant background from multi-jet production is estimated directly from data using a six-region “2D sideband” method that predicts both the shape and normalisation of the m_{tb} distribution. These regions are shown in Fig. 3.

The amount of multi-jet + $W/Z+jets$ background in the signal regions and in the VR is estimated bin-by-bin in the m_{tb} distribution using the observed number of events in the control regions after subtracting the contribution from $t\bar{t}$ events:

$$N_A^{\text{bkg}} = R_A^{\text{corr}} \cdot \frac{(N_C^{\text{data}} - N_C^{\bar{t}\bar{t}}) \cdot (N_D^{\text{data}} - N_D^{\bar{t}\bar{t}})}{N_F^{\text{data}} - N_F^{\bar{t}\bar{t}}} \quad \text{and}$$

$$N_B^{\text{bkg}} = R_B^{\text{corr}} \cdot \frac{(N_C^{\text{data}} - N_C^{\bar{t}\bar{t}}) \cdot (N_E^{\text{data}} - N_E^{\bar{t}\bar{t}})}{N_F^{\text{data}} - N_F^{\bar{t}\bar{t}}},$$

where “bkg” stands for multi-jet background and $W/Z+jets$ background, N_A^{bkg} and N_B^{bkg} are the numbers of multi-jet + $W/Z+jets$ background events in regions A and B estimated using this method; N_k^{data} and $N_k^{\bar{t}\bar{t}}$ ($k = C, D, E, F$) are the numbers of observed events and the expected number of $t\bar{t}$ events in each region, respectively. The correlation between the top- and *b*-tagging variables (R^{corr}) is evaluated using five simulated QCD dijet samples as:

$$R_A^{\text{corr}} = \frac{N_A^{\text{dijet MC}} \cdot N_F^{\text{dijet MC}}}{N_C^{\text{dijet MC}} \cdot N_D^{\text{dijet MC}}} \quad \text{and} \quad R_B^{\text{corr}} = \frac{N_B^{\text{dijet MC}} \cdot N_F^{\text{dijet MC}}}{N_C^{\text{dijet MC}} \cdot N_E^{\text{dijet MC}}},$$

where $N^{\text{dijet MC}}$ is the number of events predicted by QCD dijet simulation in a given region. The prediction by PYTHIA is used to correct for this correlation, while the difference between the predictions of the correlation by other QCD dijet simulations (see Section 3) is used to determine the systematic uncertainty of this 2D sideband method. Experimental systematic uncertainties (see Section 6) are found to have a negligible impact on R^{corr} . The value of R^{corr} is found to depend on the signal region and varies between 0.6 at low m_{tb} and 1.3 at high m_{tb} .

The event yields in the different regions considered are shown in Table 2. The multi-jet background makes up more than 90% of the total background in SR1, SR2 and VR, and 75% of the total background in SR3. The contribution of $t\bar{t}$ events is 4%, 9% and 25% of the total background in SR1, SR2 and SR3. The data are well described by the background model. For regions C, D, E and F, the number of multi-jet + $W/Z+jets$ is equal to the number of data events after subtracting the $t\bar{t}$ contribution.

6. Systematic uncertainties

The sources of systematic uncertainty can be broadly divided into three groups: those of experimental nature, those related to the modelling in simulation, and those related to the data-driven multi-jet background estimation.

The simulated samples are affected by uncertainties related to the description of the detector response. The dominant detector-related systematic effects are due to the uncertainties in the jet

Table 2

Event yields in the different regions including the signal regions, SR1, SR2 and SR3. Also shown are the total systematic uncertainties in the estimate of the multi-jet + $W/Z+jets$ and $t\bar{t}$ backgrounds in the different regions. The numbers in parentheses are the percentage fractions of the total background. For regions C, D, E and F, the number of multi-jet + $W/Z+jets$ is equal to the number of data events after subtracting the $t\bar{t}$ contribution.

"0 b-tag in" category						
	SR1	VR	Region C	Region D	Region E	Region F
Data	16,333	57,626	655,669	267,440	958,847	12,591,520
$t\bar{t}$	620 ± 160 (4%)	780 ± 190 (1%)	$1,520 \pm 310$	$2,400 \pm 600$	$3,400 \pm 900$	$5,100 \pm 1,100$
Multi-jet + $W/Z+jets$	$15,200 \pm 2,500$ (96%)	$54,000 \pm 12,000$ (99%)				
"1 b-tag in" category						
	SR3	SR2	Region C	Region D	Region E	Region F
Data	4,265	12,834	78,326	56,044	187,990	1,224,317
$t\bar{t}$	$1,120 \pm 290$ (25%)	$1,140 \pm 280$ (9%)	$1,120 \pm 260$	$5,300 \pm 1,200$	$6,700 \pm 1,500$	$5,600 \pm 1,200$
Multi-jet + $W/Z+jet$	$3,250 \pm 970$ (75%)	$11,200 \pm 2,700$ (91%)				

energy scale (JES) and resolution (JER) [71], in the b -tagging efficiency and mistag rate [63] and in the top tagging. The main contributions to the uncertainties in the small- R JES, derived as a function of jet p_T and η , are related to in situ calibration, the dependence on the pile-up activity and on the flavour composition of jets [55,72]. The uncertainty in the scale and resolution of large- R jet energy and mass is evaluated by comparing the ratio of calorimeter-based to track-based measurements in multi-jet data and simulation [25,60]. The flavour-tagging efficiency and its uncertainty for b -jets [62] is estimated in $t\bar{t}$ events, while the misidentification rate for c -jets and other jets and their corresponding uncertainties are determined using a $t\bar{t}$ -enriched region and multi-jet events, respectively. The SD top-tagging uncertainty is estimated by varying the p_T of the subjets used as inputs to the SD algorithm by 2.5%. This value is derived using a procedure described in Ref. [25] and is found to cover any data/simulation differences in the $\log \chi_{SD}$ distribution (see Fig. 2). Systematic uncertainties in the lepton veto are found to have a negligible effect.

Flavour-tagging simulation-to-data efficiency correction factors [62] depend on the jet p_T and η . These correction factors have several sources of uncertainty. They are split into uncorrelated components that are then treated independently. Additional uncertainties are considered in the extrapolation of the b -quark jet and c -jet efficiency calibration from low p_T , where there is enough data to make a measurement, to high p_T .

The average number of interactions per bunch crossing is rescaled in simulation by 9% to improve agreement with data, and an uncertainty, as large as the correction, is assigned. Finally, a global normalisation uncertainty of 2.1% is assigned due to the uncertainty in the luminosity measurement. It is derived, following a methodology similar to that detailed in Ref. [73], from a calibration of the luminosity scale using x-y beam-separation scans performed in August 2015 and May 2016.

The multi-jet background uncertainties pertain primarily to the estimation method itself. Simulation predictions for the correlation between top- and b -tagging criteria in the multi-jet background estimation are one source of uncertainty; different event generators are compared to account for differences in modelling of the matrix element and parton showering. The uncertainty in the total background yield arising from the contribution of multi-jets is 15% in SR1, 22% in SR2 and 22% in SR3.

The second largest background, from $t\bar{t}$ events, is assigned a 6% normalisation uncertainty corresponding to the uncertainty in the production cross-section. An additional uncertainty in the modelling of this background is derived from data/simulation differences observed in the top-quark p_T spectrum in $t\bar{t}$ differential cross-section measurements [67]. This uncertainty has an approxi-

mately linear dependence on m_{tb} . It is 13% at $m_{tb} = 1$ TeV, 31% at $m_{tb} = 2$ TeV, 48% at $m_{tb} = 3$ TeV and 65% at $m_{tb} = 4$ TeV.

The total systematic uncertainty in the background yield is dominated by uncertainties in the 2D sideband method and in the flavour-tagging efficiencies. The dominant systematic uncertainty in the signal yield is due to uncertainties in flavor tagging and top tagging efficiencies. The impact of theoretical uncertainties in the signal acceptance on the results of the analysis is negligible. The statistical uncertainty of the data dominates for $m_{tb} > 2$ TeV.

7. Statistical analysis and results

In order to test for the presence of a massive resonance, templates in the variable m_{tb} obtained from the simulated signal event samples and the background events estimated using data-driven methods and simulation, are fit to data, using a binned maximum-likelihood approach based on the RooStats framework [74,75]. The fits are performed simultaneously in the three signal regions (see Section 5). The background processes considered in the maximum-likelihood fit are the dominant multi-jet background and $W/Z+jets$, estimated together using the 2D sideband method (see Section 5), and $t\bar{t}$ events (see Table 2 for event yields).

The systematic uncertainties described in Section 6 may change the acceptance and shape of the m_{tb} distribution of both a potential W' -boson signal and the background processes, and are incorporated into the fit as nuisance parameters with log-normal constraints, with correlations across signal regions and signal and background processes taken into account. Some systematic uncertainties, such as those in the JES, affect the shapes of the histogram templates. These systematic uncertainties in the shapes are accounted for by introducing nuisance parameters α_k that describe the possible variation in the shapes of the histograms for each process k . A log-normal constraint with mean 0 and width 1 is applied to each of the parameters α_k . When performing the maximum-likelihood fit, all of the parameters α_k are allowed to vary.

The signal (s) and background (b) expectations are functions of the nuisance parameters θ . These functions are built such that the response of s and b to each θ is factorised from the nominal value (s_0) of the expected rate: $s(\vec{\theta}) = s_0 \times \prod v(\vec{\theta})$ where $v(\vec{\theta})$ describe the effect of variations in the nuisance parameters $\vec{\theta}$ and similarly for b .

The p -value p_b , representing the probability that the data is compatible with the background-only hypothesis, is estimated using the log-likelihood ratio (LLR) test statistic and evaluated using the asymptotic approximation [76]. In the absence of any significant excess above the expected background, upper limits at the 95% CL on the signal production cross-section times branching ratio are derived using the CL_s method [77]. Limits derived using




Fig. 4. Reconstructed m_{tb} distributions in data and for the background after the fit to data in the three signal regions and in the multi-jet validation region: (a) SR1, (b) SR2, (c) SR3, and (d) VR. The top panel shows the total-background m_{tb} distribution before the fit to data as the narrow dotted line and the 3 TeV W'_R -boson signal m_{tb} distribution as the dashed line. The “non all-had $t\bar{t}$ ” label refers to $t\bar{t}$ events in which the W boson from one or both top quarks decays leptonically. The bottom panel of the plot shows the ratio of data to prediction and the hatched band includes the systematic uncertainties after the fit to data.

the asymptotic approximation were cross-checked using pseudo-experiments and found to have a difference of less than 10% for all W' signal masses.

Fig. 4 shows the m_{tb} distributions in the three signal regions and the validation region after the fit to data. The fit in VR is done independently to test the post-fit agreement of the prediction with data. The maximum value of m_{tb} observed in data is 5.8 TeV. The hatched band in the bottom panel includes the systematic uncertainties described in Section 6 after the fit to data. The most discrepant region, at 2.25 TeV, has a local significance of 2.0σ for the combined fit in the three SRs, consistent with the background-only hypothesis. In the absence of any significant excess over the background-only hypothesis, 95% CL limits are derived on the cross-section times branching ratio of W' to $t\bar{b}$ decay, as shown in Fig. 5, for the right-handed and left-handed couplings. The observed and expected limits are derived using a linear interpolation between simulated signal mass hypotheses. They translate

to observed (expected) lower limits on the mass of a W' boson, with the same coupling to fermions as the SM W boson, of 3.0 (3.0) TeV and 2.9 (2.8) TeV in the right- and left-handed models, respectively. These mass limit values are obtained from the intersection of the theory curve and the observed and expected limit curves using a linear interpolation between the 2.75 TeV and 3 TeV W' -boson signal mass points. The narrow dotted curve in Fig. 5 shows the cross-section times branching ratio of W' to $t\bar{b}$ decay calculated with ZTOP [15]. The band around this curve shows the uncertainty in the theoretical cross-section obtained by summing in quadrature the uncertainties in the estimation of the parton distribution function, strong coupling constant, renormalization and factorization scales and the top-quark mass. The difference between the mass exclusion limit results for W'_R - and W'_L -boson signals is mainly due to different total cross-sections ($\sigma(pp \rightarrow W') \cdot B(W' \rightarrow t\bar{b})$) of the two processes as discussed in Section 3.




Fig. 5. Observed and expected 95% CL limits on the W'_R -boson (top) and W'_L -boson (bottom) cross-sections times branching ratio of W' to $t\bar{b}$ decay as a function of the corresponding W' -boson mass. The expected 95% CL limits are shown with ± 1 and ± 2 standard deviation (s.d.) bands. The narrow dotted curves show the theoretical cross-section predictions and the bands around them show the uncertainties in the predictions for the corresponding W' -boson signal. The observed and expected limits are derived using a linear interpolation between simulated signal mass hypotheses.

8. Summary

A search for $W' \rightarrow t\bar{b} \rightarrow q\bar{q}'b\bar{b}$ is presented using 36.1 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ proton–proton collision data collected with the ATLAS detector at the LHC. The analysis makes use of jet substructure tagging optimised to select large- R jets originating from hadronically decaying top quarks using the shower deconstruction algorithm and b -tagging of small- R jets. The observed m_{tb} spectrum is consistent with the background-only prediction and exclusion limits at 95% CL are set on the W' -boson production cross-section times branching ratio to $t\bar{b}$ for right-handed and left-handed couplings as a function of the W' mass in the range 1–5 TeV. Cross-section limits are set at high W' -boson masses, excluding W' bosons with right-handed couplings with masses below 3.0 TeV and excluding W' bosons with left-handed couplings with masses below 2.9 TeV (at 95% CL).

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech

Republic; DNRF and DNSRC, Denmark; INP3-CNRS, CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZS, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [78].

References

- [1] K.R. Dienes, E. Dudas, T. Gherghetta, Grand unification at intermediate mass scales through extra dimensions, Nucl. Phys. B 537 (1999) 47, arXiv:hep-ph/9806292.
- [2] S. Weinberg, Implications of dynamical symmetry breaking, Phys. Rev. D 13 (1976) 974, Erratum: Phys. Rev. D 19 (1979) 1277.
- [3] L. Susskind, Dynamics of spontaneous symmetry breaking in the Weinberg-Salam theory, Phys. Rev. D 20 (1979) 2619.
- [4] S. Dimopoulos, L. Susskind, Mass without scalars, Nucl. Phys. B 155 (1979) 237.
- [5] E. Eichten, K. Lane, Dynamical breaking of weak interaction symmetries, Phys. Lett. B 90 (1980) 125.
- [6] D.J. Muller, S. Nandi, Topflavor: a separate SU(2) for the third family, Phys. Lett. B 383 (1996) 345, arXiv:hep-ph/9602390.
- [7] N. Arkani-Hamed, A.G. Cohen, E. Katz, A.E. Nelson, The littlest higgs, J. High Energy Phys. 07 (2002) 034, arXiv:hep-ph/0206021.
- [8] R.S. Chivukula, B.A. Dobrescu, H. Georgi, C.T. Hill, Top quark seesaw theory of electroweak symmetry breaking, Phys. Rev. D 59 (1999) 075003, arXiv:hep-ph/9809470.
- [9] G. Burdman, B.A. Dobrescu, E. Pontón, Resonances from two universal extra dimensions, Phys. Rev. D 74 (2006) 075008, arXiv:hep-ph/0601186.
- [10] E. Malkawi, T.M. Tait, C.-P. Yuan, A model of strong flavor dynamics for the top quark, Phys. Lett. B 385 (1996) 304, arXiv:hep-ph/9603349.
- [11] J.C. Pati, A. Salam, Lepton number as the fourth “color”, Phys. Rev. D 10 (1974) 275.
- [12] C.T. Hill, Topcolor assisted technicolor, Phys. Lett. B 345 (1995) 483, arXiv:hep-ph/9411426.
- [13] B. Altarelli, G. Mele, M. Ruiz-Altaba, Searching for new heavy vector bosons in $p\bar{p}$ colliders, Z. Phys. C 45 (1989) 109, Erratum: Z. Phys. C 47 (1990) 676.
- [14] Z. Sullivan, Fully differential W' production and decay at next-to-leading order in QCD, Phys. Rev. D 66 (2002) 075011, arXiv:hep-ph/0207290.
- [15] D. Duffty, Z. Sullivan, Model independent reach for W' bosons at the LHC, Phys. Rev. D 86 (2012) 075018, arXiv:1208.4858 [hep-ph].
- [16] CDF Collaboration, Search for the production of narrow $t\bar{b}$ resonances in 1.9 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$, Phys. Rev. Lett. 103 (2009) 041801, arXiv:0902.3276 [hep-ex].
- [17] D0 Collaboration, Search for $W' \rightarrow tb$ resonances with left- and right-handed couplings to fermions, Phys. Lett. B 699 (2011) 145, arXiv:1101.0806 [hep-ex].
- [18] CMS Collaboration, Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton–proton collisions at 13 TeV , Phys. Lett. B 777 (2018) 39, arXiv:1708.08539 [hep-ex].

- [19] ATLAS Collaboration, Search for $W' \rightarrow t\bar{b}$ in the lepton plus jets final state in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 8$ TeV with the ATLAS detector, Phys. Lett. B 743 (2015) 235, arXiv:1410.4103 [hep-ex].
- [20] CMS Collaboration, Search for a W' boson decaying to a bottom quark and a top quark in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Lett. B 718 (2013) 1229, arXiv:1208.0956 [hep-ex].
- [21] CMS Collaboration, Search for $W' \rightarrow tb$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8$ TeV, J. High Energy Phys. 05 (2014) 108, arXiv:1402.2176 [hep-ex].
- [22] ATLAS Collaboration, Search for $W' \rightarrow tb \rightarrow qqbb$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Eur. Phys. J. C 75 (2015) 165, arXiv:1408.0886 [hep-ex].
- [23] ATLAS Collaboration, Search for a new heavy gauge boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment, arXiv:1706.04786 [hep-ex], 2017.
- [24] CMS Collaboration, Search for heavy gauge W' boson in events with an energetic lepton and large missing transverse momentum at $\sqrt{s} = 13$ TeV, Phys. Lett. B 770 (2017) 278, arXiv:1612.09274 [hep-ex].
- [25] ATLAS Collaboration, Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, J. High Energy Phys. 06 (2016) 093, arXiv:1603.03127 [hep-ex].
- [26] D.E. Soper, M. Spannowsky, Finding physics signals with shower deconstruction, Phys. Rev. D 84 (2011) 074002, arXiv:1102.3480 [hep-ph].
- [27] D.E. Soper, M. Spannowsky, Finding top quarks with shower deconstruction, Phys. Rev. D 87 (2013) 054012, arXiv:1211.3140 [hep-ph].
- [28] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. 3 (2008) S08003.
- [29] ATLAS Collaboration, ATLAS insertable B-layer technical design report, ATLAS-TDR-19, <https://cds.cern.ch/record/1291633>, 2010, ATLAS insertable B-layer technical design report addendum, ATLAS-TDR-19-ADD-1, <https://cds.cern.ch/record/1451888>, 2012.
- [30] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [31] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 79, arXiv:1405.0301 [hep-ph].
- [32] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [33] R.D. Ball, et al., A first unbiased global NLO determination of parton distributions and their uncertainties, Nucl. Phys. B 838 (2010) 136, arXiv:1002.4407 [hep-ph].
- [34] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [35] M. Bahr, et al., Herwig++ physics and manual, Eur. Phys. J. C 58 (2008) 639, arXiv:0803.0883 [hep-ph].
- [36] T. Gleisberg, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [37] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [38] S. Frixione, P. Nason, G. Ridolfi, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, J. High Energy Phys. 09 (2007) 126, arXiv:0707.3088 [hep-ph].
- [39] G. Corcella, et al., HERWIG 6: an event generator for hadron emission reactions with interfering gluons (including supersymmetric processes), J. High Energy Phys. 01 (2001) 010, arXiv:hep-ph/0011363.
- [40] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [41] M. Cacciari, M. Czakon, M. Mangano, A. Mitov, P. Nason, Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, Phys. Lett. B 710 (2012) 612, arXiv:1111.5869 [hep-ph].
- [42] M. Beneke, P. Falgari, S. Klein, C. Schwinn, Hadronic top-quark pair production with NNLL threshold resummation, Nucl. Phys. B 855 (2012) 695, arXiv:1109.1536 [hep-ph].
- [43] P. Bärnreuther, M. Czakon, A. Mitov, Percent-level-precision physics at the tevatron: next-to-next-to-leading order QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$, Phys. Rev. Lett. 109 (2012) 132001, arXiv:1204.5201 [hep-ph].
- [44] M. Czakon, P. Fiedler, A. Mitov, Total top-quark pair-production cross section at hadron colliders through $O(\alpha_s^4)$, Phys. Rev. Lett. 110 (2013) 252004, arXiv:1303.6254 [hep-ph].
- [45] M. Czakon, A. Mitov, NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction, J. High Energy Phys. 01 (2013) 080, arXiv:1210.6832 [hep-ph].
- [46] M. Czakon, A. Mitov, NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels, J. High Energy Phys. 12 (2012) 054, arXiv:1207.0236 [hep-ph].
- [47] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, Comput. Phys. Commun. 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [48] T. Sjöstrand, et al., High-energy physics event generation with PYTHIA 6.1, Comput. Phys. Commun. 135 (2001) 238, arXiv:hep-ph/0010017.
- [49] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, Phys. Rev. D 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [50] D. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods A 462 (2001) 152.
- [51] S. Agostinelli, et al., GEANT4 – a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [52] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [53] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [54] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, Eur. Phys. J. C 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [55] ATLAS Collaboration, Jet calibration and systematic uncertainties for jets reconstructed in the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-015, <https://cds.cern.ch/record/2037613>, 2015.
- [56] ATLAS Collaboration, Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector, Eur. Phys. J. C 77 (2017) 580, arXiv:1705.02211 [hep-ex].
- [57] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, J. High Energy Phys. 02 (2010) 084, arXiv:0912.1342 [hep-ph].
- [58] S. Catani, Y. Dokshitzer, M. Seymour, B. Webber, Longitudinally-invariant k_t -clustering algorithms for hadron-hadron collisions, Nucl. Phys. B 406 (1993) 187.
- [59] S. Ellis, D. Soper, Successive combination jet algorithm for hadron collisions, Phys. Rev. D 48 (1993) 3160, arXiv:hep-ph/9305266.
- [60] ATLAS Collaboration, Jet mass reconstruction with the ATLAS detector in early Run 2 data, ATLAS-CONF-2016-035, <https://cds.cern.ch/record/2200211>, 2016.
- [61] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C 76 (2016) 581, arXiv:1510.03823 [hep-ex].
- [62] ATLAS Collaboration, Performance of b -jet identification in the ATLAS experiment, J. Instrum. 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [63] ATLAS Collaboration, Optimisation of the ATLAS b -tagging performance for the 2016 LHC Run, ATL-PHYS-PUB-2016-012, <https://cds.cern.ch/record/2160731>, 2016.
- [64] ATLAS Collaboration, Expected performance of the ATLAS b -tagging algorithms in Run-2, ATL-PHYS-PUB-2015-022, <https://cds.cern.ch/record/2037697>, 2015.
- [65] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data, Eur. Phys. J. C 77 (2017) 195, arXiv:1612.01456 [hep-ex].
- [66] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [67] ATLAS Collaboration, Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, J. High Energy Phys. 11 (2017) 191, arXiv:1708.00727 [hep-ex].
- [68] M. Cacciari, G.P. Salam, G. Soyez, The catchment area of jets, J. High Energy Phys. 04 (2008) 005, arXiv:0802.1188 [hep-ph].
- [69] J.M. Butterworth, A.R. Davison, M. Rubin, G.P. Salam, Jet substructure as a new higgs- search channel at the large hadron collider, Phys. Rev. Lett. 100 (2008) 242001.
- [70] ATLAS Collaboration, Boosted object tagging with variable- R jets in the ATLAS detector, ATL-PHYS-PUB-2016-013, <https://cds.cern.ch/record/2199360>, 2016.
- [71] ATLAS Collaboration, Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 96 (2017) 072002, arXiv:1703.09665 [hep-ex].
- [72] ATLAS Collaboration, Jet global sequential corrections with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, ATLAS-CONF-2015-002, <https://cds.cern.ch/record/2001682>, 2015.
- [73] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [74] L. Moneta, The RooStats project, in: Proceedings of Science, 2010, arXiv:1009.1003 [hep-ph].
- [75] M. Baak, et al., HistFitter software framework for statistical data analysis, Eur. Phys. J. C 75 (2015) 153, arXiv:1410.1280 [hep-ex].
- [76] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an], Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [77] A.L. Read, Presentation of search results: the CL_s technique, J. Phys. G 28 (2002) 2693.
- [78] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

- M. Aaboud ^{137d}, G. Aad ⁸⁸, B. Abbott ¹¹⁵, O. Abdinov ^{12,*}, B. Abeloos ¹¹⁹, S.H. Abidi ¹⁶¹, O.S. AbouZeid ¹³⁹, N.L. Abraham ¹⁵¹, H. Abramowicz ¹⁵⁵, H. Abreu ¹⁵⁴, Y. Abulaiti ⁶, B.S. Acharya ^{167a,167b,a}, S. Adachi ¹⁵⁷, L. Adamczyk ^{41a}, J. Adelman ¹¹⁰, M. Adersberger ¹⁰², A. Adiguzel ^{20a}, T. Adye ¹³³, A.A. Affolder ¹³⁹, Y. Afik ¹⁵⁴, C. Agheorghiesei ^{28c}, J.A. Aguilar-Saavedra ^{128a,128f}, S.P. Ahlen ²⁴, F. Ahmadov ^{68,b}, G. Aielli ^{135a,135b}, S. Akatsuka ⁷¹, T.P.A. Åkesson ⁸⁴, E. Akilli ⁵², A.V. Akimov ⁹⁸, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁷², P. Albicocco ⁵⁰, M.J. Alconada Verzini ⁷⁴, S. Alderweireldt ¹⁰⁸, M. Alekxa ³², I.N. Aleksandrov ⁶⁸, C. Alexa ^{28b}, G. Alexander ¹⁵⁵, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁵, B. Ali ¹³⁰, M. Aliev ^{76a,76b}, G. Alimonti ^{94a}, J. Alison ³³, S.P. Alkire ¹⁴⁰, C. Allaire ¹¹⁹, B.M.M. Allbrooke ¹⁵¹, B.W. Allen ¹¹⁸, P.P. Allport ¹⁹, A. Aloisio ^{106a,106b}, A. Alonso ³⁹, F. Alonso ⁷⁴, C. Alpigiani ¹⁴⁰, A.A. Alshehri ⁵⁶, M.I. Alstaty ⁸⁸, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁷⁰, M.G. Alvaggi ^{106a,106b}, B.T. Amadio ¹⁶, Y. Amaral Coutinho ^{26a}, L. Ambroz ¹²², C. Amelung ²⁵, D. Amidei ⁹², S.P. Amor Dos Santos ^{128a,128c}, S. Amoroso ³², C.S. Amrouche ⁵², C. Anastopoulos ¹⁴¹, L.S. Ancu ⁵², N. Andari ¹⁹, T. Andeen ¹¹, C.F. Anders ^{60b}, J.K. Anders ¹⁸, K.J. Anderson ³³, A. Andreazza ^{94a,94b}, V. Andrei ^{60a}, S. Angelidakis ³⁷, I. Angelozzi ¹⁰⁹, A. Angerami ³⁸, A.V. Anisenkov ^{111,c}, A. Annovi ^{126a}, C. Antel ^{60a}, M.T. Anthony ¹⁴¹, M. Antonelli ⁵⁰, D.J.A. Antrim ¹⁶⁶, F. Anulli ^{134a}, M. Aoki ⁶⁹, L. Aperio Bella ³², G. Arabidze ⁹³, Y. Arai ⁶⁹, J.P. Araque ^{128a}, V. Araujo Ferraz ^{26a}, R. Araujo Pereira ^{26a}, A.T.H. Arce ⁴⁸, R.E. Ardell ⁸⁰, F.A. Arduh ⁷⁴, J-F. Arguin ⁹⁷, S. Argyropoulos ⁶⁶, A.J. Armbruster ³², L.J. Armitage ⁷⁹, O. Arnaez ¹⁶¹, H. Arnold ¹⁰⁹, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ^{99,*}, G. Artoni ¹²², S. Artz ⁸⁶, S. Asai ¹⁵⁷, N. Asbah ⁴⁵, A. Ashkenazi ¹⁵⁵, E.M. Asimakopoulou ¹⁶⁸, L. Asquith ¹⁵¹, K. Assamagan ²⁷, R. Astalos ^{146a}, R.J. Atkin ^{147a}, M. Atkinson ¹⁶⁹, N.B. Atlay ¹⁴³, K. Augsten ¹³⁰, G. Avolio ³², R. Avramidou ^{36a}, B. Axen ¹⁶, M.K. Ayoub ^{35a}, G. Azuelos ^{97,d}, A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁸, K. Bachas ^{76a,76b}, M. Backes ¹²², P. Bagnaia ^{134a,134b}, M. Bahmani ⁴², H. Bahrasemani ¹⁴⁴, A.J. Bailey ¹⁷⁰, J.T. Baines ¹³³, M. Bajic ³⁹, O.K. Baker ¹⁷⁹, P.J. Bakker ¹⁰⁹, D. Bakshi Gupta ⁸², E.M. Baldin ^{111,c}, P. Balek ¹⁷⁵, F. Balli ¹³⁸, W.K. Balunas ¹²⁴, E. Banas ⁴², A. Bandyopadhyay ²³, Sw. Banerjee ^{176,e}, A.A.E. Bannoura ¹⁷⁷, L. Barak ¹⁵⁵, W.M. Barbe ³⁷, E.L. Barberio ⁹¹, D. Barberis ^{53a,53b}, M. Barbero ⁸⁸, T. Barillari ¹⁰³, M-S Barisits ³², J.T. Barkeloo ¹¹⁸, T. Barklow ¹⁴⁵, N. Barlow ³⁰, R. Barnea ¹⁵⁴, S.L. Barnes ^{36c}, B.M. Barnett ¹³³, R.M. Barnett ¹⁶, Z. Barnovska-Blenessy ^{36a}, A. Baroncelli ^{136a}, G. Barone ²⁵, A.J. Barr ¹²², L. Barranco Navarro ¹⁷⁰, F. Barreiro ⁸⁵, J. Barreiro Guimarães da Costa ^{35a}, R. Bartoldus ¹⁴⁵, A.E. Barton ⁷⁵, P. Bartos ^{146a}, A. Basalaev ¹²⁵, A. Bassalat ^{119,f}, R.L. Bates ⁵⁶, S.J. Batista ¹⁶¹, S. Batlamous ^{137e}, J.R. Batley ³⁰, M. Battaglia ¹³⁹, M. Bause ^{134a,134b}, F. Bauer ¹³⁸, K.T. Bauer ¹⁶⁶, H.S. Bawa ^{145,g}, J.B. Beacham ¹¹³, M.D. Beattie ⁷⁵, T. Beau ⁸³, P.H. Beauchemin ¹⁶⁵, P. Bechtle ²³, H.P. Beck ^{18,h}, H.C. Beck ⁵⁸, K. Becker ⁵¹, M. Becker ⁸⁶, C. Becot ¹¹², A.J. Beddall ^{20e}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁸, M. Bedognetti ¹⁰⁹, C.P. Bee ¹⁵⁰, T.A. Beermann ³², M. Begalli ^{26a}, M. Begel ²⁷, A. Behera ¹⁵⁰, J.K. Behr ⁴⁵, A.S. Bell ⁸¹, G. Bella ¹⁵⁵, L. Bellagamba ^{22a}, A. Bellerive ³¹, M. Bellomo ¹⁵⁴, K. Belotskiy ¹⁰⁰, N.L. Belyaev ¹⁰⁰, O. Benary ^{155,*}, D. Benchekroun ^{137a}, M. Bender ¹⁰², N. Benekos ¹⁰, Y. Benhammou ¹⁵⁵, E. Benhar Noccioli ¹⁷⁹, J. Benitez ⁶⁶, D.P. Benjamin ⁴⁸, M. Benoit ⁵², J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁹, L. Beresford ¹²², M. Beretta ⁵⁰, D. Berge ⁴⁵, E. Bergeaas Kuutmann ¹⁶⁸, N. Berger ⁵, L.J. Bergsten ²⁵, J. Beringer ¹⁶, S. Berlendis ⁵⁷, N.R. Bernard ⁸⁹, G. Bernardi ⁸³, C. Bernius ¹⁴⁵, F.U. Bernlochner ²³, T. Berry ⁸⁰, P. Berta ⁸⁶, C. Bertella ^{35a}, G. Bertoli ^{148a,148b}, I.A. Bertram ⁷⁵, G.J. Besjes ³⁹, O. Bessidskaia Bylund ^{148a,148b}, M. Bessner ⁴⁵, N. Besson ¹³⁸, A. Bethani ⁸⁷, S. Bethke ¹⁰³, A. Betti ²³, A.J. Bevan ⁷⁹, J. Beyer ¹⁰³, R.M. Bianchi ¹²⁷, O. Biebel ¹⁰², D. Biedermann ¹⁷, R. Bielski ⁸⁷, K. Bierwagen ⁸⁶, N.V. Biesuz ^{126a,126b}, M. Biglietti ^{136a}, T.R.V. Billoud ⁹⁷, M. Bindi ⁵⁸, A. Bingul ^{20b}, C. Bini ^{134a,134b}, S. Biondi ^{22a,22b}, T. Bisanz ⁵⁸, J.P. Biswal ¹⁵⁵, C. Bittrich ⁴⁷, D.M. Bjergaard ⁴⁸, J.E. Black ¹⁴⁵, K.M. Black ²⁴, R.E. Blair ⁶, T. Blazek ^{146a}, I. Bloch ⁴⁵, C. Blocker ²⁵, A. Blue ⁵⁶, U. Blumenschein ⁷⁹, Dr. Blunier ^{34a}, G.J. Bobbink ¹⁰⁹, V.S. Bobrovnikov ^{111,c}, S.S. Bocchetta ⁸⁴, A. Bocci ⁴⁸, D. Boerner ¹⁷⁷, D. Bogavac ¹⁰², A.G. Bogdanchikov ¹¹¹, C. Bohm ^{148a}, V. Boisvert ⁸⁰, P. Bokan ^{168,i}, T. Bold ^{41a}, A.S. Boldyrev ¹⁰¹, A.E. Bolz ^{60b}, M. Bomben ⁸³, M. Bona ⁷⁹, J.S. Bonilla ¹¹⁸, M. Boonekamp ¹³⁸, A. Borisov ¹³², G. Borissov ⁷⁵, J. Bortfeldt ³², D. Bortoletto ¹²², V. Bortolotto ^{135a,135b}, D. Boscherini ^{22a}, M. Bosman ¹³, J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁷, E.V. Bouhova-Thacker ⁷⁵, D. Boumediene ³⁷, C. Bourdarios ¹¹⁹, S.K. Boutle ⁵⁶, A. Boveia ¹¹³, J. Boyd ³², I.R. Boyko ⁶⁸, A.J. Bozson ⁸⁰, J. Bracinik ¹⁹, N. Brahimi ⁸⁸, A. Brandt ⁸, G. Brandt ¹⁷⁷, O. Brandt ^{60a}, F. Braren ⁴⁵, U. Bratzler ¹⁵⁸, B. Brau ⁸⁹, J.E. Brau ¹¹⁸, W.D. Breaden Madden ⁵⁶, K. Brendlinger ⁴⁵,

- A.J. Brennan 91, L. Brenner 45, R. Brenner 168, S. Bressler 175, B. Brickwedde 86, D.L. Briglin 19, D. Britton 56, D. Britzger 60b, I. Brock 23, R. Brock 93, G. Brooijmans 38, T. Brooks 80, W.K. Brooks 34b, E. Brost 110, J.H. Broughton 19, P.A. Bruckman de Renstrom 42, D. Bruncko 146b, A. Bruni 22a, G. Bruni 22a, L.S. Bruni 109, S. Bruno 135a, 135b, B.H. Brunt 30, M. Bruschi 22a, N. Bruscino 127, P. Bryant 33, L. Bryngemark 45, T. Buanes 15, Q. Buat 32, P. Buchholz 143, A.G. Buckley 56, I.A. Budagov 68, F. Buehrer 51, M.K. Bugge 121, O. Bulekov 100, D. Bullock 8, T.J. Burch 110, S. Burdin 77, C.D. Burgard 109, A.M. Burger 5, B. Burghgrave 110, K. Burk 42, S. Burke 133, I. Burmeister 46, J.T.P. Burr 122, D. Büscher 51, V. Büscher 86, E. Buschmann 58, P. Bussey 56, J.M. Butler 24, C.M. Buttar 56, J.M. Butterworth 81, P. Butti 32, W. Buttlinger 32, A. Buzatu 153, A.R. Buzykaev 111,c, G. Cabras 22a, 22b, S. Cabrera Urbán 170, D. Caforio 130, H. Cai 169, V.M.M. Cairo 2, O. Cakir 4a, N. Calace 52, P. Calafiura 16, A. Calandri 88, G. Calderini 83, P. Calfayan 64, G. Callea 40a, 40b, L.P. Caloba 26a, S. Calvente Lopez 85, D. Calvet 37, S. Calvet 37, T.P. Calvet 150, M. Calvetti 126a, 126b, R. Camacho Toro 83, S. Camarda 32, P. Camarri 135a, 135b, D. Cameron 121, R. Caminal Armadans 89, C. Camincher 32, S. Campana 32, M. Campanelli 81, A. Camplani 94a, 94b, A. Campoverde 143, V. Canale 106a, 106b, M. Cano Bret 36c, J. Cantero 116, T. Cao 155, Y. Cao 169, M.D.M. Capeans Garrido 32, I. Caprini 28b, M. Caprini 28b, M. Capua 40a, 40b, R.M. Carbone 38, R. Cardarelli 135a, F. Cardillo 51, I. Carli 131, T. Carli 32, G. Carlino 106a, B.T. Carlson 127, L. Carminati 94a, 94b, R.M.D. Carney 148a, 148b, S. Caron 108, E. Carquin 34b, S. Carrá 94a, 94b, G.D. Carrillo-Montoya 32, D. Casadei 147b, M.P. Casado 13j, A.F. Casha 161, M. Casolino 13, D.W. Casper 166, R. Castelijn 109, V. Castillo Gimenez 170, N.F. Castro 128a, 128e, A. Catinaccio 32, J.R. Catmore 121, A. Cattai 32, J. Caudron 23, V. Cavalieri 27, E. Cavallaro 13, D. Cavalli 94a, M. Cavalli-Sforza 13, V. Cavasinni 126a, 126b, E. Celebi 20d, F. Ceradini 136a, 136b, L. Cerdà Alberich 170, A.S. Cerqueira 26b, A. Cerri 151, L. Cerrito 135a, 135b, F. Cerutti 16, A. Cervelli 22a, 22b, S.A. Cetin 20d, A. Chafaq 137a, DC Chakraborty 110, S.K. Chan 59, W.S. Chan 109, Y.L. Chan 62a, P. Chang 169, J.D. Chapman 30, D.G. Charlton 19, C.C. Chau 31, C.A. Chavez Barajas 151, S. Che 113, A. Chegwidden 93, S. Chekanov 6, S.V. Chekulaev 163a, G.A. Chelkov 68,k, M.A. Chelstowska 32, C. Chen 36a, C. Chen 67, H. Chen 27, J. Chen 36a, J. Chen 38, S. Chen 35b, S. Chen 124, X. Chen 35c,l, Y. Chen 70, Y.-H. Chen 45, H.C. Cheng 92, H.J. Cheng 35a, 35d, A. Cheplakov 68, E. Cheremushkina 132, R. Cherkaoui El Moursli 137e, E. Cheu 7, K. Cheung 63, L. Chevalier 138, V. Chiarella 50, G. Chiarella 126a, G. Chiodini 76a, A.S. Chisholm 32, A. Chitan 28b, I. Chiu 157, Y.H. Chiu 172, M.V. Chizhov 68, K. Choi 64, A.R. Chomont 119, S. Chouridou 156, Y.S. Chow 109, V. Christodoulou 81, M.C. Chu 62a, J. Chudoba 129, A.J. Chuinard 90, J.J. Chwastowski 42, L. Chytka 117, D. Cinca 46, V. Cindro 78, I.A. Cioară 23, A. Ciocio 16, F. Cirotto 106a, 106b, Z.H. Citron 175, M. Citterio 94a, A. Clark 52, M.R. Clark 38, P.J. Clark 49, C. Clement 148a, 148b, Y. Coadou 88, M. Cobal 167a, 167c, A. Coccaro 53a, 53b, J. Cochran 67, A.E.C. Coimbra 175, L. Colasurdo 108, B. Cole 38, A.P. Colijn 109, J. Collot 57, P. Conde Muiño 128a, 128b, E. Coniavitis 51, S.H. Connell 147b, I.A. Connelly 87, S. Constantinescu 28b, F. Conventi 106a,m, A.M. Cooper-Sarkar 122, F. Cormier 171, K.J.R. Cormier 161, M. Corradi 134a, 134b, E.E. Corrigan 84, F. Corriveau 90,n, A. Cortes-Gonzalez 32, M.J. Costa 170, D. Costanzo 141, G. Cottin 30, G. Cowan 80, B.E. Cox 87, J. Crane 87, K. Cranmer 112, S.J. Crawley 56, R.A. Creager 124, G. Cree 31, S. Crépé-Renaudin 57, F. Crescioli 83, M. Cristinziani 23, V. Croft 112, G. Crosetti 40a, 40b, A. Cueto 85, T. Cuhadar Donszelmann 141, A.R. Cukierman 145, M. Curatolo 50, J. Cúth 86, S. Czekierda 42, P. Czodrowski 32, G. D’amen 22a, 22b, S. D’Auria 56, L. D’Eramo 83, M. D’Onofrio 77, M.J. Da Cunha Sargedas De Sousa 36b, ba, C. Da Via 87, W. Dabrowski 41a, T. Dado 146a,i, S. Dahbi 137e, T. Dai 92, F. Dallaire 97, C. Dallapiccola 89, M. Dam 39, J.R. Dandoy 124, M.F. Daneri 29, N.P. Dang 176,e, N.D. Dann 87, M. Danninger 171, V. Dao 32, G. Darbo 53a, S. Darmora 8, O. Dartsi 5, A. Dattagupta 118, T. Daubney 45, W. Davey 23, C. David 45, T. Davidek 131, D.R. Davis 48, E. Dawe 91, I. Dawson 141, K. De 8, R. de Asmundis 106a, A. De Benedetti 115, S. De Castro 22a, 22b, S. De Cecco 134a, 134b, N. De Groot 108, P. de Jong 109, H. De la Torre 93, F. De Lorenzi 67, A. De Maria 58, az, D. De Pedis 134a, A. De Salvo 134a, U. De Sanctis 135a, 135b, A. De Santo 151, K. De Vasconcelos Corga 88, J.B. De Vivie De Regie 119, C. Debenedetti 139, D.V. Dedovich 68, N. Dehghanian 3, M. Del Gaudio 40a, 40b, J. Del Peso 85, D. Delgove 119, F. Deliot 138, C.M. Delitzsch 7, A. Dell’Acqua 32, L. Dell’Asta 24, M. Della Pietra 106a, 106b, D. della Volpe 52, M. Delmastro 5, C. Delporte 119, P.A. Delsart 57, D.A. DeMarco 161, S. Demers 179, M. Demichev 68, S.P. Denisov 132, D. Denysiuk 109, D. Derendarz 42, J.E. Derkaoui 137d, F. Derue 83, P. Dervan 77, K. Desch 23, C. Deterre 45, K. Dette 161, M.R. Devesa 29, P.O. Deviveiros 32, A. Dewhurst 133, S. Dhaliwal 25, F.A. Di Bello 52, A. Di Ciaccio 135a, 135b, L. Di Ciaccio 5, W.K. Di Clemente 124, C. Di Donato 106a, 106b,

- A. Di Girolamo ³², B. Di Micco ^{136a,136b}, R. Di Nardo ³², K.F. Di Petrillo ⁵⁹, A. Di Simone ⁵¹, R. Di Sipio ¹⁶¹, D. Di Valentino ³¹, C. Diaconu ⁸⁸, M. Diamond ¹⁶¹, F.A. Dias ³⁹, T. Dias do Vale ^{128a}, M.A. Diaz ^{34a}, J. Dickinson ¹⁶, E.B. Diehl ⁹², J. Dietrich ¹⁷, S. Díez Cornell ⁴⁵, A. Dimitrijevska ¹⁶, J. Dingfelder ²³, F. Dittus ³², F. Djama ⁸⁸, T. Djobava ^{54b}, J.I. Djuvsland ^{60a}, M.A.B. do Vale ^{26c}, M. Dobre ^{28b}, D. Dodsworth ²⁵, C. Doglioni ⁸⁴, J. Dolejsi ¹³¹, Z. Dolezal ¹³¹, M. Donadelli ^{26d}, J. Donini ³⁷, J. Dopke ¹³³, A. Doria ^{106a}, M.T. Dova ⁷⁴, A.T. Doyle ⁵⁶, E. Drechsler ⁵⁸, E. Dreyer ¹⁴⁴, T. Dreyer ⁵⁸, M. Dris ¹⁰, Y. Du ^{36b}, J. Duarte-Campderros ¹⁵⁵, F. Dubinin ⁹⁸, A. Dubreuil ⁵², E. Duchovni ¹⁷⁵, G. Duckeck ¹⁰², A. Ducourthial ⁸³, O.A. Ducu ^{97,0}, D. Duda ¹⁰³, A. Dudarev ³², A.Chr. Dudder ⁸⁶, E.M. Duffield ¹⁶, L. Duflot ¹¹⁹, M. Dührssen ³², C. Dülsen ¹⁷⁷, M. Dumancic ¹⁷⁵, A.E. Dumitriu ^{28b,p}, A.K. Duncan ⁵⁶, M. Dunford ^{60a}, A. Duperrin ⁸⁸, H. Duran Yildiz ^{4a}, M. Düren ⁵⁵, A. Durglishvili ^{54b}, D. Duschinger ⁴⁷, B. Dutta ⁴⁵, D. Duvnjak ¹, M. Dyndal ⁴⁵, B.S. Dziedzic ⁴², C. Eckardt ⁴⁵, K.M. Ecker ¹⁰³, R.C. Edgar ⁹², T. Eifert ³², G. Eigen ¹⁵, K. Einsweiler ¹⁶, T. Ekelof ¹⁶⁸, M. El Kacimi ^{137c}, R. El Kosseifi ⁸⁸, V. Ellajosyula ⁸⁸, M. Ellert ¹⁶⁸, F. Ellinghaus ¹⁷⁷, A.A. Elliot ⁷⁹, N. Ellis ³², J. Elmsheuser ²⁷, M. Elsing ³², D. Emeliyanov ¹³³, Y. Enari ¹⁵⁷, J.S. Ennis ¹⁷³, M.B. Epland ⁴⁸, J. Erdmann ⁴⁶, A. Ereditato ¹⁸, S. Errede ¹⁶⁹, M. Escalier ¹¹⁹, C. Escobar ¹⁷⁰, B. Esposito ⁵⁰, O. Estrada Pastor ¹⁷⁰, A.I. Etienne ¹³⁸, E. Etzion ¹⁵⁵, H. Evans ⁶⁴, A. Ezhilov ¹²⁵, M. Ezzi ^{137e}, F. Fabbri ^{22a,22b}, L. Fabbri ^{22a,22b}, V. Fabiani ¹⁰⁸, G. Facini ⁸¹, R.M. Faisca Rodrigues Pereira ^{128a}, R.M. Fakhrutdinov ¹³², S. Falciano ^{134a}, P.J. Falke ⁵, S. Falke ⁵, J. Faltova ¹³¹, Y. Fang ^{35a}, M. Fanti ^{94a,94b}, A. Farbin ⁸, A. Farilla ^{136a}, E.M. Farina ^{123a,123b}, T. Farooque ⁹³, S. Farrell ¹⁶, S.M. Farrington ¹⁷³, P. Farthouat ³², F. Fassi ^{137e}, P. Fassnacht ³², D. Fassouliotis ⁹, M. Faucci Giannelli ⁴⁹, A. Favareto ^{53a,53b}, W.J. Fawcett ⁵², L. Fayard ¹¹⁹, O.L. Fedin ^{125,q}, W. Fedorko ¹⁷¹, M. Feickert ⁴³, S. Feigl ¹²¹, L. Feligioni ⁸⁸, C. Feng ^{36b}, E.J. Feng ³², M. Feng ⁴⁸, M.J. Fenton ⁵⁶, A.B. Fenyuk ¹³², L. Feremenga ⁸, J. Ferrando ⁴⁵, A. Ferrari ¹⁶⁸, P. Ferrari ¹⁰⁹, R. Ferrari ^{123a}, D.E. Ferreira de Lima ^{60b}, A. Ferrer ¹⁷⁰, D. Ferrere ⁵², C. Ferretti ⁹², F. Fiedler ⁸⁶, A. Filipčič ⁷⁸, F. Filthaut ¹⁰⁸, M. Fincke-Keeler ¹⁷², K.D. Finelli ²⁴, M.C.N. Fiolhais ^{128a,128c,r}, L. Fiorini ¹⁷⁰, C. Fischer ¹³, W.C. Fisher ⁹³, N. Flaschel ⁴⁵, I. Fleck ¹⁴³, P. Fleischmann ⁹², R.R.M. Fletcher ¹²⁴, T. Flick ¹⁷⁷, B.M. Flierl ¹⁰², L.M. Flores ¹²⁴, L.R. Flores Castillo ^{62a}, N. Fomin ¹⁵, G.T. Forcolin ⁸⁷, A. Formica ¹³⁸, F.A. Förster ¹³, A.C. Forti ⁸⁷, A.G. Foster ¹⁹, D. Fournier ¹¹⁹, H. Fox ⁷⁵, S. Fracchia ¹⁴¹, P. Francavilla ^{126a,126b}, M. Franchini ^{22a,22b}, S. Franchino ^{60a}, D. Francis ³², L. Franconi ¹²¹, M. Franklin ⁵⁹, M. Frate ¹⁶⁶, M. Fraternali ^{123a,123b}, D. Freeborn ⁸¹, S.M. Fressard-Batraneanu ³², B. Freund ⁹⁷, W.S. Freund ^{26a}, D. Froidevaux ³², J.A. Frost ¹²², C. Fukunaga ¹⁵⁸, T. Fusayasu ¹⁰⁴, J. Fuster ¹⁷⁰, O. Gabizon ¹⁵⁴, A. Gabrielli ^{22a,22b}, A. Gabrielli ¹⁶, G.P. Gach ^{41a}, S. Gadatsch ⁵², P. Gadow ¹⁰³, G. Gagliardi ^{53a,53b}, L.G. Gagnon ⁹⁷, C. Galea ^{28b}, B. Galhardo ^{128a,128c}, E.J. Gallas ¹²², B.J. Gallop ¹³³, P. Gallus ¹³⁰, G. Galster ³⁹, R. Gamboa Goni ⁷⁹, K.K. Gan ¹¹³, S. Ganguly ¹⁷⁵, Y. Gao ⁷⁷, Y.S. Gao ^{145,g}, C. García ¹⁷⁰, J.E. García Navarro ¹⁷⁰, J.A. García Pascual ^{35a}, M. Garcia-Sciveres ¹⁶, R.W. Gardner ³³, N. Garelli ¹⁴⁵, V. Garonne ¹²¹, K. Gasnikova ⁴⁵, A. Gaudiello ^{53a,53b}, G. Gaudio ^{123a}, I.L. Gavrilenco ⁹⁸, A. Gavril'yuk ⁹⁹, C. Gay ¹⁷¹, G. Gaycken ²³, E.N. Gazis ¹⁰, C.N.P. Gee ¹³³, J. Geisen ⁵⁸, M. Geisen ⁸⁶, M.P. Geisler ^{60a}, K. Gellerstedt ^{148a,148b}, C. Gemme ^{53a}, M.H. Genest ⁵⁷, C. Geng ⁹², S. Gentile ^{134a,134b}, C. Gentsos ¹⁵⁶, S. George ⁸⁰, D. Gerbaudo ¹³, G. Geßner ⁴⁶, S. Ghasemi ¹⁴³, M. Ghneimat ²³, B. Giacobbe ^{22a}, S. Giagu ^{134a,134b}, N. Giangiacomi ^{22a,22b}, P. Giannetti ^{126a}, S.M. Gibson ⁸⁰, M. Gignac ¹³⁹, D. Gillberg ³¹, G. Gilles ¹⁷⁷, D.M. Gingrich ^{3,d}, M.P. Giordani ^{167a,167c}, F.M. Giorgi ^{22a}, P.F. Giraud ¹³⁸, P. Giromini ⁵⁹, G. Giugliarelli ^{167a,167c}, D. Giugni ^{94a}, F. Giuliani ¹²², M. Giulini ^{60b}, S. Gkaitatzis ¹⁵⁶, I. Gkialas ^{9,s}, E.L. Gkougkousis ¹³, P. Gkountoumis ¹⁰, L.K. Gladilin ¹⁰¹, C. Glasman ⁸⁵, J. Glatzer ¹³, P.C.F. Glaysher ⁴⁵, A. Glazov ⁴⁵, M. Goblirsch-Kolb ²⁵, J. Godlewski ⁴², S. Goldfarb ⁹¹, T. Golling ⁵², D. Golubkov ¹³², A. Gomes ^{128a,bb}, R. Gonçalo ^{128a}, R. Goncalves Gama ^{26b}, G. Gonella ⁵¹, L. Gonella ¹⁹, A. Gongadze ⁶⁸, F. Gonnella ¹⁹, J.L. Gonski ⁵⁹, S. González de la Hoz ¹⁷⁰, S. Gonzalez-Sevilla ⁵², L. Goossens ³², P.A. Gorbounov ⁹⁹, H.A. Gordon ²⁷, B. Gorini ³², E. Gorini ^{76a,76b}, A. Gorišek ⁷⁸, A.T. Goshaw ⁴⁸, C. Gössling ⁴⁶, M.I. Gostkin ⁶⁸, C.A. Gottardo ²³, C.R. Goudet ¹¹⁹, D. Goujdami ^{137c}, A.G. Goussiou ¹⁴⁰, N. Govender ^{147b,t}, C. Goy ⁵, E. Gozani ¹⁵⁴, I. Grabowska-Bold ^{41a}, P.O.J. Gradin ¹⁶⁸, E.C. Graham ⁷⁷, J. Gramling ¹⁶⁶, E. Gramstad ¹²¹, S. Grancagnolo ¹⁷, V. Gratchev ¹²⁵, P.M. Gravila ^{28f}, C. Gray ⁵⁶, H.M. Gray ¹⁶, Z.D. Greenwood ^{82,u}, C. Grefe ²³, K. Gregersen ⁸¹, I.M. Gregor ⁴⁵, P. Grenier ¹⁴⁵, K. Grevtsov ⁴⁵, J. Griffiths ⁸, A.A. Grillo ¹³⁹, K. Grimm ¹⁴⁵, S. Grinstein ^{13,v}, Ph. Gris ³⁷, J.-F. Grivaz ¹¹⁹, S. Groh ⁸⁶, E. Gross ¹⁷⁵, J. Grosse-Knetter ⁵⁸, G.C. Grossi ⁸², Z.J. Grout ⁸¹, C. Grud ⁹², A. Grummer ¹⁰⁷, L. Guan ⁹², W. Guan ¹⁷⁶, J. Guenther ³², A. Guerguichon ¹¹⁹, F. Guescini ^{163a}, D. Guest ¹⁶⁶,

- R. Gugel ⁵¹, B. Gui ¹¹³, T. Guillemin ⁵, S. Guindon ³², U. Gul ⁵⁶, C. Gumpert ³², J. Guo ^{36c}, W. Guo ⁹², Y. Guo ^{36a,w}, Z. Guo ⁸⁸, R. Gupta ⁴³, S. Gurbuz ^{20a}, G. Gustavino ¹¹⁵, B.J. Gutelman ¹⁵⁴, P. Gutierrez ¹¹⁵, C. Gutschow ⁸¹, C. Guyot ¹³⁸, M.P. Guzik ^{41a}, C. Gwenlan ¹²², C.B. Gwilliam ⁷⁷, A. Hönle ¹⁰³, A. Haas ¹¹², C. Haber ¹⁶, H.K. Hadavand ⁸, N. Haddad ^{137e}, A. Hadef ^{36a}, S. Hageböck ²³, M. Hagihara ¹⁶⁴, H. Hakobyan ^{180,*}, M. Haleem ¹⁷⁸, J. Haley ¹¹⁶, G. Halladjian ⁹³, G.D. Hallewell ⁸⁸, K. Hamacher ¹⁷⁷, P. Hamal ¹¹⁷, K. Hamano ¹⁷², A. Hamilton ^{147a}, G.N. Hamity ¹⁴¹, K. Han ^{36a,x}, L. Han ^{36a}, S. Han ^{35a,35d}, K. Hanagaki ^{69,y}, M. Hance ¹³⁹, D.M. Handl ¹⁰², B. Haney ¹²⁴, R. Hankache ⁸³, P. Hanke ^{60a}, E. Hansen ⁸⁴, J.B. Hansen ³⁹, J.D. Hansen ³⁹, M.C. Hansen ²³, P.H. Hansen ³⁹, K. Hara ¹⁶⁴, A.S. Hard ¹⁷⁶, T. Harenberg ¹⁷⁷, S. Harkusha ⁹⁵, P.F. Harrison ¹⁷³, N.M. Hartmann ¹⁰², Y. Hasegawa ¹⁴², A. Hasib ⁴⁹, S. Hassani ¹³⁸, S. Haug ¹⁸, R. Hauser ⁹³, L. Hauswald ⁴⁷, L.B. Havener ³⁸, M. Havranek ¹³⁰, C.M. Hawkes ¹⁹, R.J. Hawkings ³², D. Hayden ⁹³, C. Hayes ¹⁵⁰, C.P. Hays ¹²², J.M. Hays ⁷⁹, H.S. Hayward ⁷⁷, S.J. Haywood ¹³³, M.P. Heath ⁴⁹, V. Hedberg ⁸⁴, L. Heelan ⁸, S. Heer ²³, K.K. Heidegger ⁵¹, J. Heilman ³¹, S. Heim ⁴⁵, T. Heim ¹⁶, B. Heinemann ^{45,z}, J.J. Heinrich ¹⁰², L. Heinrich ¹¹², C. Heinz ⁵⁵, J. Hejbal ¹²⁹, L. Helary ³², A. Held ¹⁷¹, S. Hellesund ¹²¹, S. Hellman ^{148a,148b}, C. Helsens ³², R.C.W. Henderson ⁷⁵, Y. Heng ¹⁷⁶, S. Henkelmann ¹⁷¹, A.M. Henriques Correia ³², G.H. Herbert ¹⁷, H. Herde ²⁵, V. Herget ¹⁷⁸, Y. Hernández Jiménez ^{147c}, H. Herr ⁸⁶, G. Herten ⁵¹, R. Hertenberger ¹⁰², L. Hervas ³², T.C. Herwig ¹²⁴, G.G. Hesketh ⁸¹, N.P. Hessey ^{163a}, J.W. Hetherly ⁴³, S. Higashino ⁶⁹, E. Higón-Rodriguez ¹⁷⁰, K. Hildebrand ³³, E. Hill ¹⁷², J.C. Hill ³⁰, K.K. Hill ²⁷, K.H. Hiller ⁴⁵, S.J. Hillier ¹⁹, M. Hils ⁴⁷, I. Hinchliffe ¹⁶, M. Hirose ¹²⁰, D. Hirschbuehl ¹⁷⁷, B. Hiti ⁷⁸, O. Hladík ¹²⁹, D.R. Hlaluku ^{147c}, X. Hoad ⁴⁹, J. Hobbs ¹⁵⁰, N. Hod ^{163a}, M.C. Hodgkinson ¹⁴¹, A. Hoecker ³², M.R. Hoeferkamp ¹⁰⁷, F. Hoenig ¹⁰², D. Hohn ²³, D. Hohov ¹¹⁹, T.R. Holmes ³³, M. Holzbock ¹⁰², M. Homann ⁴⁶, S. Honda ¹⁶⁴, T. Honda ⁶⁹, T.M. Hong ¹²⁷, B.H. Hooberman ¹⁶⁹, W.H. Hopkins ¹¹⁸, Y. Horii ¹⁰⁵, P. Horn ⁴⁷, A.J. Horton ¹⁴⁴, L.A. Horyn ³³, J.-Y. Hostachy ⁵⁷, A. Hosticu ¹⁴⁰, S. Hou ¹⁵³, A. Hoummada ^{137a}, J. Howarth ⁸⁷, J. Hoya ⁷⁴, M. Hrabovsky ¹¹⁷, J. Hrdinka ³², I. Hristova ¹⁷, J. Hrivnac ¹¹⁹, T. Hrynevich ⁹⁶, P.J. Hsu ⁶³, S.-C. Hsu ¹⁴⁰, Q. Hu ²⁷, S. Hu ^{36c}, Y. Huang ^{35a}, Z. Hubacek ¹³⁰, F. Hubaut ⁸⁸, M. Huebner ²³, F. Huegging ²³, T.B. Huffman ¹²², E.W. Hughes ³⁸, M. Huhtinen ³², R.F.H. Hunter ³¹, P. Huo ¹⁵⁰, A.M. Hupe ³¹, N. Huseynov ^{68,b}, J. Huston ⁹³, J. Huth ⁵⁹, R. Hyneman ⁹², G. Iacobucci ⁵², G. Iakovidis ²⁷, I. Ibragimov ¹⁴³, L. Iconomidou-Fayard ¹¹⁹, Z. Idrissi ^{137e}, P. Iengo ³², R. Ignazzi ³⁹, O. Igolkina ^{109,aa}, R. Iguchi ¹⁵⁷, T. Iizawa ¹⁷⁴, Y. Ikegami ⁶⁹, M. Ikeno ⁶⁹, D. Iliadis ¹⁵⁶, N. Ilic ¹⁴⁵, F. Iltzsche ⁴⁷, G. Introzzi ^{123a,123b}, M. Iodice ^{136a}, K. Iordanidou ³⁸, V. Ippolito ^{134a,134b}, M.F. Isacson ¹⁶⁸, N. Ishijima ¹²⁰, M. Ishino ¹⁵⁷, M. Ishitsuka ¹⁵⁹, C. Issever ¹²², S. Istin ^{20a,ba}, F. Ito ¹⁶⁴, J.M. Iturbe Ponce ^{62a}, R. Iuppa ^{162a,162b}, A. Ivina ¹⁷⁵, H. Iwasaki ⁶⁹, J.M. Izen ⁴⁴, V. Izzo ^{106a}, S. Jabbar ³, P. Jacka ¹²⁹, P. Jackson ¹, R.M. Jacobs ²³, V. Jain ², G. Jäkel ¹⁷⁷, K.B. Jakobi ⁸⁶, K. Jakobs ⁵¹, S. Jakobsen ⁶⁵, T. Jakoubek ¹²⁹, D.O. Jamin ¹¹⁶, D.K. Jana ⁸², R. Jansky ⁵², J. Janssen ²³, M. Janus ⁵⁸, P.A. Janus ^{41a}, G. Jarlskog ⁸⁴, N. Javadov ^{68,b}, T. Javůrek ⁵¹, M. Javurkova ⁵¹, F. Jeanneau ¹³⁸, L. Jeanty ¹⁶, J. Jejelava ^{54a,ab}, A. Jelinskas ¹⁷³, P. Jenni ^{51,ac}, J. Jeong ⁴⁵, C. Jeske ¹⁷³, S. Jézéquel ⁵, H. Ji ¹⁷⁶, J. Jia ¹⁵⁰, H. Jiang ⁶⁷, Y. Jiang ^{36a}, Z. Jiang ¹⁴⁵, S. Jiggins ⁵¹, F.A. Jimenez Morales ³⁷, J. Jimenez Pena ¹⁷⁰, S. Jin ^{35b}, A. Jinaru ^{28b}, O. Jinnouchi ¹⁵⁹, H. Jivan ^{147c}, P. Johansson ¹⁴¹, K.A. Johns ⁷, C.A. Johnson ⁶⁴, W.J. Johnson ¹⁴⁰, K. Jon-And ^{148a,148b}, R.W.L. Jones ⁷⁵, S.D. Jones ¹⁵¹, S. Jones ⁷, T.J. Jones ⁷⁷, J. Jongmanns ^{60a}, P.M. Jorge ^{128a,128b}, J. Jovicevic ^{163a}, X. Ju ¹⁷⁶, J.J. Junggeburth ¹⁰³, A. Juste Rozas ^{13,v}, A. Kaczmarśka ⁴², M. Kado ¹¹⁹, H. Kagan ¹¹³, M. Kagan ¹⁴⁵, T. Kajii ¹⁷⁴, E. Kajomovitz ¹⁵⁴, C.W. Kalderon ⁸⁴, A. Kaluza ⁸⁶, S. Kama ⁴³, A. Kamenshchikov ¹³², L. Kanjir ⁷⁸, Y. Kano ¹⁵⁷, V.A. Kantserov ¹⁰⁰, J. Kanzaki ⁶⁹, B. Kaplan ¹¹², L.S. Kaplan ¹⁷⁶, D. Kar ^{147c}, M.J. Kareem ^{163b}, E. Karentzos ¹⁰, S.N. Karpov ⁶⁸, Z.M. Karpova ⁶⁸, V. Kartvelishvili ⁷⁵, A.N. Karyukhin ¹³², K. Kasahara ¹⁶⁴, L. Kashif ¹⁷⁶, R.D. Kass ¹¹³, A. Kastanas ¹⁴⁹, Y. Kataoka ¹⁵⁷, C. Kato ¹⁵⁷, J. Katzy ⁴⁵, K. Kawade ⁷⁰, K. Kawagoe ⁷³, T. Kawamoto ¹⁵⁷, G. Kawamura ⁵⁸, E.F. Kay ⁷⁷, V.F. Kazanin ^{111,c}, R. Keeler ¹⁷², R. Kehoe ⁴³, J.S. Keller ³¹, E. Kellermann ⁸⁴, J.J. Kempster ¹⁹, J. Kendrick ¹⁹, O. Kepka ¹²⁹, B.P. Kerševan ⁷⁸, S. Kersten ¹⁷⁷, R.A. Keyes ⁹⁰, M. Khader ¹⁶⁹, F. Khalil-zada ¹², A. Khanov ¹¹⁶, A.G. Kharlamov ^{111,c}, T. Kharlamova ^{111,c}, A. Khodinov ¹⁶⁰, T.J. Khoo ⁵², E. Khramov ⁶⁸, J. Khubua ^{54b,ad}, S. Kido ⁷⁰, M. Kiehn ⁵², C.R. Kilby ⁸⁰, S.H. Kim ¹⁶⁴, Y.K. Kim ³³, N. Kimura ^{167a,167c}, O.M. Kind ¹⁷, B.T. King ⁷⁷, D. Kirchmeier ⁴⁷, J. Kirk ¹³³, A.E. Kiryunin ¹⁰³, T. Kishimoto ¹⁵⁷, D. Kisielewska ^{41a}, V. Kitali ⁴⁵, O. Kivernyk ⁵, E. Kladiva ^{146b,*}, T. Klapdor-Kleingrothaus ⁵¹, M.H. Klein ⁹², M. Klein ⁷⁷, U. Klein ⁷⁷, K. Kleinknecht ⁸⁶, P. Klimek ¹¹⁰, A. Klimentov ²⁷, R. Klingenberg ^{46,*}, T. Klingl ²³, T. Klioutchnikova ³², F.F. Klitzner ¹⁰², E.-E. Kluge ^{60a}, P. Kluit ¹⁰⁹, S. Kluth ¹⁰³, E. Knerner ⁶⁵,

- E.B.F.G. Knoops ⁸⁸, A. Knue ⁵¹, A. Kobayashi ¹⁵⁷, D. Kobayashi ⁷³, T. Kobayashi ¹⁵⁷, M. Kobel ⁴⁷,
 M. Kocian ¹⁴⁵, P. Kodys ¹³¹, T. Koffas ³¹, E. Koffeman ¹⁰⁹, N.M. Köhler ¹⁰³, T. Koi ¹⁴⁵, M. Kolb ^{60b},
 I. Koletsou ⁵, T. Kondo ⁶⁹, N. Kondrashova ^{36c}, K. Köneke ⁵¹, A.C. König ¹⁰⁸, T. Kono ⁶⁹, R. Konoplich ^{112,ae},
 N. Konstantinidis ⁸¹, B. Konya ⁸⁴, R. Kopeliantsky ⁶⁴, S. Koperny ^{41a}, K. Korcyl ⁴², K. Kordas ¹⁵⁶, A. Korn ⁸¹,
 I. Korolkov ¹³, E.V. Korolkova ¹⁴¹, O. Kortner ¹⁰³, S. Kortner ¹⁰³, T. Kosek ¹³¹, V.V. Kostyukhin ²³,
 A. Kotwal ⁴⁸, A. Koulouris ¹⁰, A. Kourkoumeli-Charalampidi ^{123a,123b}, C. Kourkoumelis ⁹, E. Kourlitis ¹⁴¹,
 V. Kouskoura ²⁷, A.B. Kowalewska ⁴², R. Kowalewski ¹⁷², T.Z. Kowalski ^{41a}, C. Kozakai ¹⁵⁷, W. Kozanecki ¹³⁸,
 A.S. Kozhin ¹³², V.A. Kramarenko ¹⁰¹, G. Kramberger ⁷⁸, D. Krasnopevtsev ¹⁰⁰, M.W. Krasny ⁸³,
 A. Krasznahorkay ³², D. Krauss ¹⁰³, J.A. Kremer ^{41a}, J. Kretzschmar ⁷⁷, P. Krieger ¹⁶¹, K. Krizka ¹⁶,
 K. Kroeninger ⁴⁶, H. Kroha ¹⁰³, J. Kroll ¹²⁹, J. Kroll ¹²⁴, J. Krstic ¹⁴, U. Kruchonak ⁶⁸, H. Krüger ²³,
 N. Krumnack ⁶⁷, M.C. Kruse ⁴⁸, T. Kubota ⁹¹, S. Kuday ^{4b}, J.T. Kuechler ¹⁷⁷, S. Kuehn ³², A. Kugel ^{60a},
 F. Kuger ¹⁷⁸, T. Kuhl ⁴⁵, V. Kukhtin ⁶⁸, R. Kukla ⁸⁸, Y. Kulchitsky ⁹⁵, S. Kuleshov ^{34b}, Y.P. Kulinich ¹⁶⁹,
 M. Kuna ⁵⁷, T. Kunigo ⁷¹, A. Kupco ¹²⁹, T. Kupfer ⁴⁶, O. Kuprash ¹⁵⁵, H. Kurashige ⁷⁰, L.L. Kurchaninov ^{163a},
 Y.A. Kurochkin ⁹⁵, M.G. Kurth ^{35a,35d}, E.S. Kuwertz ¹⁷², M. Kuze ¹⁵⁹, J. Kvita ¹¹⁷, T. Kwan ¹⁷², A. La Rosa ¹⁰³,
 J.L. La Rosa Navarro ^{26d}, L. La Rotonda ^{40a,40b}, F. La Ruffa ^{40a,40b}, C. Lacasta ¹⁷⁰, F. Lacava ^{134a,134b},
 J. Lacey ⁴⁵, D.P.J. Lack ⁸⁷, H. Lacker ¹⁷, D. Lacour ⁸³, E. Ladygin ⁶⁸, R. Lafaye ⁵, B. Laforge ⁸³, T. Lagouri ^{147c},
 S. Lai ⁵⁸, S. Lammers ⁶⁴, W. Lampl ⁷, E. Lançon ²⁷, U. Landgraf ⁵¹, M.P.J. Landon ⁷⁹, M.C. Lanfermann ⁵²,
 V.S. Lang ⁴⁵, J.C. Lange ¹³, R.J. Langenberg ³², A.J. Lankford ¹⁶⁶, F. Lanni ²⁷, K. Lantzsch ²³, A. Lanza ^{123a},
 A. Lapertosa ^{53a,53b}, S. Laplace ⁸³, J.F. Laporte ¹³⁸, T. Lari ^{94a}, F. Lasagni Manghi ^{22a,22b}, M. Lassnig ³²,
 T.S. Lau ^{62a}, A. Laudrain ¹¹⁹, A.T. Law ¹³⁹, P. Laycock ⁷⁷, M. Lazzaroni ^{94a,94b}, B. Le ⁹¹, O. Le Dortz ⁸³,
 E. Le Guirieec ⁸⁸, E.P. Le Quilleuc ¹³⁸, M. LeBlanc ⁷, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁷, C.A. Lee ²⁷,
 G.R. Lee ^{34a}, S.C. Lee ¹⁵³, L. Lee ⁵⁹, B. Lefebvre ⁹⁰, M. Lefebvre ¹⁷², F. Legger ¹⁰², C. Leggett ¹⁶,
 G. Lehmann Miotto ³², W.A. Leight ⁴⁵, A. Leisos ^{156,af}, M.A.L. Leite ^{26d}, R. Leitner ¹³¹, D. Lellouch ¹⁷⁵,
 B. Lemmer ⁵⁸, K.J.C. Leney ⁸¹, T. Lenz ²³, B. Lenzi ³², R. Leone ⁷, S. Leone ^{126a}, C. Leonidopoulos ⁴⁹,
 G. Lerner ¹⁵¹, C. Leroy ⁹⁷, R. Les ¹⁶¹, A.A.J. Lesage ¹³⁸, C.G. Lester ³⁰, M. Levchenko ¹²⁵, J. Levêque ⁵,
 D. Levin ⁹², L.J. Levinson ¹⁷⁵, D. Lewis ⁷⁹, B. Li ⁹², C.-Q. Li ^{36a}, H. Li ^{36b}, L. Li ^{36c}, Q. Li ^{35a,35d}, Q. Li ^{36a},
 S. Li ^{36c,36d}, X. Li ^{36c}, Y. Li ¹⁴³, Z. Liang ^{35a}, B. Liberti ^{135a}, A. Liblong ¹⁶¹, K. Lie ^{62c}, S. Liem ¹⁰⁹,
 A. Limosani ¹⁵², C.Y. Lin ³⁰, K. Lin ⁹³, S.C. Lin ¹⁸², T.H. Lin ⁸⁶, R.A. Linck ⁶⁴, B.E. Lindquist ¹⁵⁰, A.L. Lioni ⁵²,
 E. Lipeles ¹²⁴, A. Lipniacka ¹⁵, M. Lissovyi ^{60b}, T.M. Liss ^{169,ag}, A. Lister ¹⁷¹, A.M. Litke ¹³⁹, J.D. Little ⁸,
 B.L. Liu ⁶, B. Liu ⁶⁷, H. Liu ⁹², H. Liu ²⁷, J.K.K. Liu ¹²², J.B. Liu ^{36a}, K. Liu ⁸³, M. Liu ^{36a}, P. Liu ¹⁶, Y.L. Liu ^{36a},
 Y. Liu ^{36a}, M. Livan ^{123a,123b}, A. Lleres ⁵⁷, J. Llorente Merino ^{35a}, S.L. Lloyd ⁷⁹, C.Y. Lo ^{62b}, F. Lo Sterzo ⁴³,
 E.M. Lobodzinska ⁴⁵, P. Loch ⁷, F.K. Loebinger ⁸⁷, A. Loesle ⁵¹, K.M. Loew ²⁵, T. Lohse ¹⁷, K. Lohwasser ¹⁴¹,
 M. Lokajicek ¹²⁹, B.A. Long ²⁴, J.D. Long ¹⁶⁹, R.E. Long ⁷⁵, L. Longo ^{76a,76b}, K.A.Looper ¹¹³, J.A. Lopez ^{34b},
 I. Lopez Paz ¹³, A. Lopez Solis ⁸³, J. Lorenz ¹⁰², N. Lorenzo Martinez ⁵, M. Losada ²¹, P.J. Lösel ¹⁰²,
 X. Lou ^{35a}, X. Lou ⁴⁵, A. Lounis ¹¹⁹, J. Love ⁶, P.A. Love ⁷⁵, J.J. Lozano Bahilo ¹⁷⁰, H. Lu ^{62a}, N. Lu ⁹², Y.J. Lu ⁶³,
 H.J. Lubatti ¹⁴⁰, C. Luci ^{134a,134b}, A. Lucotte ⁵⁷, C. Luedtke ⁵¹, F. Luehring ⁶⁴, I. Luise ⁸³, W. Lukas ⁶⁵,
 L. Luminari ^{134a}, B. Lund-Jensen ¹⁴⁹, M.S. Lutz ⁸⁹, P.M. Luzi ⁸³, D. Lynn ²⁷, R. Lysak ¹²⁹, E. Lytken ⁸⁴,
 F. Lyu ^{35a}, V. Lyubushkin ⁶⁸, H. Ma ²⁷, L.L. Ma ^{36b}, Y. Ma ^{36b}, G. Maccarrone ⁵⁰, A. Macchiolo ¹⁰³,
 C.M. Macdonald ¹⁴¹, B. Maćek ⁷⁸, J. Machado Miguens ^{124,128b}, D. Madaffari ¹⁷⁰, R. Madar ³⁷,
 W.F. Mader ⁴⁷, A. Madsen ⁴⁵, N. Madysa ⁴⁷, J. Maeda ⁷⁰, S. Maeland ¹⁵, T. Maeno ²⁷, A.S. Maevskiy ¹⁰¹,
 V. Magerl ⁵¹, C. Maidantchik ^{26a}, T. Maier ¹⁰², A. Maio ^{128a,bb}, O. Majersky ^{146a}, S. Majewski ¹¹⁸,
 Y. Makida ⁶⁹, N. Makovec ¹¹⁹, B. Malaescu ⁸³, Pa. Malecki ⁴², V.P. Maleev ¹²⁵, F. Malek ⁵⁷, U. Mallik ⁶⁶,
 D. Malon ⁶, C. Malone ³⁰, S. Maltezos ¹⁰, S. Malyukov ³², J. Mamuzic ¹⁷⁰, G. Mancini ⁵⁰, I. Mandić ⁷⁸,
 J. Maneira ^{128a,128b}, L. Manhaes de Andrade Filho ^{26b}, J. Manjarres Ramos ⁴⁷, K.H. Mankinen ⁸⁴,
 A. Mann ¹⁰², A. Manousos ⁶⁵, B. Mansoulie ¹³⁸, J.D. Mansour ^{35a}, M. Mantoani ⁵⁸, S. Manzoni ^{94a,94b},
 G. Marceca ²⁹, L. March ⁵², L. Marchese ¹²², G. Marchiori ⁸³, M. Marcisovsky ¹²⁹, C.A. Marin Tobon ³²,
 M. Marjanovic ³⁷, D.E. Marley ⁹², F. Marroquim ^{26a}, Z. Marshall ¹⁶, M.U.F Martensson ¹⁶⁸,
 S. Marti-Garcia ¹⁷⁰, C.B. Martin ¹¹³, T.A. Martin ¹⁷³, V.J. Martin ⁴⁹, B. Martin dit Latour ¹⁵, M. Martinez ^{13,v},
 V.I. Martinez Outschoorn ⁸⁹, S. Martin-Haugh ¹³³, V.S. Martoiu ^{28b}, A.C. Martyniuk ⁸¹, A. Marzin ³²,
 L. Masetti ⁸⁶, T. Mashimo ¹⁵⁷, R. Mashinistov ⁹⁸, J. Masik ⁸⁷, A.L. Maslennikov ^{111,c}, L.H. Mason ⁹¹,
 L. Massa ^{135a,135b}, P. Mastrandrea ⁵, A. Mastroberardino ^{40a,40b}, T. Masubuchi ¹⁵⁷, P. Mättig ¹⁷⁷,
 J. Maurer ^{28b}, S.J. Maxfield ⁷⁷, D.A. Maximov ^{111,c}, R. Mazini ¹⁵³, I. Maznas ¹⁵⁶, S.M. Mazza ¹³⁹,

- N.C. Mc Fadden 107, G. Mc Goldrick 161, S.P. Mc Kee 92, A. McCarn 92, T.G. McCarthy 103, L.I. McClymont 81, E.F. McDonald 91, J.A. Mcfayden 32, G. Mchedlidze 58, M.A. McKay 43, K.D. McLean 172, S.J. McMahon 133, P.C. McNamara 91, C.J. McNicol 173, R.A. McPherson 172,ⁿ, J.E. Mdhluli 147c, Z.A. Meadows 89, S. Meehan 140, T. Megy 51, S. Mehlhase 102, A. Mehta 77, T. Meideck 57, K. Meier 60a, B. Meirose 44, D. Melini 170,^{ah}, B.R. Mellado Garcia 147c, J.D. Mellenthin 58, M. Melo 146a, F. Meloni 18, A. Melzer 23, S.B. Menary 87, L. Meng 77, X.T. Meng 92, A. Mengarelli 22a,22b, S. Menke 103, E. Meoni 40a,40b, S. Mergelmeyer 17, C. Merlassino 18, P. Mermod 52, L. Merola 106a,106b, C. Meroni 94a, F.S. Merritt 33, A. Messina 134a,134b, J. Metcalfe 6, A.S. Mete 166, C. Meyer 124, J-P. Meyer 138, J. Meyer 154, H. Meyer Zu Theenhausen 60a, F. Miano 151, R.P. Middleton 133, L. Mijović 49, G. Mikenberg 175, M. Mikestikova 129, M. Mikuž 78, M. Milesi 91, A. Milic 161, D.A. Millar 79, D.W. Miller 33, A. Milov 175, D.A. Milstead 148a,148b, A.A. Minaenko 132, I.A. Minashvili 54b, A.I. Mincer 112, B. Mindur 41a, M. Mineev 68, Y. Minegishi 157, Y. Ming 176, L.M. Mir 13, A. Mirto 76a,76b, K.P. Mistry 124, T. Mitani 174, J. Mitrevski 102, V.A. Mitsou 170, A. Miucci 18, P.S. Miyagawa 141, A. Mizukami 69, J.U. Mjörnmark 84, T. Mkrtchyan 180, M. Mlynarikova 131, T. Moa 148a,148b, K. Mochizuki 97, P. Mogg 51, S. Mohapatra 38, S. Molander 148a,148b, R. Moles-Valls 23, M.C. Mondragon 93, K. Mönig 45, J. Monk 39, E. Monnier 88, A. Montalbano 144, J. Montejo Berlingen 32, F. Monticelli 74, S. Monzani 94a, R.W. Moore 3, N. Morange 119, D. Moreno 21, M. Moreno Llácer 32, P. Morettini 53a, M. Morgenstern 109, S. Morgenstern 32, D. Mori 144, T. Mori 157, M. Morii 59, M. Morinaga 174, V. Morisbak 121, A.K. Morley 32, G. Mornacchi 32, J.D. Morris 79, L. Morvaj 150, P. Moschovakos 10, M. Mosidze 54b, H.J. Moss 141, J. Moss 145,^{ai}, K. Motohashi 159, R. Mount 145, E. Mountricha 27, E.J.W. Moyse 89, S. Muanza 88, F. Mueller 103, J. Mueller 127, R.S.P. Mueller 102, D. Muenstermann 75, P. Mullen 56, G.A. Mullier 18, F.J. Munoz Sanchez 87, P. Murin 146b, W.J. Murray 173,133, A. Murrone 94a,94b, M. Muškinja 78, C. Mwewa 147a, A.G. Myagkov 132,^{aj}, J. Myers 118, M. Myska 130, B.P. Nachman 16, O. Nackenhorst 46, K. Nagai 122, R. Nagai 69,^{ak}, K. Nagano 69, Y. Nagasaka 61, K. Nagata 164, M. Nagel 51, E. Nagy 88, A.M. Nairz 32, Y. Nakahama 105, K. Nakamura 69, T. Nakamura 157, I. Nakano 114, F. Napolitano 60a, R.F. Naranjo Garcia 45, R. Narayan 11, D.I. Narrias Villar 60a, I. Naryshkin 125, T. Naumann 45, G. Navarro 21, R. Nayyar 7, H.A. Neal 92, P.Yu. Nechaeva 98, T.J. Neep 138, A. Negri 123a,123b, M. Negrini 22a, S. Nektarijevic 108, C. Nellist 58, M.E. Nelson 122, S. Nemecek 129, P. Nemethy 112, M. Nessi 32,^{al}, M.S. Neubauer 169, M. Neumann 177, P.R. Newman 19, T.Y. Ng 62c, Y.S. Ng 17, H.D.N. Nguyen 88, T. Nguyen Manh 97, E. Nibigira 37, R.B. Nickerson 122, R. Nicolaïdou 138, J. Nielsen 139, N. Nikiforou 11, V. Nikolaenko 132,^{aj}, I. Nikolic-Audit 83, K. Nikolopoulos 19, P. Nilsson 27, Y. Ninomiya 69, A. Nisati 134a, N. Nishu 36c, R. Nisius 103, I. Nitsche 46, T. Nitta 174, T. Nobe 157, Y. Noguchi 71, M. Nomachi 120, I. Nomidis 31, M.A. Nomura 27, T. Nooney 79, M. Nordberg 32, N. Norjoharuddeen 122, T. Novak 78, O. Novgorodova 47, R. Novotny 130, M. Nozaki 69, L. Nozka 117, K. Ntekas 166, E. Nurse 81, F. Nuti 91, K. O'Connor 25, D.C. O'Neil 144, A.A. O'Rourke 45, V. O'Shea 56, F.G. Oakham 31,^d, H. Oberlack 103, T. Obermann 23, J. Ocariz 83, A. Ochi 70, I. Ochoa 38, J.P. Ochoa-Ricoux 34a, S. Oda 73, S. Odaka 69, A. Oh 87, S.H. Oh 48, C.C. Ohm 149, H. Oide 53a,53b, H. Okawa 164, Y. Okazaki 71, Y. Okumura 157, T. Okuyama 69, A. Olariu 28b, L.F. Oleiro Seabra 128a, S.A. Olivares Pino 34a, D. Oliveira Damazio 27, J.L. Oliver 1, M.J.R. Olsson 33, A. Olszewski 42, J. Olszowska 42, A. Onofre 128a,128e, K. Onogi 105, P.U.E. Onyisi 11,^{am}, H. Oppen 121, M.J. Oreglia 33, Y. Oren 155, D. Orestano 136a,136b, E.C. Orgill 87, N. Orlando 62b, R.S. Orr 161, B. Osculati 53a,53b,* R. Ospanov 36a, G. Otero y Garzon 29, H. Otono 73, M. Ouchrif 137d, F. Ould-Saada 121, A. Ouraou 138, Q. Ouyang 35a, M. Owen 56, R.E. Owen 19, V.E. Ozcan 20a, N. Ozturk 8, H.A. Pacey 30, K. Pachal 144, A. Pacheco Pages 13, L. Pacheco Rodriguez 138, C. Padilla Aranda 13, S. Pagan Griso 16, M. Paganini 179, F. Paige 27, G. Palacino 64, S. Palazzo 40a,40b, S. Palestini 32, M. Palka 41b, D. Pallin 37, I. Panagoulias 10, C.E. Pandini 52, J.G. Panduro Vazquez 80, P. Pani 32, L. Paolozzi 52, Th.D. Papadopoulou 10, K. Papageorgiou 9,^s, A. Paramonov 6, D. Paredes Hernandez 62b, B. Parida 36c, A.J. Parker 75, M.A. Parker 30, K.A. Parker 45, F. Parodi 53a,53b, J.A. Parsons 38, U. Parzefall 51, V.R. Pascuzzi 161, J.M.P. Pasner 139, E. Pasqualucci 134a, S. Passaggio 53a, Fr. Pastore 80, P. Pasuwan 148a,148b, S. Pataraia 86, J.R. Pater 87, A. Pathak 176,^e, T. Pauly 32, B. Pearson 103, M. Pedersen 121, S. Pedraza Lopez 170, R. Pedro 128a,128b, S.V. Peleganchuk 111,^c, O. Penc 129, C. Peng 35a,35d, H. Peng 36a, B.S. Peralva 26b, M.M. Perego 138, A.P. Pereira Peixoto 128a, D.V. Perepelitsa 27, F. Peri 17, L. Perini 94a,94b, H. Pernegger 32, S. Perrella 106a,106b, V.D. Peshekhonov 68,* K. Peters 45, R.F.Y. Peters 87, B.A. Petersen 32, T.C. Petersen 39, E. Petit 57, A. Petridis 1, C. Petridou 156, P. Petroff 119, E. Petrolo 134a, M. Petrov 122, F. Petrucci 136a,136b,

- N.E. Pettersson 89, A. Peyaud 138, R. Pezoa 34b, T. Pham 91, F.H. Phillips 93, P.W. Phillips 133,
 G. Piacquadio 150, E. Pianori 16, A. Picazio 89, M.A. Pickering 122, R. Piegaia 29, J.E. Pilcher 33,
 A.D. Pilkington 87, M. Pinamonti 135a, 135b, J.L. Pinfold 3, M. Pitt 175, M.-A. Pleier 27, V. Pleskot 131,
 E. Plotnikova 68, D. Pluth 67, P. Podberezko 111, R. Poettgen 84, R. Poggi 123a, 123b, L. Poggiali 119,
 I. Pogrebnyak 93, D. Pohl 23, I. Pokharel 58, G. Polesello 123a, A. Poley 45, A. Policicchio 40a, 40b, R. Polifka 32,
 A. Polini 22a, C.S. Pollard 45, V. Polychronakos 27, D. Ponomarenko 100, L. Pontecorvo 134a,
 G.A. Popeneciu 28d, D.M. Portillo Quintero 83, S. Pospisil 130, K. Potamianos 45, I.N. Potrap 68, C.J. Potter 30,
 H. Potti 11, T. Poulsen 84, J. Poveda 32, T.D. Powell 141, M.E. Pozo Astigarraga 32, P. Pralavorio 88, S. Prell 67,
 D. Price 87, M. Primavera 76a, S. Prince 90, N. Proklova 100, K. Prokofiev 62c, F. Prokoshin 34b,
 S. Protopopescu 27, J. Proudfoot 6, M. Przybycien 41a, A. Puri 169, P. Puzo 119, J. Qian 92, Y. Qin 87,
 A. Quadt 58, M. Queitsch-Maitland 45, A. Qureshi 1, P. Rados 91, F. Ragusa 94a, 94b, G. Rahal 181, J.A. Raine 87,
 S. Rajagopalan 27, T. Rashid 119, S. Raspopov 5, M.G. Ratti 94a, 94b, D.M. Rauch 45, F. Rauscher 102, S. Rave 86,
 B. Ravina 141, I. Ravinovich 175, J.H. Rawling 87, M. Raymond 32, A.L. Read 121, N.P. Readioff 57,
 M. Reale 76a, 76b, D.M. Rebuzzi 123a, 123b, A. Redelbach 178, G. Redlinger 27, R. Reece 139, R.G. Reed 147c,
 K. Reeves 44, L. Rehnisch 17, J. Reichert 124, A. Reiss 86, C. Rembser 32, H. Ren 35a, 35d, M. Rescigno 134a,
 S. Resconi 94a, E.D. Resseguei 124, S. Rettie 171, E. Reynolds 19, O.L. Rezanova 111, c, P. Reznicek 131,
 R. Richter 103, S. Richter 81, E. Richter-Was 41b, O. Ricken 23, M. Ridel 83, P. Rieck 103, C.J. Riegel 177,
 O. Rifki 45, M. Rijssenbeek 150, A. Rimoldi 123a, 123b, M. Rimoldi 18, L. Rinaldi 22a, G. Ripellino 149,
 B. Ristić 75, E. Ritsch 32, I. Riu 13, J.C. Rivera Vergara 34a, F. Rizatdinova 116, E. Rizvi 79, C. Rizzi 13,
 R.T. Roberts 87, S.H. Robertson 90, n, A. Robichaud-Veronneau 90, D. Robinson 30, J.E.M. Robinson 45,
 A. Robson 56, E. Rocco 86, C. Roda 126a, 126b, Y. Rodina 88, an, S. Rodriguez Bosca 170, A. Rodriguez Perez 13,
 D. Rodriguez Rodriguez 170, A.M. Rodríguez Vera 163b, S. Roe 32, C.S. Rogan 59, O. Røhne 121, R. Röhrlig 103,
 C.P.A. Roland 64, J. Roloff 59, A. Romanikou 100, M. Romano 22a, 22b, N. Rompotis 77, M. Ronzani 112,
 L. Roos 83, S. Rosati 134a, K. Rosbach 51, P. Rose 139, N.-A. Rosien 58, E. Rossi 106a, 106b, L.P. Rossi 53a,
 L. Rossini 94a, 94b, J.H.N. Rosten 30, R. Rosten 140, M. Rotaru 28b, J. Rothberg 140, D. Rousseau 119, D. Roy 147c,
 A. Rozanov 88, Y. Rozen 154, X. Ruan 147c, F. Rubbo 145, F. Rühr 51, A. Ruiz-Martinez 31, Z. Rurikova 51,
 N.A. Rusakovich 68, H.L. Russell 90, J.P. Rutherford 7, N. Ruthmann 32, E.M. Rüttinger 45, Y.F. Ryabov 125,
 M. Rybar 169, G. Rybkin 119, S. Ryu 6, A. Ryzhov 132, G.F. Rzechorz 58, A.F. Saavedra 152, P. Sabatini 58,
 G. Sabato 109, S. Sacerdoti 119, H.F-W. Sadrozinski 139, R. Sadykov 68, F. Safai Tehrani 134a, P. Saha 110,
 M. Sahinsoy 60a, A. Sahu 177, M. Saimpert 45, M. Saito 157, T. Saito 157, H. Sakamoto 157, A. Sakharov 112,
 D. Salamani 52, G. Salamanna 136a, 136b, J.E. Salazar Loyola 34b, D. Salek 109, P.H. Sales De Bruin 168,
 D. Salihagic 103, A. Salnikov 145, J. Salt 170, D. Salvatore 40a, 40b, F. Salvatore 151, A. Salvucci 62a, 62b, 62c,
 A. Salzburger 32, D. Sammel 51, D. Sampsonidis 156, D. Sampsonidou 156, J. Sánchez 170,
 A. Sanchez Pineda 167a, 167c, H. Sandaker 121, C.O. Sander 45, M. Sandhoff 177, C. Sandoval 21,
 D.P.C. Sankey 133, M. Sannino 53a, 53b, Y. Sano 105, A. Sansoni 50, C. Santoni 37, H. Santos 128a,
 I. Santoyo Castillo 151, A. Sapronov 68, J.G. Saraiva 128a, O. Sasaki 69, K. Sato 164, E. Sauvan 5, P. Savard 161, d,
 N. Savic 103, R. Sawada 157, C. Sawyer 133, L. Sawyer 82, u, C. Sbarra 22a, A. Sbrizzi 22a, 22b, T. Scanlon 81,
 D.A. Scannicchio 166, J. Schaarschmidt 140, P. Schacht 103, B.M. Schachtner 102, D. Schaefer 33,
 L. Schaefer 124, J. Schaeffer 86, S. Schaepe 32, U. Schäfer 86, A.C. Schaffer 119, D. Schale 102,
 R.D. Schamberger 150, N. Scharmberg 87, V.A. Schegelsky 125, D. Scheirich 131, F. Schenck 17,
 M. Schernau 166, C. Schiavi 53a, 53b, S. Schier 139, L.K. Schildgen 23, Z.M. Schillaci 25, E.J. Schioppa 32,
 M. Schioppa 40a, 40b, K.E. Schleicher 51, S. Schlenker 32, K.R. Schmidt-Sommerfeld 103, K. Schmieden 32,
 C. Schmitt 86, S. Schmitt 45, S. Schmitz 86, U. Schnoor 51, L. Schoeffel 138, A. Schoening 60b, E. Schopf 23,
 M. Schott 86, J.F.P. Schouwenberg 108, J. Schovancova 32, S. Schramm 52, N. Schuh 86, A. Schulte 86,
 H.-C. Schultz-Coulon 60a, M. Schumacher 51, B.A. Schumm 139, Ph. Schune 138, A. Schwartzman 145,
 T.A. Schwarz 92, H. Schweiger 87, Ph. Schwemling 138, R. Schwienhorst 93, J. Schwindling 138,
 A. Sciandra 23, G. Sciolla 25, M. Scornajenghi 40a, 40b, F. Scuri 126a, F. Scutti 91, L.M. Scyboz 103, J. Searcy 92,
 C.D. Sebastiani 134a, 134b, P. Seema 23, S.C. Seidel 107, A. Seiden 139, T. Seiss 33, J.M. Seixas 26a,
 G. Sekhniaidze 106a, K. Sekhon 92, S.J. Sekula 43, N. Semprini-Cesari 22a, 22b, S. Sen 48, S. Senkin 37,
 C. Serfon 121, L. Serin 119, L. Serkin 167a, 167b, M. Sessa 136a, 136b, H. Severini 115, T. Šfiligoj 78, F. Sforza 165,
 A. Sfyrla 52, E. Shabalina 58, J.D. Shahinian 139, N.W. Shaikh 148a, 148b, L.Y. Shan 35a, R. Shang 169,
 J.T. Shank 24, M. Shapiro 16, A. Sharma 122, A.S. Sharma 1, P.B. Shatalov 99, K. Shaw 167a, 167b, S.M. Shaw 87,

- A. Shcherbakova 125, C.Y. Shehu 151, Y. Shen 115, N. Sherafati 31, A.D. Sherman 24, P. Sherwood 81, L. Shi 153,ao, S. Shimizu 70, C.O. Shimmin 179, M. Shimojima 104, I.P.J. Shipsey 122, S. Shirabe 73, M. Shiyakova 68,ap, J. Shlomi 175, A. Shmeleva 98, D. Shoaleh Saadi 97, M.J. Shochet 33, S. Shojaii 91, D.R. Shope 115, S. Shrestha 113, E. Shulga 100, P. Sicho 129, A.M. Sickles 169, P.E. Sidebo 149, E. Sideras Haddad 147c, O. Sidiropoulou 178, A. Sidoti 22a,22b, F. Siegert 47, Dj. Sijacki 14, J. Silva 128a, M. Silva Jr. 176, S.B. Silverstein 148a, L. Simic 68, S. Simion 119, E. Simioni 86, M. Simon 86, P. Sinervo 161, N.B. Sinev 118, M. Sioli 22a,22b, G. Siragusa 178, I. Siral 92, S.Yu. Sivoklokov 101, J. Sjölin 148a,148b, M.B. Skinner 75, P. Skubic 115, M. Slater 19, T. Slavicek 130, M. Slawinska 42, K. Sliwa 165, R. Slovak 131, V. Smakhtin 175, B.H. Smart 5, J. Smiesko 146a, N. Smirnov 100, S.Yu. Smirnov 100, Y. Smirnov 100, L.N. Smirnova 101,aq, O. Smirnova 84, J.W. Smith 58, M.N.K. Smith 38, R.W. Smith 38, M. Smizanska 75, K. Smolek 130, A.A. Snesarev 98, I.M. Snyder 118, S. Snyder 27, R. Sobie 172,n, A.M. Soffa 166, A. Soffer 155, A. Søgaard 49, D.A. Soh 153, G. Sokhrannyi 78, C.A. Solans Sanchez 32, M. Solar 130, E.Yu. Soldatov 100, U. Soldevila 170, A.A. Solodkov 132, A. Soloshenko 68, O.V. Solovyanov 132, V. Solovyev 125, P. Sommer 141, H. Son 165, W. Song 133, A. Sopczak 130, F. Sopkova 146b, D. Sosa 60b, C.L. Sotirospoulou 126a,126b, S. Sottocornola 123a,123b, R. Soualah 167a,167c, A.M. Soukharev 111,c, D. South 45, B.C. Sowden 80, S. Spagnolo 76a,76b, M. Spalla 103, M. Spangenberg 173, F. Spanò 80, D. Sperlich 17, F. Spettel 103, T.M. Spieker 60a, R. Spighi 22a, G. Spigo 32, L.A. Spiller 91, M. Spousta 131, A. Stabile 94a,94b, R. Stamen 60a, S. Stamm 17, E. Stanecka 42, R.W. Stanek 6, C. Stanescu 136a, M.M. Stanitzki 45, B.S. Stapf 109, S. Stapnes 121, E.A. Starchenko 132, G.H. Stark 33, J. Stark 57, S.H. Stark 39, P. Staroba 129, P. Starovoitov 60a, S. Stärz 32, R. Staszewski 42, M. Stegler 45, P. Steinberg 27, B. Stelzer 144, H.J. Stelzer 32, O. Stelzer-Chilton 163a, H. Stenzel 55, T.J. Stevenson 79, G.A. Stewart 32, M.C. Stockton 118, G. Stoica 28b, P. Stolte 58, S. Stonjek 103, A. Straessner 47, J. Strandberg 149, S. Strandberg 148a,148b, M. Strauss 115, P. Strizenec 146b, R. Ströhmer 178, D.M. Strom 118, R. Stroynowski 43, A. Strubig 49, S.A. Stucci 27, B. Stugu 15, J. Stupak 115, N.A. Styles 45, D. Su 145, J. Su 127, S. Suchek 60a, Y. Sugaya 120, M. Suk 130, V.V. Sulin 98, D.M.S. Sultan 52, S. Sultansoy 4c, T. Sumida 71, S. Sun 92, X. Sun 3, K. Suruliz 151, C.J.E. Suster 152, M.R. Sutton 151, S. Suzuki 69, M. Svatos 129, M. Swiatlowski 33, S.P. Swift 2, A. Sydorenko 86, I. Sykora 146a, T. Sykora 131, D. Ta 86, K. Tackmann 45, J. Taenzer 155, A. Taffard 166, R. Tafirout 163a, E. Tahirovic 79, N. Taiblum 155, H. Takai 27, R. Takashima 72, E.H. Takasugi 103, K. Takeda 70, T. Takeshita 142, Y. Takubo 69, M. Talby 88, A.A. Talyshев 111,c, J. Tanaka 157, M. Tanaka 159, R. Tanaka 119, R. Tanioka 70, B.B. Tannenwald 113, S. Tapia Araya 34b, S. Tapprogge 86, A. Tarek Abouelfadl Mohamed 83, S. Tarem 154, G. Tarna 28b,p, G.F. Tartarelli 94a, P. Tas 131, M. Tasevsky 129, T. Tashiro 71, E. Tassi 40a,40b, A. Tavares Delgado 128a,128b, Y. Tayalati 137e, A.C. Taylor 107, A.J. Taylor 49, G.N. Taylor 91, P.T.E. Taylor 91, W. Taylor 163b, A.S. Tee 75, P. Teixeira-Dias 80, D. Temple 144, H. Ten Kate 32, P.K. Teng 153, J.J. Teoh 120, F. Tepel 177, S. Terada 69, K. Terashi 157, J. Terron 85, S. Terzo 13, M. Testa 50, R.J. Teuscher 161,n, S.J. Thais 179, T. Theveneaux-Pelzer 45, F. Thiele 39, J.P. Thomas 19, P.D. Thompson 19, A.S. Thompson 56, L.A. Thomsen 179, E. Thomson 124, Y. Tian 38, R.E. Ticse Torres 58, V.O. Tikhomirov 98,ar, Yu.A. Tikhonov 111,c, S. Timoshenko 100, P. Tipton 179, S. Tisserant 88, K. Todome 159, S. Todorova-Nova 5, S. Todt 47, J. Tojo 73, S. Tokár 146a, K. Tokushuku 69, E. Tolley 113, M. Tomoto 105, L. Tompkins 145,as, K. Toms 107, B. Tong 59, P. Tornambe 51, E. Torrence 118, H. Torres 47, E. Torró Pastor 140, C. Tosciri 122, J. Toth 88,at, F. Touchard 88, D.R. Tovey 141, C.J. Treado 112, T. Trefzger 178, F. Tresoldi 151, A. Tricoli 27, I.M. Trigger 163a, S. Trincaz-Duvold 83, M.F. Tripiana 13, W. Trischuk 161, B. Trocmé 57, A. Trofymov 45, C. Troncon 94a, M. Trovatelli 172, F. Trovato 151, L. Truong 147b, M. Trzebinski 42, A. Trzupek 42, F. Tsai 45, J.-C.-L. Tseng 122, P.V. Tsiareshka 95, N. Tsirintanis 9, V. Tsiskaridze 150, E.G. Tskhadadze 54a, I.I. Tsukerman 99, V. Tsulaia 16, S. Tsuno 69, D. Tsybychev 150, Y. Tu 62b, A. Tudorache 28b, V. Tudorache 28b, T.T. Tulbure 28a, A.N. Tuna 59, S. Turchikhin 68, D. Turgeman 175, I. Turk Cakir 4b,au, R. Turra 94a, P.M. Tuts 38, E. Tzovara 86, G. Ucchielli 22a,22b, I. Ueda 69, M. Ughetto 148a,148b, F. Ukegawa 164, G. Unal 32, A. Undrus 27, G. Unel 166, F.C. Ungaro 91, Y. Unno 69, K. Uno 157, J. Urban 146b, P. Urquijo 91, P. Urrejola 86, G. Usai 8, J. Usui 69, L. Vacavant 88, V. Vacek 130, B. Vachon 90, K.O.H. Vadla 121, A. Vaidya 81, C. Valderanis 102, E. Valdes Santurio 148a,148b, M. Valente 52, S. Valentinetto 22a,22b, A. Valero 170, L. Valéry 45, R.A. Vallance 19, A. Vallier 5, J.A. Valls Ferrer 170, T.R. Van Daalen 13, W. Van Den Wollenberg 109, H. van der Graaf 109, P. van Gemmeren 6, J. Van Nieuwkoop 144, I. van Vulpen 109, M.C. van Woerden 109, M. Vanadia 135a,135b, W. Vandelli 32, A. Vaniachine 160, P. Vankov 109, R. Vari 134a, E.W. Varnes 7, C. Varni 53a,53b, T. Varol 43, D. Varouchas 119, A. Vartapetian 8, K.E. Varvell 152, J.G. Vasquez 179,

G.A. Vasquez ^{34b}, F. Vazeille ³⁷, D. Vazquez Furelos ¹³, T. Vazquez Schroeder ⁹⁰, J. Veatch ⁵⁸,
 V. Vecchio ^{136a,136b}, L.M. Veloce ¹⁶¹, F. Veloso ^{128a,128c}, S. Veneziano ^{134a}, A. Ventura ^{76a,76b},
 M. Venturi ¹⁷², N. Venturi ³², V. Vercesi ^{123a}, M. Verducci ^{136a,136b}, W. Verkerke ¹⁰⁹, A.T. Vermeulen ¹⁰⁹,
 J.C. Vermeulen ¹⁰⁹, M.C. Vetterli ^{144,d}, N. Viaux Maira ^{34b}, O. Viazlo ⁸⁴, I. Vichou ^{169,*}, T. Vickey ¹⁴¹,
 O.E. Vickey Boeriu ¹⁴¹, G.H.A. Viehhauser ¹²², S. Viel ¹⁶, L. Vigani ¹²², M. Villa ^{22a,22b},
 M. Villaplana Perez ^{94a,94b}, E. Vilucchi ⁵⁰, M.G. Vincter ³¹, V.B. Vinogradov ⁶⁸, A. Vishwakarma ⁴⁵,
 C. Vittori ^{22a,22b}, I. Vivarelli ¹⁵¹, S. Vlachos ¹⁰, M. Vogel ¹⁷⁷, P. Vokac ¹³⁰, G. Volpi ¹³,
 S.E. von Buddenbrock ^{147c}, E. von Toerne ²³, V. Vorobel ¹³¹, K. Vorobev ¹⁰⁰, M. Vos ¹⁷⁰, J.H. Vossebeld ⁷⁷,
 N. Vranjes ¹⁴, M. Vranjes Milosavljevic ¹⁴, V. Vrba ¹³⁰, M. Vreeswijk ¹⁰⁹, R. Vuillermet ³², I. Vukotic ³³,
 P. Wagner ²³, W. Wagner ¹⁷⁷, J. Wagner-Kuhr ¹⁰², H. Wahlberg ⁷⁴, S. Wahrmund ⁴⁷, K. Wakamiya ⁷⁰,
 J. Walder ⁷⁵, R. Walker ¹⁰², W. Walkowiak ¹⁴³, V. Wallangen ^{148a,148b}, A.M. Wang ⁵⁹, C. Wang ^{36b,p},
 F. Wang ¹⁷⁶, H. Wang ¹⁶, H. Wang ³, J. Wang ^{60b}, J. Wang ¹⁵², P. Wang ⁴³, Q. Wang ¹¹⁵, R.-J. Wang ⁸³,
 R. Wang ^{36a}, R. Wang ⁶, S.M. Wang ¹⁵³, W. Wang ^{153,av}, W. Wang ^{36a,aw}, Y. Wang ^{36a}, Z. Wang ^{36c},
 C. Wanotayaroj ⁴⁵, A. Warburton ⁹⁰, C.P. Ward ³⁰, D.R. Wardrope ⁸¹, A. Washbrook ⁴⁹, P.M. Watkins ¹⁹,
 A.T. Watson ¹⁹, M.F. Watson ¹⁹, G. Watts ¹⁴⁰, S. Watts ⁸⁷, B.M. Waugh ⁸¹, A.F. Webb ¹¹, S. Webb ⁸⁶,
 C. Weber ¹⁷⁹, M.S. Weber ¹⁸, S.M. Weber ^{60a}, S.A. Weber ³¹, J.S. Webster ⁶, A.R. Weidberg ¹²²,
 B. Weinert ⁶⁴, J. Weingarten ⁵⁸, M. Weirich ⁸⁶, C. Weiser ⁵¹, P.S. Wells ³², T. Wenaus ²⁷, T. Wengler ³²,
 S. Wenig ³², N. Wermes ²³, M.D. Werner ⁶⁷, P. Werner ³², M. Wessels ^{60a}, T.D. Weston ¹⁸, K. Whalen ¹¹⁸,
 N.L. Whallon ¹⁴⁰, A.M. Wharton ⁷⁵, A.S. White ⁹², A. White ⁸, M.J. White ¹, R. White ^{34b}, D. Whiteson ¹⁶⁶,
 B.W. Whitmore ⁷⁵, F.J. Wickens ¹³³, W. Wiedenmann ¹⁷⁶, M. Wielers ¹³³, C. Wiglesworth ³⁹,
 L.A.M. Wiik-Fuchs ⁵¹, A. Wildauer ¹⁰³, F. Wilk ⁸⁷, H.G. Wilkens ³², H.H. Williams ¹²⁴, S. Williams ³⁰,
 C. Willis ⁹³, S. Willocq ⁸⁹, J.A. Wilson ¹⁹, I. Wingerter-Seez ⁵, E. Winkels ¹⁵¹, F. Winklmeier ¹¹⁸,
 O.J. Winston ¹⁵¹, B.T. Winter ²³, M. Wittgen ¹⁴⁵, M. Wobisch ^{82,u}, A. Wolf ⁸⁶, T.M.H. Wolf ¹⁰⁹, R. Wolff ⁸⁸,
 M.W. Wolter ⁴², H. Wolters ^{128a,128c}, V.W.S. Wong ¹⁷¹, N.L. Woods ¹³⁹, S.D. Worm ¹⁹, B.K. Wosiek ⁴²,
 K.W. Wozniak ⁴², K. Wraight ⁵⁶, M. Wu ³³, S.L. Wu ¹⁷⁶, X. Wu ⁵², Y. Wu ^{36a}, T.R. Wyatt ⁸⁷, B.M. Wynne ⁴⁹,
 S. Xella ³⁹, Z. Xi ⁹², L. Xia ¹⁷³, D. Xu ^{35a}, H. Xu ^{36a}, L. Xu ²⁷, T. Xu ¹³⁸, W. Xu ⁹², B. Yabsley ¹⁵²,
 S. Yacoob ^{147a}, K. Yajima ¹²⁰, D.P. Yallup ⁸¹, D. Yamaguchi ¹⁵⁹, Y. Yamaguchi ¹⁵⁹, A. Yamamoto ⁶⁹,
 T. Yamanaka ¹⁵⁷, F. Yamane ⁷⁰, M. Yamatani ¹⁵⁷, T. Yamazaki ¹⁵⁷, Y. Yamazaki ⁷⁰, Z. Yan ²⁴, H. Yang ^{36c,36d},
 H. Yang ¹⁶, S. Yang ⁶⁶, Y. Yang ¹⁵³, Y. Yang ¹⁵⁷, Z. Yang ¹⁵, W.-M. Yao ¹⁶, Y.C. Yap ⁴⁵, Y. Yasu ⁶⁹, E. Yatsenko ⁵,
 J. Ye ⁴³, S. Ye ²⁷, I. Yeletskikh ⁶⁸, E. Yigitbasi ²⁴, E. Yildirim ⁸⁶, K. Yorita ¹⁷⁴, K. Yoshihara ¹²⁴, C. Young ¹⁴⁵,
 C.J.S. Young ³², J. Yu ⁸, J. Yu ⁶⁷, X. Yue ^{60a}, S.P.Y. Yuen ²³, I. Yusuff ^{30,ax}, B. Zabinski ⁴², G. Zacharis ¹⁰,
 E. Zaffaroni ⁵², R. Zaidan ¹³, A.M. Zaitsev ^{132,aj}, N. Zakharchuk ⁴⁵, J. Zalieckas ¹⁵, S. Zambito ⁵⁹, D. Zanzi ³²,
 D.R. Zaripovas ⁵⁶, C. Zeitnitz ¹⁷⁷, G. Zemaitytte ¹²², J.C. Zeng ¹⁶⁹, Q. Zeng ¹⁴⁵, O. Zenin ¹³², T. Ženiš ^{146a},
 D. Zerwas ¹¹⁹, M. Zgubić ¹²², D. Zhang ^{36b}, D. Zhang ⁹², F. Zhang ¹⁷⁶, G. Zhang ^{36a,aw}, H. Zhang ^{35b},
 J. Zhang ⁶, L. Zhang ⁵¹, L. Zhang ^{36a}, M. Zhang ¹⁶⁹, P. Zhang ^{35b}, R. Zhang ²³, R. Zhang ^{36a,p}, X. Zhang ^{36b},
 Y. Zhang ^{35a,35d}, Z. Zhang ¹¹⁹, X. Zhao ⁴³, Y. Zhao ^{36b,x}, Z. Zhao ^{36a}, A. Zhemchugov ⁶⁸, B. Zhou ⁹²,
 C. Zhou ¹⁷⁶, L. Zhou ⁴³, M. Zhou ^{35a,35d}, M. Zhou ¹⁵⁰, N. Zhou ^{36c}, Y. Zhou ⁷, C.G. Zhu ^{36b}, H. Zhu ^{36a},
 H. Zhu ^{35a}, J. Zhu ⁹², Y. Zhu ^{36a}, X. Zhuang ^{35a}, K. Zhukov ⁹⁸, V. Zhulanov ^{111,ay}, A. Zibell ¹⁷⁸,
 D. Ziemińska ⁶⁴, N.I. Zimine ⁶⁸, S. Zimmermann ⁵¹, Z. Zinonos ¹⁰³, M. Zinser ⁸⁶, M. Ziolkowski ¹⁴³,
 L. Živković ¹⁴, G. Zobernig ¹⁷⁶, A. Zoccoli ^{22a,22b}, K. Zoch ⁵⁸, T.G. Zorbas ¹⁴¹, R. Zou ³³, M. zur Nedden ¹⁷,
 L. Zwalinski ³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany NY, United States of America³ Department of Physics, University of Alberta, Edmonton AB, Canada⁴ (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, Univ. Grenoble Alpes, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States of America¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

- ¹⁷ Department of Physics, Humboldt University, Berlin, Germany
¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
²⁰ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey
²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy
²³ Physikalisches Institut, University of Bonn, Bonn, Germany
²⁴ Department of Physics, Boston University, Boston MA, United States of America
²⁵ Department of Physics, Brandeis University, Waltham MA, United States of America
²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
²⁸ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara, Romania
²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
³¹ Department of Physics, Carleton University, Ottawa ON, Canada
³² CERN, Geneva, Switzerland
³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
³⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
³⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Physics, Nanjing University, Jiangsu; ^(c) Physics Department, Tsinghua University, Beijing 100084; ^(d) University of Chinese Academy of Science (UCAS), Beijing, China
³⁶ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; ^(b) School of Physics, Shandong University, Shandong; ^(c) School of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education; Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University; ^(d) Tsung-Dao Lee Institute, Shanghai, China
³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France
³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States of America
³⁹ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
⁴⁰ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
⁴¹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
⁴³ Physics Department, Southern Methodist University, Dallas TX, United States of America
⁴⁴ Physics Department, University of Texas at Dallas, Richardson TX, United States of America
⁴⁵ DESY, Hamburg and Zeuthen, Germany
⁴⁶ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
⁴⁷ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
⁴⁸ Department of Physics, Duke University, Durham NC, United States of America
⁴⁹ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy
⁵¹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland
⁵³ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
⁵⁴ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
⁵⁵ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁵⁶ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁷ LPSC, Université Grenoble Alpes, CNRS-IN2P3, Grenoble INP, Grenoble, France
⁵⁸ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶³ Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
⁶⁴ Department of Physics, Indiana University, Bloomington IN, United States of America
⁶⁵ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶⁶ University of Iowa, Iowa City IA, United States of America
⁶⁷ Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
⁶⁸ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁷⁰ Graduate School of Science, Kobe University, Kobe, Japan
⁷¹ Faculty of Science, Kyoto University, Kyoto, Japan
⁷² Kyoto University of Education, Kyoto, Japan
⁷³ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
⁷⁴ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷⁵ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁶ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁷ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁸ Department of Experimental Particle Physics, Jozef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
⁷⁹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁸⁰ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁸¹ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸² Louisiana Tech University, Ruston LA, United States of America
⁸³ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸⁴ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁵ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁶ Institut für Physik, Universität Mainz, Mainz, Germany

- ⁸⁷ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁸ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁹ Department of Physics, University of Massachusetts, Amherst MA, United States of America
⁹⁰ Department of Physics, McGill University, Montreal QC, Canada
⁹¹ School of Physics, University of Melbourne, Victoria, Australia
⁹² Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
⁹³ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
⁹⁴ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
⁹⁷ Group of Particle Physics, University of Montreal, Montreal QC, Canada
⁹⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia
¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁶ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹² Department of Physics, New York University, New York NY, United States of America
¹¹³ Ohio State University, Columbus OH, United States of America
¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
¹¹⁷ Palacký University, RCPTM, Olomouc, Czech Republic
¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan
¹²¹ Department of Physics, University of Oslo, Oslo, Norway
¹²² Department of Physics, Oxford University, Oxford, United Kingdom
¹²³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
¹²⁵ National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁶ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
¹²⁸ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada, Spain; ^(g) Dep Física and CEFITEC de Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹³⁰ Czech Technical University in Prague, Praha, Czech Republic
¹³¹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁴ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
¹³⁵ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁶ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
¹³⁷ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
¹³⁸ Institut de Recherches sur les Lois Fondamentales de l'Univers, DSM/IRFU, CEA Saclay, Gif-sur-Yvette, France
¹³⁹ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
¹⁴⁰ Department of Physics, University of Washington, Seattle WA, United States of America
¹⁴¹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴² Department of Physics, Shinshu University, Nagano, Japan
¹⁴³ Department Physik, Universität Siegen, Siegen, Germany
¹⁴⁴ Department of Physics, Simon Fraser University, Burnaby BC, Canada
¹⁴⁵ SLAC National Accelerator Laboratory, Stanford CA, United States of America
¹⁴⁶ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
¹⁴⁷ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁸ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁹ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁵⁰ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
¹⁵¹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵² School of Physics, University of Sydney, Sydney, Australia
¹⁵³ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵⁴ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
¹⁵⁵ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁶ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁷ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁸ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁹ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

- ¹⁶⁰ Tomsk State University, Tomsk, Russia
¹⁶¹ Department of Physics, University of Toronto, Toronto ON, Canada
¹⁶² (a) INFN-TIFPA; (b) University of Trento, Trento, Italy
¹⁶³ (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON, Canada
¹⁶⁴ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
¹⁶⁵ Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
¹⁶⁶ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
¹⁶⁷ (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁸ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁹ Department of Physics, University of Illinois, Urbana IL, United States of America
¹⁷⁰ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Spain
¹⁷¹ Department of Physics, University of British Columbia, Vancouver BC, Canada
¹⁷² Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
¹⁷³ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷⁴ Waseda University, Tokyo, Japan
¹⁷⁵ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
¹⁷⁶ Department of Physics, University of Wisconsin, Madison WI, United States of America
¹⁷⁷ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁷⁸ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
¹⁷⁹ Department of Physics, Yale University, New Haven CT, United States of America
¹⁸⁰ Yerevan Physics Institute, Yerevan, Armenia
¹⁸¹ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
¹⁸² Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

^a Also at Department of Physics, King's College London, London, United Kingdom.^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^c Also at Novosibirsk State University, Novosibirsk, Russia.^d Also at TRIUMF, Vancouver BC, Canada.^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.^f Also at Physics Department, An-Najah National University, Nablus, Palestine.^g Also at Department of Physics, California State University, Fresno CA, United States of America.^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.ⁱ Also at II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany.^j Also at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona, Spain.^k Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.^l Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.^m Also at Università di Napoli Parthenope, Napoli, Italy.ⁿ Also at Institute of Particle Physics (IPP), Canada.^o Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.^p Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States of America.^s Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.^u Also at Louisiana Tech University, Ruston LA, United States of America.^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.^w Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.^x Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.^y Also at Graduate School of Science, Osaka University, Osaka, Japan.^z Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany.^{aa} Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.^{ab} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.^{ac} Also at CERN, Geneva, Switzerland.^{ad} Also at Georgian Technical University (GTU), Tbilisi, Georgia.^{ae} Also at Manhattan College, New York NY, United States of America.^{af} Also at Hellenic Open University, Patras, Greece.^{ag} Also at The City College of New York, New York NY, United States of America.^{ah} Also at Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada, Portugal.^{ai} Also at Department of Physics, California State University, Sacramento CA, United States of America.^{aj} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.^{ak} Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.^{al} Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland.^{am} Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.^{an} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.^{ao} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.^{ap} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.^{aq} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.^{ar} Also at National Research Nuclear University MEPhI, Moscow, Russia.^{as} Also at Department of Physics, Stanford University, Stanford CA, United States of America.^{at} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.^{au} Also at Giresun University, Faculty of Engineering, Turkey.^{av} Also at Department of Physics, Nanjing University, Jiangsu, China.^{aw} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.^{ax} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.^{ay} Also at Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia.^{az} Also at Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy.

ba Also at Near East University, Nicosia, North Cyprus, Mersin 10, Turkey.

bb Also at Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal.

* Deceased.