



Search for the X_b and other hidden-beauty states in the $\pi^+\pi^-\Upsilon(1S)$ channel at ATLAS

ATLAS Collaboration*



ARTICLE INFO

Article history:

Received 16 October 2014

Received in revised form 26 November 2014

Accepted 26 November 2014

Available online 2 December 2014

Editor: W.-D. Schlatter

ABSTRACT

This Letter presents a search for a hidden-beauty counterpart of the $X(3872)$ in the mass ranges of 10.05–10.31 GeV and 10.40–11.00 GeV, in the channel $X_b \rightarrow \pi^+\pi^-\Upsilon(1S)(\rightarrow \mu^+\mu^-)$, using 16.2 fb^{-1} of $\sqrt{s} = 8 \text{ TeV}$ pp collision data collected by the ATLAS detector at the LHC. No evidence for new narrow states is found, and upper limits are set on the product of the X_b cross section and branching fraction, relative to those of the $\Upsilon(2S)$, at the 95% confidence level using the CL_S approach. These limits range from 0.8% to 4.0%, depending on mass. For masses above 10.1 GeV, the expected upper limits from this analysis are the most restrictive to date. Searches for production of the $\Upsilon(1^3D_J)$, $\Upsilon(10860)$, and $\Upsilon(11020)$ states also reveal no significant signals.

© 2014 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/3.0/>). Funded by SCOAP³.

1. Introduction

The $X(3872)$ is the first and the best-studied of the new hidden-charm states seen in the last decade. Observed by Belle in decays $B^\pm \rightarrow K^\pm X(\rightarrow \pi^+\pi^-J/\psi)$ [1], it was quickly confirmed by BaBar [2], CDF [3], and DØ [4]. In particular, CDF and DØ found that the $X(3872)$ is produced directly in $p\bar{p}$ collisions; recently CMS has measured the product of the pp production cross section and the $\pi^+\pi^-J/\psi$ branching fraction to be $(6.56 \pm 0.29 \pm 0.65)\%$ of the value for the $\psi(2S)$ [5]. The mass, narrow width, $J^{PC} = 1^{++}$ quantum number assignment [6–10], and decay characteristics of the $X(3872)$ make it unlikely to be a conventional quarkonium state, and there is an extensive literature discussing its structure. Weakly bound $D^0\bar{D}^{*0}$ molecular models (for example, Refs. [11, 12]) have been popular due to the proximity of the $X(3872)$ to the $D^0\bar{D}^{*0}$ threshold; various $[qc][\bar{q}\bar{c}]$ tetraquark (for example, Refs. [13,14]) and other models have also been proposed.

Heavy-quark symmetry suggests the existence of a hidden-beauty partner – a so-called X_b state – which should be produced in pp collisions [15]. The molecular model of Swanson [12,16] predicts an X_b mass of 10561 MeV, while tetraquark predictions vary: for example, Ref. [14] predicts masses of 10492, 10593, or 10682 MeV, depending on the flavour of the light quarks.

The decay $X_b \rightarrow \pi^+\pi^-\Upsilon(1S)(\rightarrow \mu^+\mu^-)$, analogous to the decay mode in which the $X(3872)$ was discovered, provides a straightforward way to reconstruct an X_b . Any resulting measurement or upper limit on the X_b production cross section then de-

pends on the branching fraction for $X_b \rightarrow \pi^+\pi^-\Upsilon(1S)$, which is unknown.

The $\pi^+\pi^-\Upsilon(1S)$ channel also provides the opportunity to measure the production of the $\Upsilon(1^3D_J)$ states. These have not been observed at the Tevatron; their production cross sections in pp collisions are also unknown, but an early colour-octet calculation [17] gives values comparable to that of the $\Upsilon(2S)$. The $\Upsilon(1^3D_2)$ has been observed in radiative transitions by CLEO [18] and BaBar [19].

The production of $\Upsilon(10860)$ and some other hidden-beauty states may also be studied using $\pi^+\pi^-\Upsilon(1S)$. The $\Upsilon(10860)$ decay to $\pi^+\pi^-\Upsilon(1S)$ has a surprisingly large partial width [20–22]: current world average results are (0.29 ± 0.15) MeV for the $\Upsilon(10860)$, to be compared with (0.89 ± 0.08) keV for the $\Upsilon(3S)$, and (1.7 ± 0.2) keV for the $\Upsilon(4S)$ [23]. Belle has also presented evidence of exotic substructure in this decay [24]. The natural widths of the $\Upsilon(10860)$, $\Upsilon(11020)$, and other states above the open-beauty threshold are larger than the detector resolution, and must be explicitly considered in any search.

In 2013, CMS reported [25] the results of their search for $X_b \rightarrow \pi^+\pi^-\Upsilon(1S)(\rightarrow \mu^+\mu^-)$, finding no evidence for narrow states in the 10.06–10.31 GeV and 10.40–10.99 GeV mass ranges. They set upper limits on the product of cross section and branching fraction at values between 0.9% and 5.4% of the $\Upsilon(2S)$ rate.

This Letter presents a search for the X_b and other hidden-beauty states at ATLAS, using a 16.2 fb^{-1} pp collision data sample collected at $\sqrt{s} = 8 \text{ TeV}$ during the 2012 run of the LHC. The analysis is performed simultaneously across eight kinematic bins of varying sensitivity; the $\Upsilon(2S)$ and $\Upsilon(3S) \rightarrow \pi^+\pi^-\Upsilon(1S)$ peaks are used to validate the measurement technique. Results are

* E-mail address: atlas.publications@cern.ch.

presented in terms of the product of production cross section and $\pi^+\pi^-\gamma(1S)$ branching fraction, relative to that for the $\gamma(2S)$.

2. The ATLAS detector

The ATLAS detector [26] is composed of an inner tracking system, calorimeters, and a muon spectrometer. The inner detector (ID) surrounds the pp interaction point and consists of silicon pixel and microstrip detectors, and a transition radiation tracker, all immersed in a 2 T axial magnetic field. The ID spans the pseudorapidity¹ range $|\eta| < 2.5$ and is enclosed by a system of electromagnetic and hadronic calorimeters. Surrounding the calorimeters is the muon spectrometer (MS) consisting of three large air-core superconducting magnets (each with eight coils) providing a toroidal field, a system of precision tracking chambers, and fast detectors for triggering. Monitored drift tubes and cathode-strip chambers provide precision measurements in the bending plane of muons within the pseudorapidity range $|\eta| < 2.7$. Resistive plate and thin gap chambers are used to make fast event data-recording decisions in the ranges $|\eta| < 1.05$ and $1.05 < |\eta| < 2.4$ respectively, and also provide position measurements in the non-bending plane and improve pattern recognition and track reconstruction. MS momentum measurements are based on track segments formed in at least two of the three precision chamber planes.

The ATLAS detector employs a three-level trigger [27] to reduce the 20 MHz proton bunch collision rate to the few-hundred hertz transfer rate to mass storage. This analysis is based on a Level-1 muon trigger that searches for hit coincidences between muon trigger detector layers inside pre-programmed geometrical windows that bound the path of muon candidates above a given p_T^μ threshold, and provide a rough estimate of their position, for $|\eta^\mu| < 2.4$. There are two subsequent software-based trigger stages, in which muon candidates incorporate, with increasing precision, information from both the MS and the ID, reaching position and momentum resolution close to that provided by the offline reconstruction.

3. Reconstruction and event selection

Events are selected using a trigger requiring two muons of opposite charge, each with $p_T^\mu > 4$ GeV, successfully fitted to a common vertex. The $\mu^+\mu^-$ mass range accepted by the trigger, 8–12 GeV, includes the $\gamma(1S)$, $\gamma(2S)$, and $\gamma(3S)$ signal peaks.

In the offline reconstruction for this analysis, muon reconstruction relies on a statistical combination of an MS track and an ID track. The selected muons are restricted to $|\eta^\mu| < 2.3$, ensuring high-quality tracking and a reduction of fake muon candidates. This restriction also removes regions of strongly varying efficiency and acceptance.

The reconstruction of $\pi^+\pi^-\gamma(1S)$ candidates begins with pairs of oppositely charged muon candidates that satisfy the same kinematic conditions used by the trigger, and have ≥ 2 pixel and ≥ 6 silicon microstrip detector hits. Each pair is subjected to a common vertex fit, and a loose chi-square selection is imposed to exclude very poor candidates. Any dimuon with an invariant mass within

350 MeV of the $\gamma(1S)$ mass [23], m_{1S} , is retained and considered an $\gamma(1S) \rightarrow \mu^+\mu^-$ candidate. To confirm that this pair is the same as that used in the trigger, the reconstructed and trigger-level muons are required to match with $\Delta R < 0.01$.

In the remainder of the event, dipion candidates are formed from oppositely charged pions with $|\eta^\pi| < 2.5$, each required to have ≥ 1 pixel hits, ≥ 6 silicon microstrip hits, and $p_T^\pi > 400$ MeV; no other requirements (such as lepton vetoes) are imposed. The $\gamma(1S)$ candidate and the dipion system are combined by performing a four-track common-vertex fit, with the $\mu^+\mu^-$ mass constrained to m_{1S} , and tracks assigned μ or π masses as appropriate. This significantly improves the mass resolution: for example, in the $\gamma(2S)$ simulation, the RMS improves from 142 MeV to 9.7 MeV. The $\pi^+\pi^-\gamma(1S)$ vertex fit is required to have a chi-square less than 20; this is 95% efficient for $\gamma(2S)$ decays but reduces background by a factor of ~ 10 . All remaining $\pi^+\pi^-\gamma(1S)$ candidates with invariant masses up to 11.2 GeV are retained.

For a state decaying to $\pi^+\pi^-\gamma(1S)$, the acceptance \mathcal{A} is defined as the fraction of decays where both muons have $p_T^\mu > 4$ GeV, both pions have $p_T^\pi > 400$ MeV, and all four particles are within $|\eta| < 2.5$. States with $p_T < 5$ GeV or rapidity $|y| > 2.4$ have very low acceptance, so candidates in these regions (which also suffer from high background) are excluded.

4. Data and simulation samples

The techniques adopted in this analysis were developed using $\sqrt{s} = 7$ TeV data collected in 2011 and simulation samples generated under the same running conditions, with particular attention to $\gamma(2S) \rightarrow \pi^+\pi^-\gamma(1S)$ mass and $(|y|, p_T)$ distributions. Backgrounds due to inclusive $\gamma(1S)$ production and combinatorial $\mu^+\mu^-$ sources were studied using $\mu^+\mu^-$ sideband and $\mu^\pm\mu^\pm$ same-sign samples, and found to be featureless above 9.8 GeV.

The results presented here are based on data from the 2012 $\sqrt{s} = 8$ TeV pp run at the LHC; standard data-quality criteria are used to ensure efficient detector performance. The trigger employed in the event selection was subject to an instantaneous luminosity-dependent prescale factor,² and provided an integrated luminosity of $\mathcal{L} = 16.2 \text{ fb}^{-1}$. The resulting data sample includes over 10 million $\mu^+\mu^-$ combinations: a fit to the sample finds $(6.00 \pm 0.01) \times 10^6$ from $\gamma(1S)$ decays, $(0.200 \pm 0.002) \times 10^6$ from $\gamma(2S)$ decays, and the remainder from combinatorial background. Given the reconstruction and event selection choices described in the previous section, each dimuon gives rise (on average) to 19.5 $\pi^+\pi^-\gamma(1S)$ candidates with invariant mass below 11.2 GeV. A procedure to select at most one candidate per event was considered. However, after the adoption of the binning approach described in Section 5, candidate selection was found to worsen the expected sensitivity to a hypothetical X_b signal. Therefore, all $\pi^+\pi^-\gamma(1S)$ candidates are retained for analysis.

Simulated samples are used to optimise the selections, model signal decays, develop fitting models, and calculate efficiencies. Individual samples are used for the $\gamma(2S)$, $\gamma(3S)$, $\gamma(1^3D_J)$ triplet, $\gamma(10860)$, and for two hypothetical X_b masses, 10233 MeV and 10561 MeV. Production is modelled with the AU2 [28] tune of PYTHIA 8.170 [29] and the CTEQ6L1 [30] parton distribution functions. In the decay to $\pi^+\pi^-\gamma(1S)$, the three-body phase space is uniformly sampled. Isotropic spin alignment of the parent is assumed: for $\gamma(2S)$ and $\gamma(3S)$ this is supported by a recent CMS measurement [31]. Passage of particles through the detector is

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector, the x -axis pointing to the centre of the LHC ring, and the z -axis along the beam pipe; the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane; ϕ is the azimuthal angle around the beam pipe. Pseudorapidity and transverse momentum are defined in terms of the polar angle θ as $\eta = -\ln(\tan\theta/2)$ and $p_T = p \sin\theta$. The (η, ϕ) distance between two particles is defined as $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$. For a particle with momentum $\vec{p} = (p_x, p_y, p_z)$ and energy E , the rapidity is defined as $y = 0.5 \ln([E + p_z]/[E - p_z])$.

² An un-prescaled trigger with a $p_T^\mu = 6$ GeV threshold on the muons was also considered, but found to result in a lower sensitivity using the optimisation procedure described in Section 5.

simulated with Alfast II [32], supplementing GEANT4 [33,34] with a parameterised calorimeter response.

Simulated kinematic distributions of the final-state pions and muons are sensitive to mismodelling of the p_T and y distributions of the parent state. ATLAS has measured doubly differential production cross sections for $\Upsilon(2S)$ and $\Upsilon(3S)$ at 7 TeV in p_T bins up to 70 GeV for $|y| < 1.2$ and $1.2 < |y| < 2.25$ [35]. These results can be extended to $|y| < 2.4$ assuming flat rapidity dependence, and up to $p_T = 100$ GeV using CMS measurements [36]. The resulting $\Upsilon(2S)$ cross section is compared to the production kinematics of a 7 TeV simulation using the 2011 ATLAS tune [37] of PYTHIA 6.4 [38]. The ratio of the two in $(|y|, p_T)$ bins defines *production weights*, which are applied to the 8 TeV $\Upsilon(2S)$ simulated sample, assuming that PYTHIA correctly models the increase in cross section with \sqrt{s} . The same procedure is used for the $\Upsilon(3S)$; for other masses, linear extrapolation of the $\Upsilon(2S)$ and $\Upsilon(3S)$ weights is used. The simulated $\Upsilon(2S)$ and $\Upsilon(3S) \rightarrow \pi^+\pi^-\Upsilon(1S)$ samples are further reweighted to match dipion mass distributions observed by CLEO [39,40], to allow comparison of simulation and data.

5. Fitting strategy

Due to the low pion momentum in the $\pi^+\pi^-\Upsilon(1S)$ rest frame, and the reconstruction threshold of $p_T^\pi = 400$ MeV in the laboratory frame, true $\pi^+\pi^-\Upsilon(1S)$ decays are preferentially reconstructed if the parent has large p_T or small θ^* (defined as the angle, in the parent rest frame, between the dipion momentum and the lab-frame parent momentum). In background candidates, the dipion and dimuon systems are unrelated, and the dipions typically have low $p_T^{\pi\pi}$ in the lab; boosting to the $\pi^+\pi^-\mu^+\mu^-$ frame yields large values of θ^* , with a broad distribution around $\cos\theta^* = 0$. In the $(p_T, \cos\theta^*)$ plane, then, the ratio of signal to background candidates is largest in the upper-right region, and smallest in the lower-left.

The mass resolution and background shape differ at central and forward rapidities, so the analysis is performed in bins of $|y| < 1.2$ (barrel) and $1.2 < |y| < 2.4$ (endcap). Several possible ways to exploit the $(p_T, \cos\theta^*)$ discrimination were considered, including further binning, a diagonal cut in $(p_T, \cos\theta^*)$, and a requirement on the ΔR between the $\Upsilon(1S)$ and each pion (as used by CMS [25]). The choice of method was based on optimising the expected significance for a weak signal at a mass of 10561 MeV. In the final approach eight analysis bins of varying sensitivity are used, formed from combinations of high and low $|y|$, high and low p_T , and high and low $\cos\theta^*$. The optimal bin boundaries for p_T and $\cos\theta^*$ were determined to be 20 GeV and 0, respectively.

The $\pi^+\pi^-\Upsilon(1S)$ mass distribution for the most sensitive bin ($|y| < 1.2$, $p_T > 20$ GeV, $\cos\theta^* > 0$) is shown in Fig. 1. The $\Upsilon(2S)$ and $\Upsilon(3S)$ peaks are clearly visible, but no other peaks are apparent. The background in this bin decreases with mass above the $\Upsilon(3S)$, whereas the fraction of signal events falling in this bin is constant above the $\Upsilon(3S)$ in the simulation. Thus higher sensitivity is expected at larger masses.

Based on the simulation samples, the fraction of signal in the barrel region $|y| < 1.2$ is independent of mass with an average value of $S_{|y|} = 0.606 \pm 0.004$. Within the barrel, the fraction of signal with $p_T < 20$ GeV develops smoothly with mass and can be characterised by an analytic turn-on curve $S_{p_T}^b(m) = a/(1 + e^{-b(m-c)})$. In the endcap, the dependence is described by $S_{p_T}^e(m)$, which has the same functional form as $S_{p_T}^b(m)$ with different values for the parameters. Similarly, within each $(|y|, p_T)$ bin the fraction of the signal with $\cos\theta^* < 0$ is modelled with a quadratic function, $S_{\cos\theta^*}^{(i)}(m) = a + bm + cm^2$, where $i = 1-4$ labels the bin. These S functions, seven in total, are referred to below




Fig. 1. The $\pi^+\pi^-\Upsilon(1S)$ invariant mass distribution in the kinematic bin most sensitive to an X_b signal: $|y| < 1.2$, $p_T > 20$ GeV, and $\cos\theta^* > 0$. The only apparent peaks are at the masses of the $\Upsilon(2S)$ (10023 MeV) and $\Upsilon(3S)$ (10355 MeV).

as *splitting functions*. At any specified mass, the signal yield fraction in any particular $(|y|, p_T, \cos\theta^*)$ bin can be calculated from an appropriately chosen product of three of these and their complements, $(1 - S)$. For example, the fraction in the bin $(|y| < 1.2, p_T > 20$ GeV, $\cos\theta^* < 0)$ is given by $S_{|y|} \cdot (1 - S_{p_T}^b(m)) \cdot S_{\cos\theta^*}^{(3)}(m)$.

The shape of the signal peaks reflects the detector resolution, which differs between the barrel and endcap, and varies as a function of mass; in a given rapidity bin at a given mass, a single function can be used across the whole $(p_T, \cos\theta^*)$ range. In each rapidity bin, the signal is fitted using two Gaussians with a common mean, a narrow component fraction f , and a ratio r of broad to narrow widths. These parameters are found to be independent of mass, and are fixed to the average values across the simulation samples. The remaining parameter, the width of the narrow component, σ , depends linearly on the mass of the parent state. Together with the splitting functions defined above, this allows the signal shape and the fraction of the signal falling in each of the analysis bins to be determined for any X_b mass.

Searches for the production of the $\Upsilon(10860)$ and $\Upsilon(11020)$, which have natural widths larger than the experimental resolution, are also performed. Each of these states is modelled as a Breit–Wigner convolved with the mass-dependent signal shape described in the previous paragraph, representing the detector resolution. The fractions of the $\Upsilon(10860)$ signal falling in the eight analysis bins are extracted from the simulation, while those for the $\Upsilon(11020)$ are determined by extrapolation.

All fits presented here are binned, extended maximum-likelihood fits in a local region around the mass of interest. The bin width is 2 MeV in all fits. The background is described by a linear combination of Chebychev polynomials up to second-order, with independent parameters in each analysis bin, unless otherwise specified.

6. Results for the $\Upsilon(2S)$ and $\Upsilon(3S)$

Fits to the $\pi^+\pi^-\Upsilon(1S)$ spectrum near the $\Upsilon(2S)$ are first performed separately in barrel and endcap bins, across the full $(p_T, \cos\theta^*)$ range, with signal mass and width parameters free in the fit (Figs. 2a and 2b). In both cases, the mass is consistent with the world average for the $\Upsilon(2S)$, and the σ parameters are within uncertainties of the values fitted to the $\Upsilon(2S)$ simulation.

Signal shape parameters are then fixed to simulated values to reduce uncertainties, and a separate fit is performed on each analysis bin. The fraction of signal decays falling in the barrel is measured to be 0.67 ± 0.04 , compared to 0.606 ± 0.004 in the simula-




Fig. 2. The measured $\pi^+\pi^-\Upsilon(1S)$ invariant mass (data points), together with fits (red solid curves) to the $\Upsilon(2S)$ peak in the (a) barrel and (b) endcap, with signal mass (m) and width parameters (σ_b and σ_{ec} , respectively) free; and (c) a fit to the $\Upsilon(3S)$ peak in the most sensitive bin, with zero suppressed on the vertical scale. N_s is the fitted signal yield in each bin. The background component (green, long-dashed) and the signal component (peaked blue curve) are also shown separately. In each case, the lower panel shows background-subtracted data, with the total signal function (blue solid) and its two Gaussian components (pink, short-dashed curves) overlaid. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

tion; similar results were seen in 7 TeV data. The ratio 0.67/0.606 is used to rescale the barrel fraction in the simulation.

The total fitted yield $N_{2S} = 34300 \pm 800$ is consistent with

$$N_2^{\text{expected}} = (\sigma\mathcal{B})_{2S} \cdot \mathcal{L} \cdot \mathcal{A} \cdot \epsilon = 33300 \pm 2500, \quad (1)$$

where the product of the cross section and branching fraction, $(\sigma\mathcal{B})_{2S}$, is estimated from the extended cross-section measurement (see Section 4) using world-average values for the branching fractions $\mathcal{B}(\Upsilon(1S) \rightarrow \mu^+\mu^-)$ and $\mathcal{B}(\Upsilon(2S) \rightarrow \pi^+\pi^-\Upsilon(1S))$ [23]. The shape of the doubly differential cross section is also used to calculate the acceptance, $\mathcal{A} = (1.442 \pm 0.004)\%$, assuming the CLEO dipion mass spectrum [39] and isotropic signal decays. The reconstruction efficiency for decays within the acceptance, $\epsilon = 0.283 \pm 0.002$, is taken from the $\Upsilon(2S)$ simulation. To test kinematic distributions in the $\Upsilon(2S)$ simulation, signal fractions in the eight analysis bins are checked against their expected values, and are found to be consistent within statistical uncertainties.

A simultaneous fit to the analysis bins is also performed at the $\Upsilon(3S)$ mass, with reduced $\chi^2 = 1.0$ and statistical significance (from the likelihood-ratio test statistic) $z = 8.7$. An individual fit to the most sensitive bin (shown in Fig. 2(c), with larger binning to emphasise the peak) has significance $z = 6.5$. The total $\Upsilon(3S)$ yield, 11600 ± 1300 , agrees with the prediction estimated analogously to Eq. (1), 11400 ± 1500 .

7. Results for the X_b search

7.1. Hypothesis tests

A hypothesis test for the presence of an X_b peak is performed every 10 MeV from 10 GeV to 11 GeV, assuming a narrow state³ that has a differential cross section with a $(|y|, p_T)$ distribution similar to that of the $\Upsilon(2S)$ or $\Upsilon(3S)$, decaying according to three-body phase space. The signal shape and bin splittings are treated as described in Section 5. At each mass, a simultaneous fit to the analysis bins is performed in a range $m \pm 8\sigma_{\text{ec}}$, where $\sigma_{\text{ec}}(m)$ is the width of the narrow signal component in the endcap: the window varies from ± 72 MeV at 10 GeV to ± 224 MeV at 10.9 GeV;

near 11 GeV, $m - 8\sigma_{\text{ec}} < m < 11.2$ GeV is used. When fitting near the $\Upsilon(2S)$ and $\Upsilon(3S)$ regions, the lineshapes for these signal components are added to the background model, with normalisations governed by Gaussian constraints to the values obtained from the fits given in Section 6. In the immediate vicinity of the peaks, $m_{2S,3S} \pm 4\sigma_b$, no search is performed; the width of the narrow signal component in the barrel, σ_b , is 5.66 MeV (9.37 MeV) at the $\Upsilon(2S)$ ($\Upsilon(3S)$) mass. This reduces the analysis range to 10.05–10.31 and 10.40–11.00 GeV.

At each mass, the p -value is extracted using the asymptotic formula [41] for the q_0 statistic, a modification of the standard likelihood ratio (see Fig. 3). No evidence for new states with local significance $z \geq 3$ is found.

The expected number of X_b events can be written as

$$N = N_{2S} \cdot R \cdot \frac{\mathcal{A}}{\mathcal{A}_{2S}} \cdot \frac{\epsilon}{\epsilon_{2S}}, \quad (2)$$

where $R \equiv (\sigma\mathcal{B})/(\sigma\mathcal{B})_{2S}$, the production rate relative to that of the $\Upsilon(2S)$. The efficiency, ϵ , as a function of mass is determined by fitting a function $a + b/(1 + e^{-c(m-d)})$ to the values from the simulated samples. The acceptance increases with the mass of the parent state due to the increased energy available to the pions and muons. Additionally, the measured production spectra of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ states [35] are progressively harder in p_T with increasing mass. The acceptance for a hypothetical X_b state of arbitrary mass is estimated here by linear extrapolation of calculations performed at the $\Upsilon(2S)$ and $\Upsilon(3S)$, using the measured production spectra of these states. The ratio $(\mathcal{A}\epsilon)/(\mathcal{A}\epsilon)_{2S}$ rises from 1.1 at $m = 10$ GeV to 7.5 at $m = 11$ GeV.

Using Eq. (2) and the formalism from Ref. [41], the expected significance for a relative production rate $R = 6.56\%$ (the value of the analogous quantity for the $X(3872)$ [5]) is calculated as a function of mass, shown as the dashed blue line in Fig. 3; it exceeds 5σ for $m \gtrsim 10.12$ GeV. Expectations for a weaker signal with $R = 3\%$ are also shown (long-dashed red line). Given the null result, upper limits are calculated on R after modifying the fit to include systematic uncertainties.

7.2. Systematic uncertainties

The upper limit calculation depends indirectly on signal and background fitting parameters, including the fraction of the signal

³ Here, a narrow state refers to one whose natural width is much smaller than the experimental resolution.




Fig. 3. The solid curve shows the observed local p -value for the background-only hypothesis (left scale), and the corresponding significance, z , of a peak in $\pi^+\pi^-\gamma(1S)$ (right scale), as a function of the mass of a hypothetical X_b parent state. Also shown are the expected values for the case of a signal with relative production rates $(\sigma\mathcal{B})/(\sigma\mathcal{B})_{2S}$ of 3% (red, long-dashed) and 6.56% (blue, dashed curve).

falling in each of the analysis bins. From Eq. (2), the upper limit on R is proportional to the inverse fitted $\Upsilon(2S)$ yield, N_{2S}^{-1} , and the ratios $\mathcal{A}_{2S}/\mathcal{A}$ and ϵ_{2S}/ϵ . For each source of systematic uncertainty, the impact on these factors is quantified to find the maximum shift across the mass range. These are then summed in quadrature and included in the fit as Gaussian-constrained nuisance parameters.

The $X(3872) \rightarrow \pi^+\pi^-J/\psi$ dipion mass distribution favours high mass [6,9]; for a potential hidden-beauty counterpart this distribution is unknown. For $\psi(2S) \rightarrow \pi^+\pi^-J/\psi$ [42], and both $\Upsilon(2S)$ [39] and $\Upsilon(4S) \rightarrow \pi^+\pi^-\gamma(1S)$ [43,44], the dipion mass distributions are concentrated near the upper boundary; those for $\Upsilon(4260) \rightarrow \pi^+\pi^-J/\psi$ [45] and $\Upsilon(3S) \rightarrow \pi^+\pi^-\gamma(1S)$ [40] are double-humped. The results quoted here assume decay according to three-body phase space; $\Upsilon(2S)$ - and $\Upsilon(3S)$ -like distributions change the splitting functions by up to 35%, decrease the efficiency ratio by up to 17%, and produce modest changes in other parameters.

The next largest contribution is due to the linear extrapolation of the acceptance between the $\Upsilon(2S)$ and $\Upsilon(3S)$ values. Alternative extrapolations between the $\Upsilon(1S)$ and $\Upsilon(2S)$, and between $\Upsilon(1S)$ and $\Upsilon(3S)$, are also tried; the greatest change in the acceptance ratio, 12%, is assigned as the uncertainty.

The parameters of the efficiency, the splitting functions, and the widths of the narrow signal components σ_b and σ_{ec} as functions of mass, are varied by the uncertainties on their fitted values; alternative functional forms are also tried. In each case, the largest deviation is assigned as the systematic uncertainty. The use of production weights (described in Section 4) relies on assumptions regarding rapidity dependence, and evolution from $\sqrt{s} = 7$ TeV to 8 TeV. Removing these weights produces a $\sim 1\%$ change in efficiency ratio (most of the differences cancel), but changes the values of the splitting functions by up to 8%.

Data versus simulation differences in the $\Upsilon(2S)$ width parameters in the barrel and endcap (1.9% and 4.2%, respectively) are incorporated as a source of uncertainty, as is the statistical uncertainty on the averages used for signal shape parameters f and r (0.5–1.4%). The background shape model is also altered, allowing a third-order term comparable in size to typical values of the second-order terms. Finally, uncertainties on N_{2S} and the barrel/endcap scaling factor are assigned based on uncertainties from the $\Upsilon(2S)$ fits.




Fig. 4. Observed 95% CL_S upper limits (solid line) on the relative production rate $R = (\sigma\mathcal{B})/(\sigma\mathcal{B})_{2S}$ of a hypothetical X_b parent state decaying isotropically to $\pi^+\pi^-\gamma(1S)$, as a function of mass. The median expectation (dashed) and the corresponding $\pm 1\sigma$ and $\pm 2\sigma$ bands (green and yellow respectively) are also shown. The bar on the right shows typical shifts under alternative X_b spin-alignment scenarios, relative to the isotropic ('FLAT') case shown with the solid point.

7.3. Upper limit calculation

Upper limits are evaluated at the 95% confidence level using the CL_S method by implementing asymptotic formulae for the \tilde{q}_μ statistic [41]. The results (Fig. 4, solid line) range between $R = 0.8\%$ and 4.0% . Median expected upper limits assuming background only (dashed line), and corresponding $\pm 1\sigma$ and $\pm 2\sigma$ bands are also shown. These limits include the effect of systematic uncertainties: their inclusion increased the observed limits by up to 13% and inflated the $\pm 1\sigma$ band by 9.5–25%, depending on the X_b mass.

As a check, upper limits are recalculated with modified fitting ranges ($m \pm 7\sigma_{ec}$ and $m \pm 9\sigma_{ec}$) and doubled bin widths in the $\pi^+\pi^-\gamma(1S)$ mass distributions: shifts are small compared to the $\pm 1\sigma$ bands. If an $\Upsilon(2S)$ -like $m_{\pi^+\pi^-}$ distribution is assumed (cf. CMS [25]), expected upper limits increase: the fractional change is +17% at 10.1 GeV, and $\sim +5\%$ for $m > 10.4$ GeV.

These results exclude X_b states with $R = 6.56\%$ for masses 10.05–10.31 GeV and 10.40–11.00 GeV. The expected upper limits are more restrictive than those from CMS above $m \sim 10.1$ GeV, and improve as a function of mass; the discrimination in $(p_T, \cos\theta^*)$, exploited by the binning method, becomes increasingly important as mass increases.

If an X_b state exists and lies within the range of masses to which this analysis is sensitive, its production cross section and/or its branching fraction must be lower, relative to the $\Upsilon(2S)$, than that of the $X(3872)$ relative to the $\psi(2S)$. There are arguments that the decay $X_b \rightarrow \pi^+\pi^-\gamma(1S)$ should be suppressed, in the absence of the strong isospin-violating effects that are present for $X(3872) \rightarrow \pi^+\pi^-J/\psi$ [46,47]. In this case the X_b would have more prominent decays to $\pi^+\pi^-\chi_{b1}$, $\pi^+\pi^-\pi^0\gamma(1S)$, and other final states which are relatively difficult to reconstruct.

All results to this point assume that any hypothetical X_b production is unpolarised. Angular distributions of the $\Upsilon(1S, 2S, 3S)$ states in pp collisions are consistent with unpolarised production [31], but the X_b spin-alignment is unknown and can have a strong impact on the efficiency ratio, acceptance ratio, and bin splitting fractions. Rather than including this as a systematic uncertainty, upper limits are recalculated under longitudinal ('LONG') and three transverse ('TRPP', 'TRPO', 'TRPM') spin-alignment scenarios [48]. Shifts in the upper limits (either up or down) depend only weakly on mass; the shift is smaller at large masses. In Fig. 4 the effect of each hypothesis is represented by a single number,

chosen as the maximum difference in the median expected significance from the unpolarised ('FLAT') case.

8. Results for the $\Upsilon(1^3D_J)$ triplet, $\Upsilon(10860)$, and $\Upsilon(11020)$

The search described above does not account for the closely spaced $\Upsilon(1^3D_J)$ triplet or the broad $\Upsilon(10860)$ and $\Upsilon(11020)$. To fit for the $\Upsilon(1^3D_J)$, two extra peaks are added to the signal model. CLEO [18] and BaBar [19] have measured the $\Upsilon(1^3D_2)$ mass, with an average of $(10\,163.7 \pm 1.4)$ MeV, but the mass splitting within the triplet is unknown. Averaging over several models [49] leads to triplet masses 10 156, 10 164, and 10 170 MeV (at 1 MeV precision). A fit is performed using these values, assuming independent normalisations but common signal shapes and bin splitting fractions. A significance of $z = 0.12$ is found, with fitted yields -1000 ± 3100 , 600 ± 1800 , and 800 ± 2300 for $J = 1, 2$, and 3. Reasonable changes to the mass splittings do not appreciably increase the significance, so there appears to be no evidence for $\Upsilon(1^3D_J)$ production. Assuming that $J = 2$ production dominates, or that the mass splitting is larger than the experimental resolution, the upper limit on R can be read from Fig. 4; combined with the measured $\Upsilon(1^3D_2) \rightarrow \pi^+\pi^-\Upsilon(1S)$ branching fraction [19], this yields an upper limit on the relative cross section $\sigma(pp \rightarrow \Upsilon(1^3D_2))/\sigma(pp \rightarrow \Upsilon(2S)) \leq 0.55$.

The signal model for $\Upsilon(10860)$ and $\Upsilon(11020)$ is described in Section 5. Due to the large natural widths of these states, the fitting range is extended to 10.498–11.198 GeV and the background polynomial order increased to three. Significances $z = 0.6$ and $z = 0.3$ are found for $\Upsilon(10860)$ and $\Upsilon(11020)$, for masses and widths fixed to world-average values [23]. As these parameters have large uncertainties, the significance is also calculated in a grid of $m \pm 20$ MeV and $\Gamma \pm \Delta\Gamma$, where $\Delta\Gamma$ is the uncertainty on the world-average width [23]. The largest significance for the $\Upsilon(10860)$ is $z = 1.1$ at $m = 10\,856$ MeV and $\Gamma = 55$ MeV. For the $\Upsilon(11020)$, the largest significance is $z = 0.6$ at $m = 11\,039$ MeV and $\Gamma = 95$ MeV. Thus, no evidence for $\Upsilon(10860)$ or $\Upsilon(11020)$ production is found.

9. Conclusions

A search for a hidden-beauty analogue of the $X(3872)$ is conducted by reconstructing $\pi^+\pi^-\Upsilon(1S)(\rightarrow\mu^+\mu^-)$ events in 16.2 fb^{-1} of pp collision data recorded at $\sqrt{s} = 8$ TeV by ATLAS at the LHC. To optimise the sensitivity of the search, the analysis is performed in eight bins of rapidity, transverse momentum, and the angle (in the rest frame of the parent state) between the dipion system and the laboratory-frame momentum of the parent. At each mass, the presence of a signal is tested by performing simultaneous fits to the nearby $\pi^+\pi^-\Upsilon(1S)$ mass spectrum in these bins; no evidence for new narrow states is found for masses 10.05–10.31 GeV and 10.40–11.00 GeV. Upper limits are also set on the ratio $R = [\sigma(pp \rightarrow X_b)\mathcal{B}(X_b \rightarrow \pi^+\pi^-\Upsilon(1S))]/[\sigma(pp \rightarrow \Upsilon(2S))\mathcal{B}(\Upsilon(2S) \rightarrow \pi^+\pi^-\Upsilon(1S))]$, with results ranging from 0.8% to 4.0% depending on the X_b mass. The analogous ratio for the $X(3872)$ is 6.56%; a value this large is excluded for all X_b masses considered. Separate fits to the $\Upsilon(1^3D_J)$ triplet, $\Upsilon(10860)$, and $\Upsilon(11020)$ also reveal no significant signals, and a CL_S upper limit of 0.55 is set on $\sigma(pp \rightarrow \Upsilon(1^3D_2))/\sigma(pp \rightarrow \Upsilon(2S))$.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhi, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] S.-K. Choi, et al., Belle Collaboration, Observation of a narrow charmoniumlike state in exclusive $B^\pm \rightarrow K^\pm\pi^+\pi^-J/\psi$ decays, Phys. Rev. Lett. 91 (2003) 262001, <http://dx.doi.org/10.1103/PhysRevLett.91.262001>, arXiv:hep-ex/0309032v2.
- [2] B. Aubert, et al., BaBar Collaboration, Study of the $B^- \rightarrow J/\psi K^-\pi^+\pi^-$ decay and measurement of the $B^- \rightarrow X(3872)K^-$ branching fraction, Phys. Rev. D 71 (2005) 071103, <http://dx.doi.org/10.1103/PhysRevD.71.071103>, arXiv:hep-ex/0406022.
- [3] D. Acosta, et al., CDF Collaboration, Observation of the narrow state $X(3872) \rightarrow J/\psi\pi^+\pi^-$ in $\bar{p}p$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. 93 (2004) 072001, <http://dx.doi.org/10.1103/PhysRevLett.93.072001>, arXiv:hep-ex/0312021.
- [4] V. Abazov, et al., DØ Collaboration, Observation and properties of the $X(3872)$ decaying to $J/\psi\pi^+\pi^-$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. 93 (2004) 162002, <http://dx.doi.org/10.1103/PhysRevLett.93.162002>, arXiv:hep-ex/0405004.
- [5] CMS Collaboration, Measurement of the $X(3872)$ production cross section via decays to $J/\psi\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 7$ TeV, J. High Energy Phys. 1304 (2013) 154, [http://dx.doi.org/10.1007/JHEP04\(2013\)154](http://dx.doi.org/10.1007/JHEP04(2013)154), arXiv:1302.3968.
- [6] A. Abulencia, et al., CDF Collaboration, Measurement of the di-pion mass spectrum in $X(3872) \rightarrow J/\psi\pi^+\pi^-$ decays, Phys. Rev. Lett. 96 (2006) 102002, <http://dx.doi.org/10.1103/PhysRevLett.96.102002>, arXiv:hep-ex/0512074.
- [7] B. Aubert, et al., BaBar Collaboration, Search for $B^+ \rightarrow X(3872)K^+$, $X(3872) \rightarrow J/\psi\gamma$, Phys. Rev. D 74 (2006) 071101, <http://dx.doi.org/10.1103/PhysRevD.74.071101>, arXiv:hep-ex/0607050.
- [8] A. Abulencia, et al., CDF Collaboration, Analysis of the quantum numbers J^{PC} of the $X(3872)$, Phys. Rev. Lett. 98 (2007) 132002, <http://dx.doi.org/10.1103/PhysRevLett.98.132002>, arXiv:hep-ex/0612053.
- [9] S.-K. Choi, et al., Belle Collaboration, Bounds on the width, mass difference and other properties of $X(3872) \rightarrow \pi^+\pi^-J/\psi$ decays, Phys. Rev. D 84 (2011) 052004, <http://dx.doi.org/10.1103/PhysRevD.84.052004>, arXiv:1107.0163.
- [10] R. Aaij, et al., LHCb Collaboration, Determination of the $X(3872)$ meson quantum numbers, Phys. Rev. Lett. 110 (2013) 222001, <http://dx.doi.org/10.1103/PhysRevLett.110.222001>, arXiv:1302.6269.
- [11] N.A. Tornqvist, From the deuteron to deusons, an analysis of deuteron-like meson-meson bound states, Z. Phys. C 61 (1994) 525–537, <http://dx.doi.org/10.1007/BF01413192>, arXiv:hep-ph/9310247.
- [12] E.S. Swanson, Short range structure in the $X(3872)$, Phys. Lett. B 588 (2004) 189–195, <http://dx.doi.org/10.1016/j.physletb.2004.03.033>, arXiv:hep-ph/0311229.
- [13] L. Maiani, F. Piccinini, A. Polosa, V. Riquer, Diquark-antidiquarks with hidden or open charm and the nature of $X(3872)$, Phys. Rev. D 71 (2005) 014028, <http://dx.doi.org/10.1103/PhysRevD.71.014028>, arXiv:hep-ph/0412098.
- [14] D. Ebert, R. Faustov, V. Galkin, Masses of heavy tetraquarks in the relativistic quark model, Phys. Lett. B 634 (2006) 214–219, <http://dx.doi.org/10.1016/j.physletb.2006.01.026>, arXiv:hep-ph/0512230.

- [15] W.-S. Hou, Searching for the bottom counterparts of $X(3872)$ and $Y(4260)$ via $\pi^+\pi^-\gamma$, Phys. Rev. D 74 (2006) 017504, <http://dx.doi.org/10.1103/PhysRevD.74.017504>, arXiv:hep-ph/0606016.
- [16] E.S. Swanson, The new heavy mesons: a status report, Phys. Rep. 429 (2006) 243–305, <http://dx.doi.org/10.1016/j.physrep.2006.04.003>, arXiv:hep-ph/0601110.
- [17] C.-F. Qiao, F. Yuan, K.-T. Chao, Gluon fragmentation to 3D_J quarkonia, Phys. Rev. D 55 (1997) 5437–5444, <http://dx.doi.org/10.1103/PhysRevD.55.5437>, arXiv:hep-ph/9701249.
- [18] G. Bonvicini, et al., CLEO Collaboration, First observation of a $\Upsilon(1D)$ state, Phys. Rev. D 70 (2004) 032001, <http://dx.doi.org/10.1103/PhysRevD.70.032001>, arXiv:hep-ex/0404021.
- [19] P. del Amo Sanchez, et al., BaBar Collaboration, Observation of the $\Upsilon(1^3D_J)$ bottomonium state through decays to $\pi^+\pi^-\Upsilon(1S)$, Phys. Rev. D 82 (2010) 111102, <http://dx.doi.org/10.1103/PhysRevD.82.111102>, arXiv:1004.0175.
- [20] K.-F. Chen, et al., Belle Collaboration, Observation of an enhancement in $e^+e^- \rightarrow \Upsilon(1S)\pi^+\pi^-$, $\Upsilon(2S)\pi^+\pi^-$, and $\Upsilon(3S)\pi^+\pi^-$ production around $\sqrt{s} = 10.89$ GeV at Belle, Phys. Rev. D 82 (2010) 091106, <http://dx.doi.org/10.1103/PhysRevD.82.091106>, arXiv:0810.3829.
- [21] B. Aubert, et al., BaBar Collaboration, Measurement of the $e^+e^- \rightarrow b\bar{b}$ cross section between $\sqrt{s} = 10.54$ GeV and 11.20 GeV, Phys. Rev. Lett. 102 (2009) 012001, <http://dx.doi.org/10.1103/PhysRevLett.102.012001>, arXiv:0809.4120.
- [22] K.-F. Chen, et al., Belle Collaboration, Observation of anomalous $\Upsilon(1S)\pi^+\pi^-$ and $\Upsilon(2S)\pi^+\pi^-$ production near the $\Upsilon(5S)$ resonance, Phys. Rev. Lett. 100 (2008) 112001, <http://dx.doi.org/10.1103/PhysRevLett.100.112001>, arXiv:0710.2577.
- [23] J. Beringer, et al., Particle Data Group, Review of particle physics, Phys. Rev. D 86 (2012) 010001, <http://dx.doi.org/10.1103/PhysRevD.86.010001>.
- [24] A. Bondar, et al., Belle Collaboration, Observation of two charged bottomonium-like resonances in $\Upsilon(5S)$ decays, Phys. Rev. Lett. 108 (2012) 122001, <http://dx.doi.org/10.1103/PhysRevLett.108.122001>, arXiv:1110.2251.
- [25] CMS Collaboration, Search for a new bottomonium state decaying to $\Upsilon(1S)\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 8$ TeV, Phys. Lett. B 727 (2013) 57–76, <http://dx.doi.org/10.1016/j.physletb.2013.10.016>, arXiv:1309.0250.
- [26] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. 3 (2008) S08003, <http://dx.doi.org/10.1088/1748-0221/3/08/S08003>.
- [27] ATLAS Collaboration, Performance of the ATLAS trigger system in 2010, Eur. Phys. J. C 72 (2012) 1849, <http://dx.doi.org/10.1140/epjc/s10052-011-1849-1>, arXiv:1110.1530.
- [28] ATLAS Collaboration, Summary of ATLAS Pythia 8 tunes, ATL-PHYS-PUB-2012-003, <http://cds.cern.ch/record/1474107>.
- [29] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852–867, <http://dx.doi.org/10.1016/j.cpc.2008.01.036>, arXiv:0710.3820.
- [30] J. Pumplin, D. Stump, J. Huston, H.-L. Lai, P.M. Nadolsky, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 0207 (2002) 012, <http://dx.doi.org/10.1088/1126-6708/2002/07/012>, arXiv:hep-ph/0201195.
- [31] CMS Collaboration, Measurement of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Rev. Lett. 110 (2013) 081802, <http://dx.doi.org/10.1103/PhysRevLett.110.081802>, arXiv:1209.2922.
- [32] ATLAS Collaboration, Fast simulation for ATLAS: Atlfast-II and ISF, ATL-SOFT-PROC-2012-065, <http://cds.cern.ch/record/1458503>.
- [33] S. Agostinelli, et al., GEANT4: a simulation toolkit, Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 506 (2003) 250–303, [http://dx.doi.org/10.1016/S0168-9002\(03\)01368-8](http://dx.doi.org/10.1016/S0168-9002(03)01368-8).
- [34] J. Allison, et al., GEANT4 developments and applications, IEEE Trans. Nucl. Sci. 53 (2006) 270, <http://dx.doi.org/10.1109/TNS.2006.869826>.
- [35] ATLAS Collaboration, Measurement of upsilon production in 7 TeV pp collisions at ATLAS, Phys. Rev. D 87 (2013) 052004, <http://dx.doi.org/10.1103/PhysRevD.87.052004>, arXiv:1211.7255.
- [36] CMS Collaboration, $\Upsilon(1S)$, $\Upsilon(2S)$ and $\Upsilon(3S)$ cross section measurements in pp collisions at $\sqrt{s} = 7$ TeV, CMS-PAS-BPH-12-006, <http://cds.cern.ch/record/1548008>.
- [37] ATLAS Collaboration, ATLAS tunes of PYTHIA 6 and Pythia 8 for MC11, ATL-PHYS-PUB-2011-009, <http://cds.cern.ch/record/1363300>.
- [38] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, J. High Energy Phys. 0605 (2006) 026, <http://dx.doi.org/10.1088/1126-6708/2006/05/026>, arXiv:hep-ph/0603175.
- [39] J. Alexander, et al., CLEO Collaboration, The hadronic transitions $\Upsilon(2S) \rightarrow \Upsilon(1S)$, Phys. Rev. D 58 (1998) 052004, <http://dx.doi.org/10.1103/PhysRevD.58.052004>, arXiv:hep-ex/9802024.
- [40] D. Cronin-Hennessy, et al., CLEO Collaboration, Study of dipion transitions among $\Upsilon(3S)$, $\Upsilon(2S)$, and $\Upsilon(1S)$ states, Phys. Rev. D 76 (2007) 072001, <http://dx.doi.org/10.1103/PhysRevD.76.072001>, arXiv:0706.2317.
- [41] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, <http://dx.doi.org/10.1140/epjc/s10052-011-1554-0>, arXiv:1007.1727.
- [42] J. Bai, et al., BES Collaboration, $\psi(2S) \rightarrow \pi^+\pi^-J/\psi$ decay distributions, Phys. Rev. D 62 (2000) 032002, <http://dx.doi.org/10.1103/PhysRevD.62.032002>, arXiv:hep-ex/9909038.
- [43] B. Aubert, et al., BaBar Collaboration, Observation of $\Upsilon(4S)$ decays to $\pi^+\pi^-\Upsilon(1S)$ and $\pi^+\pi^-\Upsilon(2S)$, Phys. Rev. Lett. 96 (2006) 232001, <http://dx.doi.org/10.1103/PhysRevLett.96.232001>, arXiv:hep-ex/0604031.
- [44] A. Sokolov, et al., Belle Collaboration, Observation of the decay $\Upsilon(4S) \rightarrow \Upsilon(1S)\pi^+\pi^-$, Phys. Rev. D 75 (2007) 071103, <http://dx.doi.org/10.1103/PhysRevD.75.071103>, arXiv:hep-ex/0611026.
- [45] J. Lees, et al., BaBar Collaboration, Study of the reaction $e^+e^- \rightarrow J/\psi\pi^+\pi^-$ via initial-state radiation at BaBar, Phys. Rev. D 86 (2012) 051102, <http://dx.doi.org/10.1103/PhysRevD.86.051102>, arXiv:1204.2158.
- [46] F.-K. Guo, U.-G. Meißner, W. Wang, Production of the bottom analogues and the spin partner of the $X(3872)$ at hadron colliders, arXiv:1402.6236.
- [47] M. Karliner, 2014, private communication.
- [48] ATLAS Collaboration, Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/ψ production in proton-proton collisions at $\sqrt{s} = 7$ TeV, Nucl. Phys. B 850 (2011) 387–444, <http://dx.doi.org/10.1016/j.nuclphysb.2011.05.015>, arXiv:1104.3038.
- [49] S. Godfrey, J.L. Rosner, Production of the D-wave $b\bar{b}$ states, Phys. Rev. D 64 (2001) 097501, <http://dx.doi.org/10.1103/PhysRevD.64.097501>, arXiv:hep-ph/0105273.

ATLAS Collaboration

- G. Aad⁸⁴, B. Abbott¹¹², J. Abdallah¹⁵², S. Abdel Khalek¹¹⁶, O. Abdinov¹¹, R. Aben¹⁰⁶, B. Abi¹¹³, M. Abolins⁸⁹, O.S. AbouZeid¹⁵⁹, H. Abramowicz¹⁵⁴, B.S. Acharya^{165a,165b,a}, L. Adamczyk^{38a}, D.L. Adams²⁵, T. Agatonovic-Jovin^{13a}, J.A. Aguilar-Saavedra^{125a,125f}, G. Aielli^{134a,134b}, H. Akerstedt^{147a,147b}, T.P.A. Åkesson⁸⁰, G. Akimoto¹⁵⁶, A.V. Akimov⁹⁵, G.L. Alberghi^{20a,20b}, J. Albert¹⁷⁰, S. Albrand⁵⁵, M.J. Alconada Verzini⁷⁰, M. Aleksi³⁰, I.N. Aleksandrov⁶⁴, C. Alexa^{26a}, G. Alexander¹⁵⁴, G. Alexandre⁴⁹, T. Alexopoulos¹⁰, M. Alhroob^{165a,165c}, G. Alimonti^{90a}, L. Alio⁸⁴, J. Alison³¹, B.M.M. Allbrooke¹⁸, L.J. Allison⁷¹, P.P. Allport⁷³, J. Almond⁸³, A. Aloisio^{103a,103b}, A. Alonso³⁶, F. Alonso⁷⁰, C. Alpigiani⁷⁵, A. Altheimer³⁵, B. Alvarez Gonzalez⁸⁹, M.G. Alviggi^{103a,103b}, K. Amako⁶⁵, Y. Amaral Coutinho^{24a}, C. Amelung²³, D. Amidei⁸⁸, S.P. Amor Dos Santos^{125a,125c}, A. Amorim^{125a,125b}, S. Amoroso⁴⁸, N. Amram¹⁵⁴, G. Amundsen²³, C. Anastopoulos¹⁴⁰, L.S. Ancu⁴⁹, N. Andari³⁰, T. Andeen³⁵, C.F. Anders^{58b}, G. Anders³⁰, K.J. Anderson³¹, A. Andreazza^{90a,90b}, V. Andrei^{58a}, X.S. Anduaga⁷⁰, S. Angelidakis⁹, I. Angelozzi¹⁰⁶, P. Anger⁴⁴, A. Angerami³⁵, F. Anghinolfi³⁰, A.V. Anisenkov^{108,c}, N. Anjos¹², A. Annovi⁴⁷, A. Antonaki⁹, M. Antonelli⁴⁷, A. Antonov⁹⁷, J. Antos^{145b}, F. Anulli^{133a}, M. Aoki⁶⁵, L. Aperio Bella¹⁸, R. Apolle^{119,d}, G. Arabidze⁸⁹, I. Aracena¹⁴⁴, Y. Arai⁶⁵, J.P. Araque^{125a}, A.T.H. Arce⁴⁵, J-F. Arguin⁹⁴, S. Argyropoulos⁴², M. Arik^{19a}, A.J. Armbruster³⁰, O. Arnaez³⁰, V. Arnal⁸¹, H. Arnold⁴⁸, M. Arratia²⁸, O. Arslan²¹, A. Artamonov⁹⁶,

- G. Artoni ²³, S. Asai ¹⁵⁶, N. Asbah ⁴², A. Ashkenazi ¹⁵⁴, B. Åsman ^{147a,147b}, L. Asquith ⁶, K. Assamagan ²⁵, R. Astalos ^{145a}, M. Atkinson ¹⁶⁶, N.B. Atlay ¹⁴², B. Auerbach ⁶, K. Augsten ¹²⁷, M. Aurousseau ^{146b}, G. Avolio ³⁰, G. Azuelos ^{94,e}, Y. Azuma ¹⁵⁶, M.A. Baak ³⁰, A.E. Baas ^{58a}, C. Bacci ^{135a,135b}, H. Bachacou ¹³⁷, K. Bachas ¹⁵⁵, M. Backes ³⁰, M. Backhaus ³⁰, J. Backus Mayes ¹⁴⁴, E. Badescu ^{26a}, P. Bagiacchi ^{133a,133b}, P. Bagnaia ^{133a,133b}, Y. Bai ^{33a}, T. Bain ³⁵, J.T. Baines ¹³⁰, O.K. Baker ¹⁷⁷, P. Balek ¹²⁸, F. Balli ¹³⁷, E. Banas ³⁹, Sw. Banerjee ¹⁷⁴, A.A.E. Bannoura ¹⁷⁶, V. Bansal ¹⁷⁰, H.S. Bansil ¹⁸, L. Barak ¹⁷³, S.P. Baranov ⁹⁵, E.L. Barberio ⁸⁷, D. Barberis ^{50a,50b}, M. Barbero ⁸⁴, T. Barillari ¹⁰⁰, M. Barisonzi ¹⁷⁶, T. Barklow ¹⁴⁴, N. Barlow ²⁸, B.M. Barnett ¹³⁰, R.M. Barnett ¹⁵, Z. Barnovska ⁵, A. Baroncelli ^{135a}, G. Barone ⁴⁹, A.J. Barr ¹¹⁹, F. Barreiro ⁸¹, J. Barreiro Guimaraes da Costa ⁵⁷, R. Bartoldus ¹⁴⁴, A.E. Barton ⁷¹, P. Bartos ^{145a}, V. Bartsch ¹⁵⁰, A. Bassalat ¹¹⁶, A. Basye ¹⁶⁶, R.L. Bates ⁵³, J.R. Batley ²⁸, M. Battaglia ¹³⁸, M. Battistin ³⁰, F. Bauer ¹³⁷, H.S. Bawa ^{144,f}, M.D. Beattie ⁷¹, T. Beau ⁷⁹, P.H. Beauchemin ¹⁶², R. Beccherle ^{123a,123b}, P. Bechtle ²¹, H.P. Beck ¹⁷, K. Becker ¹⁷⁶, S. Becker ⁹⁹, M. Beckingham ¹⁷¹, C. Becot ¹¹⁶, A.J. Beddall ^{19c}, A. Beddall ^{19c}, S. Bedikian ¹⁷⁷, V.A. Bednyakov ⁶⁴, C.P. Bee ¹⁴⁹, L.J. Beemster ¹⁰⁶, T.A. Beermann ¹⁷⁶, M. Begel ²⁵, K. Behr ¹¹⁹, C. Belanger-Champagne ⁸⁶, P.J. Bell ⁴⁹, W.H. Bell ⁴⁹, G. Bella ¹⁵⁴, L. Bellagamba ^{20a}, A. Bellerive ²⁹, M. Bellomo ⁸⁵, K. Belotskiy ⁹⁷, O. Beltramello ³⁰, O. Benary ¹⁵⁴, D. Benchekroun ^{136a}, K. Bendtz ^{147a,147b}, N. Benekos ¹⁶⁶, Y. Benhammou ¹⁵⁴, E. Benhar Noccioli ⁴⁹, J.A. Benitez Garcia ^{160b}, D.P. Benjamin ⁴⁵, J.R. Bensinger ²³, K. Benslama ¹³¹, S. Bentvelsen ¹⁰⁶, D. Berge ¹⁰⁶, E. Bergeaas Kuutmann ¹⁶⁷, N. Berger ⁵, F. Berghaus ¹⁷⁰, J. Beringer ¹⁵, C. Bernard ²², P. Bernat ⁷⁷, C. Bernius ⁷⁸, F.U. Bernlochner ¹⁷⁰, T. Berry ⁷⁶, P. Berta ¹²⁸, C. Bertella ⁸⁴, G. Bertoli ^{147a,147b}, F. Bertolucci ^{123a,123b}, C. Bertsche ¹¹², D. Bertsche ¹¹², M.I. Besana ^{90a}, G.J. Besjes ¹⁰⁵, O. Bessidskaia ^{147a,147b}, M. Bessner ⁴², N. Besson ¹³⁷, C. Betancourt ⁴⁸, S. Bethke ¹⁰⁰, W. Bhimji ⁴⁶, R.M. Bianchi ¹²⁴, L. Bianchini ²³, M. Bianco ³⁰, O. Biebel ⁹⁹, S.P. Bieniek ⁷⁷, K. Bierwagen ⁵⁴, J. Biesiada ¹⁵, M. Biglietti ^{135a}, J. Bilbao De Mendizabal ⁴⁹, H. Bilokon ⁴⁷, M. Bindi ⁵⁴, S. Binet ¹¹⁶, A. Bingul ^{19c}, C. Bini ^{133a,133b}, C.W. Black ¹⁵¹, J.E. Black ¹⁴⁴, K.M. Black ²², D. Blackburn ¹³⁹, R.E. Blair ⁶, J.-B. Blanchard ¹³⁷, T. Blazek ^{145a}, I. Bloch ⁴², C. Blocker ²³, W. Blum ^{82,*}, U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁶, V.S. Bobrovnikov ^{108,c}, S.S. Bocchetta ⁸⁰, A. Bocci ⁴⁵, C. Bock ⁹⁹, C.R. Boddy ¹¹⁹, M. Boehler ⁴⁸, T.T. Boek ¹⁷⁶, J.A. Bogaerts ³⁰, A.G. Bogdanchikov ¹⁰⁸, A. Bogouch ^{91,*}, C. Bohm ^{147a}, J. Bohm ¹²⁶, V. Boisvert ⁷⁶, T. Bold ^{38a}, V. Boldea ^{26a}, A.S. Boldyrev ⁹⁸, M. Bomben ⁷⁹, M. Bona ⁷⁵, M. Boonekamp ¹³⁷, A. Borisov ¹²⁹, G. Borissov ⁷¹, M. Borri ⁸³, S. Borroni ⁴², J. Bortfeldt ⁹⁹, V. Bortolotto ^{135a,135b}, K. Bos ¹⁰⁶, D. Boscherini ^{20a}, M. Bosman ¹², H. Boterenbrood ¹⁰⁶, J. Boudreau ¹²⁴, J. Bouffard ², E.V. Bouhouva-Thacker ⁷¹, D. Boumediene ³⁴, C. Bourdarios ¹¹⁶, N. Bousson ¹¹³, S. Boutouil ^{136d}, A. Boveia ³¹, J. Boyd ³⁰, I.R. Boyko ⁶⁴, I. Bozic ^{13a}, J. Bracinik ¹⁸, A. Brandt ⁸, G. Brandt ¹⁵, O. Brandt ^{58a}, U. Bratzler ¹⁵⁷, B. Brau ⁸⁵, J.E. Brau ¹¹⁵, H.M. Braun ^{176,*}, S.F. Brazzale ^{165a,165c}, B. Brelier ¹⁵⁹, K. Brendlinger ¹²¹, A.J. Brennan ⁸⁷, R. Brenner ¹⁶⁷, S. Bressler ¹⁷³, K. Bristow ^{146c}, T.M. Bristow ⁴⁶, D. Britton ⁵³, F.M. Brochu ²⁸, I. Brock ²¹, R. Brock ⁸⁹, C. Bromberg ⁸⁹, J. Bronner ¹⁰⁰, G. Brooijmans ³⁵, T. Brooks ⁷⁶, W.K. Brooks ^{32b}, J. Brosamer ¹⁵, E. Brost ¹¹⁵, J. Brown ⁵⁵, P.A. Bruckman de Renstrom ³⁹, D. Bruncko ^{145b}, R. Bruneliere ⁴⁸, S. Brunet ⁶⁰, A. Bruni ^{20a}, G. Bruni ^{20a}, M. Bruschi ^{20a}, L. Bryngemark ⁸⁰, T. Buanes ¹⁴, Q. Buat ¹⁴³, F. Bucci ⁴⁹, P. Buchholz ¹⁴², R.M. Buckingham ¹¹⁹, A.G. Buckley ⁵³, S.I. Buda ^{26a}, I.A. Budagov ⁶⁴, F. Buehrer ⁴⁸, L. Bugge ¹¹⁸, M.K. Bugge ¹¹⁸, O. Bulekov ⁹⁷, A.C. Bundock ⁷³, H. Burckhart ³⁰, S. Burdin ⁷³, B. Burghgrave ¹⁰⁷, S. Burke ¹³⁰, I. Burmeister ⁴³, E. Busato ³⁴, D. Büscher ⁴⁸, V. Büscher ⁸², P. Bussey ⁵³, C.P. Buszello ¹⁶⁷, B. Butler ⁵⁷, J.M. Butler ²², A.I. Butt ³, C.M. Buttar ⁵³, J.M. Butterworth ⁷⁷, P. Butti ¹⁰⁶, W. Buttinger ²⁸, A. Buzatu ⁵³, M. Byszewski ¹⁰, S. Cabrera Urbán ¹⁶⁸, D. Caforio ^{20a,20b}, O. Cakir ^{4a}, P. Calafiura ¹⁵, A. Calandri ¹³⁷, G. Calderini ⁷⁹, P. Calfayan ⁹⁹, R. Calkins ¹⁰⁷, L.P. Caloba ^{24a}, D. Calvet ³⁴, S. Calvet ³⁴, R. Camacho Toro ⁴⁹, S. Camarda ⁴², D. Cameron ¹¹⁸, L.M. Caminada ¹⁵, R. Caminal Armadans ¹², S. Campana ³⁰, M. Campanelli ⁷⁷, A. Campoverde ¹⁴⁹, V. Canale ^{103a,103b}, A. Canepa ^{160a}, M. Cano Bret ⁷⁵, J. Cantero ⁸¹, R. Cantrill ^{125a}, T. Cao ⁴⁰, M.D.M. Capeans Garrido ³⁰, I. Caprini ^{26a}, M. Caprini ^{26a}, M. Capua ^{37a,37b}, R. Caputo ⁸², R. Cardarelli ^{134a}, T. Carli ³⁰, G. Carlino ^{103a}, L. Carminati ^{90a,90b}, S. Caron ¹⁰⁵, E. Carquin ^{32a}, G.D. Carrillo-Montoya ^{146c}, J.R. Carter ²⁸, J. Carvalho ^{125a,125c}, D. Casadei ⁷⁷, M.P. Casado ¹², M. Casolino ¹², E. Castaneda-Miranda ^{146b}, A. Castelli ¹⁰⁶, V. Castillo Gimenez ¹⁶⁸, N.F. Castro ^{125a}, P. Catastini ⁵⁷, A. Catinaccio ³⁰, J.R. Catmore ¹¹⁸, A. Cattai ³⁰, G. Cattani ^{134a,134b}, J. Caudron ⁸², V. Cavalieri ¹⁶⁶, D. Cavalli ^{90a}, M. Cavalli-Sforza ¹², V. Cavasinni ^{123a,123b}, F. Ceradini ^{135a,135b}, B.C. Cerio ⁴⁵, K. Cerny ¹²⁸, A.S. Cerqueira ^{24b}, A. Cerri ¹⁵⁰,

- L. Cerrito 75, F. Cerutti 15, M. Cerv 30, A. Cervelli 17, S.A. Cetin 19b, A. Chafaq 136a, D. Chakraborty 107,
 I. Chalupkova 128, P. Chang 166, B. Chapleau 86, J.D. Chapman 28, D. Charfeddine 116, D.G. Charlton 18,
 C.C. Chau 159, C.A. Chavez Barajas 150, S. Cheatham 86, A. Chegwidden 89, S. Chekanov 6,
 S.V. Chekulaev 160a, G.A. Chelkov 64,g, M.A. Chelstowska 88, C. Chen 63, H. Chen 25, K. Chen 149,
 L. Chen 33d,h, S. Chen 33c, X. Chen 146c, Y. Chen 66, Y. Chen 35, H.C. Cheng 88, Y. Cheng 31, A. Cheplakov 64,
 R. Cherkaoui El Moursli 136e, V. Chernyatin 25,* E. Cheu 7, L. Chevalier 137, V. Chiarella 47,
 G. Chiefari 103a,103b, J.T. Childers 6, A. Chilingarov 71, G. Chiodini 72a, A.S. Chisholm 18, R.T. Chislett 77,
 A. Chitan 26a, M.V. Chizhov 64, S. Chouridou 9, B.K.B. Chow 99, D. Chromek-Burckhart 30, M.L. Chu 152,
 J. Chudoba 126, J.J. Chwastowski 39, L. Chytka 114, G. Ciapetti 133a,133b, A.K. Ciftci 4a, R. Ciftci 4a, D. Cinca 53,
 V. Cindro 74, A. Ciocio 15, P. Cirkovic 13b, Z.H. Citron 173, M. Citterio 90a, M. Ciubancan 26a, A. Clark 49,
 P.J. Clark 46, R.N. Clarke 15, W. Cleland 124, J.C. Clemens 84, C. Clement 147a,147b, Y. Coadou 84,
 M. Cobal 165a,165c, A. Coccato 139, J. Cochran 63, L. Coffey 23, J.G. Cogan 144, J. Coggeshall 166, B. Cole 35,
 S. Cole 107, A.P. Colijn 106, J. Collot 55, T. Colombo 58c, G. Colon 85, G. Compostella 100,
 P. Conde Muiño 125a,125b, E. Coniavitis 48, M.C. Conidi 12, S.H. Connell 146b, I.A. Connelly 76,
 S.M. Consonni 90a,90b, V. Consorti 48, S. Constantinescu 26a, C. Conta 120a,120b, G. Conti 57, F. Conventi 103a,i,
 M. Cooke 15, B.D. Cooper 77, A.M. Cooper-Sarkar 119, N.J. Cooper-Smith 76, K. Copic 15, T. Cornelissen 176,
 M. Corradi 20a, F. Corriveau 86,j, A. Corso-Radu 164, A. Cortes-Gonzalez 12, G. Cortiana 100, G. Costa 90a,
 M.J. Costa 168, D. Costanzo 140, D. Côté 8, G. Cottin 28, G. Cowan 76, B.E. Cox 83, K. Cranmer 109, G. Cree 29,
 S. Crépé-Renaudin 55, F. Crescioli 79, W.A. Cribbs 147a,147b, M. Crispin Ortuzar 119, M. Cristinziani 21,
 V. Croft 105, G. Crosetti 37a,37b, C.-M. Cuciuc 26a, T. Cuhadar Donszelmann 140, J. Cummings 177,
 M. Curatolo 47, C. Cuthbert 151, H. Czirr 142, P. Czodrowski 3, Z. Czyczula 177, S. D'Auria 53, M. D'Onofrio 73,
 M.J. Da Cunha Sargedas De Sousa 125a,125b, C. Da Via 83, W. Dabrowski 38a, A. Dafinca 119, T. Dai 88,
 O. Dale 14, F. Dallaire 94, C. Dallapiccola 85, M. Dam 36, A.C. Daniells 18, M. Dano Hoffmann 137, V. Dao 48,
 G. Darbo 50a, S. Darmora 8, J. Dassoulas 42, A. Dattagupta 60, W. Davey 21, C. David 170, T. Davidek 128,
 E. Davies 119,d, M. Davies 154, O. Davignon 79, A.R. Davison 77, P. Davison 77, Y. Davygora 58a, E. Dawe 143,
 I. Dawson 140, R.K. Daya-Ishmukhametova 85, K. De 8, R. de Asmundis 103a, S. De Castro 20a,20b,
 S. De Cecco 79, N. De Groot 105, P. de Jong 106, H. De la Torre 81, F. De Lorenzi 63, L. De Nooij 106,
 D. De Pedis 133a, A. De Salvo 133a, U. De Sanctis 150, A. De Santo 150, J.B. De Vivie De Regie 116,
 W.J. Dearnaley 71, R. Debbe 25, C. Debenedetti 138, B. Dechenaux 55, D.V. Dedovich 64, I. Deigaard 106,
 J. Del Peso 81, T. Del Prete 123a,123b, F. Deliot 137, C.M. Delitzsch 49, M. Deliyergiyev 74, A. Dell'Acqua 30,
 L. Dell'Asta 22, M. Dell'Orso 123a,123b, M. Della Pietra 103a,i, D. della Volpe 49, M. Delmastro 5,
 P.A. Delsart 55, C. Deluca 106, S. Demers 177, M. Demichev 64, A. Demilly 79, S.P. Denisov 129,
 D. Derendarz 39, J.E. Derkaoui 136d, F. Derue 79, P. Dervan 73, K. Desch 21, C. Deterre 42, P.O. Deviveiros 106,
 A. Dewhurst 130, S. Dhaliwal 106, A. Di Ciaccio 134a,134b, L. Di Ciaccio 5, A. Di Domenico 133a,133b,
 C. Di Donato 103a,103b, A. Di Girolamo 30, B. Di Girolamo 30, A. Di Mattia 153, B. Di Micco 135a,135b,
 R. Di Nardo 47, A. Di Simone 48, R. Di Sipio 20a,20b, D. Di Valentino 29, F.A. Dias 46, M.A. Diaz 32a,
 E.B. Diehl 88, J. Dietrich 42, T.A. Dietzsch 58a, S. Diglio 84, A. Dimitrijevska 13a, J. Dingfelder 21,
 C. Dionisi 133a,133b, P. Dita 26a, S. Dita 26a, F. Dittus 30, F. Djama 84, T. Djobava 51b, J.I. Djuvsland 58a,
 M.A.B. do Vale 24c, A. Do Valle Wemans 125a,125g, D. Dobos 30, C. Doglioni 49, T. Doherty 53, T. Dohmae 156,
 J. Dolejsi 128, Z. Dolezal 128, B.A. Dolgoshein 97,* M. Donadelli 24d, S. Donati 123a,123b, P. Dondero 120a,120b,
 J. Donini 34, J. Dopke 130, A. Doria 103a, M.T. Dova 70, A.T. Doyle 53, M. Dris 10, J. Dubbert 88, S. Dube 15,
 E. Dubreuil 34, E. Duchovni 173, G. Duckeck 99, O.A. Ducu 26a, D. Duda 176, A. Dudarev 30, F. Dudziak 63,
 L. Duflot 116, L. Duguid 76, M. Dührssen 30, M. Dunford 58a, H. Duran Yildiz 4a, M. Düren 52,
 A. Durglishvili 51b, M. Dwuznik 38a, M. Dyndal 38a, J. Ebke 99, W. Edson 2, N.C. Edwards 46, W. Ehrenfeld 21,
 T. Eifert 144, G. Eigen 14, K. Einsweiler 15, T. Ekelof 167, M. El Kacimi 136c, M. Ellert 167, S. Elles 5,
 F. Ellinghaus 82, N. Ellis 30, J. Elmsheuser 99, M. Elsing 30, D. Emeliyanov 130, Y. Enari 156, O.C. Endner 82,
 M. Endo 117, R. Engelmann 149, J. Erdmann 177, A. Ereditato 17, D. Eriksson 147a, G. Ernis 176, J. Ernst 2,
 M. Ernst 25, J. Ernwein 137, D. Errede 166, S. Errede 166, E. Ertel 82, M. Escalier 116, H. Esch 43, C. Escobar 124,
 B. Esposito 47, A.I. Etienvre 137, E. Etzion 154, H. Evans 60, A. Ezhilov 122, L. Fabbri 20a,20b, G. Facini 31,
 R.M. Fakhrutdinov 129, S. Falciano 133a, R.J. Falla 77, J. Faltova 128, Y. Fang 33a, M. Fanti 90a,90b, A. Farbin 8,
 A. Farilla 135a, T. Farooque 12, S. Farrell 15, S.M. Farrington 171, P. Farthouat 30, F. Fassi 136e, P. Fassnacht 30,
 D. Fassouliotis 9, A. Favareto 50a,50b, L. Fayard 116, P. Federic 145a, O.L. Fedin 122,k, W. Fedorko 169,

- M. Fehling-Kaschek 48, S. Feigl 30, L. Feligioni 84, C. Feng 33d, E.J. Feng 6, H. Feng 88, A.B. Fenyuk 129,
 S. Fernandez Perez 30, S. Ferrag 53, J. Ferrando 53, A. Ferrari 167, P. Ferrari 106, R. Ferrari 120a,
 D.E. Ferreira de Lima 53, A. Ferrer 168, D. Ferrere 49, C. Ferretti 88, A. Ferretto Parodi 50a, 50b, M. Fiascaris 31,
 F. Fiedler 82, A. Filipčič 74, M. Filizzetti 42, F. Filthaut 105, M. Fincke-Keeler 170, K.D. Finelli 151,
 M.C.N. Fiolhais 125a, 125c, L. Fiorini 168, A. Firan 40, A. Fischer 2, J. Fischer 176, W.C. Fisher 89,
 E.A. Fitzgerald 23, M. Flechl 48, I. Fleck 142, P. Fleischmann 88, S. Fleischmann 176, G.T. Fletcher 140,
 G. Fletcher 75, T. Flick 176, A. Floderus 80, L.R. Flores Castillo 174, l, A.C. Florez Bustos 160b,
 M.J. Flowerdew 100, A. Formica 137, A. Forti 83, D. Fortin 160a, D. Fournier 116, H. Fox 71, S. Fracchia 12,
 P. Francavilla 79, M. Franchini 20a, 20b, S. Franchino 30, D. Francis 30, L. Franconi 118, M. Franklin 57,
 S. Franz 61, M. Fraternali 120a, 120b, S.T. French 28, C. Friedrich 42, F. Friedrich 44, D. Froidevaux 30,
 J.A. Frost 28, C. Fukunaga 157, E. Fullana Torregrosa 82, B.G. Fulson 144, J. Fuster 168, C. Gabaldon 55,
 O. Gabizon 176, A. Gabrielli 20a, 20b, A. Gabrielli 133a, 133b, S. Gadatsch 106, S. Gadomski 49,
 G. Gagliardi 50a, 50b, P. Gagnon 60, C. Galea 105, B. Galhardo 125a, 125c, E.J. Gallas 119, V. Gallo 17,
 B.J. Gallop 130, P. Gallus 127, G. Galster 36, K.K. Gan 110, J. Gao 33b, h, Y.S. Gao 144, f, F.M. Garay Walls 46,
 F. Garberson 177, C. García 168, J.E. García Navarro 168, M. Garcia-Sciveres 15, R.W. Gardner 31, N. Garelli 144,
 V. Garonne 30, C. Gatti 47, G. Gaudio 120a, B. Gaur 142, L. Gauthier 94, P. Gauzzi 133a, 133b, I.L. Gavrilenko 95,
 C. Gay 169, G. Gaycken 21, E.N. Gazis 10, P. Ge 33d, Z. Gecse 169, C.N.P. Gee 130, D.A.A. Geerts 106,
 Ch. Geich-Gimbel 21, K. Gellerstedt 147a, 147b, C. Gemme 50a, A. Gemmell 53, M.H. Genest 55,
 S. Gentile 133a, 133b, M. George 54, S. George 76, D. Gerbaudo 164, A. Gershon 154, H. Ghazlane 136b,
 N. Ghodbane 34, B. Giacobbe 20a, S. Giagu 133a, 133b, V. Giangiobbe 12, P. Giannetti 123a, 123b, F. Gianotti 30,
 B. Gibbard 25, S.M. Gibson 76, M. Gilchriese 15, T.P.S. Gillam 28, D. Gillberg 30, G. Gilles 34, D.M. Gingrich 3, e,
 N. Giokaris 9, M.P. Giordani 165a, 165c, R. Giordano 103a, 103b, F.M. Giorgi 20a, F.M. Giorgi 16, P.F. Giraud 137,
 D. Giugni 90a, C. Giuliani 48, M. Giulini 58b, B.K. Gjelsten 118, S. Gkaitatzis 155, I. Gkialas 155, m,
 L.K. Gladilin 98, C. Glasman 81, J. Glatzer 30, P.C.F. Glaysher 46, A. Glazov 42, G.L. Glonti 64,
 M. Goblirsch-Kolb 100, J.R. Goddard 75, J. Godlewski 30, C. Goeringer 82, S. Goldfarb 88, T. Golling 177,
 D. Golubkov 129, A. Gomes 125a, 125b, 125d, L.S. Gomez Fajardo 42, R. Gonçalo 125a,
 J. Goncalves Pinto Firmino Da Costa 137, L. Gonella 21, S. González de la Hoz 168, G. Gonzalez Parra 12,
 S. Gonzalez-Sevilla 49, L. Goossens 30, P.A. Gorbounov 96, H.A. Gordon 25, I. Gorelov 104, B. Gorini 30,
 E. Gorini 72a, 72b, A. Gorišek 74, E. Gornicki 39, A.T. Goshaw 6, C. Gössling 43, M.I. Gostkin 64,
 M. Gouighri 136a, D. Goujdami 136c, M.P. Goulette 49, A.G. Goussiou 139, C. Goy 5, S. Gozpinar 23,
 H.M.X. Grabas 137, L. Gruber 54, I. Grabowska-Bold 38a, P. Grafström 20a, 20b, K.-J. Grahn 42, J. Gramling 49,
 E. Gramstad 118, S. Grancagnolo 16, V. Grassi 149, V. Gratchev 122, H.M. Gray 30, E. Graziani 135a,
 O.G. Grebenyuk 122, Z.D. Greenwood 78, n, K. Gregersen 77, I.M. Gregor 42, P. Grenier 144, J. Griffiths 8,
 A.A. Grillo 138, K. Grimm 71, S. Grinstein 12, o, Ph. Gris 34, Y.V. Grishkevich 98, J.-F. Grivaz 116, J.P. Grohs 44,
 A. Grohsjean 42, E. Gross 173, J. Grosse-Knetter 54, G.C. Grossi 134a, 134b, J. Groth-Jensen 173, Z.J. Grout 150,
 L. Guan 33b, J. Guenther 127, F. Guescini 49, D. Guest 177, O. Gueta 154, C. Guicheney 34, E. Guido 50a, 50b,
 T. Guillemin 116, S. Guindon 2, U. Gul 53, C. Gumpert 44, J. Guo 35, S. Gupta 119, P. Gutierrez 112,
 N.G. Gutierrez Ortiz 53, C. Gutschow 77, N. Guttman 154, C. Guyot 137, C. Gwenlan 119, C.B. Gwilliam 73,
 A. Haas 109, C. Haber 15, H.K. Hadavand 8, N. Haddad 136e, P. Haefner 21, S. Hageböck 21, Z. Hajduk 39,
 H. Hakobyan 178, M. Haleem 42, D. Hall 119, G. Halladjian 89, K. Hamacher 176, P. Hamal 114, K. Hamano 170,
 M. Hamer 54, A. Hamilton 146a, S. Hamilton 162, G.N. Hamity 146c, P.G. Hamnett 42, L. Han 33b,
 K. Hanagaki 117, K. Hanawa 156, M. Hance 15, P. Hanke 58a, R. Hanna 137, J.B. Hansen 36, J.D. Hansen 36,
 P.H. Hansen 36, K. Hara 161, A.S. Hard 174, T. Harenberg 176, F. Hariri 116, S. Harkusha 91, D. Harper 88,
 R.D. Harrington 46, O.M. Harris 139, P.F. Harrison 171, F. Hartjes 106, M. Hasegawa 66, S. Hasegawa 102,
 Y. Hasegawa 141, A. Hasib 112, S. Hassani 137, S. Haug 17, M. Hauschild 30, R. Hauser 89, M. Havranek 126,
 C.M. Hawkes 18, R.J. Hawkings 30, A.D. Hawkins 80, T. Hayashi 161, D. Hayden 89, C.P. Hays 119,
 H.S. Hayward 73, S.J. Haywood 130, S.J. Head 18, T. Heck 82, V. Hedberg 80, L. Heelan 8, S. Heim 121,
 T. Heim 176, B. Heinemann 15, L. Heinrich 109, J. Hejbal 126, L. Helary 22, C. Heller 99, M. Heller 30,
 S. Hellman 147a, 147b, D. Hellmich 21, C. Helsens 30, J. Henderson 119, R.C.W. Henderson 71, Y. Heng 174,
 C. Hengler 42, A. Henrichs 177, A.M. Henriques Correia 30, S. Henrot-Versille 116, G.H. Herbert 16,
 Y. Hernández Jiménez 168, R. Herrberg-Schubert 16, G. Herten 48, R. Hertenberger 99, L. Hervas 30,
 G.G. Hesketh 77, N.P. Hessey 106, R. Hickling 75, E. Higón-Rodríguez 168, E. Hill 170, J.C. Hill 28, K.H. Hiller 42,

- S. Hillert 21, S.J. Hillier 18, I. Hinchliffe 15, E. Hines 121, M. Hirose 158, D. Hirschbuehl 176, J. Hobbs 149, N. Hod 106, M.C. Hodgkinson 140, P. Hodgson 140, A. Hoecker 30, M.R. Hoeferkamp 104, F. Hoenig 99, J. Hoffman 40, D. Hoffmann 84, M. Hohlfeld 82, T.R. Holmes 15, T.M. Hong 121, L. Hooft van Huysduynen 109, W.H. Hopkins 115, Y. Horii 102, J.-Y. Hostachy 55, S. Hou 152, A. Hoummada 136a, J. Howard 119, J. Howarth 42, M. Hrabovsky 114, I. Hristova 16, J. Hrivnac 116, T. Hryna 5, C. Hsu 146c, P.J. Hsu 82, S.-C. Hsu 139, D. Hu 35, X. Hu 88, Y. Huang 42, Z. Hubacek 30, F. Hubaut 84, F. Huegging 21, T.B. Huffman 119, E.W. Hughes 35, G. Hughes 71, M. Huhtinen 30, T.A. Hülsing 82, M. Hurwitz 15, N. Huseynov 64,b, J. Huston 89, J. Huth 57, G. Jacobucci 49, G. Iakovidis 10, I. Ibragimov 142, L. Iconomidou-Fayard 116, E. Ideal 177, Z. Idrissi 136e, P. Iengo 103a, O. Igolkina 106, T. Iizawa 172, Y. Ikegami 65, K. Ikematsu 142, M. Ikeno 65, Y. Ilchenko 31,p, D. Iliadis 155, N. Ilic 159, Y. Inamaru 66, T. Ince 100, P. Ioannou 9, M. Iodice 135a, K. Iordanidou 9, V. Ippolito 57, A. Irles Quiles 168, C. Isaksson 167, M. Ishino 67, M. Ishitsuka 158, R. Ishmukhametov 110, C. Issever 119, S. Istin 19a, J.M. Iturbe Ponce 83, R. Iuppa 134a,134b, J. Ivarsson 80, W. Iwanski 39, H. Iwasaki 65, J.M. Izen 41, V. Izzo 103a, B. Jackson 121, M. Jackson 73, P. Jackson 1, M.R. Jaekel 30, V. Jain 2, K. Jakobs 48, S. Jakobsen 30, T. Jakoubek 126, J. Jakubek 127, D.O. Jamin 152, D.K. Jana 78, E. Jansen 77, H. Jansen 30, J. Janssen 21, M. Janus 171, G. Jarlskog 80, N. Javadov 64,b, T. Javurek 48, L. Jeanty 15, J. Jejelava 51a,q, G.-Y. Jeng 151, D. Jennens 87, P. Jenni 48,r, J. Jentzsch 43, C. Jeske 171, S. Jézéquel 5, H. Ji 174, J. Jia 149, Y. Jiang 33b, M. Jimenez Belenguer 42, S. Jin 33a, A. Jinaru 26a, O. Jinnouchi 158, M.D. Joergensen 36, K.E. Johansson 147a,147b, P. Johansson 140, K.A. Johns 7, K. Jon-And 147a,147b, G. Jones 171, R.W.L. Jones 71, T.J. Jones 73, J. Jongmanns 58a, P.M. Jorge 125a,125b, K.D. Joshi 83, J. Jovicevic 148, X. Ju 174, C.A. Jung 43, R.M. Jungst 30, P. Jussel 61, A. Juste Rozas 12,o, M. Kaci 168, A. Kaczmarcka 39, M. Kado 116, H. Kagan 110, M. Kagan 144, E. Kajomovitz 45, C.W. Kalderon 119, S. Kama 40, A. Kamenshchikov 129, N. Kanaya 156, M. Kaneda 30, S. Kaneti 28, V.A. Kantserov 97, J. Kanzaki 65, B. Kaplan 109, A. Kapliy 31, D. Kar 53, K. Karakostas 10, N. Karastathis 10, M.J. Kareem 54, M. Karnevskiy 82, S.N. Karpov 64, Z.M. Karpova 64, K. Karthik 109, V. Kartvelishvili 71, A.N. Karyukhin 129, L. Kashif 174, G. Kasieczka 58b, R.D. Kass 110, A. Kastanas 14, Y. Kataoka 156, A. Katre 49, J. Katzy 42, V. Kaushik 7, K. Kawagoe 69, T. Kawamoto 156, G. Kawamura 54, S. Kazama 156, V.F. Kazanin 108, M.Y. Kazarinov 64, R. Keeler 170, R. Kehoe 40, M. Keil 54, J.S. Keller 42, J.J. Kempster 76, H. Keoshkerian 5, O. Kepka 126, B.P. Kerševan 74, S. Kersten 176, K. Kessoku 156, J. Keung 159, F. Khalil-zada 11, H. Khandanyan 147a,147b, A. Khanov 113, A. Khodinov 97, A. Khomich 58a, T.J. Khoo 28, G. Khoriauli 21, A. Khoroshilov 176, V. Khovanskiy 96, E. Khramov 64, J. Khubua 51b, H.Y. Kim 8, H. Kim 147a,147b, S.H. Kim 161, N. Kimura 172, O. Kind 16, B.T. King 73, M. King 168, R.S.B. King 119, S.B. King 169, J. Kirk 130, A.E. Kiryunin 100, T. Kishimoto 66, D. Kisielewska 38a, F. Kiss 48, T. Kittelmann 124, K. Kiuchi 161, E. Kladiva 145b, M. Klein 73, U. Klein 73, K. Kleinknecht 82, P. Klimek 147a,147b, A. Klimentov 25, R. Klingenberg 43, J.A. Klinger 83, T. Klioutchnikova 30, P.F. Klok 105, E.-E. Kluge 58a, P. Kluit 106, S. Kluth 100, E. Kneringer 61, E.B.F.G. Knoops 84, A. Knue 53, D. Kobayashi 158, T. Kobayashi 156, M. Kobel 44, M. Kocian 144, P. Kodys 128, P. Koevesarki 21, T. Koffas 29, E. Koffeman 106, L.A. Kogan 119, S. Kohlmann 176, Z. Kohout 127, T. Kohriki 65, T. Koi 144, H. Kolanoski 16, I. Koletsou 5, J. Koll 89, A.A. Komar 95,* , Y. Komori 156, T. Kondo 65, N. Kondrashova 42, K. Köneke 48, A.C. König 105, S. König 82, T. Kono 65,s, R. Konoplich 109,t, N. Konstantinidis 77, R. Kopeliansky 153, S. Koperny 38a, L. Köpke 82, A.K. Kopp 48, K. Korcyl 39, K. Kordas 155, A. Korn 77, A.A. Korol 108,c, I. Korolkov 12, E.V. Korolkova 140, V.A. Korotkov 129, O. Kortner 100, S. Kortner 100, V.V. Kostyukhin 21, V.M. Kotov 64, A. Kotwal 45, C. Kourkoumelis 9, V. Kouskoura 155, A. Koutsman 160a, R. Kowalewski 170, T.Z. Kowalski 38a, W. Kozanecki 137, A.S. Kozhin 129, V. Kral 127, V.A. Kramarenko 98, G. Kramberger 74, D. Krasnopevtsev 97, M.W. Krasny 79, A. Krasznahorkay 30, J.K. Kraus 21, A. Kravchenko 25, S. Kreiss 109, M. Kretz 58c, J. Kretzschmar 73, K. Kreutzfeldt 52, P. Krieger 159, K. Kroeninger 54, H. Kroha 100, J. Kroll 121, J. Kroseberg 21, J. Krstic 13a, U. Kruchonak 64, H. Krüger 21, T. Kruker 17, N. Krumnack 63, Z.V. Krumshteyn 64, A. Kruse 174, M.C. Kruse 45, M. Kruskal 22, T. Kubota 87, H. Kucuk 77, S. Kuday 4a, S. Kuehn 48, A. Kugel 58c, A. Kuhl 138, T. Kuhl 42, V. Kukhtin 64, Y. Kulchitsky 91, S. Kuleshov 32b, M. Kuna 133a,133b, J. Kunkle 121, A. Kupco 126, H. Kurashige 66, Y.A. Kurochkin 91, R. Kurumida 66, V. Kus 126, E.S. Kuwertz 148, M. Kuze 158, J. Kvita 114, A. La Rosa 49, L. La Rotonda 37a,37b, C. Lacasta 168, F. Lacava 133a,133b, J. Lacey 29, H. Lacker 16, D. Lacour 79, V.R. Lacuesta 168, E. Ladygin 64, R. Lafaye 5, B. Laforge 79, T. Lagouri 177, S. Lai 48, H. Laier 58a, L. Lambourne 77, S. Lammers 60, C.L. Lampen 7, W. Lampl 7, E. Lançon 137, U. Landgraf 48, M.P.J. Landon 75, V.S. Lang 58a, A.J. Lankford 164, F. Lanni 25, K. Lantzsch 30, S. Laplace 79, C. Lapoire 21, J.F. Laporte 137,

- T. Lari ^{90a}, F. Lasagni Manghi ^{20a,20b}, M. Lassnig ³⁰, P. Laurelli ⁴⁷, W. Lavrijsen ¹⁵, A.T. Law ¹³⁸, P. Laycock ⁷³, O. Le Dortz ⁷⁹, E. Le Guirriec ⁸⁴, E. Le Menedeu ¹², T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁵, C.A. Lee ¹⁵², H. Lee ¹⁰⁶, J.S.H. Lee ¹¹⁷, S.C. Lee ¹⁵², L. Lee ¹, G. Lefebvre ⁷⁹, M. Lefebvre ¹⁷⁰, F. Legger ⁹⁹, C. Leggett ¹⁵, A. Lehan ⁷³, M. Lehacher ²¹, G. Lehmann Miotto ³⁰, X. Lei ⁷, W.A. Leight ²⁹, A. Leisos ¹⁵⁵, A.G. Leister ¹⁷⁷, M.A.L. Leite ^{24d}, R. Leitner ¹²⁸, D. Lellouch ¹⁷³, B. Lemmer ⁵⁴, K.J.C. Leney ⁷⁷, T. Lenz ²¹, G. Lenzen ¹⁷⁶, B. Lenzi ³⁰, R. Leone ⁷, S. Leone ^{123a,123b}, C. Leonidopoulos ⁴⁶, S. Leontsinis ¹⁰, C. Leroy ⁹⁴, C.G. Lester ²⁸, C.M. Lester ¹²¹, M. Levchenko ¹²², J. Levêque ⁵, D. Levin ⁸⁸, L.J. Levinson ¹⁷³, M. Levy ¹⁸, A. Lewis ¹¹⁹, G.H. Lewis ¹⁰⁹, A.M. Leyko ²¹, M. Leyton ⁴¹, B. Li ^{33b,u}, B. Li ⁸⁴, H. Li ¹⁴⁹, H.L. Li ³¹, L. Li ⁴⁵, L. Li ^{33e}, S. Li ⁴⁵, Y. Li ^{33c,v}, Z. Liang ¹³⁸, H. Liao ³⁴, B. Liberti ^{134a}, P. Lichard ³⁰, K. Lie ¹⁶⁶, J. Liebal ²¹, W. Liebig ¹⁴, C. Limbach ²¹, A. Limosani ⁸⁷, S.C. Lin ^{152,w}, T.H. Lin ⁸², F. Linde ¹⁰⁶, B.E. Lindquist ¹⁴⁹, J.T. Linnemann ⁸⁹, E. Lipeles ¹²¹, A. Lipniacka ¹⁴, M. Lisovyi ⁴², T.M. Liss ¹⁶⁶, D. Lissauer ²⁵, A. Lister ¹⁶⁹, A.M. Litke ¹³⁸, B. Liu ¹⁵², D. Liu ¹⁵², J.B. Liu ^{33b}, K. Liu ^{33b,x}, L. Liu ⁸⁸, M. Liu ⁴⁵, M. Liu ^{33b}, Y. Liu ^{33b}, M. Livan ^{120a,120b}, S.S.A. Livermore ¹¹⁹, A. Lleres ⁵⁵, J. Llorente Merino ⁸¹, S.L. Lloyd ⁷⁵, F. Lo Sterzo ¹⁵², E. Lobodzinska ⁴², P. Loch ⁷, W.S. Lockman ¹³⁸, F.K. Loebinger ⁸³, A.E. Loevschall-Jensen ³⁶, A. Loginov ¹⁷⁷, T. Lohse ¹⁶, K. Lohwasser ⁴², M. Lokajicek ¹²⁶, V.P. Lombardo ⁵, B.A. Long ²², J.D. Long ⁸⁸, R.E. Long ⁷¹, L. Lopes ^{125a}, D. Lopez Mateos ⁵⁷, B. Lopez Paredes ¹⁴⁰, I. Lopez Paz ¹², J. Lorenz ⁹⁹, N. Lorenzo Martinez ⁶⁰, M. Losada ¹⁶³, P. Loscutoff ¹⁵, X. Lou ⁴¹, A. Lounis ¹¹⁶, J. Love ⁶, P.A. Love ⁷¹, A.J. Lowe ^{144,f}, F. Lu ^{33a}, N. Lu ⁸⁸, H.J. Lubatti ¹³⁹, C. Luci ^{133a,133b}, A. Lucotte ⁵⁵, F. Luehring ⁶⁰, W. Lukas ⁶¹, L. Luminari ^{133a}, O. Lundberg ^{147a,147b}, B. Lund-Jensen ¹⁴⁸, M. Lungwitz ⁸², D. Lynn ²⁵, R. Lysak ¹²⁶, E. Lytken ⁸⁰, H. Ma ²⁵, LL. Ma ^{33d}, G. Maccarrone ⁴⁷, A. Macchiolo ¹⁰⁰, J. Machado Miguens ^{125a,125b}, D. Macina ³⁰, D. Madaffari ⁸⁴, R. Madar ⁴⁸, H.J. Maddocks ⁷¹, W.F. Mader ⁴⁴, A. Madsen ¹⁶⁷, M. Maeno ⁸, T. Maeno ²⁵, A. Maevskiy ⁹⁸, E. Magradze ⁵⁴, K. Mahboubi ⁴⁸, J. Mahlstedt ¹⁰⁶, S. Mahmoud ⁷³, C. Maiani ¹³⁷, C. Maidantchik ^{24a}, A.A. Maier ¹⁰⁰, A. Maio ^{125a,125b,125d}, S. Majewski ¹¹⁵, Y. Makida ⁶⁵, N. Makovec ¹¹⁶, P. Mal ^{137,y}, B. Malaescu ⁷⁹, Pa. Malecki ³⁹, V.P. Maleev ¹²², F. Malek ⁵⁵, U. Mallik ⁶², D. Malon ⁶, C. Malone ¹⁴⁴, S. Maltezos ¹⁰, V.M. Malyshev ¹⁰⁸, S. Malyukov ³⁰, J. Mamuzic ^{13b}, B. Mandelli ³⁰, L. Mandelli ^{90a}, I. Mandić ⁷⁴, R. Mandrysch ⁶², J. Maneira ^{125a,125b}, A. Manfredini ¹⁰⁰, L. Manhaes de Andrade Filho ^{24b}, J.A. Manjarres Ramos ^{160b}, A. Mann ⁹⁹, P.M. Manning ¹³⁸, A. Manousakis-Katsikakis ⁹, B. Mansoulie ¹³⁷, R. Mantifel ⁸⁶, L. Mapelli ³⁰, L. March ^{146c}, J.F. Marchand ²⁹, G. Marchiori ⁷⁹, M. Marcisovsky ¹²⁶, C.P. Marino ¹⁷⁰, M. Marjanovic ^{13a}, C.N. Marques ^{125a}, F. Marroquim ^{24a}, S.P. Marsden ⁸³, Z. Marshall ¹⁵, L.F. Marti ¹⁷, S. Marti-Garcia ¹⁶⁸, B. Martin ³⁰, B. Martin ⁸⁹, T.A. Martin ¹⁷¹, V.J. Martin ⁴⁶, B. Martin dit Latour ¹⁴, H. Martinez ¹³⁷, M. Martinez ^{12,0}, S. Martin-Haugh ¹³⁰, A.C. Martyniuk ⁷⁷, M. Marx ¹³⁹, F. Marzano ^{133a}, A. Marzin ³⁰, L. Masetti ⁸², T. Mashimo ¹⁵⁶, R. Mashinistov ⁹⁵, J. Masik ⁸³, A.L. Maslennikov ^{108,c}, I. Massa ^{20a,20b}, L. Massa ^{20a,20b}, N. Massol ⁵, P. Mastrandrea ¹⁴⁹, A. Mastroberardino ^{37a,37b}, T. Masubuchi ¹⁵⁶, P. Mättig ¹⁷⁶, J. Mattmann ⁸², J. Maurer ^{26a}, S.J. Maxfield ⁷³, D.A. Maximov ^{108,c}, R. Mazini ¹⁵², L. Mazzaferro ^{134a,134b}, G. Mc Goldrick ¹⁵⁹, S.P. Mc Kee ⁸⁸, A. McCarn ⁸⁸, R.L. McCarthy ¹⁴⁹, T.G. McCarthy ²⁹, N.A. McCubbin ¹³⁰, K.W. McFarlane ^{56,*}, J.A. McFayden ⁷⁷, G. Mchedlidze ⁵⁴, S.J. McMahon ¹³⁰, R.A. McPherson ^{170,j}, J. Mechlich ¹⁰⁶, M. Medinnis ⁴², S. Meehan ³¹, S. Mehlhase ⁹⁹, A. Mehta ⁷³, K. Meier ^{58a}, C. Meineck ⁹⁹, B. Meirose ⁸⁰, C. Melachrinos ³¹, B.R. Mellado Garcia ^{146c}, F. Meloni ¹⁷, A. Mengarelli ^{20a,20b}, S. Menke ¹⁰⁰, E. Meoni ¹⁶², K.M. Mercurio ⁵⁷, S. Mergelmeyer ²¹, N. Meric ¹³⁷, P. Mermod ⁴⁹, L. Merola ^{103a,103b}, C. Meroni ^{90a}, F.S. Merritt ³¹, H. Merritt ¹¹⁰, A. Messina ^{30,z}, J. Metcalfe ²⁵, A.S. Mete ¹⁶⁴, C. Meyer ⁸², C. Meyer ¹²¹, J-P. Meyer ¹³⁷, J. Meyer ³⁰, R.P. Middleton ¹³⁰, S. Migas ⁷³, L. Mijović ²¹, G. Mikenberg ¹⁷³, M. Mikestikova ¹²⁶, M. Mikuž ⁷⁴, A. Milic ³⁰, D.W. Miller ³¹, C. Mills ⁴⁶, A. Milov ¹⁷³, D.A. Milstead ^{147a,147b}, D. Milstein ¹⁷³, A.A. Minaenko ¹²⁹, Y. Minami ¹⁵⁶, I.A. Minashvili ⁶⁴, A.I. Mincer ¹⁰⁹, B. Mindur ^{38a}, M. Mineev ⁶⁴, Y. Ming ¹⁷⁴, L.M. Mir ¹², G. Mirabelli ^{133a}, T. Mitani ¹⁷², J. Mitrevski ⁹⁹, V.A. Mitsou ¹⁶⁸, S. Mitsui ⁶⁵, A. Miucci ⁴⁹, P.S. Miyagawa ¹⁴⁰, J.U. Mjörnmark ⁸⁰, T. Moa ^{147a,147b}, K. Mochizuki ⁸⁴, S. Mohapatra ³⁵, W. Mohr ⁴⁸, S. Molander ^{147a,147b}, R. Moles-Valls ¹⁶⁸, K. Mönig ⁴², C. Monini ⁵⁵, J. Monk ³⁶, E. Monnier ⁸⁴, J. Montejo Berlingen ¹², F. Monticelli ⁷⁰, S. Monzani ^{133a,133b}, R.W. Moore ³, N. Morange ⁶², D. Moreno ⁸², M. Moreno Llácer ⁵⁴, P. Morettini ^{50a}, M. Morgenstern ⁴⁴, M. Morii ⁵⁷, S. Moritz ⁸², A.K. Morley ¹⁴⁸, G. Mornacchi ³⁰, J.D. Morris ⁷⁵, L. Morvaj ¹⁰², H.G. Moser ¹⁰⁰, M. Mosidze ^{51b}, J. Moss ¹¹⁰, K. Motohashi ¹⁵⁸, R. Mount ¹⁴⁴, E. Mountricha ²⁵, S.V. Mouraviev ^{95,*}, E.J.W. Moyse ⁸⁵, S. Muanza ⁸⁴, R.D. Mudd ¹⁸, F. Mueller ^{58a}, J. Mueller ¹²⁴, K. Mueller ²¹, T. Mueller ²⁸, T. Mueller ⁸²,

- D. Muenstermann 49, Y. Munwes 154, J.A. Murillo Quijada 18, W.J. Murray 171, 130, H. Musheghyan 54,
 E. Musto 153, A.G. Myagkov 129, *aa*, M. Myska 127, O. Nackenhorst 54, J. Nadal 54, K. Nagai 61, R. Nagai 158,
 Y. Nagai 84, K. Nagano 65, A. Nagarkar 110, Y. Nagasaka 59, M. Nagel 100, A.M. Nairz 30, Y. Nakahama 30,
 K. Nakamura 65, T. Nakamura 156, I. Nakano 111, H. Namasivayam 41, G. Nanava 21, R. Narayan 58b,
 T. Nattermann 21, T. Naumann 42, G. Navarro 163, R. Nayyar 7, H.A. Neal 88, P.Yu. Nechaeva 95, T.J. Neep 83,
 P.D. Nef 144, A. Negri 120a, 120b, G. Negri 30, M. Negrini 20a, S. Nektarijevic 49, C. Nellist 116, A. Nelson 164,
 T.K. Nelson 144, S. Nemecek 126, P. Nemethy 109, A.A. Nepomuceno 24a, M. Nessi 30, *ab*, M.S. Neubauer 166,
 M. Neumann 176, R.M. Neves 109, P. Nevski 25, P.R. Newman 18, D.H. Nguyen 6, R.B. Nickerson 119,
 R. Nicolaïdou 137, B. Nicquevert 30, J. Nielsen 138, N. Nikiforou 35, A. Nikiforov 16, V. Nikolaenko 129, *aa*,
 I. Nikolic-Audit 79, K. Nikolics 49, K. Nikolopoulos 18, P. Nilsson 8, Y. Ninomiya 156, A. Nisati 133a,
 R. Nisius 100, T. Nobe 158, L. Nodulman 6, M. Nomachi 117, I. Nomidis 29, S. Norberg 112, M. Nordberg 30,
 O. Novgorodova 44, S. Nowak 100, M. Nozaki 65, L. Nozka 114, K. Ntekas 10, G. Nunes Hanninger 87,
 T. Nunnemann 99, E. Nurse 77, F. Nuti 87, B.J. O'Brien 46, F. O'grady 7, D.C. O'Neil 143, V. O'Shea 53,
 F.G. Oakham 29, *e*, H. Oberlack 100, T. Obermann 21, J. Ocariz 79, A. Ochi 66, M.I. Ochoa 77, S. Oda 69,
 S. Odaka 65, H. Ogren 60, A. Oh 83, S.H. Oh 45, C.C. Ohm 15, H. Ohman 167, W. Okamura 117, H. Okawa 25,
 Y. Okumura 31, T. Okuyama 156, A. Olariu 26a, A.G. Olchevski 64, S.A. Olivares Pino 46,
 D. Oliveira Damazio 25, E. Oliver Garcia 168, A. Olszewski 39, J. Olszowska 39, A. Onofre 125a, 125e,
 P.U.E. Onyisi 31, *p*, C.J. Oram 160a, M.J. Oreglia 31, Y. Oren 154, D. Orestano 135a, 135b, N. Orlando 72a, 72b,
 C. Oropeza Barrera 53, R.S. Orr 159, B. Osculati 50a, 50b, R. Ospanov 121, G. Otero y Garzon 27, H. Otono 69,
 M. Ouchrif 136d, E.A. Ouellette 170, F. Ould-Saada 118, A. Ouraou 137, K.P. Oussoren 106, Q. Ouyang 33a,
 A. Ovcharova 15, M. Owen 83, V.E. Ozcan 19a, N. Ozturk 8, K. Pachal 119, A. Pacheco Pages 12,
 C. Padilla Aranda 12, M. Pagáčová 48, S. Pagan Griso 15, E. Paganis 140, C. Pahl 100, F. Paige 25, P. Pais 85,
 K. Pajchel 118, G. Palacino 160b, S. Palestini 30, M. Palka 38b, D. Pallin 34, A. Palma 125a, 125b, J.D. Palmer 18,
 Y.B. Pan 174, E. Panagiotopoulou 10, J.G. Panduro Vazquez 76, P. Pani 106, N. Panikashvili 88, S. Panitkin 25,
 D. Pantea 26a, L. Paolozzi 134a, 134b, Th.D. Papadopoulou 10, K. Papageorgiou 155, *m*, A. Paramonov 6,
 D. Paredes Hernandez 155, M.A. Parker 28, F. Parodi 50a, 50b, J.A. Parsons 35, U. Parzefall 48,
 E. Pasqualucci 133a, S. Passaggio 50a, A. Passeri 135a, F. Pastore 135a, 135b, *, Fr. Pastore 76, G. Pásztor 29,
 S. Pataraia 176, N.D. Patel 151, J.R. Pater 83, S. Patricelli 103a, 103b, T. Pauly 30, J. Pearce 170, L.E. Pedersen 36,
 M. Pedersen 118, S. Pedraza Lopez 168, R. Pedro 125a, 125b, S.V. Peleganchuk 108, D. Pelikan 167, H. Peng 33b,
 B. Penning 31, J. Penwell 60, D.V. Perepelitsa 25, E. Perez Codina 160a, M.T. Pérez García-Estañ 168,
 V. Perez Reale 35, L. Perini 90a, 90b, H. Pernegger 30, S. Perrella 103a, 103b, R. Perrino 72a, R. Peschke 42,
 V.D. Peshekhonov 64, K. Peters 30, R.F.Y. Peters 83, B.A. Petersen 30, T.C. Petersen 36, E. Petit 42,
 A. Petridis 147a, 147b, C. Petridou 155, E. Petrolo 133a, F. Petrucci 135a, 135b, N.E. Pettersson 158, R. Pezoa 32b,
 P.W. Phillips 130, G. Piacquadio 144, E. Pianori 171, A. Picazio 49, E. Piccaro 75, M. Piccinini 20a, 20b,
 R. Piegaia 27, D.T. Pignotti 110, J.E. Pilcher 31, A.D. Pilkington 77, J. Pina 125a, 125b, 125d,
 M. Pinamonti 165a, 165c, *ac*, A. Pinder 119, J.L. Pinfold 3, A. Pingel 36, B. Pinto 125a, S. Pires 79, M. Pitt 173,
 C. Pizio 90a, 90b, L. Plazak 145a, M.-A. Pleier 25, V. Pleskot 128, E. Plotnikova 64, P. Plucinski 147a, 147b,
 S. Poddar 58a, F. Podlaski 34, R. Poettgen 82, L. Poggioli 116, D. Pohl 21, M. Pohl 49, G. Polesello 120a,
 A. Policicchio 37a, 37b, R. Polifka 159, A. Polini 20a, C.S. Pollard 45, V. Polychronakos 25, K. Pommès 30,
 L. Pontecorvo 133a, B.G. Pope 89, G.A. Popeneciu 26b, D.S. Popovic 13a, A. Poppleton 30, X. Portell Bueso 12,
 S. Pospisil 127, K. Potamianos 15, I.N. Potrap 64, C.J. Potter 150, C.T. Potter 115, G. Poulard 30, J. Poveda 60,
 V. Pozdnyakov 64, P. Pralavorio 84, A. Pranko 15, S. Prasad 30, R. Pravahan 8, S. Prell 63, D. Price 83, J. Price 73,
 L.E. Price 6, D. Prieur 124, M. Primavera 72a, M. Proissl 46, K. Prokofiev 47, F. Prokoshin 32b,
 E. Protopapadaki 137, S. Protopopescu 25, J. Proudfoot 6, M. Przybycien 38a, H. Przysiezniak 5, E. Ptacek 115,
 D. Puddu 135a, 135b, E. Pueschel 85, D. Puldon 149, M. Purohit 25, *ad*, P. Puzo 116, J. Qian 88, G. Qin 53, Y. Qin 83,
 A. Quadt 54, D.R. Quarrie 15, W.B. Quayle 165a, 165b, M. Queitsch-Maitland 83, D. Quilty 53, A. Qureshi 160b,
 V. Radeka 25, V. Radescu 42, S.K. Radhakrishnan 149, P. Radloff 115, P. Rados 87, F. Ragusa 90a, 90b,
 G. Rahal 179, S. Rajagopalan 25, M. Rammensee 30, A.S. Randle-Conde 40, C. Rangel-Smith 167, K. Rao 164,
 F. Rauscher 99, T.C. Rave 48, T. Ravenscroft 53, M. Raymond 30, A.L. Read 118, N.P. Readioff 73,
 D.M. Rebuzzi 120a, 120b, A. Redelbach 175, G. Redlinger 25, R. Reece 138, K. Reeves 41, L. Rehnisch 16,
 H. Reisin 27, M. Relich 164, C. Rembser 30, H. Ren 33a, Z.L. Ren 152, A. Renaud 116, M. Rescigno 133a,
 S. Resconi 90a, O.L. Rezanova 108, *c*, P. Reznicek 128, R. Rezvani 94, R. Richter 100, M. Ridel 79, P. Rieck 16,

- J. Rieger ⁵⁴, M. Rijssenbeek ¹⁴⁹, A. Rimoldi ^{120a,120b}, L. Rinaldi ^{20a}, E. Ritsch ⁶¹, I. Riu ¹², F. Rizatdinova ¹¹³, E. Rizvi ⁷⁵, S.H. Robertson ^{86,j}, A. Robichaud-Veronneau ⁸⁶, D. Robinson ²⁸, J.E.M. Robinson ⁸³, A. Robson ⁵³, C. Roda ^{123a,123b}, L. Rodrigues ³⁰, S. Roe ³⁰, O. Røhne ¹¹⁸, S. Rolli ¹⁶², A. Romaniouk ⁹⁷, M. Romano ^{20a,20b}, E. Romero Adam ¹⁶⁸, N. Rompotis ¹³⁹, M. Ronzani ⁴⁸, L. Roos ⁷⁹, E. Ros ¹⁶⁸, S. Rosati ^{133a}, K. Rosbach ⁴⁹, M. Rose ⁷⁶, P. Rose ¹³⁸, P.L. Rosendahl ¹⁴, O. Rosenthal ¹⁴², V. Rossetti ^{147a,147b}, E. Rossi ^{103a,103b}, L.P. Rossi ^{50a}, R. Rosten ¹³⁹, M. Rotaru ^{26a}, I. Roth ¹⁷³, J. Rothberg ¹³⁹, D. Rousseau ¹¹⁶, C.R. Royon ¹³⁷, A. Rozanov ⁸⁴, Y. Rozen ¹⁵³, X. Ruan ^{146c}, F. Rubbo ¹², I. Rubinskiy ⁴², V.I. Rud ⁹⁸, C. Rudolph ⁴⁴, M.S. Rudolph ¹⁵⁹, F. Rühr ⁴⁸, A. Ruiz-Martinez ³⁰, Z. Rurikova ⁴⁸, N.A. Rusakovich ⁶⁴, A. Ruschke ⁹⁹, J.P. Rutherford ⁷, N. Ruthmann ⁴⁸, Y.F. Ryabov ¹²², M. Rybar ¹²⁸, G. Rybkin ¹¹⁶, N.C. Ryder ¹¹⁹, A.F. Saavedra ¹⁵¹, S. Sacerdoti ²⁷, A. Saddique ³, I. Sadeh ¹⁵⁴, H.F-W. Sadrozinski ¹³⁸, R. Sadykov ⁶⁴, F. Safai Tehrani ^{133a}, H. Sakamoto ¹⁵⁶, Y. Sakurai ¹⁷², G. Salamanna ^{135a,135b}, A. Salamon ^{134a}, M. Saleem ¹¹², D. Salek ¹⁰⁶, P.H. Sales De Bruin ¹³⁹, D. Salihagic ¹⁰⁰, A. Salnikov ¹⁴⁴, J. Salt ¹⁶⁸, D. Salvatore ^{37a,37b}, F. Salvatore ¹⁵⁰, A. Salvucci ¹⁰⁵, A. Salzburger ³⁰, D. Sampsonidis ¹⁵⁵, A. Sanchez ^{103a,103b}, J. Sánchez ¹⁶⁸, V. Sanchez Martinez ¹⁶⁸, H. Sandaker ¹⁴, R.L. Sandbach ⁷⁵, H.G. Sander ⁸², M.P. Sanders ⁹⁹, M. Sandhoff ¹⁷⁶, T. Sandoval ²⁸, C. Sandoval ¹⁶³, R. Sandstroem ¹⁰⁰, D.P.C. Sankey ¹³⁰, A. Sansoni ⁴⁷, C. Santoni ³⁴, R. Santonico ^{134a,134b}, H. Santos ^{125a}, I. Santoyo Castillo ¹⁵⁰, K. Sapp ¹²⁴, A. Sapronov ⁶⁴, J.G. Saraiva ^{125a,125d}, B. Sarrazin ²¹, G. Sartisohn ¹⁷⁶, O. Sasaki ⁶⁵, Y. Sasaki ¹⁵⁶, G. Sauvage ^{5,*}, E. Sauvan ⁵, P. Savard ^{159,e}, D.O. Savu ³⁰, C. Sawyer ¹¹⁹, L. Sawyer ^{78,n}, D.H. Saxon ⁵³, J. Saxon ¹²¹, C. Sbarra ^{20a}, A. Sbrizzi ^{20a,20b}, T. Scanlon ⁷⁷, D.A. Scannicchio ¹⁶⁴, M. Scarella ¹⁵¹, V. Scarfone ^{37a,37b}, J. Schaarschmidt ¹⁷³, P. Schacht ¹⁰⁰, D. Schaefer ³⁰, R. Schaefer ⁴², S. Schaepe ²¹, S. Schaetzl ^{58b}, U. Schäfer ⁸², A.C. Schaffer ¹¹⁶, D. Schaile ⁹⁹, R.D. Schamberger ¹⁴⁹, V. Scharf ^{58a}, V.A. Schegelsky ¹²², D. Scheirich ¹²⁸, M. Schernau ¹⁶⁴, M.I. Scherzer ³⁵, C. Schiavi ^{50a,50b}, J. Schieck ⁹⁹, C. Schillo ⁴⁸, M. Schioppa ^{37a,37b}, S. Schlenker ³⁰, E. Schmidt ⁴⁸, K. Schmieden ³⁰, C. Schmitt ⁸², S. Schmitt ^{58b}, B. Schneider ¹⁷, Y.J. Schnellbach ⁷³, U. Schnoor ⁴⁴, L. Schoeffel ¹³⁷, A. Schoening ^{58b}, B.D. Schoenrock ⁸⁹, A.L.S. Schorlemmer ⁵⁴, M. Schott ⁸², D. Schouten ^{160a}, J. Schovancova ²⁵, S. Schramm ¹⁵⁹, M. Schreyer ¹⁷⁵, C. Schroeder ⁸², N. Schuh ⁸², M.J. Schultens ²¹, H.-C. Schultz-Coulon ^{58a}, H. Schulz ¹⁶, M. Schumacher ⁴⁸, B.A. Schumm ¹³⁸, Ph. Schune ¹³⁷, C. Schwanenberger ⁸³, A. Schwartzman ¹⁴⁴, T.A. Schwarz ⁸⁸, Ph. Schwegler ¹⁰⁰, Ph. Schwemling ¹³⁷, R. Schwienhorst ⁸⁹, J. Schwindling ¹³⁷, T. Schwindt ²¹, M. Schwoerer ⁵, F.G. Sciacca ¹⁷, E. Scifo ¹¹⁶, G. Sciolla ²³, W.G. Scott ¹³⁰, F. Scuri ^{123a,123b}, F. Scutti ²¹, J. Searcy ⁸⁸, G. Sedov ⁴², E. Sedykh ¹²², S.C. Seidel ¹⁰⁴, A. Seiden ¹³⁸, F. Seifert ¹²⁷, J.M. Seixas ^{24a}, G. Sekhniaidze ^{103a}, S.J. Sekula ⁴⁰, K.E. Selbach ⁴⁶, D.M. Seliverstov ^{122,*}, G. Sellers ⁷³, N. Semprini-Cesari ^{20a,20b}, C. Serfon ³⁰, L. Serin ¹¹⁶, L. Serkin ⁵⁴, T. Serre ⁸⁴, R. Seuster ^{160a}, H. Severini ¹¹², T. Sfiligoj ⁷⁴, F. Sforza ¹⁰⁰, A. Sfyrla ³⁰, E. Shabalina ⁵⁴, M. Shamim ¹¹⁵, L.Y. Shan ^{33a}, R. Shang ¹⁶⁶, J.T. Shank ²², M. Shapiro ¹⁵, P.B. Shatalov ⁹⁶, K. Shaw ^{165a,165b}, C.Y. Shehu ¹⁵⁰, P. Sherwood ⁷⁷, L. Shi ^{152,ae}, S. Shimizu ⁶⁶, C.O. Shimmin ¹⁶⁴, M. Shimojima ¹⁰¹, M. Shiyakova ⁶⁴, A. Shmeleva ⁹⁵, M.J. Shochet ³¹, D. Short ¹¹⁹, S. Shrestha ⁶³, E. Shulga ⁹⁷, M.A. Shupe ⁷, S. Shushkevich ⁴², P. Sicho ¹²⁶, O. Sidiropoulou ¹⁵⁵, D. Sidorov ¹¹³, A. Sidoti ^{133a}, F. Siegert ⁴⁴, Dj. Sijacki ^{13a}, J. Silva ^{125a,125d}, Y. Silver ¹⁵⁴, D. Silverstein ¹⁴⁴, S.B. Silverstein ^{147a}, V. Simak ¹²⁷, O. Simard ⁵, Lj. Simic ^{13a}, S. Simion ¹¹⁶, E. Simioni ⁸², B. Simmons ⁷⁷, R. Simonello ^{90a,90b}, M. Simonyan ³⁶, P. Sinervo ¹⁵⁹, N.B. Sinev ¹¹⁵, V. Sipica ¹⁴², G. Siragusa ¹⁷⁵, A. Sircar ⁷⁸, A.N. Sisakyan ^{64,*}, S.Yu. Sivoklokov ⁹⁸, J. Sjölin ^{147a,147b}, T.B. Sjursen ¹⁴, H.P. Skottowe ⁵⁷, K.Yu. Skovpen ¹⁰⁸, P. Skubic ¹¹², M. Slater ¹⁸, T. Slavicek ¹²⁷, K. Sliwa ¹⁶², V. Smakhtin ¹⁷³, B.H. Smart ⁴⁶, L. Smestad ¹⁴, S.Yu. Smirnov ⁹⁷, Y. Smirnov ⁹⁷, L.N. Smirnova ^{98,af}, O. Smirnova ⁸⁰, K.M. Smith ⁵³, M. Smizanska ⁷¹, K. Smolek ¹²⁷, A.A. Snesarev ⁹⁵, G. Snidero ⁷⁵, S. Snyder ²⁵, R. Sobie ^{170,j}, F. Socher ⁴⁴, A. Soffer ¹⁵⁴, D.A. Soh ^{152,ae}, C.A. Solans ³⁰, M. Solar ¹²⁷, J. Solc ¹²⁷, E.Yu. Soldatov ⁹⁷, U. Soldevila ¹⁶⁸, A.A. Solodkov ¹²⁹, A. Soloshenko ⁶⁴, O.V. Solovyanov ¹²⁹, V. Solovyev ¹²², P. Sommer ⁴⁸, H.Y. Song ^{33b}, N. Soni ¹, A. Sood ¹⁵, A. Sopczak ¹²⁷, B. Sopko ¹²⁷, V. Sopko ¹²⁷, V. Sorin ¹², M. Sosebee ⁸, R. Soualah ^{165a,165c}, P. Soueid ⁹⁴, A.M. Soukharev ^{108,c}, D. South ⁴², S. Spagnolo ^{72a,72b}, F. Spanò ⁷⁶, W.R. Spearman ⁵⁷, F. Spettel ¹⁰⁰, R. Spighi ^{20a}, G. Spigo ³⁰, L.A. Spiller ⁸⁷, M. Spousta ¹²⁸, T. Spreitzer ¹⁵⁹, B. Spurlock ⁸, R.D. St. Denis ^{53,*}, S. Staerz ⁴⁴, J. Stahlman ¹²¹, R. Stamen ^{58a}, S. Stamm ¹⁶, E. Stancka ³⁹, R.W. Stanek ⁶, C. Stanescu ^{135a}, M. Stanescu-Bellu ⁴², M.M. Stanitzki ⁴², S. Stapnes ¹¹⁸, E.A. Starchenko ¹²⁹, J. Stark ⁵⁵, P. Staroba ¹²⁶, P. Starovoitov ⁴², R. Staszewski ³⁹, P. Stavina ^{145a,*}, P. Steinberg ²⁵, B. Stelzer ¹⁴³, H.J. Stelzer ³⁰, O. Stelzer-Chilton ^{160a}, H. Stenzel ⁵², S. Stern ¹⁰⁰, G.A. Stewart ⁵³, J.A. Stillings ²¹,

- M.C. Stockton 86, M. Stoebe 86, G. Stoica 26a, P. Stolte 54, S. Stonjek 100, A.R. Stradling 8, A. Straessner 44, M.E. Stramaglia 17, J. Strandberg 148, S. Strandberg 147a, 147b, A. Strandlie 118, E. Strauss 144, M. Strauss 112, P. Strizenec 145b, R. Ströhmer 175, D.M. Strom 115, R. Stroynowski 40, A. Strubig 105, S.A. Stucci 17, B. Stugu 14, N.A. Styles 42, D. Su 144, J. Su 124, R. Subramaniam 78, A. Succurro 12, Y. Sugaya 117, C. Suhr 107, M. Suk 127, V.V. Sulin 95, S. Sultansoy 4c, T. Sumida 67, S. Sun 57, X. Sun 33a, J.E. Sundermann 48, K. Suruliz 150, G. Susinno 37a, 37b, M.R. Sutton 150, Y. Suzuki 65, M. Svatos 126, S. Swedish 169, M. Swiatlowski 144, I. Sykora 145a, T. Sykora 128, D. Ta 89, C. Taccini 135a, 135b, K. Tackmann 42, J. Taenzer 159, A. Taffard 164, R. Tafirout 160a, N. Taiblum 154, H. Takai 25, R. Takashima 68, H. Takeda 66, T. Takeshita 141, Y. Takubo 65, M. Talby 84, A.A. Talyshев 108, c, J.Y.C. Tam 175, K.G. Tan 87, J. Tanaka 156, R. Tanaka 116, S. Tanaka 132, S. Tanaka 65, A.J. Tanasijczuk 143, B.B. Tannenwald 110, N. Tannoury 21, S. Tapprogge 82, S. Tarem 153, F. Tarrade 29, G.F. Tartarelli 90a, P. Tas 128, M. Tasevsky 126, T. Tashiro 67, E. Tassi 37a, 37b, A. Tavares Delgado 125a, 125b, Y. Tayalati 136d, F.E. Taylor 93, G.N. Taylor 87, W. Taylor 160b, F.A. Teischinger 30, M. Teixeira Dias Castanheira 75, P. Teixeira-Dias 76, K.K. Temming 48, H. Ten Kate 30, P.K. Teng 152, J.J. Teoh 117, S. Terada 65, K. Terashi 156, J. Terron 81, S. Terzo 100, M. Testa 47, R.J. Teuscher 159, J. Therhaag 21, T. Theveneaux-Pelzer 34, J.P. Thomas 18, J. Thomas-Wilske 76, E.N. Thompson 35, P.D. Thompson 18, P.D. Thompson 159, R.J. Thompson 83, A.S. Thompson 53, L.A. Thomsen 36, E. Thomson 121, M. Thomson 28, W.M. Thong 87, R.P. Thun 88, *, F. Tian 35, M.J. Tibbetts 15, V.O. Tikhomirov 95, ag, Yu.A. Tikhonov 108, c, S. Timoshenko 97, E. Tiouchichine 84, P. Tipton 177, S. Tisserant 84, T. Todorov 5, S. Todorova-Nova 128, B. Toggerson 7, J. Tojo 69, S. Tokár 145a, K. Tokushuku 65, K. Tollefson 89, E. Tolley 57, L. Tomlinson 83, M. Tomoto 102, L. Tompkins 31, K. Toms 104, N.D. Topilin 64, E. Torrence 115, H. Torres 143, E. Torró Pastor 168, J. Toth 84, ah, F. Touchard 84, D.R. Tovey 140, H.L. Tran 116, T. Trefzger 175, L. Tremblet 30, A. Tricoli 30, I.M. Trigger 160a, S. Trincaz-Duvold 79, M.F. Tripiana 12, W. Trischuk 159, B. Trocmé 55, C. Troncon 90a, M. Trottier-McDonald 15, M. Trovatelli 135a, 135b, P. True 89, M. Trzebinski 39, A. Trzupek 39, C. Tsarouchas 30, J.-C.-L. Tseng 119, P.V. Tsiareshka 91, D. Tsionou 137, G. Tsipolitis 10, N. Tsirintanis 9, S. Tsiskaridze 12, V. Tsiskaridze 48, E.G. Tskhadadze 51a, I.I. Tsukerman 96, V. Tsulaia 15, S. Tsuno 65, D. Tsybychev 149, A. Tudorache 26a, V. Tudorache 26a, A.N. Tuna 121, S.A. Tupputi 20a, 20b, S. Turchikhin 98, af, D. Turecek 127, I. Turk Cakir 4d, R. Turra 90a, 90b, P.M. Tuts 35, A. Tykhonov 49, M. Tylmad 147a, 147b, M. Tyndel 130, K. Uchida 21, I. Ueda 156, R. Ueno 29, M. Ughetto 84, M. Ugland 14, M. Uhlenbrock 21, F. Ukegawa 161, G. Unal 30, A. Undrus 25, G. Unel 164, F.C. Ungaro 48, Y. Unno 65, C. Unverdorben 99, D. Urbaniec 35, P. Urquijo 87, G. Usai 8, A. Usanova 61, L. Vacavant 84, V. Vacek 127, B. Vachon 86, N. Valencic 106, S. Valentinetto 20a, 20b, A. Valero 168, L. Valery 34, S. Valkar 128, E. Valladolid Gallego 168, S. Vallecorsa 49, J.A. Valls Ferrer 168, W. Van Den Wollenberg 106, P.C. Van Der Deijl 106, R. van der Geer 106, H. van der Graaf 106, R. Van Der Leeuw 106, D. van der Ster 30, N. van Eldik 30, P. van Gemmeren 6, J. Van Nieuwkoop 143, I. van Vulpen 106, M.C. van Woerden 30, M. Vanadia 133a, 133b, W. Vandelli 30, R. Vanguri 121, A. Vaniachine 6, P. Vankov 42, F. Vannucci 79, G. Vardanyan 178, R. Vari 133a, E.W. Varnes 7, T. Varol 85, D. Varouchas 79, A. Vartapetian 8, K.E. Varvell 151, F. Vazeille 34, T. Vazquez Schroeder 54, J. Veatch 7, F. Veloso 125a, 125c, T. Velz 21, S. Veneziano 133a, A. Ventura 72a, 72b, D. Ventura 85, M. Venturi 170, N. Venturi 159, A. Venturini 23, V. Vercesi 120a, M. Verducci 133a, 133b, W. Verkerke 106, J.C. Vermeulen 106, A. Vest 44, M.C. Vetterli 143, e, O. Viazlo 80, I. Vichou 166, T. Vickey 146c, ai, O.E. Vickey Boeriu 146c, G.H.A. Viehhauser 119, S. Viel 169, R. Vigne 30, M. Villa 20a, 20b, M. Villaplana Perez 90a, 90b, E. Vilucchi 47, M.G. Vincter 29, V.B. Vinogradov 64, J. Virzi 15, I. Vivarelli 150, F. Vives Vaque 3, S. Vlachos 10, D. Vladoiu 99, M. Vlasak 127, A. Vogel 21, M. Vogel 32a, P. Vokac 127, G. Volpi 123a, 123b, M. Volpi 87, H. von der Schmitt 100, H. von Radziewski 48, E. von Toerne 21, V. Vorobel 128, K. Vorobev 97, M. Vos 168, R. Voss 30, J.H. Vossebeld 73, N. Vranjes 137, M. Vranjes Milosavljevic 13a, V. Vrba 126, M. Vreeswijk 106, T. Vu Anh 48, R. Vuillermet 30, I. Vukotic 31, Z. Vykydal 127, P. Wagner 21, W. Wagner 176, H. Wahlberg 70, S. Wahrmund 44, J. Wakabayashi 102, J. Walder 71, R. Walker 99, W. Walkowiak 142, R. Wall 177, P. Waller 73, B. Walsh 177, C. Wang 152, aj, C. Wang 45, F. Wang 174, H. Wang 15, H. Wang 40, J. Wang 42, J. Wang 33a, K. Wang 86, R. Wang 104, S.M. Wang 152, T. Wang 21, X. Wang 177, C. Wanotayaroj 115, A. Warburton 86, C.P. Ward 28, D.R. Wardrobe 77, M. Warsinsky 48, A. Washbrook 46, C. Wasicki 42, P.M. Watkins 18, A.T. Watson 18, I.J. Watson 151, M.F. Watson 18, G. Watts 139, S. Watts 83, B.M. Waugh 77, S. Webb 83, M.S. Weber 17, S.W. Weber 175, J.S. Webster 31, A.R. Weidberg 119, P. Weigell 60, B. Weinert 60, J. Weingarten 54,

- C. Weiser⁴⁸, H. Weits¹⁰⁶, P.S. Wells³⁰, T. Wenaus²⁵, D. Wendland¹⁶, Z. Weng^{152,ae}, T. Wengler³⁰, S. Wenig³⁰, N. Wermes²¹, M. Werner⁴⁸, P. Werner³⁰, M. Wessels^{58a}, J. Wetter¹⁶², K. Whalen²⁹, A. White⁸, M.J. White¹, R. White^{32b}, S. White^{123a,123b}, D. Whiteson¹⁶⁴, D. Wicke¹⁷⁶, F.J. Wickens¹³⁰, W. Wiedenmann¹⁷⁴, M. Wielers¹³⁰, P. Wienemann²¹, C. Wiglesworth³⁶, L.A.M. Wiik-Fuchs²¹, P.A. Wijeratne⁷⁷, A. Wildauer¹⁰⁰, M.A. Wildt^{42,ak}, H.G. Wilkens³⁰, J.Z. Will⁹⁹, H.H. Williams¹²¹, S. Williams²⁸, C. Willis⁸⁹, S. Willocq⁸⁵, A. Wilson⁸⁸, J.A. Wilson¹⁸, I. Wingerter-Seez⁵, F. Winklmeier¹¹⁵, B.T. Winter²¹, M. Wittgen¹⁴⁴, T. Wittig⁴³, J. Wittkowski⁹⁹, S.J. Wollstadt⁸², M.W. Wolter³⁹, H. Wolters^{125a,125c}, B.K. Wosiek³⁹, J. Wotschack³⁰, M.J. Woudstra⁸³, K.W. Wozniak³⁹, M. Wright⁵³, M. Wu⁵⁵, S.L. Wu¹⁷⁴, X. Wu⁴⁹, Y. Wu⁸⁸, E. Wulf³⁵, T.R. Wyatt⁸³, B.M. Wynne⁴⁶, S. Xella³⁶, M. Xiao¹³⁷, D. Xu^{33a}, L. Xu^{33b,al}, B. Yabsley¹⁵¹, S. Yacoob^{146b,am}, R. Yakabe⁶⁶, M. Yamada⁶⁵, H. Yamaguchi¹⁵⁶, Y. Yamaguchi¹¹⁷, A. Yamamoto⁶⁵, K. Yamamoto⁶³, S. Yamamoto¹⁵⁶, T. Yamamura¹⁵⁶, T. Yamanaka¹⁵⁶, K. Yamauchi¹⁰², Y. Yamazaki⁶⁶, Z. Yan²², H. Yang^{33e}, H. Yang¹⁷⁴, U.K. Yang⁸³, Y. Yang¹¹⁰, S. Yanush⁹², L. Yao^{33a}, W.-M. Yao¹⁵, Y. Yasu⁶⁵, E. Yatsenko⁴², K.H. Yau Wong²¹, J. Ye⁴⁰, S. Ye²⁵, I. Yeletskikh⁶⁴, A.L. Yen⁵⁷, E. Yildirim⁴², M. Yilmaz^{4b}, R. Yoosoofmiya¹²⁴, K. Yorita¹⁷², R. Yoshida⁶, K. Yoshihara¹⁵⁶, C. Young¹⁴⁴, C.J.S. Young³⁰, S. Youssef²², D.R. Yu¹⁵, J. Yu⁸, J.M. Yu⁸⁸, J. Yu¹¹³, L. Yuan⁶⁶, A. Yurkewicz¹⁰⁷, I. Yusuff^{28,an}, B. Zabinski³⁹, R. Zaidan⁶², A.M. Zaitsev^{129,aa}, A. Zaman¹⁴⁹, S. Zambito²³, L. Zanello^{133a,133b}, D. Zanzi⁸⁷, C. Zeitnitz¹⁷⁶, M. Zeman¹²⁷, A. Zemla^{38a}, K. Zengel²³, O. Zenin¹²⁹, T. Ženiš^{145a}, D. Zerwas¹¹⁶, G. Zevi della Porta⁵⁷, D. Zhang⁸⁸, F. Zhang¹⁷⁴, H. Zhang⁸⁹, J. Zhang⁶, L. Zhang¹⁵², X. Zhang^{33d}, Z. Zhang¹¹⁶, Z. Zhao^{33b}, A. Zhemchugov⁶⁴, J. Zhong¹¹⁹, B. Zhou⁸⁸, L. Zhou³⁵, N. Zhou¹⁶⁴, C.G. Zhu^{33d}, H. Zhu^{33a}, J. Zhu⁸⁸, Y. Zhu^{33b}, X. Zhuang^{33a}, K. Zhukov⁹⁵, A. Zibell¹⁷⁵, D. Ziemińska⁶⁰, N.I. Zimine⁶⁴, C. Zimmermann⁸², R. Zimmermann²¹, S. Zimmermann²¹, S. Zimmermann⁴⁸, Z. Zinonos⁵⁴, M. Ziolkowski¹⁴², G. Zobernig¹⁷⁴, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶, G. Zurzolo^{103a,103b}, V. Zutshi¹⁰⁷, L. Zwalski³⁰

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ (a) Department of Physics, Ankara University, Ankara; (b) Department of Physics, Gazi University, Ankara; (c) Division of Physics, TOBB University of Economics and Technology, Ankara;^d Turkish Atomic Energy Authority, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁷ Department of Physics, University of Arizona, Tucson, AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain¹³ (a) Institute of Physics, University of Belgrade, Belgrade; (b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁶ Department of Physics, Humboldt University, Berlin, Germany¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁹ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics, Dodus University, Istanbul; (c) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey²⁰ (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²¹ Physikalisches Institut, University of Bonn, Bonn, Germany²² Department of Physics, Boston University, Boston, MA, United States²³ Department of Physics, Brandeis University, Waltham, MA, United States²⁴ (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of São João del Rei (UFSJ), São João del Rei; (d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁵ Physics Department, Brookhaven National Laboratory, Upton, NY, United States²⁶ (a) National Institute of Physics and Nuclear Engineering, Bucharest; (b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (c) University Politehnica Bucharest, Bucharest; (d) West University in Timisoara, Timisoara, Romania²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom²⁹ Department of Physics, Carleton University, Ottawa, ON, Canada³⁰ CERN, Geneva, Switzerland³¹ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States³² (a) Departamento de Física, Pontifícia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³³ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Modern Physics, University of Science and Technology of China, Anhui; (c) Department of Physics, Nanjing University, Jiangsu; (d) School of Physics, Shandong University, Shandong; (e) Physics Department, Shanghai Jiao Tong University, Shanghai, China³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁵ Nevis Laboratory, Columbia University, Irvington, NY, United States³⁶ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁷ (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

- ³⁸ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ³⁹ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- ⁴⁰ Physics Department, Southern Methodist University, Dallas, TX, United States
- ⁴¹ Physics Department, University of Texas at Dallas, Richardson, TX, United States
- ⁴² DESY, Hamburg and Zeuthen, Germany
- ⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁴ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁵ Department of Physics, Duke University, Durham, NC, United States
- ⁴⁶ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
- ⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- ⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
- ⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States
- ⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
- ⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- ⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶⁰ Department of Physics, Indiana University, Bloomington, IN, United States
- ⁶¹ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶² University of Iowa, Iowa City, IA, United States
- ⁶³ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
- ⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan
- ⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁶⁸ Kyoto University of Education, Kyoto, Japan
- ⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan
- ⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁷² ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- ⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁷⁸ Louisiana Tech University, Ruston, LA, United States
- ⁷⁹ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸⁰ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸¹ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- ⁸² Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸³ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁸⁴ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁵ Department of Physics, University of Massachusetts, Amherst, MA, United States
- ⁸⁶ Department of Physics, McGill University, Montreal, QC, Canada
- ⁸⁷ School of Physics, University of Melbourne, Victoria, Australia
- ⁸⁸ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
- ⁸⁹ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
- ⁹⁰ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹¹ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- ⁹² National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
- ⁹³ Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
- ⁹⁴ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
- ⁹⁵ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- ⁹⁶ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ⁹⁷ National Research Nuclear University MEPhI, Moscow, Russia
- ⁹⁸ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- ⁹⁹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ¹⁰⁰ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰¹ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰² Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- ¹⁰³ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ¹⁰⁴ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
- ¹⁰⁵ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁶ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹⁰⁷ Department of Physics, Northern Illinois University, DeKalb, IL, United States
- ¹⁰⁸ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹⁰⁹ Department of Physics, New York University, New York, NY, United States
- ¹¹⁰ Ohio State University, Columbus, OH, United States
- ¹¹¹ Faculty of Science, Okayama University, Okayama, Japan
- ¹¹² Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
- ¹¹³ Department of Physics, Oklahoma State University, Stillwater, OK, United States
- ¹¹⁴ Palacký University, RCPTM, Olomouc, Czech Republic

- 115 Center for High Energy Physics, University of Oregon, Eugene, OR, United States
 116 LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
 117 Graduate School of Science, Osaka University, Osaka, Japan
 118 Department of Physics, University of Oslo, Oslo, Norway
 119 Department of Physics, Oxford University, Oxford, United Kingdom
 120 ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
 121 Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
 122 Petersburg Nuclear Physics Institute, Gatchina, Russia
 123 ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
 124 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
 125 ^(a) Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
 126 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
 127 Czech Technical University in Prague, Praha, Czech Republic
 128 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
 129 State Research Center Institute for High Energy Physics, Protvino, Russia
 130 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
 131 Physics Department, University of Regina, Regina, SK, Canada
 132 Ritsumeikan University, Kusatsu, Shiga, Japan
 133 ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
 134 ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 135 ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
 136 ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA – Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V – Agdal, Rabat, Morocco
 137 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
 138 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
 139 Department of Physics, University of Washington, Seattle, WA, United States
 140 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 141 Department of Physics, Shinshu University, Nagano, Japan
 142 Fachbereich Physik, Universität Siegen, Siegen, Germany
 143 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
 144 SLAC National Accelerator Laboratory, Stanford, CA, United States
 145 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 146 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 147 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
 148 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 149 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
 150 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 151 School of Physics, University of Sydney, Sydney, Australia
 152 Institute of Physics, Academia Sinica, Taipei, Taiwan
 153 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 154 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 155 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 156 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 157 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 158 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 159 Department of Physics, University of Toronto, Toronto, ON, Canada
 160 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
 161 Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
 162 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
 163 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
 164 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
 165 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 166 Department of Physics, University of Illinois, Urbana, IL, United States
 167 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 168 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 169 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 170 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 171 Department of Physics, University of Warwick, Coventry, United Kingdom
 172 Waseda University, Tokyo, Japan
 173 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 174 Department of Physics, University of Wisconsin, Madison, WI, United States
 175 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 176 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 177 Department of Physics, Yale University, New Haven, CT, United States
 178 Yerevan Physics Institute, Yerevan, Armenia
 179 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^c Also at Novosibirsk State University, Novosibirsk, Russia.

^d Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

^e Also at TRIUMF, Vancouver, BC, Canada.

- ^f Also at Department of Physics, California State University, Fresno, CA, United States of America.
^g Also at Tomsk State University, Tomsk, Russia.
^h Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
ⁱ Also at Università di Napoli Parthenope, Napoli, Italy.
^j Also at Institute of Particle Physics (IPP), Canada.
^k Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.
^l Also at Chinese University of Hong Kong, China.
^m Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.
ⁿ Also at Louisiana Tech University, Ruston, LA, United States of America.
^o Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
^p Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States of America.
^q Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
^r Also at CERN, Geneva, Switzerland.
^s Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
^t Also at Manhattan College, New York, NY, United States of America.
^u Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^v Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.
^w Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
^x Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.
^y Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India.
^z Also at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy.
^{aa} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{ab} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
^{ac} Also at International School for Advanced Studies (SISSA), Trieste, Italy.
^{ad} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States of America.
^{ae} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
^{af} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
^{ag} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{ah} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{ai} Also at Department of Physics, Oxford University, Oxford, United Kingdom.
^{aj} Also at Department of Physics, Nanjing University, Jiangsu, China.
^{ak} Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
^{al} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States of America.
^{am} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.
^{an} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
* Deceased.