



Search for a CP-odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector

ATLAS Collaboration*



ARTICLE INFO

Article history:

Received 16 February 2015

Received in revised form 19 March 2015

Accepted 24 March 2015

Available online 28 March 2015

Editor: W.-D. Schlatter

Keywords:

BSM Higgs boson

ATLAS

ABSTRACT

A search for a heavy, CP-odd Higgs boson, A , decaying into a Z boson and a 125 GeV Higgs boson, h , with the ATLAS detector at the LHC is presented. The search uses proton–proton collision data at a centre-of-mass energy of 8 TeV corresponding to an integrated luminosity of 20.3 fb^{-1} . Decays of CP-even h bosons to $\tau\tau$ or bb pairs with the Z boson decaying to electron or muon pairs are considered, as well as $h \rightarrow bb$ decays with the Z boson decaying to neutrinos. No evidence for the production of an A boson in these channels is found and the 95% confidence level upper limits derived for $\sigma(gg \rightarrow A) \times BR(A \rightarrow Zh) \times BR(h \rightarrow f\bar{f})$ are $0.098\text{--}0.013 \text{ pb}$ for $f = \tau$ and $0.57\text{--}0.014 \text{ pb}$ for $f = b$ in a range of $m_A = 220\text{--}1000 \text{ GeV}$. The results are combined and interpreted in the context of two-Higgs-doublet models.

Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

After the discovery of a Higgs boson at the LHC in 2012 [1,2], one of the most important remaining questions is whether the newly discovered particle is part of an extended scalar sector. A CP-odd Higgs boson, A , appears in many models with an extended scalar sector, e.g. in the case of the two-Higgs-doublet model (2HDM) [3].

The addition of a second Higgs doublet leads to five Higgs bosons after the electroweak symmetry breaking. The phenomenology of such a model is very rich and depends on the vacuum expectation values of the Higgs doublets, the CP properties of the Higgs potential and the values of its parameters and the Yukawa couplings of the Higgs doublets with the fermions. In general, it is possible to accommodate in the model a Higgs boson compatible to the one discovered at the LHC. In the case where the Higgs potential of the 2HDM is CP-conserving, the Higgs bosons after electroweak symmetry breaking are two CP-even (h and H), one CP-odd (A) and two charged (H^\pm) Higgs bosons. Many theories beyond the Standard Model (SM) include a second Higgs doublet, such as the minimal supersymmetric SM (MSSM) [4–8], axion models (e.g. Ref. [9]) and baryogenesis models (e.g. Ref. [10]). Searches for a CP-odd Higgs boson are reported in Refs. [11–14].

In this Letter, a search for a heavy CP-odd Higgs boson decaying into a Z boson and the ~ 125 GeV Higgs boson, h , is described.

The $A \rightarrow Zh$ decay rate can be dominant for part of the 2HDM parameter space, especially for an A boson mass, m_A , below the $t\bar{t}$ threshold. In this case, the A boson is produced mainly via gluon fusion and its natural width is typically small: $\Gamma_A/m_A \lesssim \mathcal{O}(1\%)$.

The search is performed for m_A in the range 220 to 1000 GeV, reconstructing¹ $Z \rightarrow \ell\ell$ decays (where $\ell = e, \mu$) with $h \rightarrow bb$ or $h \rightarrow \tau\tau$, as well as $Z \rightarrow \nu\nu$ with $h \rightarrow bb$. The selected h boson decay modes provide high branching ratios and the possibility to fully reconstruct the Higgs boson decay kinematics. The reconstructed invariant mass (or transverse mass) of the Zh pair, employing the measured value of the h boson mass, m_h , to improve its resolution, is used to search for a signal.

2. Data and simulated samples

The data used in this search were recorded with the ATLAS detector in proton–proton collisions at a centre-of-mass energy of 8 TeV. The ATLAS detector is described in detail elsewhere [15]. The integrated luminosity of the data sample, selecting only periods where all relevant detector subsystems were operational, is $20.3 \pm 0.6 \text{ fb}^{-1}$ [16]. The data used in the $\ell\ell\tau\tau$ and $\ell\ell bb$ final states were collected using a combination of single-electron, single-muon, dielectron (ee) and dimuon ($\mu\mu$) triggers. Depending

* E-mail address: atlas.publications@cern.ch.

¹ Throughout this Letter, the notation $h \rightarrow bb$, $h \rightarrow \tau\tau$, $Z \rightarrow \nu\nu$ and $Z \rightarrow \ell\ell$ is used for $h \rightarrow b\bar{b}$, $h \rightarrow \tau^+\tau^-$, $Z \rightarrow \nu\bar{\nu}$ and $Z \rightarrow \ell^+\ell^-$, respectively.

on the trigger choice, the p_T^2 thresholds vary from 24 to 60 GeV for the single-electron and single-muon triggers, and from 12 to 13 GeV for the ee and $\mu\mu$ triggers. The data used in the $\nu\nu bb$ final state were collected with a missing transverse momentum (E_T^{miss}) trigger with a threshold of $E_T^{\text{miss}} > 80$ GeV.

Signal events from a narrow-width A boson produced via gluon fusion are generated with MadGraph5 [17] for all final states considered in this search. The parton showering is performed with PYTHIA8 [18,19].

Production of W and Z bosons in association with jets is simulated with SHERPA [20]. Top-quark pair and single top-quark production is simulated with POWHEG [21–23] and AcerMC [24]. Production of WW , WZ , and ZZ dibosons are simulated using POWHEG. The WZ and ZZ processes include the production of off-shell Z bosons (Z^*) and photons (γ^*). Triboson production ($WWW^{(*)}$, $ZWW^{(*)}$, $ZZZ^{(*)}$) and top pair production in association with a Z boson are generated with MadGraph5. Finally, the production of the SM Higgs boson in association with a Z boson is considered as a background in this search. It is simulated using PYTHIA8.

The CTEQ6L1 [25] set of parton distribution functions was used for samples generated with MadGraph5 and PYTHIA8. The CT10 [26] set was used for the other samples.

All generated samples are passed through the GEANT4-based [27] detector simulation of the ATLAS detector [28]. The simulated events are overlaid with minimum-bias events, to account for the effect of multiple interactions occurring in the same and neighboring bunch crossings (“pile-up”). The events are reweighted so that the average number of interactions per bunch crossing agrees with the data.

The background estimation in this search for most processes is based on data driven techniques, but in some cases only simulated samples are used. In that case, the simulated samples are normalized using theoretical cross section calculations. In particular, for diboson production both $q\bar{q}$ [29] and gg [30,31] initiated processes are included. Triboson production follows Ref. [32] and top pair production in association with a Z boson follows Refs. [33, 34]. SM Higgs boson production in association with a Z boson uses a calculation described in Ref. [35].

3. Object reconstruction

Electrons are identified from energy clusters in the electromagnetic calorimeter that are matched to tracks in the inner detector [36]. Electrons are required to have $|\eta| < 2.47$ and $p_T > 7$ GeV. Isolation requirements, defined in terms of the calorimetric energy or the p_T of tracks within cones around the object, as well as quality requirements are applied to distinguish electrons from jets.

Muons are reconstructed by matching tracks reconstructed in the inner detector to tracks or track segments in the muon spectrometer systems [37]. The muon acceptance is extended to the region $2.5 < |\eta| < 2.7$, which is outside the inner detector coverage, using only tracks reconstructed in the forward part of the muon detector. Muons used for this search must have $|\eta| < 2.7$, $p_T > 6$ GeV and are also required to pass isolation requirements.

Jets are reconstructed using the anti- k_T algorithm [38] with radius parameter $R = 0.4$ and $p_T > 20$ GeV ($p_T > 30$ GeV) for $|\eta| < 2.5$ ($2.5 < |\eta| < 4.5$). Low- p_T jets from pile-up are rejected

with a requirement on the scalar sum of the p_T of the tracks associated with the jet: for jets with $|\eta| < 2.4$ and $p_T < 50$ GeV, tracks associated with the primary vertex³ must contribute over 50% to the sum. Jets from the decay of long-lived heavy-flavor hadrons are selected using a multivariate tagging algorithm (b -tagging) [39]. The b -tagging efficiency is 70% for jets from b -quarks in a sample of simulated $t\bar{t}$ events.

Hadronic decays of τ leptons (τ_{had}) [40] are reconstructed starting from clusters of energy in the calorimeter. A τ_{had} candidate must lie within $|\eta| < 2.47$, have a transverse momentum greater than 20 GeV, one or three associated tracks and a total charge of ± 1 . Information on the collimation, isolation, and shower profile is combined into a multivariate discriminant to reduce backgrounds from quark- or gluon-initiated jets. Dedicated algorithms that reduce the number of electrons and muons misidentified as hadronic τ decays are applied. In this analysis, two τ_{had} identification selections are used – “loose” and “medium” – with efficiencies of about 65% and 55%, respectively.

The missing transverse momentum (E_T^{miss}) is computed using fully calibrated and reconstructed physics objects, as well as clusters of calorimeter-cell energy deposits that are not associated with any object [41]. In addition, a track-based missing transverse momentum (\vec{p}_T^{miss}) is calculated as the negative vector sum of the transverse momenta of tracks with $|\eta| < 2.4$ and associated with the primary vertex.

4. Search for $A \rightarrow Zh$ with $h \rightarrow \tau\tau$

In the search for $A \rightarrow Zh \rightarrow \ell\ell\tau\tau$, three channels are considered, distinguished by the way the $\tau\tau$ pair decays: two τ leptons decaying hadronically ($\tau_{\text{had}}\tau_{\text{had}}$), one leptonic and one hadronic decay ($\tau_{\text{lep}}\tau_{\text{had}}$) and, finally, two leptonic decays ($\tau_{\text{lep}}\tau_{\text{lep}}$). Electrons in the $\tau_{\text{had}}\tau_{\text{had}}$ and $\tau_{\text{lep}}\tau_{\text{had}}$ channels are rejected in the transition region between the barrel and end-cap of the detector ($1.37 < |\eta| < 1.52$). Muons in the $\tau_{\text{had}}\tau_{\text{had}}$ and $\tau_{\text{lep}}\tau_{\text{had}}$ channels are considered only for $|\eta| < 2.5$.

The resolution of the reconstructed A boson mass is improved using a mass-difference variable,

$$m_A^{\text{rec}} = m_{\ell\ell\tau\tau} - m_{\ell\ell} - m_{\tau\tau} + m_Z + m_h,$$

where m_Z is the mass of the Z boson, $m_h = 125$ GeV is the mass of the CP-even Higgs boson, $m_{\ell\ell}$ is the invariant mass of the two leptons associated with the Z boson decay, and $m_{\ell\ell\tau\tau}$ denotes the $\ell\ell\tau\tau$ invariant mass. The value of $m_{\tau\tau}$, the invariant mass of the τ 's, is estimated with the Missing Mass Calculator (MMC) [42]. The mass resolution for all $\tau\tau$ channels ranges from 3% at $m_A = 220$ GeV to 5% at $m_A = 1$ TeV.

4.1. $\ell\ell\tau_{\text{had}}\tau_{\text{had}}$

Events in the $\ell\ell\tau_{\text{had}}\tau_{\text{had}}$ channel are required to contain exactly two opposite-sign leptons $\ell\ell$ (ee or $\mu\mu$) and exactly two opposite-sign τ_{had} . The p_T requirements for these objects are $p_T > 26$ GeV (15 GeV) for the leading (subleading) electron, $p_T > 25\text{--}36$ GeV (10 GeV) for the leading (subleading) muon, depending on the trigger, and $p_T > 35$ GeV (20 GeV) for the leading (subleading) τ_{had} candidates. The τ_{had} candidates are required to satisfy the “loose” τ_{had} identification criterion. In addition, the $ee/\mu\mu$ invariant mass and the $\tau\tau$ invariant mass have to lie in the ranges $80 < m_{\ell\ell} < 100$ GeV and $75 < m_{\tau\tau} < 175$ GeV. Finally, the p_T of the $\ell\ell$ pair, $\vec{p}_T^{\ell\ell}$, is required to be:

³ The primary vertex is taken to be the reconstructed vertex with the highest $\sum p_T^2$ of the associated tracks.

² ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Transverse momenta are computed from the three-momenta, \vec{p} , as $p_T = |\vec{p}| \sin \theta$.

$$p_T^Z > \begin{cases} 125 \text{ GeV, if } m_A^{\text{rec}} > 400 \text{ GeV} \\ 0.64 \times m_A^{\text{rec}} - 131 \text{ GeV, otherwise.} \end{cases}$$

This requirement maximizes the sensitivity over the whole explored A mass range. In the region of $p_T^Z > 125$ GeV, there is little background present, so tightening the requirement results in no additional increase in sensitivity. The total acceptance times selection efficiency varies from 6.2%, for $m_A = 220$ GeV, to around 18% for the highest A boson masses considered.

The dominant background for this channel originates from events where one or both of the τ_{had} 's is a misidentified jet (“fake- τ_{had} background”). This background is dominated by $Z + \text{jets}$ events, with small contributions from dibosons and events with top quarks, and it is estimated using a template method. The shape of the fake- τ_{had} background is taken from a control region (the “template region”) that contains events satisfying all the $\ell\ell\tau_{\text{had}}\tau_{\text{had}}$ selection criteria apart from the requirements for an opposite-sign $\tau_{\text{had}}\tau_{\text{had}}$ pair and the τ_{had} identification criteria. The fake- τ_{had} background is normalized by using two additional control regions. The first region, “A”, contains events that satisfy the *signal* selection criteria, with the exception that the $m_{\tau\tau}$ constraint is inverted, i.e. $m_{\tau\tau} < 75$ GeV or $m_{\tau\tau} > 175$ GeV. The second region, “B”, contains events that satisfy all the *template* selection criteria, with the exception that the $m_{\tau\tau}$ constraint is inverted, as in the region “A” definition. The ratio of the number of events in “A” to the number of events in “B” is used to scale the template region events in order to obtain the normalization of the fake- τ_{had} background.

In addition to the fake- τ_{had} background, there are also contributions from backgrounds with real $\ell\ell\tau_{\text{had}}\tau_{\text{had}}$ objects in the event. These backgrounds come primarily from $ZZ^{(*)}$ production.⁴ SM Higgs boson production in association with a Z boson is estimated using simulation, and contributes 17% of the total background.

4.2. $\ell\ell\tau_{\text{lep}}\tau_{\text{had}}$

Events in the $\ell\ell\tau_{\text{lep}}\tau_{\text{had}}$ channel are required to contain exactly three light leptons, $\mu\mu\mu$, $e\mu\mu$, $ee\mu$ or eee , and exactly one τ_{had} . The p_T requirements for these objects are $p_T > 26$ GeV (15 GeV) for the leading (remaining) electron(s), $p_T > 25\text{--}36$ GeV (10 GeV) for the leading (remaining) muon(s), depending on the trigger, and $p_T > 20$ GeV for the τ_{had} . Subsequently, all the possible $\ell\ell$ pairs that are composed of opposite-sign, same-flavor leptons are selected. From these pairs, the pair that has the invariant mass closest to m_Z is considered to be the lepton pair from the Z boson decay. The third light lepton is considered to be the leptonic τ decay, and it is used along with the τ_{had} to define the $\tau_{\text{lep}}\tau_{\text{had}}$ pair. This light lepton is required to have opposite-sign charge with respect to the τ_{had} . In addition, the τ_{had} is required to satisfy the “medium” τ_{had} identification requirement, and m_{ee} and $m_{\tau\tau}$ have to lie in the ranges $80 < m_{ee} < 100$ GeV and $75 < m_{\tau\tau} < 175$ GeV. The total acceptance times selection efficiency varies from 6% for $m_A = 220$ GeV, to around 17% for the highest A boson masses considered.

About half of the total background for this channel comes from events where the τ_{had} and/or the light lepton is a misidentified jet (“fake- τ/ℓ background”). This background is dominated by diboson and $Z + \text{jets}$ events and it is estimated using a template method. The shape of the fake- τ/ℓ background is taken from a control region (the “template region”) that contains events satisfying all $\ell\ell\tau_{\text{lep}}\tau_{\text{had}}$ selection criteria, apart from requiring “medium” τ_{had} identification criterion and opposite-sign charge for the $\tau_{\text{lep}}\tau_{\text{had}}$ pair. The fake- τ/ℓ background is normalized by using two addi-

tional control regions, defined similarly to those in the $\ell\ell\tau_{\text{had}}\tau_{\text{had}}$ channel.

The other half of the background comes from events with real $\ell\ell\tau_{\text{lep}}\tau_{\text{had}}$ objects in the event. These backgrounds come primarily from $ZZ^{(*)}$ production. There is also a small (11%) contribution from the SM Higgs boson production in association with a Z boson, which is estimated using simulation.

4.3. $\ell\ell\tau_{\text{lep}}\tau_{\text{lep}}$

Events in the $\ell\ell\tau_{\text{lep}}\tau_{\text{lep}}$ channel are required to contain at least four leptons, which form one same-flavor and opposite-sign pair consistent with the Z mass ($80 < m_{ee} < 100$ GeV), and either a same-flavor or different-flavor pair with an invariant mass reconstructed with the MMC algorithm, consistent with a decay from the CP-even Higgs boson ($90 < m_{\tau\tau} < 190$ GeV). One muon is allowed to be reconstructed in the forward region ($2.5 < |\eta| < 2.7$) of the muon spectrometer, or to be identified in the calorimeter with $p_T > 15$ GeV and $|\eta| < 0.1$ [37]. The highest- p_T lepton must satisfy $p_T > 20$ GeV, and the second (third) lepton in p_T order must satisfy $p_T > 15$ GeV ($p_T > 10$ GeV). Among all the possible lepton quadruplets in an event the one minimizing the sum of the mass differences with respect to both the Z and h bosons is chosen.

Two different analysis categories are defined based on the lepton flavors in the Higgs boson decay: ee or $\mu\mu$ (SF), and $e\mu$ (DF). The expected background is very different in the two cases. For the SF channel, the background is dominated by $ZZ^{(*)}$ production with $Z \rightarrow ee/\mu\mu$ decays. For the DF channel, the main background is from the $ZZ^{(*)}$ process through the $Z \rightarrow \tau_{\text{lep}}\tau_{\text{lep}}$ decay chain, but other backgrounds are also important. The signal-to-noise ratio in the SF category is improved by using a set of requirements specifically targeted to suppress the main $ZZ^{(*)}$ background. First, a veto on the on-shell production of Z boson pairs is introduced, requiring the invariant mass of the h boson leptons to lie outside the Z peak: $m_h < 80$ GeV or $m_h > 100$ GeV. Background events are characterized by low missing transverse momentum and are further rejected by requiring $E_T^{\text{miss}} > 30$ GeV, and the azimuthal angle between the E_T^{miss} direction and the Z boson transverse momentum to be greater than $\pi/2$. Furthermore, a requirement that the highest- p_T lepton of the $\ell\ell$ pair associated with the h boson has $p_T > 15$ GeV is applied, since it is found to be effective against backgrounds from $Z + \text{jets}$ production. The total acceptance times selection efficiency varies from 6.5% (1.5%) for DF (SF) channel for $m_A = 220$ GeV, to around 20% for both channels for the highest A boson masses considered.

The subleading contributions to the background are from diboson and triboson production, $t\bar{t}$ production in association with a Z boson, and SM Higgs boson production. All these are determined from simulation and amount to about 95% (65%) of the total background in the SF (DF) category. The other background events have at least one lepton which is a misidentified jet or a lepton from a heavy-flavor quark decay and are dominated by $Z + \text{jets}$ production, with a smaller contribution from top-quark production. These backgrounds are estimated using a control region where one or both of the leptons in the $\ell\ell$ pair associated with the $h \rightarrow \tau_{\text{lep}}\tau_{\text{lep}}$ decay fail to satisfy the isolation criteria. After subtraction of genuine sources of four-lepton events using simulation, the data are extrapolated to the *isolated* signal region using normalization factors derived from simulated samples.

4.4. Systematic uncertainties and results

The most important systematic uncertainty for the backgrounds with real $\ell\ell\tau\tau$ objects in the $\tau_{\text{lep}}\tau_{\text{had}}$ and $\tau_{\text{lep}}\tau_{\text{lep}}$ channels comes

⁴ The notation $ZZ^{(*)}$ is used here to include ZZ , ZZ^* and $Z\gamma^*$.




Fig. 1. Distributions of the reconstructed A boson mass for the combined $\ell\ell\tau_{\text{had}}\tau_{\text{had}}$ and $\ell\ell\tau_{\text{lep}}\tau_{\text{had}}$ final states (a) and the $\ell\ell\tau_{\text{lep}}\tau_{\text{lep}}$ final states (b). The signal shown in both cases corresponds to $\sigma(gg \rightarrow A) \times \text{BR}(A \rightarrow Zh) \times \text{BR}(h \rightarrow \tau\tau) = 50 \text{ fb}$ with $m_A = 340 \text{ GeV}$. The background contributions shown are the results of simulation and data-driven estimation methods. The background uncertainty is shown as a hatched area, and the overflow is included in the last bin.

Table 1

The number of predicted and observed events for the $\ell\ell\tau\tau$ channels.

	Expected background	Data
$\ell\ell\tau_{\text{had}}\tau_{\text{had}}$	28 ± 6	29
$\ell\ell\tau_{\text{lep}}\tau_{\text{had}}$	17 ± 4	18
$\ell\ell\tau_{\text{lep}}\tau_{\text{lep}} (\text{SF})$	9.5 ± 0.6	10
$\ell\ell\tau_{\text{lep}}\tau_{\text{lep}} (\text{DF})$	7.2 ± 0.7	7

from the uncertainty on the theoretical cross sections used in the normalization. They are due to the parton distribution function choice, the renormalization and factorization scales, as well as the α_s value. This amounts to an uncertainty on the normalization of this background of about 5.0% for the $\tau_{\text{lep}}\tau_{\text{had}}$ channel and 6.4% for $\tau_{\text{lep}}\tau_{\text{lep}}$. In the $\tau_{\text{had}}\tau_{\text{had}}$ channel, the largest contributions come from the τ_{had} identification and energy scale and amounts to 8.9% [40]. The fake- τ_{had}/ℓ background systematic uncertainty for the $\tau\tau$ channels is dominated by the statistical uncertainty on data in control regions used for the background normalization. It amounts to a normalization uncertainty of 38% and 25% for the $\tau_{\text{lep}}\tau_{\text{had}}$ and $\tau_{\text{had}}\tau_{\text{had}}$ channels, respectively. For the $\tau_{\text{lep}}\tau_{\text{lep}}$ channel, the normalization uncertainty is 65% (25%) for the SF (DF) category.

The reconstructed A boson mass distributions for events passing the $\ell\ell\tau_{\text{had}}\tau_{\text{had}}$, $\ell\ell\tau_{\text{lep}}\tau_{\text{had}}$ and $\ell\ell\tau_{\text{lep}}\tau_{\text{lep}}$ selections are shown in Fig. 1. The number of events passing the $\ell\ell\tau\tau$ channel selections are shown in Table 1. The agreement of the expectation with data is very good.

5. Search for $A \rightarrow Zh$ with $h \rightarrow bb$

This section describes the searches in the $A \rightarrow Zh \rightarrow \ell\ell bb$ and $A \rightarrow Zh \rightarrow \nu\nu bb$ channels.

5.1. $\ell\ell bb$ selection

Events in the $\ell\ell bb$ channel are selected by requiring either two electrons or two muons. In the case of muons they are required to be of opposite-sign charge. Leptons must have $p_T > 7 \text{ GeV}$, and electrons are restricted to $|\eta| < 2.47$, while muons must have $|\eta| < 2.7$. Tighter acceptance requirements are placed on one of the leptons in each event in order to select a sample for which the trigger efficiency is high and to reduce the multi-jet background, while keeping a high signal acceptance. These requirements are that the leptons have $p_T > 25 \text{ GeV}$, and, if they are muons, satisfy

$|\eta| < 2.5$. A dilepton invariant mass window of $83 < m_{\ell\ell} < 99 \text{ GeV}$ is imposed to reduce top-quark and multi-jet backgrounds.

The $h \rightarrow bb$ decay is reconstructed by requiring two b -tagged jets with $p_T > 45 \text{ GeV}$ (20 GeV) for the leading (subleading) jet. Events with more than two b -tagged jets are removed but all events with one or more additional jets failing b -tagging are retained. The $h \rightarrow bb$ decay is selected by requiring that the invariant mass of the two b -tagged jets lies within the range $105 < m_{bb} < 145 \text{ GeV}$.

The top-quark background, which includes top-quark pair and single top-quark production, is reduced by requiring $E_T^{\text{miss}}/\sqrt{H_T} < 3.5 \text{ GeV}^{1/2}$, where H_T is defined as the scalar sum of the p_T of all jets and leptons in the event.

The reconstructed A boson mass, m_A^{rec} , is the invariant mass of the two leptons and two b -tagged jets. In this calculation, the four-momentum of each b -tagged jet is scaled by $125 \text{ GeV}/m_{bb}$ in order to improve the resolution. The resulting m_A^{rec} resolution ranges from 2% at $m_A = 220 \text{ GeV}$ to 3% at $m_A = 1 \text{ TeV}$.

In order to reduce the dominant $Z + \text{jets}$ background, a requirement is imposed on the transverse momentum of the Z boson, p_T^Z , reconstructed from the two leptons: $p_T^Z > 0.44 \times m_A^{\text{rec}} - 106 \text{ GeV}$, where m_A is in units of GeV. The requirement depends on m_A^{rec} since the background is generally produced at low p_T^Z , whereas the mean p_T^Z increases with m_A for the signal. The total acceptance times selection efficiency varies from 7%, for $m_A = 220 \text{ GeV}$, to around 16% for the highest A boson masses considered.

5.2. $\nu\nu bb$ selection

The event selection in the $\nu\nu bb$ channel follows closely the SM $h \rightarrow bb$ analysis in Ref. [43]. Events are selected with $E_T^{\text{miss}} > 120 \text{ GeV}$, $p_T^{\text{miss}} > 30 \text{ GeV}$ and no electrons or muons with $p_T > 7 \text{ GeV}$. In addition to the jet selection of the $\ell\ell bb$ analysis, additional restrictions are applied. In order to suppress top-quark background, which is larger than in the $\ell\ell bb$ channel, events are rejected if any of the following conditions is satisfied: there is a jet with $|\eta| > 2.5$; there are four or more jets; one of the b -tagged jets is the third-highest- p_T jet. In order to select a sample for which the trigger efficiency is high, H_T is required to be above 120 GeV (150 GeV) for events with two (three) jets. There are also requirements on the separation between the two b -jets in the $\eta\phi$ space, ΔR_{jj} , to suppress $Z + \text{jets}$ and $W + \text{jets}$ backgrounds as described in Ref. [43]. As in the $\ell\ell bb$ channel, the h boson is selected by requiring $105 < m_{bb} < 145 \text{ GeV}$.

Additional requirements are imposed on angular quantities sensitive to the presence of neutrinos in order to suppress the multi-jet background: the azimuthal angle between \vec{E}_T^{miss} and \vec{p}_T^{miss} : $\Delta\phi(\vec{E}_T^{\text{miss}}, \vec{p}_T^{\text{miss}}) < \pi/2$; the minimum azimuthal angle between \vec{E}_T^{miss} and any jet $\min[\Delta\phi(\vec{E}_T^{\text{miss}}, \text{jet})] > 1.5$; and the azimuthal angle between E_T^{miss} and the b -jet pair $\Delta\phi(\vec{E}_T^{\text{miss}}, bb) > 2.8$. The total acceptance times selection efficiency varies from 4%, for $m_A = 400$ GeV, to around 7% for the highest A boson masses considered.

It is not possible to accurately reconstruct the invariant mass of the A boson due to the presence of neutrinos in the final state. Therefore, the transverse mass is used as the final discriminant: $m_A^{\text{rec},T} = \sqrt{(E_T^{bb} + E_T^{\text{miss}})^2 - (\vec{p}_T^{bb} + \vec{E}_T^{\text{miss}})^2}$, where E_T^{bb} and \vec{p}_T^{bb} are the transverse energy and transverse momentum of the b -jet pair system. As in the $\ell\ell bb$ channel, the resolution is improved by scaling each b -tagged jet four-momentum by 125 GeV/ m_{bb} .

5.3. Backgrounds

All backgrounds in $\ell\ell bb/vv bb$ final states are determined from simulation, apart from the multi-jet background, which is determined from data. The multi-jet background in the $\mu\mu bb$ final state is found to be negligible. In the $ee bb$ final state, the background is determined by selecting a sample of events with the electron isolation requirement inverted. The sample is normalized by fitting the m_{ee} distribution. In the $vv bb$ final state, the multi-jet background is determined by inverting the $\Delta\phi(\vec{E}_T^{\text{miss}}, \vec{p}_T^{\text{miss}})$ requirement. The sample is normalized using the region with $\min[\Delta\phi(\vec{E}_T^{\text{miss}}, \text{jet})] < 0.4$.

The $Z + \text{jets}$ simulated sample is split into different components according to the true flavor of the jets, i.e. $Z + ll$, $Z + cl$, $Z + cc$, $Z + bl$, $Z + bc$ and $Z + bb$, where l denotes a light quark (u, d, s) or a gluon. These components are constrained by defining control samples which have the same selection as the $\ell\ell bb$ final state, but with the requirements on the number of b -tagged jets changed to either zero or one. The samples are further divided into events with two or at least three jets. In order to improve the description of the data, corrections are applied to the simulation as a function of the azimuthal angle between the two leading jets, $\Delta\phi_{jj}$, for $Z + ll$ events and a function of p_T^Z for the other components, as described in detail in Ref. [43].

The $W + \text{jets}$ background, which contributes significantly only in the $vv bb$ final state, is split into its components in the same way as the $Z + \text{jets}$ sample. It is constrained by defining a sample of events that are selected using the E_T^{miss} triggers and contain exactly one lepton with $p_T > 25$ GeV and a tightened isolation requirement. The transverse momentum of the lepton and \vec{E}_T^{miss} system (p_T^W) is required to be above 120 GeV to approximately match the phase space of the signal region. The sample is split into events with zero, one or two b -tagged jets and into events with 2 and 3 jets. A correction depending on $\Delta\phi_{jj}$ is applied to $W + ll$ and $W + cl$ events, following studies similar to those performed for the $Z + \text{jets}$ background [43].

A correction is made to the p_T distribution of $t\bar{t}$ production in the simulation to account for an observed discrepancy with the data [44]. The normalization of top-quark pair production in the $\ell\ell bb$ channel is measured by defining a sample of events with exactly one electron and one muon, one of which has $p_T > 25$ GeV, and two b -tagged jets with $50 < m_{bb} < 180$ GeV.

5.4. Systematic uncertainties and results

The most important experimental systematic uncertainties in the $\ell\ell bb$ and $vv bb$ final states come from the jet energy scale uncertainty and the b -tagging efficiency.

Table 2

Predicted and observed number of events for the $\ell\ell bb$ and $vv bb$ final states shown after the profile likelihood fit to the data.

	($\ell\ell bb$)	($vv bb$)
$Z + \text{jets}$	1443 ± 60	225 ± 11
$W + \text{jets}$	–	55 ± 8
Top	317 ± 28	203 ± 15
Diboson	30 ± 5	10.8 ± 1.6
SM Zh, Wh	31.7 ± 1.8	22.5 ± 1.2
Multi-jet	20 ± 16	3.2 ± 3.1
Total background	1843 ± 34	521 ± 12
Data	1857	511

The jet energy scale systematic uncertainty arises from several sources including uncertainties from the *in situ* calibration, pile-up dependent corrections and the jet flavor composition [45]. In addition, an uncertainty on the jet energy resolution is applied. The jet energy scale and resolution uncertainties are propagated to the E_T^{miss} . The uncertainty on E_T^{miss} also has a contribution from hadronic energy that is not associated with jets [41].

The b -tagging efficiency uncertainty depends on jet p_T and comes mainly from the uncertainty on the measurement of the efficiency in $t\bar{t}$ events [39]. Similar uncertainties are derived for the c -tagging and light-flavor jet tagging [46].

Other experimental systematic uncertainties that are included but have a smaller impact are uncertainties from lepton energy scale and identification efficiency, the efficiency of the E_T^{miss} trigger and the uncertainty on the multi-jet background estimate, which is taken to be 100% of the estimated number of events.

In addition to the experimental systematic uncertainties, modeling systematic uncertainties are applied, accounting for possible differences between the data and the simulation model used for each process. For the background samples, the procedure described in Ref. [43] is followed. The $Z + \text{jets}$ and $W + \text{jets}$ backgrounds include uncertainties on the relative fraction of the different flavor components, and on the m_{bb} , $\Delta\phi_{jj}$ and p_T^Z/p_T^W distributions. For $t\bar{t}$ production, uncertainties on the top-quark transverse momentum, m_{bb} , E_T^{miss} and p_T^Z/p_T^W distributions are included. Uncertainties on the ratio of two-jet to three-jet events are also included for each background.

The m_A^{rec} and $m_A^{\text{rec},T}$ distributions for events passing the $\ell\ell bb$ and $vv bb$ final-state selections, respectively, are shown in Fig. 2. The distributions are shown after a profile-likelihood fit, which constrains simultaneously the signal yield and the background normalization and shape, which is performed in the same manner as in Ref. [43]. The overall background is more constrained than the individual components, causing the errors of individual components to be anti-correlated. The number of events passing the $\ell\ell bb$ and $vv bb$ final state selections are shown in Table 2, where the values for the expectations and uncertainties are obtained from the profile-likelihood fit.

6. Results

In all channels, no significant excess of events is observed in the data compared to the prediction from SM background sources. The significance of local excesses is estimated using p -values calculated with a test statistic based on the profile likelihood [47]. The largest data excesses are at $m_A = 220$ GeV (p -value = 0.014) and $m_A = 260$ GeV (p -value = 0.14) in the combined final states with $h \rightarrow bb$ and $h \rightarrow \tau\tau$, respectively. Exclusion limits at the 95% confidence level (CL) are set on the production cross section times the branching ratio $\text{BR}(A \rightarrow Zh)$ as a function of the A boson mass. The exclusion limits are calculated with a modified frequentist method [48], also known as CLs, and the profile likelihood method,




Fig. 2. Distributions of the reconstructed A boson mass for the $\ell\ell bb$ final state (a) and the A boson transverse mass for the $\nu\nu bb$ final state (b). The signal shown in both cases corresponds to $\sigma(gg \rightarrow A) \times BR(A \rightarrow Zh) \times BR(h \rightarrow bb) = 500 \text{ fb}$ with $m_A = 500 \text{ GeV}$. The predicted distributions are shown after the profile likelihood fit to the data. The uncertainty is shown as a hatched area, and the overflow is included in the last bin.




Fig. 3. Combined observed and expected upper limits at the 95% CL for the production cross section of a gluon-fusion-produced A boson times its branching ratio to Zh and branching ratio of h to (a) $\tau\tau$ and (b) bb . The expected upper limits for subchannels are also shown.

using the binned m_A^{rec} mass distributions for $\ell\ell\tau\tau$ and $\ell\ell bb$ final states and the binned $m_A^{\text{rec},T}$ distribution for the $\nu\nu bb$ final state.

Fig. 3 shows the 95% CL limits on the production cross section times the branching ratio, $\sigma(gg \rightarrow A) \times BR(A \rightarrow Zh) \times BR(h \rightarrow bb/\tau\tau)$, as well as the expected limits for each individual subchannel. The limit on the production times the branching ratio is in the range 0.098–0.013 pb and 0.57–0.014 pb for m_A in the range 220–1000 GeV for the $\tau\tau$ and bb channels, respectively. The $\tau\tau$ channels use few signal mass points beyond $m_A = 500$ GeV, since a coarse binning in m_A^{rec} is adopted in view of the very small predicted number of background events.

The results of the search in the $\tau\tau$ and bb channels are combined in the context of the CP-conserving 2HDM [3], which has seven free parameters and four arrangements of the Yukawa couplings to fermions. In particular, the free parameters are the Higgs boson masses (m_h, m_H, m_A, m_{H^\pm}), the ratio of the vacuum expectation values of the two doublets ($\tan\beta$), the mixing angle between the CP-even Higgs bosons (α) and the potential parameter m_{12}^2 that mixes the two Higgs doublets. The Yukawa coupling arrangements distinguish four different 2HDM models, determining which of the two doublets, Φ_1 and Φ_2 , couples to up- and

down-type quarks and leptons. In the Type-I model, Φ_2 couples to all quarks and leptons, whereas in the Type-II, Φ_1 couples to down-type fermions and Φ_2 couples to up-type fermions. The Lepton-specific model is similar to Type-I apart from the fact that the leptons couple to Φ_1 , instead of Φ_2 . The Flipped model is similar to Type-II apart from the leptons coupling to Φ_2 , instead of Φ_1 . In all these models, the limit $\cos(\beta - \alpha) \rightarrow 0$ is such that the light CP-even Higgs boson, h , has indistinguishable properties from a SM Higgs boson with the same mass. The cross sections for production by gluon fusion are calculated using SusHi [49–54] and the branching ratios are calculated with 2HDMC [55]. For the branching ratio calculations, it is assumed that $m_A = m_H = m_{H^\pm}$, $m_h = 125 \text{ GeV}$ and $m_{12}^2 = m_A^2 \tan\beta / (1 + \tan^2\beta)$.

The constraints derived from the combined search in $\tau\tau$ and bb final states are presented as a function of 2HDM parameters. The exclusion region in the $\cos(\beta - \alpha)$ versus $\tan\beta$ plane for $m_A = 300 \text{ GeV}$ are shown in Fig. 4 for the four 2HDM models, while the constraints obtained in the m_A - $\tan\beta$ plane for $\cos(\beta - \alpha) = 0.10$ are shown in Fig. 5. The width of the A boson in the 2HDM may be larger than the experimental mass resolution, and it is taken into account in the 2HDM parameter exclusion regions for widths up to 5% of m_A . For Type-II and Flipped models, Higgs boson production




Fig. 4. The interpretation of the cross-section limits in the context of the various 2HDM types as a function of the parameters $\tan\beta$ and $\cos(\beta - \alpha)$ for $m_A = 300$ GeV: (a) Type-I, (b) Type-II, (c) Lepton-specific, and (d) Flipped. Variations of the natural width up to $\Gamma_A/m_A = 5\%$ are taken into account. For Type-II and Flipped 2HDM, the b -associated production is included in addition to the gluon fusion. The narrow regions with no exclusion power in Type-I and Type-II at low $\tan\beta$ and far from $\cos(\beta - \alpha) = 0$ are caused by vanishing branching ratios of $h \rightarrow bb$ and/or $h \rightarrow \tau\tau$. The blue (in the web version) shaded area denotes the area excluded by taking into account the constraints on the CP-odd Higgs boson derived by considering the $A \rightarrow \tau\tau$ decay mode after reinterpreting the results in Ref. [13].

in association with b -quarks dominates over gluon fusion for large $\tan\beta$ values ($\tan\beta \gtrsim 10$). The cross section for the b -associated production uses an empirical matching of the cross sections in the four- and five-flavor schemes [56]. Cross sections in the four-flavor scheme are calculated according to Refs. [57,58] and cross sections in the five-flavor scheme are calculated using *SusHi*. The relative efficiencies for the b -associated and gluon fusion production as well as the predicted cross-section ratio are taken into account when deriving the constraints in the two-dimensional planes shown in Fig. 4. The b -associated production efficiencies are estimated using PYTHIA8 and SHERPA samples. The regions of parameter space excluded at 95% CL by the $A \rightarrow \tau\tau$ decay mode are displayed in the same plots, using the results of a search for a heavy Higgs boson decaying into $\tau\tau$ (Ref. [13]), reinterpreted considering only the production of an A boson via gluon fusion and b -associated production. For m_A values below the $t\bar{t}$ kinematic threshold, the search presented here can exclude $\cos(\beta - \alpha)$ values down to a few percent for $\tan\beta$ values up to ≈ 3 .

7. Conclusions

Data recorded in 2012 by the ATLAS experiment at the LHC, corresponding to an integrated luminosity of 20.3 fb^{-1} of proton-proton collisions at a centre-of-mass energy 8 TeV, are used to

search for a CP-odd Higgs boson, A , decaying to Zh , where h denotes a light CP-even Higgs boson with a 125 GeV mass. No deviations from the SM background predictions are observed in the three final states considered: $Zh \rightarrow \ell\ell\tau\tau$, $Zh \rightarrow \ell\ell bb$, and $Zh \rightarrow \nu\nu bb$. Upper limits are set at the 95% confidence level for $\sigma(gg \rightarrow A) \times \text{BR}(A \rightarrow Zh) \times \text{BR}(h \rightarrow ff)$ of $0.098\text{--}0.013 \text{ pb}$ for $f = \tau$ and $0.57\text{--}0.014 \text{ pb}$ for $f = b$ in the range of $m_A = 220\text{--}1000 \text{ GeV}$. This Zh resonance search improves significantly the previously published constraints on CP-odd Higgs boson production in the low $\tan\beta$ region of the 2HDM.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Founda-




Fig. 5. The interpretation of the cross-section limits in the context of the various 2HDM types as a function of the parameters $\tan\beta$ and m_A for $\cos(\beta - \alpha) = 0.1$: (a) Type-I (a), (b) Type-II, (c) Lepton-specific, and (d) Flipped. Variations of the natural width up to $\Gamma_A/m_A = 5\%$ are taken into account. The grey solid area indicates that the width is larger than 5% of m_A . For Type-II and Flipped 2HDM, the b -associated production is included in addition to the gluon fusion. The blue (in the web version) shaded area denotes the area excluded by taking into account the constraints on the CP-odd Higgs boson derived by considering the $A \rightarrow \tau\tau$ decay mode after reinterpreting the results in Ref. [13].

tion, Germany; GSRT and NSRF, Greece; RGC, Hong Kong SAR, China; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] ATLAS Collaboration, Phys. Lett. B 716 (2012) 1–29, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Phys. Lett. B 716 (2012) 30–61, arXiv:1207.7235 [hep-ex].
- [3] G. Branco, P. Ferreira, L. Lavoura, M. Rebelo, M. Sher, et al., Phys. Rep. 516 (2012) 1–102, arXiv:1106.0034 [hep-ph].
- [4] P. Fayet, Phys. Lett. B 64 (1976) 159.
- [5] P. Fayet, Phys. Lett. B 69 (1977) 489.
- [6] G.R. Farrar, P. Fayet, Phys. Lett. B 76 (1978) 575–579.
- [7] P. Fayet, Phys. Lett. B 84 (1979) 416.
- [8] S. Dimopoulos, H. Georgi, Nucl. Phys. B 193 (1981) 150.
- [9] J.E. Kim, Phys. Rep. 150 (1987) 1–177.
- [10] M. Joyce, T. Prokopec, N. Turok, Phys. Rev. D 53 (1996) 2958–2980, arXiv: hep-ph/9410282.
- [11] ALEPH Collaboration, DELPHI Collaboration, L3 Collaboration, OPAL Collaboration, LEP Working Group for Higgs Boson Searches, Eur. Phys. J. C 47 (2006) 547–587, arXiv:hep-ex/0602042.
- [12] CDF Collaboration, D0 Collaboration, T. Aaltonen, et al., Phys. Rev. D 86 (2012) 091101, arXiv:1207.2757 [hep-ex].
- [13] ATLAS Collaboration, J. High Energy Phys. 1411 (2014) 056, arXiv:1409.6064 [hep-ex].
- [14] CMS Collaboration, J. High Energy Phys. 1410 (2014) 160, arXiv:1408.3316 [hep-ex].
- [15] ATLAS Collaboration, J. Instrum. 3 (2008) S08003.
- [16] ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2518, arXiv:1302.4393 [hep-ex].
- [17] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer, T. Stelzer, J. High Energy Phys. 1106 (2011) 128, arXiv:1106.0522 [hep-ph].
- [18] T. Sjöstrand, S. Mrenna, P. Skands, J. High Energy Phys. 0605 (2006) 026, arXiv:hep-ph/0603175.
- [19] T. Sjöstrand, S. Mrenna, P. Skands, Comput. Phys. Commun. 178 (2008) 852–867, arXiv:0710.3820 [hep-ph].
- [20] T. Gleisberg, et al., J. High Energy Phys. 0902 (2009) 007, arXiv:0811.4622 [hep-ph].
- [21] P. Nason, J. High Energy Phys. 0411 (2004) 040, arXiv:hep-ph/0409146.
- [22] S. Frixione, P. Nason, C. Oleari, J. High Energy Phys. 0711 (2007) 070, arXiv: 0709.2092 [hep-ph].

- [23] S. Alioli, P. Nason, C. Oleari, E. Re, J. High Energy Phys. 1006 (2010) 043, arXiv: 1002.2581 [hep-ph].
- [24] B.P. Kersevan, E. Richter-Was, arXiv:hep-ph/0405247.
- [25] J. Pumplin, D. Stump, J. Huston, H. Lai, P.M. Nadolsky, et al., J. High Energy Phys. 0207 (2002) 012, arXiv:hep-ph/0201195.
- [26] H.-L. Lai, M. Guzzi, J. Huston, Z. Li, P.M. Nadolsky, et al., Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [27] GEANT4 Collaboration, S. Agostinelli, et al., Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 506 (2003) 250–303.
- [28] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823–874, arXiv:1005.4568 [physics.ins-det].
- [29] J.M. Campbell, R.K. Ellis, Phys. Rev. D 60 (1999) 113006, arXiv:hep-ph/9905386.
- [30] T. Bineth, M. Ciccolini, N. Kauer, M. Kramer, J. High Energy Phys. 0612 (2006) 046, arXiv:hep-ph/0611170.
- [31] T. Bineth, N. Kauer, P. Mertsch, arXiv:0807.0024 [hep-ph].
- [32] T. Bineth, G. Ossola, C. Papadopoulos, R. Pittau, J. High Energy Phys. 0806 (2008) 082, arXiv:0804.0350 [hep-ph].
- [33] J.M. Campbell, R.K. Ellis, J. High Energy Phys. 1207 (2012) 052, arXiv:1204.5678 [hep-ph].
- [34] M. Garzelli, A. Kardos, C. Papadopoulos, Z. Trocsanyi, J. High Energy Phys. 1211 (2012) 056, arXiv:1208.2665 [hep-ph].
- [35] LHC Higgs Cross Section Working Group, S. Heinemeyer, et al., arXiv:1307.1347 [hep-ph].
- [36] ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 2941, arXiv:1404.2240 [hep-ex].
- [37] ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 3130, arXiv:1407.3935 [hep-ex].
- [38] M. Cacciari, G.P. Salam, G. Soyez, J. High Energy Phys. 0804 (2008) 063, arXiv:0802.1189 [hep-ph].
- [39] ATLAS Collaboration, ATLAS-CONF-2014-004, available at <http://cds.cern.ch/record/1664335>.
- [40] ATLAS Collaboration, Eur. Phys. J. C (2015), submitted for publication, arXiv: 1412.7086 [hep-ex].
- [41] ATLAS Collaboration, ATLAS-CONF-2013-082, available at <http://cds.cern.ch/record/1570993>.
- [42] A. Elagin, P. Murat, A. Pranko, A. Safonov, Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 654 (2011) 481–489, arXiv:1012.4686 [hep-ex].
- [43] ATLAS Collaboration, J. High Energy Phys. 1501 (2015) 069, arXiv:1409.6212 [hep-ex].
- [44] ATLAS Collaboration, Phys. Rev. D 90 (7) (2014) 072004, arXiv:1407.0371 [hep-ex].
- [45] ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 17, arXiv:1406.0076 [hep-ex].
- [46] ATLAS Collaboration, ATLAS-CONF-2014-046, available at <http://cds.cern.ch/record/1741020>.
- [47] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an].
- [48] A.L. Read, J. Phys. G 28 (2002) 2693–2704.
- [49] R.V. Harlander, S. Liebler, H. Mantler, Comput. Phys. Commun. 184 (2013) 1605–1617, arXiv:1212.3249 [hep-ph].
- [50] R.V. Harlander, W.B. Kilgore, Phys. Rev. Lett. 88 (2002) 201801, arXiv:hep-ph/0201206.
- [51] R.V. Harlander, W.B. Kilgore, Phys. Rev. D 68 (2003) 013001, arXiv:hep-ph/0304035.
- [52] U. Aglietti, R. Bonciani, G. Degrassi, A. Vicini, Phys. Lett. B 595 (2004) 432–441, arXiv:hep-ph/0404071.
- [53] R. Bonciani, G. Degrassi, A. Vicini, Comput. Phys. Commun. 182 (2011) 1253–1264, arXiv:1007.1891 [hep-ph].
- [54] R. Harlander, P. Kant, J. High Energy Phys. 0512 (2005) 015, arXiv:hep-ph/0509189.
- [55] D. Eriksson, J. Rathsman, O. Stal, Comput. Phys. Commun. 181 (2010) 189–205, arXiv:0902.0851 [hep-ph].
- [56] R. Harlander, M. Kramer, M. Schumacher, arXiv:1112.3478 [hep-ph].
- [57] S. Dawson, C. Jackson, L. Reina, D. Wackerlo, Phys. Rev. D 69 (2004) 074027, arXiv:hep-ph/0311067.
- [58] S. Dittmaier, M. Kramer, M. Spira, Phys. Rev. D 70 (2004) 074010, arXiv:hep-ph/0309204.

ATLAS Collaboration

G. Aad⁸⁵, B. Abbott¹¹³, J. Abdallah¹⁵², S. Abdel Khalek¹¹⁷, O. Abdinov¹¹, R. Aben¹⁰⁷, B. Abi¹¹⁴, M. Abolins⁹⁰, O.S. AbouZeid¹⁵⁹, H. Abramowicz¹⁵⁴, H. Abreu¹⁵³, R. Abreu³⁰, Y. Abulaiti^{147a,147b}, B.S. Acharya^{165a,165b,a}, L. Adamczyk^{38a}, D.L. Adams²⁵, J. Adelman¹⁰⁸, S. Adomeit¹⁰⁰, T. Adye¹³¹, T. Agatonovic-Jovin¹³, J.A. Aguilar-Saavedra^{126a,126f}, M. Agustoni¹⁷, S.P. Ahlen²², F. Ahmadov^{65,b}, G. Aielli^{134a,134b}, H. Akerstedt^{147a,147b}, T.P.A. Åkesson⁸¹, G. Akimoto¹⁵⁶, A.V. Akimov⁹⁶, G.L. Albergi^{20a,20b}, J. Albert¹⁷⁰, S. Albrand⁵⁵, M.J. Alconada Verzini⁷¹, M. Alekса³⁰, I.N. Aleksandrov⁶⁵, C. Alexa^{26a}, G. Alexander¹⁵⁴, G. Alexandre⁴⁹, T. Alexopoulos¹⁰, M. Alhroob¹¹³, G. Alimonti^{91a}, L. Alio⁸⁵, J. Alison³¹, B.M.M. Allbrooke¹⁸, L.J. Allison⁷², P.P. Allport⁷⁴, A. Aloisio^{104a,104b}, A. Alonso³⁶, F. Alonso⁷¹, C. Alpigiani⁷⁶, A. Altheimer³⁵, B. Alvarez Gonzalez⁹⁰, M.G. Alviggi^{104a,104b}, K. Amako⁶⁶, Y. Amaral Coutinho^{24a}, C. Amelung²³, D. Amidei⁸⁹, S.P. Amor Dos Santos^{126a,126c}, A. Amorim^{126a,126b}, S. Amoroso⁴⁸, N. Amram¹⁵⁴, G. Amundsen²³, C. Anastopoulos¹⁴⁰, L.S. Ancu⁴⁹, N. Andari³⁰, T. Andeen³⁵, C.F. Anders^{58b}, G. Anders³⁰, K.J. Anderson³¹, A. Andreazza^{91a,91b}, V. Andrei^{58a}, X.S. Anduaga⁷¹, S. Angelidakis⁹, I. Angelozzi¹⁰⁷, P. Anger⁴⁴, A. Angerami³⁵, F. Anghinolfi³⁰, A.V. Anisenkov^{109,c}, N. Anjos¹², A. Annovi^{124a,124b}, M. Antonelli⁴⁷, A. Antonov⁹⁸, J. Antos^{145b}, F. Anulli^{133a}, M. Aoki⁶⁶, L. Aperio Bella¹⁸, G. Arabidze⁹⁰, Y. Arai⁶⁶, J.P. Araque^{126a}, A.T.H. Arce⁴⁵, F.A. Arduh⁷¹, J-F. Arguin⁹⁵, S. Argyropoulos⁴², M. Arik^{19a}, A.J. Armbuster³⁰, O. Arnaez³⁰, V. Arnal⁸², H. Arnold⁴⁸, M. Arratia²⁸, O. Arslan²¹, A. Artamonov⁹⁷, G. Artoni²³, S. Asai¹⁵⁶, N. Asbah⁴², A. Ashkenazi¹⁵⁴, B. Åsman^{147a,147b}, L. Asquith¹⁵⁰, K. Assamagan²⁵, R. Astalos^{145a}, M. Atkinson¹⁶⁶, N.B. Atlay¹⁴², B. Auerbach⁶, K. Augsten¹²⁸, M. Aurousseau^{146b}, G. Avolio³⁰, B. Axen¹⁵, M.K. Ayoub¹¹⁷, G. Azuelos^{95,d}, M.A. Baak³⁰, A.E. Baas^{58a}, C. Bacci^{135a,135b}, H. Bachacou¹³⁷, K. Bachas¹⁵⁵, M. Backes³⁰, M. Backhaus³⁰, P. Bagiacchi^{133a,133b}, P. Bagnaia^{133a,133b}, Y. Bai^{33a}, T. Bain³⁵, J.T. Baines¹³¹, O.K. Baker¹⁷⁷, P. Balek¹²⁹, T. Balestrieri¹⁴⁹, F. Balli⁸⁴, E. Banas³⁹, Sw. Banerjee¹⁷⁴, A.A.E. Bannoura¹⁷⁶, H.S. Bansil¹⁸, L. Barak¹⁷³, S.P. Baranov⁹⁶, E.L. Barberio⁸⁸, D. Barberis^{50a,50b}, M. Barbero⁸⁵, T. Barillari¹⁰¹, M. Barisonzi^{165a,165b}, T. Barklow¹⁴⁴, N. Barlow²⁸, S.L. Barnes⁸⁴, B.M. Barnett¹³¹, R.M. Barnett¹⁵, Z. Barnovska⁵, A. Baroncelli^{135a}, G. Barone⁴⁹, A.J. Barr¹²⁰, F. Barreiro⁸², J. Barreiro Guimarães da Costa⁵⁷, R. Bartoldus¹⁴⁴, A.E. Barton⁷², P. Bartos^{145a}, A. Bassalat¹¹⁷, A. Basye¹⁶⁶, R.L. Bates⁵³, S.J. Batista¹⁵⁹, J.R. Batley²⁸, M. Battaglia¹³⁸, M. Baucé^{133a,133b}, F. Bauer¹³⁷, H.S. Bawa^{144,e}, J.B. Beacham¹¹¹, M.D. Beattie⁷², T. Beau⁸⁰, P.H. Beauchemin¹⁶², R. Beccherle^{124a,124b},

- P. Bechtle ²¹, H.P. Beck ^{17,f}, K. Becker ¹²⁰, S. Becker ¹⁰⁰, M. Beckingham ¹⁷¹, C. Becot ¹¹⁷, A.J. Beddall ^{19c}, A. Beddall ^{19c}, V.A. Bednyakov ⁶⁵, C.P. Bee ¹⁴⁹, L.J. Beemster ¹⁰⁷, T.A. Beermann ¹⁷⁶, M. Begel ²⁵, K. Behr ¹²⁰, C. Belanger-Champagne ⁸⁷, P.J. Bell ⁴⁹, W.H. Bell ⁴⁹, G. Bella ¹⁵⁴, L. Bellagamba ^{20a}, A. Bellerive ²⁹, M. Bellomo ⁸⁶, K. Belotskiy ⁹⁸, O. Beltramello ³⁰, O. Benary ¹⁵⁴, D. Benchekroun ^{136a}, M. Bender ¹⁰⁰, K. Bendtz ^{147a,147b}, N. Benekos ¹⁰, Y. Benhammou ¹⁵⁴, E. Benhar Noccioli ⁴⁹, J.A. Benitez Garcia ^{160b}, D.P. Benjamin ⁴⁵, J.R. Bensinger ²³, S. Bentvelsen ¹⁰⁷, L. Beresford ¹²⁰, M. Beretta ⁴⁷, D. Berge ¹⁰⁷, E. Bergeaas Kuutmann ¹⁶⁷, N. Berger ⁵, F. Berghaus ¹⁷⁰, J. Beringer ¹⁵, C. Bernard ²², N.R. Bernard ⁸⁶, C. Bernius ¹¹⁰, F.U. Bernlochner ²¹, T. Berry ⁷⁷, P. Berta ¹²⁹, C. Bertella ⁸³, G. Bertoli ^{147a,147b}, F. Bertolucci ^{124a,124b}, C. Bertsche ¹¹³, D. Bertsche ¹¹³, M.I. Besana ^{91a}, G.J. Besjes ¹⁰⁶, O. Bessidskaia Bylund ^{147a,147b}, M. Bessner ⁴², N. Besson ¹³⁷, C. Betancourt ⁴⁸, S. Bethke ¹⁰¹, A.J. Bevan ⁷⁶, W. Bhimji ⁴⁶, R.M. Bianchi ¹²⁵, L. Bianchini ²³, M. Bianco ³⁰, O. Biebel ¹⁰⁰, S.P. Bieniek ⁷⁸, M. Biglietti ^{135a}, J. Bilbao De Mendizabal ⁴⁹, H. Bilokon ⁴⁷, M. Bindi ⁵⁴, S. Binet ¹¹⁷, A. Bingul ^{19c}, C. Bini ^{133a,133b}, C.W. Black ¹⁵¹, J.E. Black ¹⁴⁴, K.M. Black ²², D. Blackburn ¹³⁹, R.E. Blair ⁶, J.-B. Blanchard ¹³⁷, J.E. Blanco ⁷⁷, T. Blazek ^{145a}, I. Bloch ⁴², C. Blocker ²³, W. Blum ^{83,*}, U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁷, V.S. Bobrovnikov ^{109,c}, S.S. Bocchetta ⁸¹, A. Bocci ⁴⁵, C. Bock ¹⁰⁰, C.R. Boddy ¹²⁰, M. Boehler ⁴⁸, J.A. Bogaerts ³⁰, A.G. Bogdanchikov ¹⁰⁹, C. Bohm ^{147a}, V. Boisvert ⁷⁷, T. Bold ^{38a}, V. Boldea ^{26a}, A.S. Boldyrev ⁹⁹, M. Bomben ⁸⁰, M. Bona ⁷⁶, M. Boonekamp ¹³⁷, A. Borisov ¹³⁰, G. Borissov ⁷², S. Borroni ⁴², J. Bortfeldt ¹⁰⁰, V. Bortolotto ^{60a}, K. Bos ¹⁰⁷, D. Boscherini ^{20a}, M. Bosman ¹², J. Boudreau ¹²⁵, J. Bouffard ², E.V. Bouhova-Thacker ⁷², D. Boumediene ³⁴, C. Bourdarios ¹¹⁷, N. Bousson ¹¹⁴, S. Boutouil ^{136d}, A. Boveia ³⁰, J. Boyd ³⁰, I.R. Boyko ⁶⁵, I. Bozic ¹³, J. Bracinik ¹⁸, A. Brandt ⁸, G. Brandt ¹⁵, O. Brandt ^{58a}, U. Bratzler ¹⁵⁷, B. Brau ⁸⁶, J.E. Brau ¹¹⁶, H.M. Braun ^{176,*}, S.F. Brazzale ^{165a,165c}, K. Brendlinger ¹²², A.J. Brennan ⁸⁸, L. Brenner ¹⁰⁷, R. Brenner ¹⁶⁷, S. Bressler ¹⁷³, K. Bristow ^{146c}, T.M. Bristow ⁴⁶, D. Britton ⁵³, F.M. Brochu ²⁸, I. Brock ²¹, R. Brock ⁹⁰, J. Bronner ¹⁰¹, G. Brooijmans ³⁵, T. Brooks ⁷⁷, W.K. Brooks ^{32b}, J. Brosamer ¹⁵, E. Brost ¹¹⁶, J. Brown ⁵⁵, P.A. Bruckman de Renstrom ³⁹, D. Bruncko ^{145b}, R. Bruneliere ⁴⁸, A. Bruni ^{20a}, G. Bruni ^{20a}, M. Bruschi ^{20a}, L. Bryngemark ⁸¹, T. Buanes ¹⁴, Q. Buat ¹⁴³, F. Bucci ⁴⁹, P. Buchholz ¹⁴², A.G. Buckley ⁵³, S.I. Buda ^{26a}, I.A. Budagov ⁶⁵, F. Buehrer ⁴⁸, L. Bugge ¹¹⁹, M.K. Bugge ¹¹⁹, O. Bulekov ⁹⁸, H. Burckhart ³⁰, S. Burdin ⁷⁴, B. Burghgrave ¹⁰⁸, S. Burke ¹³¹, I. Burmeister ⁴³, E. Busato ³⁴, D. Büscher ⁴⁸, V. Büscher ⁸³, P. Bussey ⁵³, C.P. Buszello ¹⁶⁷, J.M. Butler ²², A.I. Butt ³, C.M. Buttar ⁵³, J.M. Butterworth ⁷⁸, P. Butti ¹⁰⁷, W. Buttinger ²⁵, A. Buzatu ⁵³, S. Cabrera Urbán ¹⁶⁸, D. Caforio ¹²⁸, O. Cakir ^{4a}, P. Calafiura ¹⁵, A. Calandri ¹³⁷, G. Calderini ⁸⁰, P. Calfayan ¹⁰⁰, L.P. Caloba ^{24a}, D. Calvet ³⁴, S. Calvet ³⁴, R. Camacho Toro ⁴⁹, S. Camarda ⁴², D. Cameron ¹¹⁹, L.M. Caminada ¹⁵, R. Caminal Armadans ¹², S. Campana ³⁰, M. Campanelli ⁷⁸, A. Campoverde ¹⁴⁹, V. Canale ^{104a,104b}, A. Canepa ^{160a}, M. Cano Bret ⁷⁶, J. Cantero ⁸², R. Cantrill ^{126a}, T. Cao ⁴⁰, M.D.M. Capeans Garrido ³⁰, I. Caprini ^{26a}, M. Caprini ^{26a}, M. Capua ^{37a,37b}, R. Caputo ⁸³, R. Cardarelli ^{134a}, T. Carli ³⁰, G. Carlino ^{104a}, L. Carminati ^{91a,91b}, S. Caron ¹⁰⁶, E. Carquin ^{32a}, G.D. Carrillo-Montoya ^{146c}, J.R. Carter ²⁸, J. Carvalho ^{126a,126c}, D. Casadei ⁷⁸, M.P. Casado ¹², M. Casolino ¹², E. Castaneda-Miranda ^{146b}, A. Castelli ¹⁰⁷, V. Castillo Gimenez ¹⁶⁸, N.F. Castro ^{126a,g}, P. Catastini ⁵⁷, A. Catinaccio ³⁰, J.R. Catmore ¹¹⁹, A. Cattai ³⁰, G. Cattani ^{134a,134b}, J. Caudron ⁸³, V. Cavaliere ¹⁶⁶, D. Cavalli ^{91a}, M. Cavalli-Sforza ¹², V. Cavasinni ^{124a,124b}, F. Ceradini ^{135a,135b}, B.C. Cerio ⁴⁵, K. Cerny ¹²⁹, A.S. Cerqueira ^{24b}, A. Cerri ¹⁵⁰, L. Cerrito ⁷⁶, F. Cerutti ¹⁵, M. Cerv ³⁰, A. Cervelli ¹⁷, S.A. Cetin ^{19b}, A. Chafaq ^{136a}, D. Chakraborty ¹⁰⁸, I. Chalupkova ¹²⁹, P. Chang ¹⁶⁶, B. Chapleau ⁸⁷, J.D. Chapman ²⁸, D. Charfeddine ¹¹⁷, D.G. Charlton ¹⁸, C.C. Chau ¹⁵⁹, C.A. Chavez Barajas ¹⁵⁰, S. Cheatham ¹⁵³, A. Chegwidden ⁹⁰, S. Chekanov ⁶, S.V. Chekulaev ^{160a}, G.A. Chelkov ^{65,h}, M.A. Chelstowska ⁸⁹, C. Chen ⁶⁴, H. Chen ²⁵, K. Chen ¹⁴⁹, L. Chen ^{33d,i}, S. Chen ^{33c}, X. Chen ^{33f}, Y. Chen ⁶⁷, H.C. Cheng ⁸⁹, Y. Cheng ³¹, A. Cheplakov ⁶⁵, E. Cheremushkina ¹³⁰, R. Cherkaoui El Moursli ^{136e}, V. Chernyatkin ^{25,*}, E. Cheu ⁷, L. Chevalier ¹³⁷, V. Chiarella ⁴⁷, J.T. Childers ⁶, A. Chilingarov ⁷², G. Chiodini ^{73a}, A.S. Chisholm ¹⁸, R.T. Chislett ⁷⁸, A. Chitan ^{26a}, M.V. Chizhov ⁶⁵, S. Chouridou ⁹, B.K.B. Chow ¹⁰⁰, D. Chromek-Burckhart ³⁰, M.L. Chu ¹⁵², J. Chudoba ¹²⁷, J.J. Chwastowski ³⁹, L. Chytka ¹¹⁵, G. Ciapetti ^{133a,133b}, A.K. Ciftci ^{4a}, D. Cinca ⁵³, V. Cindro ⁷⁵, A. Ciocio ¹⁵, Z.H. Citron ¹⁷³, M. Ciubancan ^{26a}, A. Clark ⁴⁹, P.J. Clark ⁴⁶, R.N. Clarke ¹⁵, W. Cleland ¹²⁵, C. Clement ^{147a,147b}, Y. Coadou ⁸⁵, M. Cobal ^{165a,165c}, A. Coccaro ¹³⁹, J. Cochran ⁶⁴, L. Coffey ²³, J.G. Cogan ¹⁴⁴, B. Cole ³⁵, S. Cole ¹⁰⁸, A.P. Colijn ¹⁰⁷, J. Collot ⁵⁵, T. Colombo ^{58c}, G. Compostella ¹⁰¹, P. Conde Muiño ^{126a,126b}, E. Coniavitis ⁴⁸, S.H. Connell ^{146b}, I.A. Connolly ⁷⁷, S.M. Consonni ^{91a,91b}, V. Consorti ⁴⁸, S. Constantinescu ^{26a}, C. Conta ^{121a,121b}, G. Conti ³⁰, F. Conventi ^{104a,j},

- M. Cooke 15, B.D. Cooper 78, A.M. Cooper-Sarkar 120, K. Copic 15, T. Cornelissen 176, M. Corradi 20a,
 F. Corriveau 87,k, A. Corso-Radu 164, A. Cortes-Gonzalez 12, G. Cortiana 101, M.J. Costa 168, D. Costanzo 140,
 D. Côté 8, G. Cottin 28, G. Cowan 77, B.E. Cox 84, K. Cranmer 110, G. Cree 29, S. Crépé-Renaudin 55,
 F. Crescioli 80, W.A. Cribbs 147a,147b, M. Crispin Ortuzar 120, M. Cristinziani 21, V. Croft 106,
 G. Crosetti 37a,37b, T. Cuhadar Donszelmann 140, J. Cummings 177, M. Curatolo 47, C. Cuthbert 151,
 H. Czirr 142, P. Czodrowski 3, S. D'Auria 53, M. D'Onofrio 74, M.J. Da Cunha Sargedas De Sousa 126a,126b,
 C. Da Via 84, W. Dabrowski 38a, A. Dafinca 120, T. Dai 89, O. Dale 14, F. Dallaire 95, C. Dallapiccola 86,
 M. Dam 36, J.R. Dandoy 31, A.C. Daniells 18, M. Danninger 169, M. Dano Hoffmann 137, V. Dao 48,
 G. Darbo 50a, S. Darmora 8, J. Dassoulas 3, A. Dattagupta 61, W. Davey 21, C. David 170, T. Davidek 129,
 E. Davies 120,l, M. Davies 154, O. Davignon 80, P. Davison 78, Y. Davygora 58a, E. Dawe 143, I. Dawson 140,
 R.K. Daya-Ishmukhametova 86, K. De 8, R. de Asmundis 104a, S. De Castro 20a,20b, S. De Cecco 80,
 N. De Groot 106, P. de Jong 107, H. De la Torre 82, F. De Lorenzi 64, L. De Nooij 107, D. De Pedis 133a,
 A. De Salvo 133a, U. De Sanctis 150, A. De Santo 150, J.B. De Vivie De Regie 117, W.J. Dearnaley 72,
 R. Debbe 25, C. Debenedetti 138, D.V. Dedovich 65, I. Deigaard 107, J. Del Peso 82, T. Del Prete 124a,124b,
 D. Delgove 117, F. Deliot 137, C.M. Delitzsch 49, M. Deliyergiyev 75, A. Dell'Acqua 30, L. Dell'Asta 22,
 M. Dell'Orso 124a,124b, M. Della Pietra 104a,j, D. della Volpe 49, M. Delmastro 5, P.A. Delsart 55, C. Deluca 107,
 D.A. DeMarco 159, S. Demers 177, M. Demichev 65, A. Demilly 80, S.P. Denisov 130, D. Derendarz 39,
 J.E. Derkaoui 136d, F. Derue 80, P. Dervan 74, K. Desch 21, C. Deterre 42, P.O. Deviveiros 30, A. Dewhurst 131,
 S. Dhaliwal 107, A. Di Ciaccio 134a,134b, L. Di Ciaccio 5, A. Di Domenico 133a,133b, C. Di Donato 104a,104b,
 A. Di Girolamo 30, B. Di Girolamo 30, A. Di Mattia 153, B. Di Micco 135a,135b, R. Di Nardo 47,
 A. Di Simone 48, R. Di Sipio 20a,20b, D. Di Valentino 29, C. Diaconu 85, M. Diamond 159, F.A. Dias 46,
 M.A. Diaz 32a, E.B. Diehl 89, J. Dietrich 16, T.A. Dietzsch 58a, S. Diglio 85, A. Dimitrijevska 13, J. Dingfelder 21,
 F. Dittus 30, F. Djama 85, T. Djobava 51b, J.I. Djuvland 58a, M.A.B. do Vale 24c, D. Dobos 30, M. Dobre 26a,
 C. Doglioni 49, T. Doherty 53, T. Dohmae 156, J. Dolejsi 129, Z. Dolezal 129, B.A. Dolgoshein 98,*
 M. Donadelli 24d, S. Donati 124a,124b, P. Dondero 121a,121b, J. Donini 34, J. Dopke 131, A. Doria 104a,
 M.T. Dova 71, A.T. Doyle 53, M. Dris 10, E. Dubreuil 34, E. Duchovni 173, G. Duckeck 100, O.A. Ducu 26a,
 D. Duda 176, A. Dudarev 30, L. Duflot 117, L. Duguid 77, M. Dührssen 30, M. Dunford 58a, H. Duran Yildiz 4a,
 M. Düren 52, A. Durglishvili 51b, D. Duschinger 44, M. Dwuznik 38a, M. Dyndal 38a, K.M. Ecker 101,
 W. Edson 2, N.C. Edwards 46, W. Ehrenfeld 21, T. Eifert 30, G. Eigen 14, K. Einsweiler 15, T. Ekelof 167,
 M. El Kacimi 136c, M. Ellert 167, S. Elles 5, F. Ellinghaus 83, A.A. Elliot 170, N. Ellis 30, J. Elmsheuser 100,
 M. Elsing 30, D. Emelyanov 131, Y. Enari 156, O.C. Endner 83, M. Endo 118, R. Engelmann 149, J. Erdmann 43,
 A. Ereditato 17, D. Eriksson 147a, G. Ernis 176, J. Ernst 2, M. Ernst 25, S. Errede 166, E. Ertel 83, M. Escalier 117,
 H. Esch 43, C. Escobar 125, B. Esposito 47, A.I. Etienne 137, E. Etzion 154, H. Evans 61, A. Ezhilov 123,
 L. Fabbri 20a,20b, G. Facini 31, R.M. Fakhrutdinov 130, S. Falciano 133a, R.J. Falla 78, J. Faltova 129, Y. Fang 33a,
 M. Fanti 91a,91b, A. Farbin 8, A. Farilla 135a, T. Farooque 12, S. Farrell 15, S.M. Farrington 171, P. Farthouat 30,
 F. Fassi 136e, P. Fassnacht 30, D. Fassouliotis 9, A. Favareto 50a,50b, L. Fayard 117, P. Federic 145a,
 O.L. Fedin 123,m, W. Fedorko 169, S. Feigl 30, L. Feligioni 85, C. Feng 33d, E.J. Feng 6, H. Feng 89,
 A.B. Fenyuk 130, P. Fernandez Martinez 168, S. Fernandez Perez 30, S. Ferrag 53, J. Ferrando 53, A. Ferrari 167,
 P. Ferrari 107, R. Ferrari 121a, D.E. Ferreira de Lima 53, A. Ferrer 168, D. Ferrere 49, C. Ferretti 89,
 A. Ferretto Parodi 50a,50b, M. Fiascaris 31, F. Fiedler 83, A. Filipčič 75, M. Filipuzzi 42, F. Filthaut 106,
 M. Fincke-Keeler 170, K.D. Finelli 151, M.C.N. Fiolhais 126a,126c, L. Fiorini 168, A. Firan 40, A. Fischer 2,
 C. Fischer 12, J. Fischer 176, W.C. Fisher 90, E.A. Fitzgerald 23, M. Flechl 48, I. Fleck 142, P. Fleischmann 89,
 S. Fleischmann 176, G.T. Fletcher 140, G. Fletcher 76, T. Flick 176, A. Floderus 81, L.R. Flores Castillo 60a,
 M.J. Flowerdew 101, A. Formica 137, A. Forti 84, D. Fournier 117, H. Fox 72, S. Fracchia 12, P. Francavilla 80,
 M. Franchini 20a,20b, D. Francis 30, L. Franconi 119, M. Franklin 57, M. Fraternali 121a,121b, D. Freeborn 78,
 S.T. French 28, F. Friedrich 44, D. Froidevaux 30, J.A. Frost 120, C. Fukunaga 157, E. Fullana Torregrosa 83,
 B.G. Fulsom 144, J. Fuster 168, C. Gabaldon 55, O. Gabizon 176, A. Gabrielli 20a,20b, A. Gabrielli 133a,133b,
 S. Gadatsch 107, S. Gadomski 49, G. Gagliardi 50a,50b, P. Gagnon 61, C. Galea 106, B. Galhardo 126a,126c,
 E.J. Gallas 120, B.J. Gallop 131, P. Gallus 128, G. Galster 36, K.K. Gan 111, J. Gao 33b,85, Y.S. Gao 144,e,
 F.M. Garay Walls 46, F. Garberson 177, C. García 168, J.E. García Navarro 168, M. Garcia-Sciveres 15,
 R.W. Gardner 31, N. Garelli 144, V. Garonne 30, C. Gatti 47, G. Gaudio 121a, B. Gaur 142, L. Gauthier 95,
 P. Gauzzi 133a,133b, I.L. Gavrilenko 96, C. Gay 169, G. Gaycken 21, E.N. Gazis 10, P. Ge 33d, Z. Gecse 169,

- C.N.P. Gee ¹³¹, D.A.A. Geerts ¹⁰⁷, Ch. Geich-Gimbel ²¹, C. Gemme ^{50a}, M.H. Genest ⁵⁵, S. Gentile ^{133a,133b}, M. George ⁵⁴, S. George ⁷⁷, D. Gerbaudo ¹⁶⁴, A. Gershon ¹⁵⁴, H. Ghazlane ^{136b}, N. Ghodbane ³⁴, B. Giacobbe ^{20a}, S. Giagu ^{133a,133b}, V. Giangiobbe ¹², P. Giannetti ^{124a,124b}, F. Gianotti ³⁰, B. Gibbard ²⁵, S.M. Gibson ⁷⁷, M. Gilchriese ¹⁵, T.P.S. Gillam ²⁸, D. Gillberg ³⁰, G. Gilles ³⁴, D.M. Gingrich ^{3,d}, N. Giokaris ⁹, M.P. Giordani ^{165a,165c}, F.M. Giorgi ^{20a}, F.M. Giorgi ¹⁶, P.F. Giraud ¹³⁷, D. Giugni ^{91a}, C. Giuliani ⁴⁸, M. Giulini ^{58b}, B.K. Gjelsten ¹¹⁹, S. Gkaitatzis ¹⁵⁵, I. Gkialas ¹⁵⁵, E.L. Gkougkousis ¹¹⁷, L.K. Gladilin ⁹⁹, C. Glasman ⁸², J. Glatzer ³⁰, P.C.F. Glaysher ⁴⁶, A. Glazov ⁴², M. Goblirsch-Kolb ¹⁰¹, J.R. Goddard ⁷⁶, J. Godlewski ³⁹, S. Goldfarb ⁸⁹, T. Golling ⁴⁹, D. Golubkov ¹³⁰, A. Gomes ^{126a,126b,126d}, R. Gonçalo ^{126a}, J. Goncalves Pinto Firmino Da Costa ¹³⁷, L. Gonella ²¹, S. González de la Hoz ¹⁶⁸, G. Gonzalez Parra ¹², S. Gonzalez-Sevilla ⁴⁹, L. Goossens ³⁰, P.A. Gorbounov ⁹⁷, H.A. Gordon ²⁵, I. Gorelov ¹⁰⁵, B. Gorini ³⁰, E. Gorini ^{73a,73b}, A. Gorišek ⁷⁵, E. Gornicki ³⁹, A.T. Goshaw ⁴⁵, C. Gössling ⁴³, M.I. Gostkin ⁶⁵, M. Gouighri ^{136a}, D. Goujdami ^{136c}, A.G. Goussiou ¹³⁹, H.M.X. Grabas ¹³⁸, L. Gruber ⁵⁴, I. Grabowska-Bold ^{38a}, P. Grafström ^{20a,20b}, K.-J. Grahn ⁴², J. Gramling ⁴⁹, E. Gramstad ¹¹⁹, S. Grancagnolo ¹⁶, V. Grassi ¹⁴⁹, V. Gratchev ¹²³, H.M. Gray ³⁰, E. Graziani ^{135a}, Z.D. Greenwood ^{79,n}, K. Gregersen ⁷⁸, I.M. Gregor ⁴², P. Grenier ¹⁴⁴, J. Griffiths ⁸, A.A. Grillo ¹³⁸, K. Grimm ⁷², S. Grinstein ^{12,o}, Ph. Gris ³⁴, Y.V. Grishkevich ⁹⁹, J.-F. Grivaz ¹¹⁷, J.P. Grohs ⁴⁴, A. Grohsjean ⁴², E. Gross ¹⁷³, J. Grosse-Knetter ⁵⁴, G.C. Grossi ^{134a,134b}, Z.J. Grout ¹⁵⁰, L. Guan ^{33b}, J. Guenther ¹²⁸, F. Guescini ⁴⁹, D. Guest ¹⁷⁷, O. Gueta ¹⁵⁴, E. Guido ^{50a,50b}, T. Guillemin ¹¹⁷, S. Guindon ², U. Gul ⁵³, C. Gumpert ⁴⁴, J. Guo ^{33e}, S. Gupta ¹²⁰, P. Gutierrez ¹¹³, N.G. Gutierrez Ortiz ⁵³, C. Gutschow ⁴⁴, N. Guttman ¹⁵⁴, C. Guyot ¹³⁷, C. Gwenlan ¹²⁰, C.B. Gwilliam ⁷⁴, A. Haas ¹¹⁰, C. Haber ¹⁵, H.K. Hadavand ⁸, N. Haddad ^{136e}, P. Haefner ²¹, S. Hageböck ²¹, Z. Hajduk ³⁹, H. Hakobyan ¹⁷⁸, M. Haleem ⁴², J. Haley ¹¹⁴, D. Hall ¹²⁰, G. Halladjian ⁹⁰, G.D. Hallewell ⁸⁵, K. Hamacher ¹⁷⁶, P. Hamal ¹¹⁵, K. Hamano ¹⁷⁰, M. Hamer ⁵⁴, A. Hamilton ^{146a}, S. Hamilton ¹⁶², G.N. Hamity ^{146c}, P.G. Hamnett ⁴², L. Han ^{33b}, K. Hanagaki ¹¹⁸, K. Hanawa ¹⁵⁶, M. Hance ¹⁵, P. Hanke ^{58a}, R. Hanna ¹³⁷, J.B. Hansen ³⁶, J.D. Hansen ³⁶, P.H. Hansen ³⁶, K. Hara ¹⁶¹, A.S. Hard ¹⁷⁴, T. Harenberg ¹⁷⁶, F. Hariri ¹¹⁷, S. Harkusha ⁹², R.D. Harrington ⁴⁶, P.F. Harrison ¹⁷¹, F. Hartjes ¹⁰⁷, M. Hasegawa ⁶⁷, S. Hasegawa ¹⁰³, Y. Hasegawa ¹⁴¹, A. Hasib ¹¹³, S. Hassani ¹³⁷, S. Haug ¹⁷, R. Hauser ⁹⁰, L. Hauswald ⁴⁴, M. Havranek ¹²⁷, C.M. Hawkes ¹⁸, R.J. Hawkings ³⁰, A.D. Hawkins ⁸¹, T. Hayashi ¹⁶¹, D. Hayden ⁹⁰, C.P. Hays ¹²⁰, J.M. Hays ⁷⁶, H.S. Hayward ⁷⁴, S.J. Haywood ¹³¹, S.J. Head ¹⁸, T. Heck ⁸³, V. Hedberg ⁸¹, L. Heelan ⁸, S. Heim ¹²², T. Heim ¹⁷⁶, B. Heinemann ¹⁵, L. Heinrich ¹¹⁰, J. Hejbal ¹²⁷, L. Helary ²², M. Heller ³⁰, S. Hellman ^{147a,147b}, D. Hellmich ²¹, C. Helsens ³⁰, J. Henderson ¹²⁰, R.C.W. Henderson ⁷², Y. Heng ¹⁷⁴, C. Hengler ⁴², A. Henrichs ¹⁷⁷, A.M. Henriques Correia ³⁰, S. Henrot-Versille ¹¹⁷, G.H. Herbert ¹⁶, Y. Hernández Jiménez ¹⁶⁸, R. Herrberg-Schubert ¹⁶, G. Herten ⁴⁸, R. Hertenberger ¹⁰⁰, L. Hervas ³⁰, G.G. Hesketh ⁷⁸, N.P. Hessey ¹⁰⁷, R. Hickling ⁷⁶, E. Higón-Rodriguez ¹⁶⁸, E. Hill ¹⁷⁰, J.C. Hill ²⁸, K.H. Hiller ⁴², S.J. Hillier ¹⁸, I. Hinchliffe ¹⁵, E. Hines ¹²², R.R. Hinman ¹⁵, M. Hirose ¹⁵⁸, D. Hirschbuehl ¹⁷⁶, J. Hobbs ¹⁴⁹, N. Hod ¹⁰⁷, M.C. Hodgkinson ¹⁴⁰, P. Hodgson ¹⁴⁰, A. Hoecker ³⁰, M.R. Hoeferkamp ¹⁰⁵, F. Hoenig ¹⁰⁰, M. Hohlfeld ⁸³, T.R. Holmes ¹⁵, T.M. Hong ¹²², L. Hooft van Huysduynen ¹¹⁰, W.H. Hopkins ¹¹⁶, Y. Horii ¹⁰³, A.J. Horton ¹⁴³, J-Y. Hostachy ⁵⁵, S. Hou ¹⁵², A. Hoummada ^{136a}, J. Howard ¹²⁰, J. Howarth ⁴², M. Hrabovsky ¹¹⁵, I. Hristova ¹⁶, J. Hrvnac ¹¹⁷, T. Hrynevich ⁹³, C. Hsu ^{146c}, P.J. Hsu ^{152,p}, S.-C. Hsu ¹³⁹, D. Hu ³⁵, Q. Hu ^{33b}, X. Hu ⁸⁹, Y. Huang ⁴², Z. Hubacek ³⁰, F. Hubaut ⁸⁵, F. Huegging ²¹, T.B. Huffman ¹²⁰, E.W. Hughes ³⁵, G. Hughes ⁷², M. Huhtinen ³⁰, T.A. Hülsing ⁸³, N. Huseynov ^{65,b}, J. Huston ⁹⁰, J. Huth ⁵⁷, G. Iacobucci ⁴⁹, G. Iakovidis ²⁵, I. Ibragimov ¹⁴², L. Iconomidou-Fayard ¹¹⁷, E. Ideal ¹⁷⁷, Z. Idrissi ^{136e}, P. Iengo ^{104a}, O. Igolkina ¹⁰⁷, T. Iizawa ¹⁷², Y. Ikegami ⁶⁶, K. Ikematsu ¹⁴², M. Ikeno ⁶⁶, Y. Ilchenko ^{31,q}, D. Iliadis ¹⁵⁵, N. Ilic ¹⁵⁹, Y. Inamaru ⁶⁷, T. Ince ¹⁰¹, P. Ioannou ⁹, M. Iodice ^{135a}, K. Iordanidou ⁹, V. Ippolito ⁵⁷, A. Irles Quiles ¹⁶⁸, C. Isaksson ¹⁶⁷, M. Ishino ⁶⁸, M. Ishitsuka ¹⁵⁸, R. Ishmukhametov ¹¹¹, C. Issever ¹²⁰, S. Istiin ^{19a}, J.M. Iturbe Ponce ⁸⁴, R. Iuppa ^{134a,134b}, J. Ivarsson ⁸¹, W. Iwanski ³⁹, H. Iwasaki ⁶⁶, J.M. Izen ⁴¹, V. Izzo ^{104a}, S. Jabbar ³, B. Jackson ¹²², M. Jackson ⁷⁴, P. Jackson ¹, M.R. Jaekel ³⁰, V. Jain ², K. Jakobs ⁴⁸, S. Jakobsen ³⁰, T. Jakoubek ¹²⁷, J. Jakubek ¹²⁸, D.O. Jamin ¹⁵², D.K. Jana ⁷⁹, E. Jansen ⁷⁸, R.W. Jansky ⁶², J. Janssen ²¹, M. Janus ¹⁷¹, G. Jarlskog ⁸¹, N. Javadov ^{65,b}, T. Javůrek ⁴⁸, L. Jeanty ¹⁵, J. Jejelava ^{51a,r}, G.-Y. Jeng ¹⁵¹, D. Jennens ⁸⁸, P. Jenni ^{48,s}, J. Jentzsch ⁴³, C. Jeske ¹⁷¹, S. Jézéquel ⁵, H. Ji ¹⁷⁴, J. Jia ¹⁴⁹, Y. Jiang ^{33b}, J. Jimenez Pena ¹⁶⁸, S. Jin ^{33a}, A. Jinaru ^{26a}, O. Jinnouchi ¹⁵⁸, M.D. Joergensen ³⁶, P. Johansson ¹⁴⁰, K.A. Johns ⁷, K. Jon-And ^{147a,147b}, G. Jones ¹⁷¹, R.W.L. Jones ⁷², T.J. Jones ⁷⁴, J. Jongmanns ^{58a},

- P.M. Jorge ^{126a,126b}, K.D. Joshi ⁸⁴, J. Jovicevic ¹⁴⁸, X. Ju ¹⁷⁴, C.A. Jung ⁴³, P. Jussel ⁶², A. Juste Rozas ^{12,o}, M. Kaci ¹⁶⁸, A. Kaczmarska ³⁹, M. Kado ¹¹⁷, H. Kagan ¹¹¹, M. Kagan ¹⁴⁴, S.J. Kahn ⁸⁵, E. Kajomovitz ⁴⁵, C.W. Kalderon ¹²⁰, S. Kama ⁴⁰, A. Kamenshchikov ¹³⁰, N. Kanaya ¹⁵⁶, M. Kaneda ³⁰, S. Kaneti ²⁸, V.A. Kantserov ⁹⁸, J. Kanzaki ⁶⁶, B. Kaplan ¹¹⁰, A. Kapliy ³¹, D. Kar ⁵³, K. Karakostas ¹⁰, A. Karamaoun ³, N. Karastathis ^{10,107}, M.J. Kareem ⁵⁴, M. Karnevskiy ⁸³, S.N. Karpov ⁶⁵, Z.M. Karpova ⁶⁵, K. Karthik ¹¹⁰, V. Kartvelishvili ⁷², A.N. Karyukhin ¹³⁰, L. Kashif ¹⁷⁴, R.D. Kass ¹¹¹, A. Kastanas ¹⁴, Y. Kataoka ¹⁵⁶, A. Katre ⁴⁹, J. Katzy ⁴², K. Kawagoe ⁷⁰, T. Kawamoto ¹⁵⁶, G. Kawamura ⁵⁴, S. Kazama ¹⁵⁶, V.F. Kazanin ^{109,c}, M.Y. Kazarinov ⁶⁵, R. Keeler ¹⁷⁰, R. Kehoe ⁴⁰, M. Keil ⁵⁴, J.S. Keller ⁴², J.J. Kempster ⁷⁷, H. Keoshkerian ⁸⁴, O. Kepka ¹²⁷, B.P. Kerševan ⁷⁵, S. Kersten ¹⁷⁶, R.A. Keyes ⁸⁷, F. Khalil-zada ¹¹, H. Khandanyan ^{147a,147b}, A. Khanov ¹¹⁴, A. Kharlamov ¹⁰⁹, A. Khodinov ⁹⁸, A. Khomich ^{58a}, T.J. Khoo ²⁸, G. Khoriauli ²¹, V. Khovanskiy ⁹⁷, E. Khramov ⁶⁵, J. Khubua ^{51b,t}, H.Y. Kim ⁸, H. Kim ^{147a,147b}, S.H. Kim ¹⁶¹, N. Kimura ¹⁵⁵, O.M. Kind ¹⁶, B.T. King ⁷⁴, M. King ¹⁶⁸, R.S.B. King ¹²⁰, S.B. King ¹⁶⁹, J. Kirk ¹³¹, A.E. Kiryunin ¹⁰¹, T. Kishimoto ⁶⁷, D. Kisielewska ^{38a}, F. Kiss ⁴⁸, K. Kiuchi ¹⁶¹, E. Kladiva ^{145b}, M.H. Klein ³⁵, M. Klein ⁷⁴, U. Klein ⁷⁴, K. Kleinknecht ⁸³, P. Klimek ^{147a,147b}, A. Klimentov ²⁵, R. Klingenberg ⁴³, J.A. Klinger ⁸⁴, T. Klioutchnikova ³⁰, P.F. Klok ¹⁰⁶, E.-E. Kluge ^{58a}, P. Kluit ¹⁰⁷, S. Kluth ¹⁰¹, E. Kneringer ⁶², E.B.F.G. Knoops ⁸⁵, A. Knue ⁵³, D. Kobayashi ¹⁵⁸, T. Kobayashi ¹⁵⁶, M. Kobel ⁴⁴, M. Kocian ¹⁴⁴, P. Kodys ¹²⁹, T. Koffas ²⁹, E. Koffeman ¹⁰⁷, L.A. Kogan ¹²⁰, S. Kohlmann ¹⁷⁶, Z. Kohout ¹²⁸, T. Kohriki ⁶⁶, T. Koi ¹⁴⁴, H. Kolanoski ¹⁶, I. Koletsou ⁵, A.A. Komar ^{96,*}, Y. Komori ¹⁵⁶, T. Kondo ⁶⁶, N. Kondrashova ⁴², K. Köneke ⁴⁸, A.C. König ¹⁰⁶, S. König ⁸³, T. Kono ^{66,u}, R. Konoplich ^{110,v}, N. Konstantinidis ⁷⁸, R. Kopeliansky ¹⁵³, S. Koperny ^{38a}, L. Köpke ⁸³, A.K. Kopp ⁴⁸, K. Korcyl ³⁹, K. Kordas ¹⁵⁵, A. Korn ⁷⁸, A.A. Korol ^{109,c}, I. Korolkov ¹², E.V. Korolkova ¹⁴⁰, O. Kortner ¹⁰¹, S. Kortner ¹⁰¹, T. Kosek ¹²⁹, V.V. Kostyukhin ²¹, V.M. Kotov ⁶⁵, A. Kotwal ⁴⁵, A. Kourkoumeli-Charalampidi ¹⁵⁵, C. Kourkoumelis ⁹, V. Kouskoura ²⁵, A. Koutsman ^{160a}, R. Kowalewski ¹⁷⁰, T.Z. Kowalski ^{38a}, W. Kozanecki ¹³⁷, A.S. Kozhin ¹³⁰, V.A. Kramarenko ⁹⁹, G. Kramberger ⁷⁵, D. Krasnopevtsev ⁹⁸, M.W. Krasny ⁸⁰, A. Krasznahorkay ³⁰, J.K. Kraus ²¹, A. Kravchenko ²⁵, S. Kreiss ¹¹⁰, M. Kretz ^{58c}, J. Kretzschmar ⁷⁴, K. Kreutzfeldt ⁵², P. Krieger ¹⁵⁹, K. Krizka ³¹, K. Kroeninger ⁴³, H. Kroha ¹⁰¹, J. Kroll ¹²², J. Kroseberg ²¹, J. Krstic ¹³, U. Kruchonak ⁶⁵, H. Krüger ²¹, N. Krumnack ⁶⁴, Z.V. Krumshteyn ⁶⁵, A. Kruse ¹⁷⁴, M.C. Kruse ⁴⁵, M. Kruskal ²², T. Kubota ⁸⁸, H. Kucuk ⁷⁸, S. Kuday ^{4c}, S. Kuehn ⁴⁸, A. Kugel ^{58c}, F. Kuger ¹⁷⁵, A. Kuhl ¹³⁸, T. Kuhl ⁴², V. Kukhtin ⁶⁵, Y. Kulchitsky ⁹², S. Kuleshov ^{32b}, M. Kuna ^{133a,133b}, T. Kunigo ⁶⁸, A. Kupco ¹²⁷, H. Kurashige ⁶⁷, Y.A. Kurochkin ⁹², R. Kurumida ⁶⁷, V. Kus ¹²⁷, E.S. Kuwertz ¹⁴⁸, M. Kuze ¹⁵⁸, J. Kvita ¹¹⁵, T. Kwan ¹⁷⁰, D. Kyriazopoulos ¹⁴⁰, A. La Rosa ⁴⁹, J.L. La Rosa Navarro ^{24d}, L. La Rotonda ^{37a,37b}, C. Lacasta ¹⁶⁸, F. Lacava ^{133a,133b}, J. Lacey ²⁹, H. Lacker ¹⁶, D. Lacour ⁸⁰, V.R. Lacuesta ¹⁶⁸, E. Ladygin ⁶⁵, R. Lafaye ⁵, B. Laforge ⁸⁰, T. Lagouri ¹⁷⁷, S. Lai ⁴⁸, L. Lambourne ⁷⁸, S. Lammers ⁶¹, C.L. Lampen ⁷, W. Lampl ⁷, E. Lançon ¹³⁷, U. Landgraf ⁴⁸, M.P.J. Landon ⁷⁶, V.S. Lang ^{58a}, A.J. Lankford ¹⁶⁴, F. Lanni ²⁵, K. Lantzsch ³⁰, S. Laplace ⁸⁰, C. Lapoire ³⁰, J.F. Laporte ¹³⁷, T. Lari ^{91a}, F. Lasagni Manghi ^{20a,20b}, M. Lassnig ³⁰, P. Laurelli ⁴⁷, W. Lavrijsen ¹⁵, A.T. Law ¹³⁸, P. Laycock ⁷⁴, O. Le Dortz ⁸⁰, E. Le Guirieec ⁸⁵, E. Le Menedeu ¹², T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁵, C.A. Lee ^{146b}, S.C. Lee ¹⁵², L. Lee ¹, G. Lefebvre ⁸⁰, M. Lefebvre ¹⁷⁰, F. Legger ¹⁰⁰, C. Leggett ¹⁵, A. Lehan ⁷⁴, G. Lehmann Miotto ³⁰, X. Lei ⁷, W.A. Leight ²⁹, A. Leisos ¹⁵⁵, A.G. Lester ¹⁷⁷, M.A.L. Leite ^{24d}, R. Leitner ¹²⁹, D. Lellouch ¹⁷³, B. Lemmer ⁵⁴, K.J.C. Leney ⁷⁸, T. Lenz ²¹, G. Lenzen ¹⁷⁶, B. Lenzi ³⁰, R. Leone ⁷, S. Leone ^{124a,124b}, C. Leonidopoulos ⁴⁶, S. Leontsinis ¹⁰, C. Leroy ⁹⁵, C.G. Lester ²⁸, M. Levchenko ¹²³, J. Levêque ⁵, D. Levin ⁸⁹, L.J. Levinson ¹⁷³, M. Levy ¹⁸, A. Lewis ¹²⁰, A.M. Leyko ²¹, M. Leyton ⁴¹, B. Li ^{33b,w}, B. Li ⁸⁵, H. Li ¹⁴⁹, H.L. Li ³¹, L. Li ⁴⁵, L. Li ^{33e}, S. Li ⁴⁵, Y. Li ^{33c,x}, Z. Liang ¹³⁸, H. Liao ³⁴, B. Liberti ^{134a}, P. Lichard ³⁰, K. Lie ¹⁶⁶, J. Liebal ²¹, W. Liebig ¹⁴, C. Limbach ²¹, A. Limosani ¹⁵¹, S.C. Lin ^{152,y}, T.H. Lin ⁸³, F. Linde ¹⁰⁷, B.E. Lindquist ¹⁴⁹, J.T. Linnemann ⁹⁰, E. Lipeles ¹²², A. Lipniacka ¹⁴, M. Lisovyi ⁴², T.M. Liss ¹⁶⁶, D. Lissauer ²⁵, A. Lister ¹⁶⁹, A.M. Litke ¹³⁸, B. Liu ¹⁵², D. Liu ¹⁵², J. Liu ⁸⁵, J.B. Liu ^{33b}, K. Liu ^{33b,z}, L. Liu ⁸⁹, M. Liu ⁴⁵, M. Liu ^{33b}, Y. Liu ^{33b}, M. Livan ^{121a,121b}, A. Lleres ⁵⁵, J. Llorente Merino ⁸², S.L. Lloyd ⁷⁶, F. Lo Sterzo ¹⁵², E. Lobodzinska ⁴², P. Loch ⁷, W.S. Lockman ¹³⁸, F.K. Loebinger ⁸⁴, A.E. Loevschall-Jensen ³⁶, A. Loginov ¹⁷⁷, T. Lohse ¹⁶, K. Lohwasser ⁴², M. Lokajicek ¹²⁷, B.A. Long ²², J.D. Long ⁸⁹, R.E. Long ⁷², K.A.Looper ¹¹¹, L. Lopes ^{126a}, D. Lopez Mateos ⁵⁷, B. Lopez Paredes ¹⁴⁰, I. Lopez Paz ¹², J. Lorenz ¹⁰⁰, N. Lorenzo Martinez ⁶¹, M. Losada ¹⁶³, P. Loscutoff ¹⁵, P.J. Lösel ¹⁰⁰, X. Lou ^{33a}, A. Lounis ¹¹⁷, J. Love ⁶, P.A. Love ⁷², N. Lu ⁸⁹, H.J. Lubatti ¹³⁹, C. Luci ^{133a,133b}, A. Lucotte ⁵⁵, F. Luehring ⁶¹, W. Lukas ⁶², L. Luminari ^{133a}, O. Lundberg ^{147a,147b}, B. Lund-Jensen ¹⁴⁸,

- M. Lungwitz 83, D. Lynn 25, R. Lysak 127, E. Lytken 81, H. Ma 25, L.L. Ma 33d, G. Maccarrone 47,
 A. Macchiolo 101, C.M. Macdonald 140, J. Machado Miguens 126a, 126b, D. Macina 30, D. Madaffari 85,
 R. Madar 34, H.J. Maddocks 72, W.F. Mader 44, A. Madsen 167, T. Maeno 25, A. Maevskiy 99, E. Magradze 54,
 K. Mahboubi 48, J. Mahlstedt 107, S. Mahmoud 74, C. Maiani 137, C. Maidantchik 24a, A.A. Maier 101,
 T. Maier 100, A. Maio 126a, 126b, 126d, S. Majewski 116, Y. Makida 66, N. Makovec 117, B. Malaescu 80,
 Pa. Malecki 39, V.P. Maleev 123, F. Malek 55, U. Mallik 63, D. Malon 6, C. Malone 144, S. Maltezos 10,
 V.M. Malyshев 109, S. Malyukov 30, J. Mamuzic 42, B. Mandelli 30, L. Mandelli 91a, I. Mandić 75,
 R. Mandrysch 63, J. Maneira 126a, 126b, A. Manfredini 101, L. Manhaes de Andrade Filho 24b,
 J. Manjarres Ramos 160b, A. Mann 100, P.M. Manning 138, A. Manousakis-Katsikakis 9, B. Mansoulie 137,
 R. Mantifel 87, M. Mantoani 54, L. Mapelli 30, L. March 146c, G. Marchiori 80, M. Marcisovsky 127,
 C.P. Marino 170, M. Marjanovic 13, F. Marroquim 24a, S.P. Marsden 84, Z. Marshall 15, L.F. Marti 17,
 S. Marti-Garcia 168, B. Martin 90, T.A. Martin 171, V.J. Martin 46, B. Martin dit Latour 14, H. Martinez 137,
 M. Martinez 12, 0, S. Martin-Haugh 131, V.S. Martoiu 26a, A.C. Martyniuk 78, M. Marx 139, F. Marzano 133a,
 A. Marzin 30, L. Masetti 83, T. Mashimo 156, R. Mashinistov 96, J. Masik 84, A.L. Maslennikov 109,c,
 I. Massa 20a, 20b, L. Massa 20a, 20b, N. Massol 5, P. Mastrandrea 149, A. Mastroberardino 37a, 37b,
 T. Masubuchi 156, P. Mättig 176, J. Mattmann 83, J. Maurer 26a, S.J. Maxfield 74, D.A. Maximov 109,c,
 R. Mazini 152, S.M. Mazza 91a, 91b, L. Mazzaferro 134a, 134b, G. Mc Goldrick 159, S.P. Mc Kee 89, A. McCarn 89,
 R.L. McCarthy 149, T.G. McCarthy 29, N.A. McCubbin 131, K.W. McFarlane 56,* J.A. McFayden 78,
 G. Mchedlidze 54, S.J. McMahon 131, R.A. McPherson 170,k, J. Mechnich 107, M. Medinnis 42, S. Meehan 146a,
 S. Mehlhase 100, A. Mehta 74, K. Meier 58a, C. Meineck 100, B. Meirose 41, C. Melachrinos 31,
 B.R. Mellado Garcia 146c, F. Meloni 17, A. Mengarelli 20a, 20b, S. Menke 101, E. Meoni 162, K.M. Mercurio 57,
 S. Mergelmeyer 21, N. Meric 137, P. Mermod 49, L. Merola 104a, 104b, C. Meroni 91a, F.S. Merritt 31,
 H. Merritt 111, A. Messina 30, aa, J. Metcalfe 25, A.S. Mete 164, C. Meyer 83, C. Meyer 122, J-P. Meyer 137,
 J. Meyer 107, R.P. Middleton 131, S. Migas 74, S. Miglioranzi 165a, 165c, L. Mijović 21, G. Mikenberg 173,
 M. Mikestikova 127, M. Mikuž 75, A. Milic 30, D.W. Miller 31, C. Mills 46, A. Milov 173, D.A. Milstead 147a, 147b,
 A.A. Minaenko 130, Y. Minami 156, I.A. Minashvili 65, A.I. Mincer 110, B. Mindur 38a, M. Mineev 65,
 Y. Ming 174, L.M. Mir 12, G. Mirabelli 133a, T. Mitani 172, J. Mitrevski 100, V.A. Mitsou 168, A. Miucci 49,
 P.S. Miyagawa 140, J.U. Mjörnmark 81, T. Moa 147a, 147b, K. Mochizuki 85, S. Mohapatra 35, W. Mohr 48,
 S. Molander 147a, 147b, R. Moles-Valls 168, K. Mönig 42, C. Monini 55, J. Monk 36, E. Monnier 85,
 J. Montejo Berlingen 12, F. Monticelli 71, S. Monzani 133a, 133b, R.W. Moore 3, N. Morange 117, D. Moreno 163,
 M. Moreno Llácer 54, P. Morettini 50a, M. Morgenstern 44, M. Morii 57, V. Morisbak 119, S. Moritz 83,
 A.K. Morley 148, G. Mornacchi 30, J.D. Morris 76, A. Morton 53, L. Morvaj 103, H.G. Moser 101,
 M. Mosidze 51b, J. Moss 111, K. Motohashi 158, R. Mount 144, E. Mountricha 25, S.V. Mouraviev 96,*
 E.J.W. Moyse 86, S. Muanza 85, R.D. Mudd 18, F. Mueller 101, J. Mueller 125, K. Mueller 21, R.S.P. Mueller 100,
 T. Mueller 28, D. Muenstermann 49, P. Mullen 53, Y. Munwes 154, J.A. Murillo Quijada 18,
 W.J. Murray 171, 131, H. Musheghyan 54, E. Musto 153, A.G. Myagkov 130, ab, M. Myska 128, O. Nackenhorst 54,
 J. Nadal 54, K. Nagai 120, R. Nagai 158, Y. Nagai 85, K. Nagano 66, A. Nagarkar 111, Y. Nagasaka 59,
 K. Nagata 161, M. Nagel 101, E. Nagy 85, A.M. Nairz 30, Y. Nakahama 30, K. Nakamura 66, T. Nakamura 156,
 I. Nakano 112, H. Namasivayam 41, G. Nanava 21, R.F. Naranjo Garcia 42, R. Narayan 58b, T. Nattermann 21,
 T. Naumann 42, G. Navarro 163, R. Nayyar 7, H.A. Neal 89, P.Yu. Nechaeva 96, T.J. Neep 84, P.D. Nef 144,
 A. Negri 121a, 121b, M. Negrini 20a, S. Nektarijevic 106, C. Nellist 117, A. Nelson 164, S. Nemecek 127,
 P. Nemethy 110, A.A. Nepomuceno 24a, M. Nessi 30, ac, M.S. Neubauer 166, M. Neumann 176, R.M. Neves 110,
 P. Nevski 25, P.R. Newman 18, D.H. Nguyen 6, R.B. Nickerson 120, R. Nicolaïdou 137, B. Nicquevert 30,
 J. Nielsen 138, N. Nikiforou 35, A. Nikiforov 16, V. Nikolaenko 130, ab, I. Nikolic-Audit 80, K. Nikolopoulos 18,
 P. Nilsson 25, Y. Ninomiya 156, A. Nisati 133a, R. Nisius 101, T. Nobe 158, M. Nomachi 118, I. Nomidis 29,
 T. Nooney 76, S. Norberg 113, M. Nordberg 30, O. Novgorodova 44, S. Nowak 101, M. Nozaki 66, L. Nozka 115,
 K. Ntekas 10, G. Nunes Hanninger 88, T. Nunnemann 100, E. Nurse 78, F. Nuti 88, B.J. O'Brien 46, F. O'grady 7,
 D.C. O'Neil 143, V. O'Shea 53, F.G. Oakham 29, d, H. Oberlack 101, T. Obermann 21, J. Ocariz 80, A. Ochi 67,
 I. Ochoa 78, S. Oda 70, S. Odaka 66, H. Ogren 61, A. Oh 84, S.H. Oh 45, C.C. Ohm 15, H. Ohman 167, H. Oide 30,
 W. Okamura 118, H. Okawa 161, Y. Okumura 31, T. Okuyama 156, A. Olariu 26a, A.G. Olchevski 65,
 S.A. Olivares Pino 46, D. Oliveira Damazio 25, E. Oliver Garcia 168, A. Olszewski 39, J. Olszowska 39,
 A. Onofre 126a, 126e, P.U.E. Onyisi 31, q, C.J. Oram 160a, M.J. Oreglia 31, Y. Oren 154, D. Orestano 135a, 135b,

- N. Orlando 155, C. Oropeza Barrera 53, R.S. Orr 159, B. Osculati 50a, 50b, R. Ospanov 84, G. Otero y Garzon 27, H. Otono 70, M. Ouchrif 136d, E.A. Ouellette 170, F. Ould-Saada 119, A. Ouraou 137, K.P. Oussoren 107, Q. Ouyang 33a, A. Ovcharova 15, M. Owen 53, R.E. Owen 18, V.E. Ozcan 19a, N. Ozturk 8, K. Pachal 120, A. Pacheco Pages 12, C. Padilla Aranda 12, M. Pagáčová 48, S. Pagan Griso 15, E. Paganis 140, C. Pahl 101, F. Paige 25, P. Pais 86, K. Pajchel 119, G. Palacino 160b, S. Palestini 30, M. Palka 38b, D. Pallin 34, A. Palma 126a, 126b, Y.B. Pan 174, E. Panagiotopoulou 10, C.E. Pandini 80, J.G. Panduro Vazquez 77, P. Pani 147a, 147b, N. Panikashvili 89, S. Panitkin 25, L. Paolozzi 134a, 134b, Th.D. Papadopoulou 10, K. Papageorgiou 155, A. Paramonov 6, D. Paredes Hernandez 155, M.A. Parker 28, K.A. Parker 140, F. Parodi 50a, 50b, J.A. Parsons 35, U. Parzefall 48, E. Pasqualucci 133a, S. Passaggio 50a, F. Pastore 135a, 135b, *, Fr. Pastore 77, G. Pásztor 29, S. Pataraia 176, N.D. Patel 151, J.R. Pater 84, T. Pauly 30, J. Pearce 170, L.E. Pedersen 36, M. Pedersen 119, S. Pedraza Lopez 168, R. Pedro 126a, 126b, S.V. Peleganchuk 109, D. Pelikan 167, H. Peng 33b, B. Penning 31, J. Penwell 61, D.V. Perepelitsa 25, E. Perez Codina 160a, M.T. Pérez García-Estañ 168, L. Perini 91a, 91b, H. Pernegger 30, S. Perrella 104a, 104b, R. Peschke 42, V.D. Peshekhonov 65, K. Peters 30, R.F.Y. Peters 84, B.A. Petersen 36, T.C. Petersen 36, E. Petit 42, A. Petridis 147a, 147b, C. Petridou 155, E. Petrolo 133a, F. Petrucci 135a, 135b, N.E. Pettersson 158, R. Pezoa 32b, P.W. Phillips 131, G. Piacquadio 144, E. Pianori 171, A. Picazio 49, E. Piccaro 76, M. Piccinini 20a, 20b, M.A. Pickering 120, R. Piegaia 27, D.T. Pignotti 111, J.E. Pilcher 31, A.D. Pilkington 78, J. Pina 126a, 126b, 126d, M. Pinamonti 165a, 165c, ad, J.L. Pinfold 3, A. Pingel 36, B. Pinto 126a, S. Pires 80, M. Pitt 173, C. Pizio 91a, 91b, L. Plazak 145a, M.-A. Pleier 25, V. Pleskot 129, E. Plotnikova 65, P. Plucinski 147a, 147b, D. Pluth 64, R. Poettgen 83, L. Poggioli 117, D. Pohl 21, G. Polesello 121a, A. Policicchio 37a, 37b, R. Polifka 159, A. Polini 20a, C.S. Pollard 53, V. Polychronakos 25, K. Pommès 30, L. Pontecorvo 133a, B.G. Pope 90, G.A. Popenciu 26b, D.S. Popovic 13, A. Poppleton 30, S. Pospisil 128, K. Potamianos 15, I.N. Potrap 65, C.J. Potter 150, C.T. Potter 116, G. Poulard 30, J. Poveda 30, V. Pozdnyakov 65, P. Pralavorio 85, A. Pranko 15, S. Prasad 30, S. Prell 64, D. Price 84, J. Price 74, L.E. Price 6, M. Primavera 73a, S. Prince 87, M. Proissl 46, K. Prokofiev 60c, F. Prokoshin 32b, E. Protopapadaki 137, S. Protopopescu 25, J. Proudfoot 6, M. Przybycien 38a, E. Ptacek 116, D. Puddu 135a, 135b, E. Pueschel 86, D. Puldon 149, M. Purohit 25, ae, P. Puzo 117, J. Qian 89, G. Qin 53, Y. Qin 84, A. Quadt 54, D.R. Quarrie 15, W.B. Quayle 165a, 165b, M. Queitsch-Maitland 84, D. Quilty 53, A. Qureshi 160b, V. Radeka 25, V. Radescu 42, S.K. Radhakrishnan 149, P. Radloff 116, P. Rados 88, F. Ragusa 91a, 91b, G. Rahal 179, S. Rajagopalan 25, M. Rammensee 30, C. Rangel-Smith 167, F. Rauscher 100, S. Rave 83, T.C. Rave 48, T. Ravenscroft 53, M. Raymond 30, A.L. Read 119, N.P. Readioff 74, D.M. Rebuzzi 121a, 121b, A. Redelbach 175, G. Redlinger 25, R. Reece 138, K. Reeves 41, L. Rehnisch 16, H. Reisin 27, M. Relich 164, C. Rembser 30, H. Ren 33a, A. Renaud 117, M. Rescigno 133a, S. Resconi 91a, O.L. Rezanova 109, c, P. Reznicek 129, R. Rezvani 95, R. Richter 101, E. Richter-Was 38b, M. Ridel 80, P. Rieck 16, C.J. Riegel 176, J. Rieger 54, M. Rijssenbeek 149, A. Rimoldi 121a, 121b, L. Rinaldi 20a, E. Ritsch 62, I. Riu 12, F. Rizatdinova 114, E. Rizvi 76, S.H. Robertson 87, k, A. Robichaud-Veronneau 87, D. Robinson 28, J.E.M. Robinson 84, A. Robson 53, C. Roda 124a, 124b, L. Rodrigues 30, S. Roe 30, O. Røhne 119, S. Rolli 162, A. Romaniouk 98, M. Romano 20a, 20b, S.M. Romano Saez 34, E. Romero Adam 168, N. Rompotis 139, M. Ronzani 48, L. Roos 80, E. Ros 168, S. Rosati 133a, K. Rosbach 48, P. Rose 138, P.L. Rosendahl 14, O. Rosenthal 142, V. Rossetti 147a, 147b, E. Rossi 104a, 104b, L.P. Rossi 50a, R. Rosten 139, M. Rotaru 26a, I. Roth 173, J. Rothberg 139, D. Rousseau 117, C.R. Royon 137, A. Rozanov 85, Y. Rozen 153, X. Ruan 146c, F. Rubbo 144, I. Rubinskiy 42, V.I. Rud 99, C. Rudolph 44, M.S. Rudolph 159, F. Rühr 48, A. Ruiz-Martinez 30, Z. Rurikova 48, N.A. Rusakovich 65, A. Ruschke 100, H.L. Russell 139, J.P. Rutherford 7, N. Ruthmann 48, Y.F. Ryabov 123, M. Rybar 129, G. Rybkin 117, N.C. Ryder 120, A.F. Saavedra 151, G. Sabato 107, S. Sacerdoti 27, A. Saddique 3, H.F-W. Sadrozinski 138, R. Sadykov 65, F. Safai Tehrani 133a, M. Saimpert 137, H. Sakamoto 156, Y. Sakurai 172, G. Salamanna 135a, 135b, A. Salamon 134a, M. Saleem 113, D. Salek 107, P.H. Sales De Bruin 139, D. Salihagic 101, A. Salnikov 144, J. Salt 168, D. Salvatore 37a, 37b, F. Salvatore 150, A. Salvucci 106, A. Salzburger 30, D. Sampsonidis 155, A. Sanchez 104a, 104b, J. Sánchez 168, V. Sanchez Martinez 168, H. Sandaker 14, R.L. Sandbach 76, H.G. Sander 83, M.P. Sanders 100, M. Sandhoff 176, C. Sandoval 163, R. Sandstroem 101, D.P.C. Sankey 131, A. Sansoni 47, C. Santoni 34, R. Santonico 134a, 134b, H. Santos 126a, I. Santoyo Castillo 150, K. Sapp 125, A. Sapronov 65, J.G. Saraiva 126a, 126d, B. Sarrazin 21, O. Sasaki 66, Y. Sasaki 156, K. Sato 161, G. Sauvage 5, *, E. Sauvan 5, G. Savage 77, P. Savard 159, d, C. Sawyer 120, L. Sawyer 79, n, D.H. Saxon 53, J. Saxon 31, C. Sbarra 20a, A. Sbrizzi 20a, 20b, T. Scanlon 78, D.A. Scannicchio 164,

- M. Scarella ¹⁵¹, V. Scarfone ^{37a,37b}, J. Schaarschmidt ¹⁷³, P. Schacht ¹⁰¹, D. Schaefer ³⁰, R. Schaefer ⁴²,
 J. Schaeffer ⁸³, S. Schaepe ²¹, S. Schatzel ^{58b}, U. Schäfer ⁸³, A.C. Schaffer ¹¹⁷, D. Schaile ¹⁰⁰,
 R.D. Schamberger ¹⁴⁹, V. Scharf ^{58a}, V.A. Schegelsky ¹²³, D. Scheirich ¹²⁹, M. Schernau ¹⁶⁴, C. Schiavi ^{50a,50b},
 C. Schillo ⁴⁸, M. Schioppa ^{37a,37b}, S. Schlenker ³⁰, E. Schmidt ⁴⁸, K. Schmieden ³⁰, C. Schmitt ⁸³,
 S. Schmitt ^{58b}, B. Schneider ^{160a}, Y.J. Schnellbach ⁷⁴, U. Schnoor ⁴⁴, L. Schoeffel ¹³⁷, A. Schoening ^{58b},
 B.D. Schoenrock ⁹⁰, A.L.S. Schorlemmer ⁵⁴, M. Schott ⁸³, D. Schouten ^{160a}, J. Schovancova ⁸, S. Schramm ¹⁵⁹,
 M. Schreyer ¹⁷⁵, C. Schroeder ⁸³, N. Schuh ⁸³, M.J. Schultens ²¹, H.-C. Schultz-Coulon ^{58a}, H. Schulz ¹⁶,
 M. Schumacher ⁴⁸, B.A. Schumm ¹³⁸, Ph. Schune ¹³⁷, C. Schwanenberger ⁸⁴, A. Schwartzman ¹⁴⁴,
 T.A. Schwarz ⁸⁹, Ph. Schwegler ¹⁰¹, Ph. Schwemling ¹³⁷, R. Schwienhorst ⁹⁰, J. Schwindling ¹³⁷,
 T. Schwindt ²¹, M. Schwoerer ⁵, F.G. Sciacca ¹⁷, E. Scifo ¹¹⁷, G. Sciolla ²³, F. Scuri ^{124a,124b}, F. Scutti ²¹,
 J. Searcy ⁸⁹, G. Sedov ⁴², E. Sedykh ¹²³, P. Seema ²¹, S.C. Seidel ¹⁰⁵, A. Seiden ¹³⁸, F. Seifert ¹²⁸,
 J.M. Seixas ^{24a}, G. Sekhniaidze ^{104a}, S.J. Sekula ⁴⁰, K.E. Selbach ⁴⁶, D.M. Seliverstov ^{123,*},
 N. Semprini-Cesari ^{20a,20b}, C. Serfon ³⁰, L. Serin ¹¹⁷, L. Serkin ⁵⁴, T. Serre ⁸⁵, R. Seuster ^{160a}, H. Severini ¹¹³,
 T. Sfiligoj ⁷⁵, F. Sforza ¹⁰¹, A. Sfyrla ³⁰, E. Shabalina ⁵⁴, M. Shamim ¹¹⁶, L.Y. Shan ^{33a}, R. Shang ¹⁶⁶,
 J.T. Shank ²², M. Shapiro ¹⁵, P.B. Shatalov ⁹⁷, K. Shaw ^{165a,165b}, A. Shcherbakova ^{147a,147b}, C.Y. Shehu ¹⁵⁰,
 P. Sherwood ⁷⁸, L. Shi ^{152,af}, S. Shimizu ⁶⁷, C.O. Shimmin ¹⁶⁴, M. Shimojima ¹⁰², M. Shiyakova ⁶⁵,
 A. Shmeleva ⁹⁶, D. Shoaleh Saadi ⁹⁵, M.J. Shochet ³¹, S. Shojaii ^{91a,91b}, S. Shrestha ¹¹¹, E. Shulga ⁹⁸,
 M.A. Shupe ⁷, S. Shushkevich ⁴², P. Sicho ¹²⁷, O. Sidiropoulou ¹⁷⁵, D. Sidorov ¹¹⁴, A. Sidoti ^{20a,20b},
 F. Siegert ⁴⁴, Dj. Sijacki ¹³, J. Silva ^{126a,126d}, Y. Silver ¹⁵⁴, D. Silverstein ¹⁴⁴, S.B. Silverstein ^{147a}, V. Simak ¹²⁸,
 O. Simard ⁵, Lj. Simic ¹³, S. Simion ¹¹⁷, E. Simioni ⁸³, B. Simmons ⁷⁸, D. Simon ³⁴, R. Simoniello ^{91a,91b},
 P. Sinervo ¹⁵⁹, N.B. Sinev ¹¹⁶, G. Siragusa ¹⁷⁵, A. Sircar ⁷⁹, A.N. Sisakyan ^{65,*}, S.Yu. Sivoklokov ⁹⁹,
 J. Sjölin ^{147a,147b}, T.B. Sjursen ¹⁴, M.B. Skinner ⁷², H.P. Skottowe ⁵⁷, P. Skubic ¹¹³, M. Slater ¹⁸,
 T. Slavicek ¹²⁸, M. Slawinska ¹⁰⁷, K. Sliwa ¹⁶², V. Smakhtin ¹⁷³, B.H. Smart ⁴⁶, L. Smestad ¹⁴,
 S.Yu. Smirnov ⁹⁸, Y. Smirnov ⁹⁸, L.N. Smirnova ^{99,ag}, O. Smirnova ⁸¹, K.M. Smith ⁵³, M.N.K. Smith ³⁵,
 M. Smizanska ⁷², K. Smolek ¹²⁸, A.A. Snesarev ⁹⁶, G. Snidero ⁷⁶, S. Snyder ²⁵, R. Sobie ^{170,k}, F. Socher ⁴⁴,
 A. Soffer ¹⁵⁴, D.A. Soh ^{152,af}, C.A. Solans ³⁰, M. Solar ¹²⁸, J. Solc ¹²⁸, E.Yu. Soldatov ⁹⁸, U. Soldevila ¹⁶⁸,
 A.A. Solodkov ¹³⁰, A. Soloshenko ⁶⁵, O.V. Solovyanov ¹³⁰, V. Solovyev ¹²³, P. Sommer ⁴⁸, H.Y. Song ^{33b},
 N. Soni ¹, A. Sood ¹⁵, A. Sopczak ¹²⁸, B. Sopko ¹²⁸, V. Sopko ¹²⁸, V. Sorin ¹², D. Sosa ^{58b}, M. Sosebee ⁸,
 C.L. Sotropoulou ¹⁵⁵, R. Soualah ^{165a,165c}, P. Soueid ⁹⁵, A.M. Soukharev ^{109,c}, D. South ⁴²,
 S. Spagnolo ^{73a,73b}, F. Spanò ⁷⁷, W.R. Spearman ⁵⁷, F. Spettel ¹⁰¹, R. Spighi ^{20a}, G. Spigo ³⁰, L.A. Spiller ⁸⁸,
 M. Spousta ¹²⁹, T. Spreitzer ¹⁵⁹, R.D. St. Denis ^{53,*}, S. Staerz ⁴⁴, J. Stahlman ¹²², R. Stamen ^{58a}, S. Stamm ¹⁶,
 E. Stanecka ³⁹, C. Stanescu ^{135a}, M. Stanescu-Bellu ⁴², M.M. Stanitzki ⁴², S. Stapnes ¹¹⁹, E.A. Starchenko ¹³⁰,
 J. Stark ⁵⁵, P. Staroba ¹²⁷, P. Starovoitov ⁴², R. Staszewski ³⁹, P. Stavina ^{145a,*}, P. Steinberg ²⁵, B. Stelzer ¹⁴³,
 H.J. Stelzer ³⁰, O. Stelzer-Chilton ^{160a}, H. Stenzel ⁵², S. Stern ¹⁰¹, G.A. Stewart ⁵³, J.A. Stillings ²¹,
 M.C. Stockton ⁸⁷, M. Stoebe ⁸⁷, G. Stoica ^{26a}, P. Stolte ⁵⁴, S. Stonjek ¹⁰¹, A.R. Stradling ⁸, A. Straessner ⁴⁴,
 M.E. Stramaglia ¹⁷, J. Strandberg ¹⁴⁸, S. Strandberg ^{147a,147b}, A. Strandlie ¹¹⁹, E. Strauss ¹⁴⁴, M. Strauss ¹¹³,
 P. Strizenec ^{145b}, R. Ströhmer ¹⁷⁵, D.M. Strom ¹¹⁶, R. Stroynowski ⁴⁰, A. Strubig ¹⁰⁶, S.A. Stucci ¹⁷,
 B. Stugu ¹⁴, N.A. Styles ⁴², D. Su ¹⁴⁴, J. Su ¹²⁵, R. Subramaniam ⁷⁹, A. Succurro ¹², Y. Sugaya ¹¹⁸, C. Suhr ¹⁰⁸,
 M. Suk ¹²⁸, V.V. Sulin ⁹⁶, S. Sultansoy ^{4d}, T. Sumida ⁶⁸, S. Sun ⁵⁷, X. Sun ^{33a}, J.E. Sundermann ⁴⁸,
 K. Suruliz ¹⁵⁰, G. Susinno ^{37a,37b}, M.R. Sutton ¹⁵⁰, Y. Suzuki ⁶⁶, M. Svatos ¹²⁷, S. Swedish ¹⁶⁹,
 M. Swiatlowski ¹⁴⁴, I. Sykora ^{145a}, T. Sykora ¹²⁹, D. Ta ⁹⁰, C. Taccini ^{135a,135b}, K. Tackmann ⁴², J. Taenzer ¹⁵⁹,
 A. Taffard ¹⁶⁴, R. Tafirout ^{160a}, N. Taiblum ¹⁵⁴, H. Takai ²⁵, R. Takashima ⁶⁹, H. Takeda ⁶⁷, T. Takeshita ¹⁴¹,
 Y. Takubo ⁶⁶, M. Talby ⁸⁵, A.A. Talyshев ^{109,c}, J.Y.C. Tam ¹⁷⁵, K.G. Tan ⁸⁸, J. Tanaka ¹⁵⁶, R. Tanaka ¹¹⁷,
 S. Tanaka ¹³², S. Tanaka ⁶⁶, A.J. Tanasijczuk ¹⁴³, B.B. Tannenwald ¹¹¹, N. Tannoury ²¹, S. Tapprogge ⁸³,
 S. Tarem ¹⁵³, F. Tarrade ²⁹, G.F. Tartarelli ^{91a}, P. Tas ¹²⁹, M. Tasevsky ¹²⁷, T. Tashiro ⁶⁸, E. Tassi ^{37a,37b},
 A. Tavares Delgado ^{126a,126b}, Y. Tayalati ^{136d}, F.E. Taylor ⁹⁴, G.N. Taylor ⁸⁸, W. Taylor ^{160b}, F.A. Teischinger ³⁰,
 M. Teixeira Dias Castanheira ⁷⁶, P. Teixeira-Dias ⁷⁷, K.K. Temming ⁴⁸, H. Ten Kate ³⁰, P.K. Teng ¹⁵²,
 J.J. Teoh ¹¹⁸, F. Tepel ¹⁷⁶, S. Terada ⁶⁶, K. Terashi ¹⁵⁶, J. Terron ⁸², S. Terzo ¹⁰¹, M. Testa ⁴⁷, R.J. Teuscher ^{159,k},
 J. Therhaag ²¹, T. Theveneaux-Pelzer ³⁴, J.P. Thomas ¹⁸, J. Thomas-Wilsker ⁷⁷, E.N. Thompson ³⁵,
 P.D. Thompson ¹⁸, R.J. Thompson ⁸⁴, A.S. Thompson ⁵³, L.A. Thomsen ³⁶, E. Thomson ¹²², M. Thomson ²⁸,
 W.M. Thong ⁸⁸, R.P. Thun ^{89,*}, F. Tian ³⁵, M.J. Tibbetts ¹⁵, R.E. Ticse Torres ⁸⁵, V.O. Tikhomirov ^{96,ah},
 Yu.A. Tikhonov ^{109,c}, S. Timoshenko ⁹⁸, E. Tiouchichine ⁸⁵, P. Tipton ¹⁷⁷, S. Tisserant ⁸⁵, T. Todorov ^{5,*},

- S. Todorova-Nova ¹²⁹, J. Tojo ⁷⁰, S. Tokár ^{145a}, K. Tokushuku ⁶⁶, K. Tollefson ⁹⁰, E. Tolley ⁵⁷, L. Tomlinson ⁸⁴, M. Tomoto ¹⁰³, L. Tompkins ^{144,ai}, K. Toms ¹⁰⁵, N.D. Topilin ⁶⁵, E. Torrence ¹¹⁶, H. Torres ¹⁴³, E. Torró Pastor ¹⁶⁸, J. Toth ^{85,aj}, F. Touchard ⁸⁵, D.R. Tovey ¹⁴⁰, H.L. Tran ¹¹⁷, T. Trefzger ¹⁷⁵, L. Tremblet ³⁰, A. Tricoli ³⁰, I.M. Trigger ^{160a}, S. Trincaz-Duvold ⁸⁰, M.F. Tripiana ¹², W. Trischuk ¹⁵⁹, B. Trocmé ⁵⁵, C. Troncon ^{91a}, M. Trottier-McDonald ¹⁵, M. Trovatelli ^{135a,135b}, P. True ⁹⁰, M. Trzebinski ³⁹, A. Trzupek ³⁹, C. Tsarouchas ³⁰, J.C-L. Tseng ¹²⁰, P.V. Tsiareshka ⁹², D. Tsionou ¹⁵⁵, G. Tsipolitis ¹⁰, N. Tsiriantanis ⁹, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁷, V. Tsulaia ¹⁵, S. Tsuno ⁶⁶, D. Tsybychev ¹⁴⁹, A. Tudorache ^{26a}, V. Tudorache ^{26a}, A.N. Tuna ¹²², S.A. Tupputi ^{20a,20b}, S. Turchikhin ^{99,ag}, D. Turecek ¹²⁸, R. Turra ^{91a,91b}, A.J. Turvey ⁴⁰, P.M. Tuts ³⁵, A. Tykhanov ⁴⁹, M. Tylmad ^{147a,147b}, M. Tyndel ¹³¹, I. Ueda ¹⁵⁶, R. Ueno ²⁹, M. Ughetto ⁸⁵, M. Ugland ¹⁴, M. Uhlenbrock ²¹, F. Ukegawa ¹⁶¹, G. Unal ³⁰, A. Undrus ²⁵, G. Unel ¹⁶⁴, F.C. Ungaro ⁴⁸, Y. Unno ⁶⁶, C. Unverdorben ¹⁰⁰, J. Urban ^{145b}, P. Urquijo ⁸⁸, P. Urrejola ⁸³, G. Usai ⁸, A. Usanova ⁶², L. Vacavant ⁸⁵, V. Vacek ¹²⁸, B. Vachon ⁸⁷, N. Valencic ¹⁰⁷, S. Valentini ^{20a,20b}, A. Valero ¹⁶⁸, L. Valery ¹², S. Valkar ¹²⁹, E. Valladolid Gallego ¹⁶⁸, S. Vallecorsa ⁴⁹, J.A. Valls Ferrer ¹⁶⁸, W. Van Den Wollenberg ¹⁰⁷, P.C. Van Der Deijl ¹⁰⁷, R. van der Geer ¹⁰⁷, H. van der Graaf ¹⁰⁷, R. Van Der Leeuw ¹⁰⁷, N. van Eldik ³⁰, P. van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴³, I. van Vulpen ¹⁰⁷, M.C. van Woerden ³⁰, M. Vanadia ^{133a,133b}, W. Vandelli ³⁰, R. Vanguri ¹²², A. Vaniachine ⁶, F. Vannucci ⁸⁰, G. Vardanyan ¹⁷⁸, R. Vari ^{133a}, E.W. Varnes ⁷, T. Varol ⁴⁰, D. Varouchas ⁸⁰, A. Vartapetian ⁸, K.E. Varvell ¹⁵¹, F. Vazeille ³⁴, T. Vazquez Schroeder ⁵⁴, J. Veatch ⁷, F. Veloso ^{126a,126c}, T. Velz ²¹, S. Veneziano ^{133a}, A. Ventura ^{73a,73b}, D. Ventura ⁸⁶, M. Venturi ¹⁷⁰, N. Venturi ¹⁵⁹, A. Venturini ²³, V. Vercesi ^{121a}, M. Verducci ^{133a,133b}, W. Verkerke ¹⁰⁷, J.C. Vermeulen ¹⁰⁷, A. Vest ⁴⁴, M.C. Vetterli ^{143,d}, O. Viazlo ⁸¹, I. Vichou ¹⁶⁶, T. Vickey ^{146c,ak}, O.E. Vickey Boeriu ^{146c}, G.H.A. Viehhauser ¹²⁰, S. Viel ¹⁵, R. Vigne ³⁰, M. Villa ^{20a,20b}, M. Villaplana Perez ^{91a,91b}, E. Vilucchi ⁴⁷, M.G. Vinchter ²⁹, V.B. Vinogradov ⁶⁵, J. Virzi ¹⁵, I. Vivarelli ¹⁵⁰, F. Vives Vaque ³, S. Vlachos ¹⁰, D. Vladoiu ¹⁰⁰, M. Vlasak ¹²⁸, M. Vogel ^{32a}, P. Vokac ¹²⁸, G. Volpi ^{124a,124b}, M. Volpi ⁸⁸, H. von der Schmitt ¹⁰¹, H. von Radziewski ⁴⁸, E. von Toerne ²¹, V. Vorobel ¹²⁹, K. Vorobev ⁹⁸, M. Vos ¹⁶⁸, R. Voss ³⁰, J.H. Vossebeld ⁷⁴, N. Vranjes ¹³, M. Vranjes Milosavljevic ¹³, V. Vrba ¹²⁷, M. Vreeswijk ¹⁰⁷, R. Vuillermet ³⁰, I. Vukotic ³¹, Z. Vykydal ¹²⁸, P. Wagner ²¹, W. Wagner ¹⁷⁶, H. Wahlberg ⁷¹, S. Wahrmund ⁴⁴, J. Wakabayashi ¹⁰³, J. Walder ⁷², R. Walker ¹⁰⁰, W. Walkowiak ¹⁴², C. Wang ^{33c}, F. Wang ¹⁷⁴, H. Wang ¹⁵, H. Wang ⁴⁰, J. Wang ⁴², J. Wang ^{33a}, K. Wang ⁸⁷, R. Wang ¹⁰⁵, S.M. Wang ¹⁵², T. Wang ²¹, X. Wang ¹⁷⁷, C. Wanotayaroj ¹¹⁶, A. Warburton ⁸⁷, C.P. Ward ²⁸, D.R. Wardrope ⁷⁸, M. Warsinsky ⁴⁸, A. Washbrook ⁴⁶, C. Wasicki ⁴², P.M. Watkins ¹⁸, A.T. Watson ¹⁸, I.J. Watson ¹⁵¹, M.F. Watson ¹⁸, G. Watts ¹³⁹, S. Watts ⁸⁴, B.M. Waugh ⁷⁸, S. Webb ⁸⁴, M.S. Weber ¹⁷, S.W. Weber ¹⁷⁵, J.S. Webster ³¹, A.R. Weidberg ¹²⁰, B. Weinert ⁶¹, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, H. Weits ¹⁰⁷, P.S. Wells ³⁰, T. Wenaus ²⁵, D. Wendland ¹⁶, T. Wengler ³⁰, S. Wenig ³⁰, N. Wermes ²¹, M. Werner ⁴⁸, P. Werner ³⁰, M. Wessels ^{58a}, J. Wetter ¹⁶², K. Whalen ²⁹, A.M. Wharton ⁷², A. White ⁸, M.J. White ¹, R. White ^{32b}, S. White ^{124a,124b}, D. Whiteson ¹⁶⁴, D. Wicke ¹⁷⁶, F.J. Wickens ¹³¹, W. Wiedenmann ¹⁷⁴, M. Wielers ¹³¹, P. Wienemann ²¹, C. Wiglesworth ³⁶, L.A.M. Wiik-Fuchs ²¹, A. Wildauer ¹⁰¹, H.G. Wilkens ³⁰, H.H. Williams ¹²², S. Williams ¹⁰⁷, C. Willis ⁹⁰, S. Willocq ⁸⁶, A. Wilson ⁸⁹, J.A. Wilson ¹⁸, I. Wingerter-Seez ⁵, F. Winklmeier ¹¹⁶, B.T. Winter ²¹, M. Wittgen ¹⁴⁴, J. Wittkowski ¹⁰⁰, S.J. Wollstadt ⁸³, M.W. Wolter ³⁹, H. Wolters ^{126a,126c}, B.K. Wosiek ³⁹, J. Wotschack ³⁰, M.J. Woudstra ⁸⁴, K.W. Wozniak ³⁹, M. Wu ⁵⁵, S.L. Wu ¹⁷⁴, X. Wu ⁴⁹, Y. Wu ⁸⁹, T.R. Wyatt ⁸⁴, B.M. Wynne ⁴⁶, S. Xella ³⁶, D. Xu ^{33a}, L. Xu ^{33b,al}, B. Yabsley ¹⁵¹, S. Yacoob ^{146b,am}, R. Yakabe ⁶⁷, M. Yamada ⁶⁶, Y. Yamaguchi ¹¹⁸, A. Yamamoto ⁶⁶, S. Yamamoto ¹⁵⁶, T. Yamanaka ¹⁵⁶, K. Yamauchi ¹⁰³, Y. Yamazaki ⁶⁷, Z. Yan ²², H. Yang ^{33e}, H. Yang ¹⁷⁴, Y. Yang ¹⁵², S. Yanush ⁹³, L. Yao ^{33a}, W.-M. Yao ¹⁵, Y. Yasu ⁶⁶, E. Yatsenko ⁴², K.H. Yau Wong ²¹, J. Ye ⁴⁰, S. Ye ²⁵, I. Yeletskikh ⁶⁵, A.L. Yen ⁵⁷, E. Yildirim ⁴², K. Yorita ¹⁷², R. Yoshida ⁶, K. Yoshihara ¹²², C. Young ¹⁴⁴, C.J.S. Young ³⁰, S. Youssef ²², D.R. Yu ¹⁵, J. Yu ⁸, J.M. Yu ⁸⁹, J. Yu ¹¹⁴, L. Yuan ⁶⁷, A. Yurkewicz ¹⁰⁸, I. Yusuff ^{28,an}, B. Zabinski ³⁹, R. Zaidan ⁶³, A.M. Zaitsev ^{130,ab}, A. Zaman ¹⁴⁹, S. Zambito ²³, L. Zanello ^{133a,133b}, D. Zanzi ⁸⁸, C. Zeitnitz ¹⁷⁶, M. Zeman ¹²⁸, A. Zemla ^{38a}, K. Zengel ²³, O. Zenin ¹³⁰, T. Ženiš ^{145a}, D. Zerwas ¹¹⁷, D. Zhang ⁸⁹, F. Zhang ¹⁷⁴, J. Zhang ⁶, L. Zhang ¹⁵², R. Zhang ^{33b}, X. Zhang ^{33d}, Z. Zhang ¹¹⁷, X. Zhao ⁴⁰, Y. Zhao ^{33d,117}, Z. Zhao ^{33b}, A. Zhemchugov ⁶⁵, J. Zhong ¹²⁰, B. Zhou ⁸⁹, C. Zhou ⁴⁵, L. Zhou ³⁵, L. Zhou ⁴⁰, N. Zhou ¹⁶⁴, C.G. Zhu ^{33d}, H. Zhu ^{33a}, J. Zhu ⁸⁹, Y. Zhu ^{33b}, X. Zhuang ^{33a}, K. Zhukov ⁹⁶, A. Zibell ¹⁷⁵, D. Ziemińska ⁶¹, N.I. Zimine ⁶⁵,

C. Zimmermann⁸³, R. Zimmermann²¹, S. Zimmermann⁴⁸, Z. Zinonos⁵⁴, M. Zinser⁸³, M. Ziolkowski¹⁴², L. Živković¹³, G. Zobernig¹⁷⁴, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶, G. Zurzolo^{104a,104b}, L. Zwalinski³⁰

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany, NY, United States

³ Department of Physics, University of Alberta, Edmonton, AB, Canada

⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(c) Istanbul Aydin University, Istanbul; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States

⁷ Department of Physics, University of Arizona, Tucson, AZ, United States

⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States

⁹ Physics Department, University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain

¹³ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States

¹⁶ Department of Physics, Humboldt University, Berlin, Germany

¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey

²⁰ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²¹ Physikalisches Institut, University of Bonn, Bonn, Germany

²² Department of Physics, Boston University, Boston, MA, United States

²³ Department of Physics, Brandeis University, Waltham, MA, United States

²⁴ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

²⁵ Physics Department, Brookhaven National Laboratory, Upton, NY, United States

²⁶ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(c) University Politehnica Bucharest, Bucharest; ^(d) West University in Timisoara, Timisoara, Romania

²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

²⁹ Department of Physics, Carleton University, Ottawa, ON, Canada

³⁰ CERN, Geneva, Switzerland

³¹ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States

³² ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³³ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; ^(f) Physics Department, Tsinghua University, Beijing 100084, China

³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

³⁵ Nevis Laboratory, Columbia University, Irvington, NY, United States

³⁶ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

³⁷ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

³⁸ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

³⁹ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

⁴⁰ Physics Department, Southern Methodist University, Dallas, TX, United States

⁴¹ Physics Department, University of Texas at Dallas, Richardson, TX, United States

⁴² DESY, Hamburg and Zeuthen, Germany

⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁴ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁵ Department of Physics, Duke University, Durham, NC, United States

⁴⁶ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy

⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland

⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵² II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁴ II. Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States

⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States

⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

⁶⁰ ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

⁶¹ Department of Physics, Indiana University, Bloomington, IN, United States

⁶² Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

⁶³ University of Iowa, Iowa City, IA, United States

⁶⁴ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States

⁶⁵ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

⁶⁶ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

⁶⁷ Graduate School of Science, Kobe University, Kobe, Japan

- ⁶⁸ Faculty of Science, Kyoto University, Kyoto, Japan
⁶⁹ Kyoto University of Education, Kyoto, Japan
⁷⁰ Department of Physics, Kyushu University, Fukuoka, Japan
⁷¹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷² Physics Department, Lancaster University, Lancaster, United Kingdom
⁷³ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁴ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁵ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁶ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁷ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁸ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁹ Louisiana Tech University, Ruston, LA, United States
⁸⁰ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸¹ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸² Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸³ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁴ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁵ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁶ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁷ Department of Physics, McGill University, Montreal, QC, Canada
⁸⁸ School of Physics, University of Melbourne, Victoria, Australia
⁸⁹ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁹⁰ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁹¹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹² B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹³ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹⁴ Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
⁹⁵ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁶ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁷ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁸ National Research Nuclear University MEPhI, Moscow, Russia
⁹⁹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰⁰ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰¹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰² Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰³ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁴ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁵ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁶ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁷ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁸ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹⁰ Department of Physics, New York University, New York, NY, United States
¹¹¹ Ohio State University, Columbus, OH, United States
¹¹² Faculty of Science, Okayama University, Okayama, Japan
¹¹³ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹⁴ Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹⁵ Palacký University, RCPMT, Olomouc, Czech Republic
¹¹⁶ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁷ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁸ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁹ Department of Physics, University of Oslo, Oslo, Norway
¹²⁰ Department of Physics, Oxford University, Oxford, United Kingdom
¹²¹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²² Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²³ Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²⁴ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁵ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁶ ^(a) Laboratorio de Instrumentacão e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁷ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁸ Czech Technical University in Prague, Praha, Czech Republic
¹²⁹ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹³⁰ State Research Center Institute for High Energy Physics, Protvino, Russia
¹³¹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³² Ritsumeikan University, Kusatsu, Shiga, Japan
¹³³ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁵ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
¹³⁶ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l’Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA – Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V – Agdal, Rabat, Morocco
¹³⁷ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l’Univers), CEA Saclay (Commissariat à l’Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
¹³⁸ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁹ Department of Physics, University of Washington, Seattle, WA, United States
¹⁴⁰ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴¹ Department of Physics, Shinshu University, Nagano, Japan
¹⁴² Fachbereich Physik, Universität Siegen, Siegen, Germany

- 143 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
 144 SLAC National Accelerator Laboratory, Stanford, CA, United States
 145 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 146 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 147 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
 148 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 149 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
 150 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 151 School of Physics, University of Sydney, Sydney, Australia
 152 Institute of Physics, Academia Sinica, Taipei, Taiwan
 153 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 154 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 155 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 156 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 157 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 158 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 159 Department of Physics, University of Toronto, Toronto, ON, Canada
 160 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
 161 Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
 162 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
 163 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
 164 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
 165 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 166 Department of Physics, University of Illinois, Urbana, IL, United States
 167 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 168 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 169 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 170 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 171 Department of Physics, University of Warwick, Coventry, United Kingdom
 172 Waseda University, Tokyo, Japan
 173 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 174 Department of Physics, University of Wisconsin, Madison, WI, United States
 175 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 176 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 177 Department of Physics, Yale University, New Haven, CT, United States
 178 Yerevan Physics Institute, Yerevan, Armenia
 179 Centre de Calcul de l’Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^c Also at Novosibirsk State University, Novosibirsk, Russia.

^d Also at TRIUMF, Vancouver, BC, Canada.

^e Also at Department of Physics, California State University, Fresno, CA, United States of America.

^f Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

^g Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

^h Also at Tomsk State University, Tomsk, Russia.

ⁱ Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

^j Also at Università di Napoli Parthenope, Napoli, Italy.

^k Also at Institute of Particle Physics (IPP), Canada.

^l Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

^m Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

ⁿ Also at Louisiana Tech University, Ruston, LA, United States of America.

^o Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

^p Also at Department of Physics, National Tsing Hua University, Taiwan.

^q Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States of America.

^r Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

^s Also at CERN, Geneva, Switzerland.

^t Also at Georgian Technical University (GTU), Tbilisi, Georgia.

^u Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.

^v Also at Manhattan College, New York, NY, United States of America.

^w Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

^x Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.

^y Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

^z Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.

^{aa} Also at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy.

^{ab} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

^{ac} Also at Section de Physique, Université de Genève, Geneva, Switzerland.

^{ad} Also at International School for Advanced Studies (SISSA), Trieste, Italy.

^{ae} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States of America.

^{af} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

^{ag} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.

^{ah} Also at National Research Nuclear University MEPhI, Moscow, Russia.

^{ai} Also at Department of Physics, Stanford University, Stanford, CA, United States of America.

- ^{aj} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{ak} Also at Department of Physics, Oxford University, Oxford, United Kingdom.
^{al} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States of America.
^{am} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.
^{an} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
* Deceased.