



Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration*



ARTICLE INFO

Article history:

Received 9 June 2016

Received in revised form 10 August 2016

Accepted 10 August 2016

Available online 16 August 2016

Editor: W.-D. Schlatter

ABSTRACT

This paper describes a measurement of the inclusive top quark pair production cross-section ($\sigma_{t\bar{t}}$) with a data sample of 3.2 fb^{-1} of proton–proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV, collected in 2015 by the ATLAS detector at the LHC. This measurement uses events with an opposite-charge electron–muon pair in the final state. Jets containing b -quarks are tagged using an algorithm based on track impact parameters and reconstructed secondary vertices. The numbers of events with exactly one and exactly two b -tagged jets are counted and used to determine simultaneously $\sigma_{t\bar{t}}$ and the efficiency to reconstruct and b -tag a jet from a top quark decay, thereby minimising the associated systematic uncertainties. The cross-section is measured to be:

$$\sigma_{t\bar{t}} = 818 \pm 8 \text{ (stat)} \pm 27 \text{ (syst)} \pm 19 \text{ (lumi)} \pm 12 \text{ (beam) pb},$$

where the four uncertainties arise from data statistics, experimental and theoretical systematic effects, the integrated luminosity and the LHC beam energy, giving a total relative uncertainty of 4.4%. The result is consistent with theoretical QCD calculations at next-to-next-to-leading order. A fiducial measurement corresponding to the experimental acceptance of the leptons is also presented.

© 2016 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

The top quark is the heaviest known fundamental particle, with a mass m_t which is much larger than any of the other quarks, and close to the scale of electroweak symmetry breaking. The study of its production and decay properties forms a core part of the LHC physics programme. At the LHC, top quarks are primarily produced in quark–antiquark pairs ($t\bar{t}$), and the precise prediction of the corresponding inclusive cross-section is sensitive to the gluon parton distribution function (PDF) and the top quark mass, and presents a substantial challenge for QCD calculational techniques. Physics beyond the Standard Model may also lead to an enhancement of the $t\bar{t}$ production rate.

Calculations of the $t\bar{t}$ production cross-section at hadron colliders are available at full next-to-next-to-leading-order (NNLO) accuracy in the strong coupling constant α_s , including the resummation of next-to-next-to-leading logarithmic (NNLL) soft gluon terms [1–5]. In this paper a reference value of 832^{+40}_{-46} pb at a centre-of-mass energy of $\sqrt{s} = 13$ TeV assuming $m_t = 172.5$ GeV is used, corresponding to a relative precision of $^{+4.8\%}_{-5.5\%}$. This value was calculated using the `top++ 2.0` program [6]. The combined

PDF and α_s uncertainties of ± 35 pb were calculated using the PDF4LHC prescription [7] with the MSTW2008 68% CL NNLO [8,9], CT10 NNLO [10,11] and NNPDF2.3 5f FFN [12] PDF sets, and added in quadrature to the factorisation and renormalisation scale uncertainty of $^{+20}_{-29}$ pb. The cross-section at $\sqrt{s} = 13$ TeV is predicted to be 3.3 times larger than the cross-section at $\sqrt{s} = 8$ TeV.

Measurements of $\sigma_{t\bar{t}}$ have been made at $\sqrt{s} = 7$ and 8 TeV by both ATLAS [13–15] and CMS [16–18]. The most precise ATLAS measurements of $\sigma_{t\bar{t}}$ at these collision energies were made using events with an opposite-charge electron and muon pair and additional b -tagged jets [13]. This paper documents a measurement of $\sigma_{t\bar{t}}$ at $\sqrt{s} = 13$ TeV using the same final state and analysis technique. Wherever possible, the analysis builds on the studies and procedures used in the earlier publication [13]. A fiducial measurement determining the cross-section in the region corresponding to the experimental lepton acceptance is also presented.

The data and Monte Carlo simulation samples are described in Section 2, followed by the object and event selection in Section 3 and the method for determining the $t\bar{t}$ cross-section in Section 4. The evaluation of backgrounds is discussed in Section 5 and the systematic uncertainties in Section 6. Finally, the results and conclusions are given in Section 7.

* E-mail address: atlas.publications@cern.ch.

Table 1

Summary of Monte Carlo samples used to model the signal and background processes. The ‘Calculation’ column corresponds to the order of the matrix element calculation in the Monte Carlo generator.

Process	Generator + parton shower	Calculation
$t\bar{t}$	POWHEG-BOX v2 + PYTHIA6 POWHEG-BOX v2 + HERWIG++ MADGRAPH5_AMC@NLO + HERWIG++	NLO
Wt single top	POWHEG-BOX v1 + PYTHIA6 POWHEG-BOX v1 + HERWIG++	NLO
Z + jets	SHERPA 2.1.1	NLO (up to two partons)
Diboson	SHERPA 2.1.1	NLO (up to two partons)
t-channel single top	POWHEG + PYTHIA8	NLO
W + jets	POWHEG-BOX v1 + PYTHIA6	NLO
$t\bar{t} + W/Z$	MADGRAPH + PYTHIA8	LO

2. Data and simulation samples

The analysis is performed using the full 2015 proton–proton (pp) collision data sample at $\sqrt{s} = 13$ TeV with 25 ns bunch spacing recorded by the ATLAS detector [19,20]. The data correspond to an integrated luminosity of 3.2 fb^{-1} after requiring stable LHC beams and that all detector subsystems were operational. Events are required to pass either a single-electron or single-muon trigger, with thresholds set to be almost fully efficient for leptons with transverse momentum $p_T > 25$ GeV passing offline selections. Each event includes the signals from on average about 14 additional inelastic pp collisions in the same bunch crossing (known as pile-up).

Monte Carlo simulated event samples are used to optimise the analysis, to compare to the data, and to evaluate signal and background efficiencies and uncertainties. The samples used in the analysis are summarised in Table 1. The main $t\bar{t}$ signal and background samples were processed through the ATLAS detector simulation [21] based on GEANT4 [22]. Some of the systematic uncertainties were studied using alternative $t\bar{t}$ samples processed through a faster simulation making use of parameterised showers in the calorimeters [23]. Additional simulated pp collisions generated with PYTHIA8.186 [24] were overlaid to model the effects from additional collisions in the same and nearby bunch crossings. All simulated events were processed using the same reconstruction algorithms and analysis chain as the data, and small corrections were applied to lepton trigger and reconstruction efficiencies and resolutions to improve the agreement with the response observed in data.

The baseline $t\bar{t}$ simulation sample was produced at next-to-leading order (NLO) in QCD using the matrix-element generator POWHEG-BOX v2 [25–27] with CT10 PDFs [10], interfaced to PYTHIA6 [28] with the Perugia 2012 set of tuned parameters (tune) [29] for parton shower, fragmentation and underlying event modelling. The h_{damp} parameter, which gives a cutoff scale for the first gluon emission, was set to m_t , a value which was chosen to give good modelling of the $t\bar{t}$ system p_T at $\sqrt{s} = 7$ TeV [30]. The EvtGEN [31] package was used to better simulate the decay of heavy-flavour hadrons.

Alternative $t\bar{t}$ simulation samples were generated using POWHEG interfaced to HERWIG++ [32], and MADGRAPH5_AMC@NLO [33] interfaced to HERWIG++. The effects of initial- and final-state radiation were explored using two alternative POWHEG + PYTHIA6 samples: one with h_{damp} set to $2m_t$, the factorisation and renormalisation scale varied by a factor of 0.5 and using the Perugia 2012 radHi tune, giving more parton shower radiation; and a second one with the Perugia 2012 radLo tune, $h_{\text{damp}} = m_t$ and the factorisation and renormalisation scale varied by a factor of 2, giving less parton shower radiation. The samples were simulated

following the recommendations documented in Ref. [34]. The top quark mass was set to 172.5 GeV in all these simulation samples and the $t \rightarrow Wb$ branching fraction to 100%.

Backgrounds in this measurement are classified into two types: those with two real prompt leptons from W or Z decays (including those produced via leptonic decays of τ -leptons), and those where at least one of the reconstructed lepton candidates is ‘fake’, i.e. a non-prompt lepton produced from the decay of a bottom or charm hadron, an electron arising from a photon conversion, a jet misidentified as an electron, or a muon produced from an in-flight decay of a pion or kaon. Backgrounds containing two real prompt leptons include single-top production in association with a W boson (Wt), $Z + \text{jets}$ production with $Z \rightarrow \tau\tau \rightarrow e\mu$, and diboson production (WW , WZ and ZZ) where both bosons decay leptonically.

The dominant Wt single-top background was modelled using POWHEG-BOX v1 + PYTHIA6 with the CT10 PDFs and the Perugia 2012 tune, using the ‘diagram removal’ generation scheme [35]. The $Z + \text{jets}$ background was modelled using SHERPA 2.1.1 [36]: matrix elements (ME) were calculated for up to two partons at NLO and four partons at leading order using the COMIX [37] and OPENLOOPS [38] matrix-element generators and merged with the SHERPA parton shower (PS) using the ME + PS@NLO [39] prescription; the CT10 PDF set was used in conjunction with dedicated parton shower tuning in SHERPA. Diboson production with additional jets was also simulated using SHERPA 2.1.1 and CT10 PDFs as described above; the four-lepton final state, the three-lepton final state with two different-flavour leptons, and the two-lepton final state were simulated to cover ZZ , ZW and WW production, and include off-shell Z/γ^* contributions. Same-charge WW production from QCD and electroweak processes was included. Alternative Wt and diboson simulation samples were generated using POWHEG + HERWIG++ and POWHEG + PYTHIA8, respectively, to estimate the background modelling uncertainties.

The majority of the background with at least one fake lepton in the selected sample arises from $t\bar{t}$ production where only one of the W bosons from the top quarks decays leptonically, which was simulated as discussed earlier. Other processes with one real lepton which can contribute to this background include the t -channel single-top production, modelled using Powheg-Box v1 + PYTHIA6, and $W + \text{jets}$ with the W decaying to $e\nu$, $\mu\nu$ or $\tau\nu$ where the τ -lepton subsequently decays leptonically. This background was modelled using Powheg-Box v2 + PYTHIA8 with the CT10 PDFs. The small expected contribution from $t\bar{t}$ in association with a W or Z boson to the same-charge $e\mu$ sample used for background estimation was modelled using MADGRAPH + PYTHIA8 [40]. Other backgrounds, including processes with two misidentified leptons, are negligible.

3. Object and event selection

This measurement makes use of reconstructed electrons, muons and b -tagged jets. The object and event selections largely follow those used in the earlier publication; in particular the same kinematic cuts are used for electrons and jets, and very similar ones are used for muons.

Electron candidates are reconstructed from an isolated electromagnetic calorimeter energy deposit matched to a track in the inner detector and passing a medium likelihood-based requirement [41,42], within the fiducial region of transverse energy $E_T > 25$ GeV and pseudorapidity¹ $|\eta| < 2.47$. Candidates within the transition region between the barrel and endcap electromagnetic calorimeters, $1.37 < |\eta| < 1.52$, are removed. The electron candidates must satisfy requirements on the transverse impact parameter significance calculated with respect to the beamline of $|d_0|/\sigma_{d_0} < 5$ and on the longitudinal impact parameter calculated with respect to the primary vertex of $|\Delta z_0 \sin \theta| < 0.5$ mm. The primary vertex is defined as the one with the highest sum of p_T^2 of tracks associated to it. Electrons are required to be isolated using requirements on the calorimeter energy in a cone of size $\Delta R < 0.2$ around the electron (excluding the deposit from the electron itself) divided by the electron p_T , and on the sum of track p_T in a variable-size cone around the electron direction (again excluding the electron track itself). The track isolation cone size is given by the smaller of $\Delta R = 10$ GeV/ $p_T(e)$ and $\Delta R = 0.2$, *i.e.* a cone which increases in size at low p_T up to a maximum of 0.2. Selection criteria, dependent on p_T and η , are applied to produce a nominal efficiency of 95% for electrons from $Z \rightarrow ee$ decays with p_T of 25 GeV which rises to 99% at 60 GeV. The efficiencies in $t\bar{t}$ events are smaller, due to the increased jet activity. To prevent double-counting of electron energy deposits as jets, the closest jet with $\Delta R < 0.2$ of a reconstructed electron is removed. Finally, if the nearest jet surviving the above selection is within $\Delta R = 0.4$ of the electron, the electron is discarded, to ensure it is sufficiently separated from nearby jet activity.

Muon candidates are reconstructed by combining matching tracks reconstructed in both the inner detector and muon spectrometer, and are required to satisfy $p_T > 25$ GeV and $|\eta| < 2.4$ [43]. Muons are also required to be isolated, using requirements similar to those for electrons, with the selection criteria tuned to give similar efficiencies for $Z \rightarrow \mu\mu$ events. The muon candidates must satisfy the requirements on the transverse impact parameter significance and on the longitudinal impact parameter of $|d_0|/\sigma_{d_0} < 3$ and $|\Delta z_0 \sin \theta| < 0.5$ mm, respectively. To reduce the background from muons from heavy-flavour decays inside jets, muons are removed if they are separated from the nearest jet by $\Delta R < 0.4$. However, if this jet has fewer than three associated tracks, the muon is kept and the jet is removed instead; this avoids an inefficiency for high-energy muons undergoing significant energy loss in the calorimeter.

Jets are reconstructed using the anti- k_t algorithm [44,45] with radius parameter $R = 0.4$, starting from topological clusters of deposited energy in the calorimeters. Jets are calibrated using an energy- and η -dependent simulation-based calibration scheme with corrections derived from data. No corrections for semileptonic b -hadron decays are applied. Jets are accepted within the fiducial

region $p_T > 25$ GeV and $|\eta| < 2.5$. To reduce the contribution from jets associated with pile-up, jets with $p_T < 50$ GeV and $|\eta| < 2.4$ are required to pass a pile-up rejection veto [46].

Jets are b -tagged as likely to contain b -hadrons using the MV2c20 algorithm [47], a multivariate discriminant making use of track impact parameters and reconstructed secondary vertices and tuned with the new detector configuration, *i.e.* including the Insertable B-Layer detector (IBL) [20]. Jets are defined as being b -tagged if the MV2c20 weight is larger than a threshold value corresponding to approximately 70% b -tagging efficiency for b -jets in $t\bar{t}$ events, although the exact efficiency varies with p_T . In simulation, the tagging algorithm gives a rejection factor of about 440 against light-quark and gluon jets, and about 8 against jets originating from charm quarks. The improvements of a factor of three in the light-quark rejection and of 60% in the charm-quark rejection compared to the b -tagging algorithm used in Ref. [13] originate from the gain in track impact parameter resolution from the IBL, and improvements in the track reconstruction and b -tagging algorithms [47].

Events are rejected if the selected electron and muon are separated by $\Delta\phi < 0.15$ rad and $\Delta\theta < 0.15$ rad, where $\Delta\phi$ and $\Delta\theta$ are the differences in polar and azimuthal angles between the two leptons. This requirement rejects events where a muon undergoes significant energy loss in the electromagnetic calorimeter, thus leading to a reconstructed electron candidate. Events passing the above requirements, and having exactly one selected electron and one selected muon of opposite electric charge sign (OS), define the $e\mu$ preselected sample. The corresponding same-sign (SS) sample is used in the estimation of background from events with misidentified leptons. Events are then further classified into those with exactly one or exactly two b -tagged jets.

4. Extraction of the $t\bar{t}$ cross-section

The $t\bar{t}$ cross-section is measured in the dileptonic $e\mu$ channel, where one top quark decays as $t \rightarrow Wb \rightarrow evb$ and the other as $t \rightarrow Wb \rightarrow \mu vb$.² The final states from leptonic τ decays are also included. As in Ref. [13], $\sigma_{t\bar{t}}$ is determined by counting the numbers of opposite-sign $e\mu$ events with exactly one (N_1) and exactly two (N_2) b -tagged jets, ignoring any jets that are not b -tagged which may be present, due to *e.g.* light-quark or gluon jets from QCD radiation or b -jets from top quark decays which are not b -tagged. The two event counts can be expressed as:

$$\begin{aligned} N_1 &= L\sigma_{t\bar{t}} \epsilon_{e\mu} 2\epsilon_b (1 - C_b \epsilon_b) + N_1^{\text{bkg}} \\ N_2 &= L\sigma_{t\bar{t}} \epsilon_{e\mu} C_b \epsilon_b^2 + N_2^{\text{bkg}} \end{aligned} \quad (1)$$

where L is the integrated luminosity of the sample and $\epsilon_{e\mu}$ the efficiency for a $t\bar{t}$ event to pass the opposite-sign $e\mu$ preselection. The combined probability for a jet from the quark q in the $t \rightarrow Wq$ decay to fall within the acceptance of the detector, be reconstructed as a jet with transverse momentum above the selection threshold, and be tagged as a b -jet, is denoted by ϵ_b . If the decays of the two top quarks and the subsequent reconstruction of the two b -tagged jets are completely independent, the probability to tag both b -jets ϵ_{bb} is given by $\epsilon_{bb} = \epsilon_b^2$. In practice, small correlations are present for kinematic and instrumental reasons, and these are taken into account via the tagging correlation coefficient C_b , defined as $C_b = \epsilon_{bb}/\epsilon_b^2$ or equivalently $C_b = 4N_{e\mu}^{t\bar{t}} N_2^{t\bar{t}} / (N_1^{t\bar{t}} + 2N_2^{t\bar{t}})^2$, where $N_{e\mu}^{t\bar{t}}$ is the number of preselected $e\mu$ $t\bar{t}$ events and $N_1^{t\bar{t}}$ and $N_2^{t\bar{t}}$ are the numbers of events

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

² This notation indicates the leptonic decay of both t and \bar{t} . Charge-conjugate modes are implied unless otherwise stated.

Table 2

Observed numbers of opposite-sign $e\mu$ events with one and two b -tagged jets (N_1 and N_2), together with the estimates of non- $t\bar{t}$ backgrounds and associated systematic uncertainties. Uncertainties quoted as 0 are < 0.5 .

Event counts	N_1	N_2
Data	11958	7069
Single top	1140 ± 100	221 ± 68
Diboson	34 ± 11	1 ± 0
$Z(\rightarrow \tau\tau \rightarrow e\mu) + \text{jets}$	37 ± 18	2 ± 1
Misidentified leptons	164 ± 65	116 ± 55
Total background	1370 ± 120	340 ± 88

with one and two b -tagged jets. Background from sources other than $t\bar{t} \rightarrow e\mu\nu\bar{b}\bar{b}$ also contributes to the event counts N_1 and N_2 , and is given by the background terms N_1^{bkg} and N_2^{bkg} . The preselection efficiency $\epsilon_{e\mu}$ and tagging correlation C_b are taken from $t\bar{t}$ event simulation and are about 0.83% and 1.002, respectively, and the background contributions N_1^{bkg} and N_2^{bkg} are estimated using a combination of simulation and data-based methods as described in Section 5, allowing the two equations (1) to be solved yielding $\sigma_{t\bar{t}}$ and ϵ_b by minimising a likelihood function.

In the method to measure the $t\bar{t}$ cross-section outlined above, some of the largest systematic uncertainties come from the use of simulation to estimate the preselection efficiency $\epsilon_{e\mu}$. This efficiency can be factorised into the product of two terms: $\epsilon_{e\mu} = A_{e\mu}G_{e\mu}$. The acceptance $A_{e\mu}$ represents the fraction of $t\bar{t}$ events that have a true $e\mu$ pair within the detector acceptance ($p_T > 25$ GeV and $|\eta| < 2.5$) and it is about 2.7% (2.3% excluding τ decays). The term $G_{e\mu}$ represents the ratio of reconstructed $t\bar{t}$ events to $t\bar{t}$ events with a true $e\mu$ pair within the fiducial region, where the numerator includes the approximately 2% of reconstructed $t\bar{t}$ events where one or both leptons have true $p_T < 25$ GeV. The fiducial cross-section $\sigma_{t\bar{t}}^{\text{fid}}$ is defined as $\sigma_{t\bar{t}}^{\text{fid}} = A_{e\mu}\sigma_{t\bar{t}}$, avoiding the systematic uncertainties associated with the extrapolation from the measured lepton phase space to the full phase space, and measured following the same technique as in Ref. [13]. The contribution of $t\bar{t}$ events produced in the fiducial region with at least one lepton originating via $W \rightarrow \tau \rightarrow l$ decay is estimated from simulation to be $12.2 \pm 0.1\%$.

A total of 30879 data events passed the $e\mu$ opposite-sign pre-selection. Table 2 shows the number of events with one and two b -tagged jets, together with the estimates of non- $t\bar{t}$ background and their systematic uncertainties discussed below. The ratio of b -tagged events to preselected events (before b -tagging) is higher for 13 TeV than at 7 and 8 TeV due to the larger increase of the $t\bar{t}$ cross-section with \sqrt{s} compared with the $Z + \text{jets}$ and diboson background cross-sections. In simulation, the sample with one b -tagged jet is expected to be about 89% pure in $t\bar{t}$ events, with the dominant background originating from Wt single-top production, and smaller contributions from events with misidentified leptons, $Z + \text{jets}$ and dibosons. The sample with two b -tagged jets is expected to be about 96% pure in $t\bar{t}$ events, with Wt production again being the dominant background.

The distribution of the number of b -tagged jets in opposite-sign $e\mu$ events is shown in Fig. 1, and compared to the baseline and alternative $t\bar{t}$ and background simulation samples. The $t\bar{t}$ contribution is normalised to the theoretical $t\bar{t}$ cross-section prediction at $\sqrt{s} = 13$ TeV of 832 pb. The agreement between data and simulation in the one and two b -tagged bins used for the cross-section measurement is good. However, the data has about 40% more events with three or more b -tags than the baseline simulation, indicating a mismodelling of events with $t\bar{t}$ produced in association with additional heavy-flavour jets, as discussed further




Fig. 1. Distribution of the number of b -tagged jets in preselected opposite-sign $e\mu$ events. The data are shown compared to the prediction from simulation, broken down into contributions from $t\bar{t}$ (using the baseline Powheg + PYTHIA6 sample), Wt single top, $Z + \text{jets}$, dibosons, and events with fake electrons or muons, normalised to the same integrated luminosity as the data. The lower part of the figure shows the ratio of simulation to data, using various $t\bar{t}$ signal samples, and the shaded band indicates the statistical uncertainty. The $t\bar{t}$ contribution is normalised to the theoretical $t\bar{t}$ cross-section prediction at $\sqrt{s} = 13$ TeV of 832 pb.

in Section 6. There is also an approximately 11% excess of data over simulation for events with zero b -tagged jets which does not affect the measurement, and is compatible with the expected uncertainties in modelling WW [48] and $Z + \text{jets}$ production. Distributions of the number of jets, the jet p_T , and the electron and muon $|\eta|$ and p_T are shown for opposite-sign $e\mu$ events with at least one b -tagged jet in Fig. 2, where the simulation is normalised to the same number of events as the data. In general, the data and simulation agree well.

5. Background estimation

Most background contributions are estimated from simulation. The Wt single-top background is normalised to the approximate NNLO cross-section of 71.7 ± 3.8 pb, determined as in Ref. [49]. The diboson background normalisation is estimated using SHERPA as discussed in Section 2. The normalisation of the $Z + \text{jets}$ background, originating from events with a $Z \rightarrow \tau\tau \rightarrow e\mu$ decay accompanied by one or two b -tagged jets, is determined by scaling the SHERPA simulation with scale factors obtained in $Z \rightarrow ee$ and $Z \rightarrow \mu\mu$ events as described in Section 6.

The background from events with one real and one misidentified lepton is estimated from a combination of data and simulation, using the method employed in Ref. [13]. Simulation studies show that the samples with a same-sign $e\mu$ pair and one or two b -tagged jets are dominated by events with a misidentified lepton, with rates comparable to those in the opposite-sign sample. The contributions of events with misidentified leptons are therefore estimated using the same-sign event counts in data after subtraction of the estimated prompt same-sign contributions, multiplied by the opposite- to same-sign fake-lepton ratios R_j for $j = 1$ and 2 b -tagged jets predicted from simulation. The results are shown in Table 2 and the procedure is illustrated in Table 3, which shows the expected breakdown of same-sign event counts in terms of prompt-lepton and misidentified-lepton events, and the corresponding predictions for misidentified leptons in the




Fig. 2. Distributions of (a) the number of jets, (b) the transverse momentum p_T of the b -tagged jets, (c) the $|\eta|$ of the electron, (d) the p_T of the electron, (e) the $|\eta|$ of the muon and (f) the p_T of the muon, in events with an opposite-sign $e\mu$ pair and at least one b -tagged jet. The data are compared to the prediction from simulation, broken down into contributions from $t\bar{t}$ (using the baseline POWHEG + PYTHIA6 sample), single top, $Z + \text{jets}$, dibosons, and events with fake electrons or muons, normalised to the same number of entries as the data. The lower parts of the figures show the ratios of simulation to data, using various $t\bar{t}$ signal samples, and with the shaded band indicating the statistical uncertainty. The last histogram bin includes the overflow.

opposite-sign sample with all contributions estimated from simulation. The misidentified-lepton contributions are classified into those where the electron is from a photon conversion, from the decay of a heavy-flavour hadron or from other sources (e.g. a

misidentified hadron within a jet), or the muon is from a heavy-flavour decay or other sources (e.g. a pion or kaon decay). The values of R_j are taken to be $R_1 = 1.55 \pm 0.50$ and $R_2 = 1.99 \pm 0.82$, where the central values are taken from ratios of the total numbers

Table 3

The expected numbers of events with at least one misidentified lepton in the one- and two- b -tag opposite- and same-sign $e\mu$ samples, broken down into different categories as described in the text. For the same-sign samples, the contributions from wrong-sign (where the electron charge sign is misreconstructed) and right-sign prompt lepton events are also shown, and the total expected numbers of events are compared to the data. The uncertainties are due to simulation statistics, and numbers quoted as ‘0.0’ are smaller than 0.05.

Component	OS 1b	SS 1b	OS 2b	SS 2b
Conversion e	113 ± 5	83 ± 5	60 ± 3	33.3 ± 1.7
Heavy-flavour e	11.0 ± 1.8	9.8 ± 0.9	1.1 ± 0.3	0.9 ± 0.3
Other e	15 ± 13	0.4 ± 0.2	3.3 ± 1.9	0.2 ± 0.1
Heavy-flavour μ	9.5 ± 0.9	5.6 ± 0.7	1.9 ± 0.4	0.5 ± 0.2
Other μ	3.4 ± 0.5	0.3 ± 0.2	2.7 ± 0.5	0.0 ± 0.0
Total misidentified	151 ± 14	99 ± 5	69 ± 4	35 ± 2
Wrong-sign prompt	–	30.0 ± 1.6	–	16.0 ± 1.1
Right-sign prompt	–	11.8 ± 0.5	–	4.4 ± 0.2
Total	–	141 ± 6	–	55 ± 2
Data	–	149	–	79

of misidentified-lepton events in opposite- and same-sign samples. The uncertainties encompass the different values of R_j predicted for the various sub-components of the misidentified-lepton

background separately, allowing the background composition to be significantly different from that predicted by simulation, where it is dominated by electrons from photon conversions, followed by electrons and muons from the decays of heavy-flavour hadrons. A 50% uncertainty is assigned to the prompt same-sign contribution, which includes events where the charge of the electron was misidentified (denoted by wrong-sign prompt in Table 3) or right-sign with two genuine same-sign leptons (e.g. from $t\bar{t}W/Z$ production). The largest uncertainties in the misidentified-lepton background come from the uncertainties in R_j .

The modelling in simulation of the different components of the misidentified-lepton background is checked by studying kinematic distributions of same-sign events, as illustrated for the p_T and $|\eta|$ distributions of the leptons in events with at least one b -tagged jet in Fig. 3. The simulation models the shapes of the distributions well, but underestimates the number of data events with two b -tagged jets by about 40%, as shown in Table 3. This deficit in simulation is attributed to a larger rate of misidentified-lepton events in data, which increases the estimate of misidentified leptons in the opposite-sign two- b -tag sample accordingly. The modelling is also checked in same-sign control samples with relaxed isolation cuts, enhancing the contributions of heavy-flavour decays, and similar levels of agreement were found, giving confidence that




Fig. 3. Distributions of electron and muon $|\eta|$ and p_T in same-sign $e\mu$ events with at least one b -tagged jet. The simulation prediction is normalised to the same integrated luminosity as the data, and broken down into contributions where both leptons are prompt, or one is a misidentified lepton from a photon conversion or heavy-flavour decay. In the p_T distributions, the last bin includes the overflow.

Table 4

Summary of the systematic uncertainties in $\epsilon_{e\mu}$, $G_{e\mu}$ and C_b (with their relative signs where relevant), and the statistical, systematic, luminosity and beam energy uncertainties in the measured $t\bar{t}$ cross-section $\sigma_{t\bar{t}}$ at $\sqrt{s} = 13$ TeV. All uncertainties from the inclusive cross-section measurement apply to the fiducial measurement; in the lower part of the table only the systematic uncertainties that are different for the measurement of the fiducial cross-section $\sigma_{t\bar{t}}^{\text{fid}}$ are given, together with the total analysis systematic uncertainties and total uncertainties in $\sigma_{t\bar{t}}^{\text{fid}}$. Uncertainties quoted as ‘0.0’ are smaller than 0.05%, whilst ‘–’ indicates that the corresponding uncertainty is not applicable.

Uncertainty (inclusive $\sigma_{t\bar{t}}$)	$\Delta\epsilon_{e\mu}/\epsilon_{e\mu}$ [%]	$\Delta C_b/C_b$ [%]	$\Delta\sigma_{t\bar{t}}/\sigma_{t\bar{t}}$ [%]
Data statistics			0.9
$t\bar{t}$ NLO modelling	0.7	–0.1	0.8
$t\bar{t}$ hadronisation	–2.4	0.4	2.8
Initial- and final-state radiation	–0.3	0.1	0.4
$t\bar{t}$ heavy-flavour production	–	0.4	0.4
Parton distribution functions	0.5	–	0.5
Single-top modelling	–	–	0.3
Single-top/ $t\bar{t}$ interference	–	–	0.6
Single-top Wt cross-section	–	–	0.5
Diboson modelling	–	–	0.1
Diboson cross-sections	–	–	0.0
$Z + \text{jets}$ extrapolation	–	–	0.2
Electron energy scale/resolution	0.2	0.0	0.2
Electron identification	0.3	0.0	0.3
Electron isolation	0.4	–	0.4
Muon momentum scale/resolution	–0.0	0.0	0.0
Muon identification	0.4	0.0	0.4
Muon isolation	0.2	–	0.3
Lepton trigger	0.1	0.0	0.2
Jet energy scale	0.3	0.1	0.3
Jet energy resolution	–0.1	0.0	0.2
b -tagging	–	0.1	0.3
Misidentified leptons	–	–	0.6
Analysis systematics	2.7	0.6	3.3
Integrated luminosity	–	–	2.3
LHC beam energy	–	–	1.5
Total uncertainty	2.7	0.6	4.4
Uncertainty (fiducial $\sigma_{t\bar{t}}^{\text{fid}}$)	$\Delta G_{e\mu}/G_{e\mu}$ [%]	$\Delta C_b/C_b$ [%]	$\Delta\sigma_{t\bar{t}}^{\text{fid}}/\sigma_{t\bar{t}}^{\text{fid}}$ [%]
$t\bar{t}$ NLO modelling	0.5	–0.1	0.6
$t\bar{t}$ hadronisation	–1.6	0.4	1.9
Parton distribution functions	0.1	–	0.1
Other uncertainties (as above)	0.8	0.4	1.5
Analysis systematics ($\sigma_{t\bar{t}}^{\text{fid}}$)	1.8	0.6	2.5
Total uncertainty ($\sigma_{t\bar{t}}^{\text{fid}}$)	1.8	0.6	3.9

the simulation adequately models the different sources of misidentified leptons in the selected sample.

6. Systematic uncertainties

The systematic uncertainties in the extracted cross-sections, $\sigma_{t\bar{t}}$ and $\sigma_{t\bar{t}}^{\text{fid}}$, are shown in Table 4, together with their effects (where relevant) on the $t\bar{t}$ preselection efficiency $\epsilon_{e\mu}$, tagging correlation C_b and reconstruction efficiency $G_{e\mu}$. Each source of uncertainty is evaluated by repeating the cross-section extraction with all relevant input parameters simultaneously changed by ± 1 standard deviation. Correlations between input parameters (in particular significant anti-correlations between $\epsilon_{e\mu}$ and C_b which contribute with opposite signs to $\sigma_{t\bar{t}}$) are thus taken into account. The total uncertainties are calculated by adding the effects of all the individual systematic components in quadrature, assuming them to be independent. The sources of systematic uncertainty are discussed in detail below.

$t\bar{t}$ modelling: The modelling uncertainties in $\epsilon_{e\mu}$ and C_b due to the choice of $t\bar{t}$ generator are assessed by comparing the predictions of the baseline PowHEG + PYTHIA6 sam-

ple with the various alternative samples discussed in Section 2. Three separate uncertainties are considered: the NLO generator uncertainty (evaluated by considering the relative difference between MADGRAPH5_AMC@NLO + HERWIG++ and PowHEG + HERWIG++), the parton shower and hadronisation uncertainty (evaluated by considering the relative difference between PowHEG + PYTHIA6 and PowHEG + HERWIG++), and the radiation uncertainty (evaluated by considering half the relative difference between the PowHEG + PYTHIA6 samples with more or less radiation). The prediction for $\epsilon_{e\mu}$ is found to be particularly sensitive to the amount of hadronic activity near the leptons, which strongly affects the efficiency of the lepton isolation requirements described in Section 3. These isolation efficiencies are therefore measured directly from data, as discussed below, and thus no modelling uncertainty is considered for the lepton isolation. Motivated by the level of agreement for events with at least three b -tags seen in Fig. 1, an additional uncertainty in C_b is determined by calculating in data and simulation the ratio R_{32} of the number of events with at least three

b -tagged jets to the number with at least two. The baseline simulation sample is reweighted to change the fraction of events with at least three b -jets at generator level, which effectively changes the $t\bar{t}$ plus heavy-flavour fraction and the values of both C_b and R_{32} . A linear relation between changes in C_b and R_{32} is found, and used to translate the difference between the R_{32} values found in data ($3.1 \pm 0.2\%$) and simulation ($2.21 \pm 0.05\%$) to a shift in C_b of 0.39%. This shift is treated as an additional uncertainty in C_b due to the modelling of heavy-flavour production in $t\bar{t}$ events, uncorrelated to the NLO, hadronisation and radiation uncertainties discussed above.

Parton distribution functions: The uncertainties in $\epsilon_{e\mu}$ and C_b due to limited knowledge of the proton PDFs are evaluated by reweighting simulated events produced with MADGRAPH5_AMC@NLO using the error sets of the NNPDF 3.0 PDF sets [50]. The eigenvectors consist of a central PDF and 100 Monte Carlo replicas, for which the root mean square was taken to calculate the uncertainty. The MADGRAPH5_AMC@NLO sample was produced with CT10; therefore the cross-section was corrected for the relative difference between the central prediction of CT10 and NNPDF 3.0, which is about 1%. The uncertainty using the PDF4LHC Run-2 recommendations with 100 eigenvectors [51] is very similar to that obtained with NNPDF 3.0.

Single-top modelling: The uncertainties related to Wt single-top modelling are assessed by comparing the predictions of POWHEG + PYTHIA6 and POWHEG + HERWIG++ and considering the relative difference, comparing the diagram removal and diagram subtraction schemes for dealing with the interference between the $t\bar{t}$ and Wt final states, and also considering half the relative difference between the POWHEG + PYTHIA6 samples with more or less radiation. Production of single top quarks via the t - and s -channels gives rise to final states with only one prompt lepton, and is accounted for as part of the misidentified-lepton background.

Diboson modelling: The uncertainties in the background contributions from dibosons with one or two additional b -tagged jets were assessed by comparing the baseline prediction from SHERPA with that of POWHEG + PYTHIA8. These uncertainties have a limited effect on the cross-section measurement due to the small number of diboson background events.

Background cross-sections: The uncertainties in the Wt single-top and diboson cross-sections are taken to be 5.3% [49] and 6% [52], based on the corresponding theoretical predictions.

Z + jets extrapolation: The cross-sections for $Z +$ jets and especially $Z +$ heavy-flavour jets are subject to large theoretical uncertainties, making purely simulation-based estimates unreliable. This background was therefore determined by measuring the rates of $Z \rightarrow ee$ and $Z \rightarrow \mu\mu$ events with one and two b -tagged jets in both data and simulation, and using the resulting ratio to scale the simulation estimate of background from $Z \rightarrow \tau\tau +$ jets. The $Z +$ jets background prediction from simulation was scaled by 1.1 for the background with one b -tagged jet and by 1.2 for the background with two b -tagged jets. A 50% uncertainty was applied to the $Z +$ jets contributions which cover the differences observed on the event yields comparing $Z +$ jets SHERPA vs POWHEG + PYTHIA8.

Lepton-related uncertainties: The modelling of the electron and muon trigger efficiencies, identification efficiencies, energy scales and resolutions are studied using $Z \rightarrow ee$ and

$Z \rightarrow \mu\mu$ decays in data and simulation. Small corrections are applied to the simulation to improve the agreement with the response observed in data. These corrections have associated uncertainties that are propagated to the cross-section measurement. The uncertainty in the trigger efficiency is small compared to those for electron or muon identification since most events are triggered redundantly by both leptons. The efficiency of the lepton isolation requirements was measured directly in data $t\bar{t}$ events, thus including the effects of pile-up, by relaxing the cuts alternately on electrons and muons as in Ref. [13]. The results, after the correction for the contamination from misidentified leptons estimated using the same-sign $e\mu$ samples as described in Section 5, showed that the baseline POWHEG + PYTHIA6 simulation overestimates the efficiencies of the isolation requirements by about 0.2% for both the electrons and muons. These corrections were applied to $\epsilon_{e\mu}$ and the corresponding uncertainties are dominated by the subtraction of misidentified leptons.

Jet-related uncertainties: Although the efficiency to reconstruct and b -tag jets from $t\bar{t}$ events is extracted from the data, uncertainties in the jet energy scale, energy resolution and reconstruction efficiency affect the backgrounds estimated from simulation and the estimate of the tagging correlation C_b . They also have a small effect on $\epsilon_{e\mu}$ via the lepton-jet ΔR separation cuts. The jet energy scale is varied in simulation according to the uncertainties derived from the $\sqrt{s} = 8$ TeV simulation and data calibration, extrapolated to $\sqrt{s} = 13$ TeV [53]. The uncertainties are evaluated using a model with 19 separate orthogonal components and the resulting variations were added in quadrature. The jet energy resolution uncertainty is also assessed using $\sqrt{s} = 8$ TeV data, and extrapolated to $\sqrt{s} = 13$ TeV.

b-tagging uncertainties: The correlation factor C_b depends weakly on the b -tagging and mistagging efficiencies predicted by the simulation, as it is evaluated from the numbers of events with one and two b -tagged jets. The uncertainties are determined from $\sqrt{s} = 8$ TeV data, with additional uncertainties to account for the presence of the newly-installed insertable B-layer detector (IBL) [20] and the extrapolation to $\sqrt{s} = 13$ TeV. Since the definition of $\epsilon_{e\mu}$ does not involve b -tagged jets, it has no b -tagging or mistagging-related uncertainties.

Misidentified leptons: The uncertainties in the number of events with misidentified leptons in the one and two b -tagged samples are derived from the statistical uncertainties in the numbers of same-sign lepton events, the systematic uncertainties in the opposite- to same-sign ratios R_j , and the uncertainties in the numbers of prompt same-sign events, as discussed in detail in Section 5.

Integrated luminosity: The uncertainty in the integrated luminosity is 2.1%. It is derived, following a methodology similar to that detailed in Ref. [54], from a calibration of the luminosity scale using x - y beam-separation scans performed in August 2015. The effect on the cross-section measurement is slightly larger than 2.1% because the Wt single-top and diboson backgrounds are evaluated from simulation, so they are also sensitive to the assumed integrated luminosity.

LHC beam energy: The LHC beam energy during the 2012 pp run was calibrated to be $0.30 \pm 0.66\%$ smaller than the nominal value of 4 TeV per beam, using the revolution frequency difference of protons and lead ions during $p + Pb$

runs in early 2013 [55]. This relative uncertainty is also applicable to the 2015 pp run. Since this calibration is compatible with the nominal centre-of-mass energy of 13 TeV, no correction is applied to the measured $\sigma_{t\bar{t}}$ value. However, an uncertainty of 1.5%, corresponding to the expected change in $\sigma_{t\bar{t}}$ for a 0.66% change in centre-of-mass energy, is quoted separately for the final result.

Top quark mass: Alternative $t\bar{t}$ samples generated with different m_t from 170 to 177.5 GeV are used to quantify the dependence of the acceptance for $t\bar{t}$ events on the assumed m_t value. The level of Wt single-top background based on the change of the Wt cross-section for the same mass range is also considered. The $t\bar{t}$ acceptance and background effects partially cancel, and the final dependence of the result on the assumed m_t value is determined to be $d\sigma_{t\bar{t}}/dm_t = -0.3\%/\text{GeV}$. The result of the analysis is reported for a top quark mass of 172.5 GeV, and the small dependence of the cross-section on the assumed mass is not included in the total systematic uncertainty.

The total systematic uncertainties in $\epsilon_{e\mu}$, C_b , $G_{e\mu}$ and the fitted values of $\sigma_{t\bar{t}}$ and $\sigma_{t\bar{t}}^{\text{fid}}$ are shown in Table 4, and the total systematic uncertainties in the individual background components are shown in Table 2. The dominant uncertainties in the cross-section result come from the luminosity determination and $t\bar{t}$ modelling, in particular from the $t\bar{t}$ shower and hadronisation uncertainty.

7. Results and conclusions

The inclusive $t\bar{t}$ production cross-section is measured in the dilepton $t\bar{t} \rightarrow e\mu\nu\bar{\nu}bb$ decay channel using 3.2 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions recorded by the ATLAS detector at the LHC. The numbers of opposite-sign $e\mu$ events with one and two b -tagged jets are counted, allowing a simultaneous determination of the $t\bar{t}$ cross-section $\sigma_{t\bar{t}}$ and the probability to reconstruct and b -tag a jet from a $t\bar{t}$ decay. Assuming a top quark mass of $m_t = 172.5 \text{ GeV}$, the result is:

$$\sigma_{t\bar{t}} = 818 \pm 8 \text{ (stat)} \pm 27 \text{ (syst)} \pm 19 \text{ (lumi)} \pm 12 \text{ (beam)} \text{ pb},$$

where the four uncertainties are due to data statistics, experimental and theoretical systematic effects, the integrated luminosity and the LHC beam energy, giving a total relative uncertainty of 4.4%. The combined probability for a jet from a top quark decay to be within the detector acceptance and tagged as a b -jet is measured to be $\epsilon_b = 0.559 \pm 0.004 \pm 0.003$, where the first error is statistical and the second systematic, in fair agreement with the nominal prediction from simulation of 0.549.

This cross-section measurement is consistent with the theoretical prediction based on NNLO + NNLL calculations of $832^{+40}_{-46} \text{ pb}$ at $m_t = 172.5 \text{ GeV}$. Fig. 4 shows the result of this $\sigma_{t\bar{t}}$ measurement together with the most precise ATLAS results at $\sqrt{s} = 7$ and 8 TeV [13]. The data are compared to the NNLO + NNLL predictions as a function of the centre-of-mass energy. The result is also consistent with a recent measurement by CMS at $\sqrt{s} = 13 \text{ TeV}$ using a smaller data sample [56].

The measured fiducial cross-section $\sigma_{t\bar{t}}^{\text{fid}}$ for a $t\bar{t}$ event producing an $e\mu$ pair, each lepton originating directly from $t \rightarrow W \rightarrow \ell$ or via a leptonic τ decay $t \rightarrow W \rightarrow \tau \rightarrow \ell$ and satisfying $p_T > 25 \text{ GeV}$ and $|\eta| < 2.5$ is:

$$\sigma_{t\bar{t}}^{\text{fid}} = 11.32 \pm 0.10 \text{ (stat)} \pm 0.29 \text{ (syst)} \pm 0.26 \text{ (lumi)}$$

$$\pm 0.17 \text{ (beam)} \text{ pb},$$

with uncertainties due to data statistics, systematic effects, the knowledge of the integrated luminosity and the LHC beam energy, corresponding to a total relative uncertainty of 3.9% and an




Fig. 4. Cross-section for $t\bar{t}$ pair production in pp collisions as a function of centre-of-mass energy. ATLAS results in the dilepton $e\mu$ channel at $\sqrt{s} = 13, 8$ and 7 TeV are compared to the NNLO + NNLL theoretical predictions.

internal systematic uncertainty excluding the luminosity and the LHC beam energy of 2.5%. The breakdown of the systematic uncertainties is presented in Table 4. Overall, the analysis systematic uncertainties in the fiducial cross-section are smaller than those in the inclusive cross-section, due to the substantial reductions in the PDF and hadronisation uncertainties that contribute significantly to both the acceptance $A_{e\mu}$ and reconstruction efficiency $G_{e\mu}$.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTD, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZS, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource

providers. Major contributors of computing resources are listed in Ref. [57].

References

- [1] M. Cacciari, et al., Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, *Phys. Lett. B* 710 (2012) 612, arXiv:1111.5869 [hep-ph].
- [2] P. Bärnreuther, et al., Percent level precision physics at the tevatron: first genuine NNLO QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$, *Phys. Rev. Lett.* 109 (2012) 132001, arXiv:1204.5201 [hep-ph].
- [3] M. Czakon, A. Mitov, NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels, *J. High Energy Phys.* 1212 (2012) 054, arXiv:1207.0236 [hep-ph].
- [4] M. Czakon, A. Mitov, NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction, *J. High Energy Phys.* 1301 (2013) 080, arXiv:1210.6832 [hep-ph].
- [5] M. Czakon, P. Fiedler, A. Mitov, The total top quark pair production cross-section at hadron colliders through $\mathcal{O}(\alpha_S^4)$, *Phys. Rev. Lett.* 110 (2013) 252004, arXiv:1303.6254 [hep-ph].
- [6] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [7] M. Botje, et al., The PDF4LHC Working Group Interim Recommendations, arXiv:1101.0538 [hep-ph], 2011.
- [8] A.D. Martin, et al., Parton distributions for the LHC, *Eur. Phys. J. C* 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [9] A.D. Martin, et al., Uncertainties on α_s in global PDF analyses and implications for predicted hadronic cross sections, *Eur. Phys. J. C* 64 (2009) 653, arXiv:0905.3531 [hep-ph].
- [10] H.L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [11] J. Gao, et al., The CT10 NNLO global analysis of QCD, *Phys. Rev. D* 89 (2014) 033009, arXiv:1302.6246 [hep-ph].
- [12] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244–289, arXiv:1207.1303 [hep-ph].
- [13] ATLAS Collaboration, Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector, *Eur. Phys. J. C* 74 (2014) 3109, arXiv:1406.5375 [hep-ex].
- [14] ATLAS Collaboration, Measurement of the top pair production cross section in 8 TeV proton-proton collisions using kinematic information in the lepton + jets final state with ATLAS, *Phys. Rev. D* 91 (2015) 112013, arXiv:1504.04251 [hep-ex].
- [15] ATLAS Collaboration, Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel, *Phys. Lett. B* 711 (2012) 244, arXiv:1201.1889 [hep-ex].
- [16] CMS Collaboration, Measurement of the $t\bar{t}$ production cross section in the e-mu channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV, arXiv:1603.02303 [hep-ex], 2016.
- [17] CMS Collaboration, Measurements of the $t\bar{t}$ production cross section in lepton + jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections, arXiv:1602.09024 [hep-ex], 2016.
- [18] CMS Collaboration, Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV with lepton + jets final states, *Phys. Lett. B* 720 (2013) 83–104, arXiv:1212.6682 [hep-ex].
- [19] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* 3 (2008), S08003.
- [20] ATLAS Collaboration, ATLAS Insertable B-Layer Technical Design Report, ATLAS-TDR-19, <http://cdsweb.cern.ch/record/1291633>, 2010.
- [21] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [hep-ex].
- [22] S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [23] ATLAS Collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATLAS-PHYS-PUB-2010-013, <http://cdsweb.cern.ch/record/1300517>, 2010.
- [24] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to Pythia 8.1, *Comput. Phys. Commun.* 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [25] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* 0411 (2004) 040, arXiv:hep-ph/0409146.
- [26] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, *J. High Energy Phys.* 0711 (2007) 070, arXiv:0709.2092 [hep-ph].
- [27] S. Alioli, et al., A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 1006 (2010) 043, arXiv:1002.2581 [hep-ph].
- [28] T. Sjöstrand, S. Mrenna, P. Skands, Pythia 6.4 physics and manual, *J. High Energy Phys.* 0605 (2006) 026, arXiv:hep-ph/0603175.
- [29] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, *Phys. Rev. D* 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [30] ATLAS Collaboration, Comparison of Monte Carlo generator predictions to ATLAS measurements of top pair production at $\sqrt{s} = 7$ TeV, ATLAS-PHYS-PUB-2015-002, <http://cdsweb.cern.ch/record/1981319>, 2015.
- [31] D.J. Lange, The EvtGen particle decay simulation package, *Nucl. Instrum. Methods A* 462 (2001) 152–155.
- [32] M. Bahr, et al., Herwig++ physics and manual, *Eur. Phys. J. C* 58 (2008) 639–707, arXiv:0803.0883 [hep-ph].
- [33] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 1407 (2014) 079, arXiv:1405.0301 [hep-ph].
- [34] ATLAS Collaboration, Simulation of top-quark production for the ATLAS experiment at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2016-004, <http://cdsweb.cern.ch/record/2120417>, 2016.
- [35] S. Frixione, et al., Single-top hadroproduction in association with a W boson, *J. High Energy Phys.* 0807 (2008) 029, arXiv:0805.3067 [hep-ph].
- [36] T. Gleisberg, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* 0902 (2009) 007, arXiv:0811.4622 [hep-ph].
- [37] T. Gleisberg, S. Höche, Comix, a new matrix element generator, *J. High Energy Phys.* 0812 (2008) 039, arXiv:0808.3674 [hep-ph].
- [38] F. Cascioli, P. Maierhofer, S. Pozzorini, Scattering amplitudes with open loops, *Phys. Rev. Lett.* 108 (2012) 111601, arXiv:1111.5206 [hep-ph].
- [39] S. Höche, et al., QCD matrix elements + parton showers: the NLO case, *J. High Energy Phys.* 1304 (2013) 027, arXiv:1207.5030 [hep-ph].
- [40] J. Alwall, et al., MadGraph 5: going beyond, *J. High Energy Phys.* 1106 (2011) 128, arXiv:1106.0522 [hep-ph].
- [41] ATLAS Collaboration, Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data, *Eur. Phys. J. C* 74 (2014) 2941, arXiv:1404.2240 [hep-ex].
- [42] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton-proton collision data, ATLAS-CONF-2014-032, <http://cdsweb.cern.ch/record/1706245>, 2014.
- [43] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV, arXiv:1603.05598 [hep-ex], 2016.
- [44] M. Cacciari, G.P. Salam, Dispelling the N^3 myth for the k_t jet-finder, *Phys. Lett. B* 641 (2006) 57, arXiv:hep-ph/0512210.
- [45] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* 0804 (2008) 063, arXiv:0802.1189 [hep-ph].
- [46] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, arXiv:1510.03823 [hep-ex], 2015.
- [47] ATLAS Collaboration, Expected performance of the ATLAS b-tagging algorithms in Run-2, ATL-PHYS-PUB-2015-022, <http://cdsweb.cern.ch/record/2037697>, 2015.
- [48] ATLAS Collaboration, Measurement of total and differential W^+W^- production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings, arXiv:1603.01702 [hep-ex], 2016.
- [49] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^- , *Phys. Rev. D* 82 (2010) 054018, arXiv:1005.4451 [hep-ph].
- [50] R.D. Ball, et al., Parton distributions for the LHC Run II, *J. High Energy Phys.* 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- [51] J. Butterworth, et al., PDF4LHC recommendations for LHC Run II, *J. Phys. G, Nucl. Part. Phys.* 43 (2016) 023001, arXiv:1510.03865 [hep-ph].
- [52] J.M. Campbell, R.K. Ellis, An update on vector boson pair production at hadron colliders, *Phys. Rev. D* 60 (1999) 113006, arXiv:hep-ph/9905386.
- [53] ATLAS Collaboration, Jet Calibration and Systematic Uncertainties for Jets Reconstructed in the ATLAS Detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-015, <http://cdsweb.cern.ch/record/2037613>, 2015.
- [54] ATLAS Collaboration, Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* 73 (2013) 2518, arXiv:1302.4393 [hep-ex].
- [55] J. Wenninger, Energy Calibration of the LHC Beams at 4 TeV, CERN-ATS-2013-040, <http://cdsweb.cern.ch/record/1546734>, 2013.
- [56] CMS Collaboration, Measurement of the top quark pair production cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* 116 (2016) 052002, arXiv:1510.05302 [hep-ex].
- [57] ATLAS Collaboration, ATLAS Computing Acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, <http://cds.cern.ch/record/2202407>, 2016.

ATLAS Collaboration

- M. Aaboud ^{136d}, G. Aad ⁸⁷, B. Abbott ¹¹⁴, J. Abdallah ⁶⁵, O. Abdinov ¹², B. Abeloos ¹¹⁸, R. Aben ¹⁰⁸, O.S. AbouZeid ¹³⁸, N.L. Abraham ¹⁵⁰, H. Abramowicz ¹⁵⁴, H. Abreu ¹⁵³, R. Abreu ¹¹⁷, Y. Abulaiti ^{147a,147b}, B.S. Acharya ^{164a,164b,1}, L. Adamczyk ^{40a}, D.L. Adams ²⁷, J. Adelman ¹⁰⁹, S. Adomeit ¹⁰¹, T. Adye ¹³², A.A. Affolder ⁷⁶, T. Agatonovic-Jovin ¹⁴, J. Agricola ⁵⁶, J.A. Aguilar-Saavedra ^{127a,127f}, S.P. Ahlen ²⁴, F. Ahmadov ^{67,2}, G. Aielli ^{134a,134b}, H. Akerstedt ^{147a,147b}, T.P.A. Åkesson ⁸³, A.V. Akimov ⁹⁷, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁶⁹, S. Albrand ⁵⁷, M.J. Alconada Verzini ⁷³, M. Aleksa ³², I.N. Aleksandrov ⁶⁷, C. Alexa ^{28b}, G. Alexander ¹⁵⁴, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁴, B. Ali ¹²⁹, M. Aliev ^{75a,75b}, G. Alimonti ^{93a}, J. Alison ³³, S.P. Alkire ³⁷, B.M.M. Allbrooke ¹⁵⁰, B.W. Allen ¹¹⁷, P.P. Allport ¹⁹, A. Aloisio ^{105a,105b}, A. Alonso ³⁸, F. Alonso ⁷³, C. Alpigiani ¹³⁹, M. Alstaty ⁸⁷, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁶⁷, M.G. Alviggi ^{105a,105b}, B.T. Amadio ¹⁶, K. Amako ⁶⁸, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹¹, S.P. Amor Dos Santos ^{127a,127c}, A. Amorim ^{127a,127b}, S. Amoroso ³², G. Amundsen ²⁵, C. Anastopoulos ¹⁴⁰, L.S. Ancu ⁵¹, N. Andari ¹⁰⁹, T. Andeen ¹¹, C.F. Anders ^{60b}, G. Anders ³², J.K. Anders ⁷⁶, K.J. Anderson ³³, A. Andreazza ^{93a,93b}, V. Andrei ^{60a}, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁸, P. Anger ⁴⁶, A. Angerami ³⁷, F. Anghinolfi ³², A.V. Anisenkov ^{110,3}, N. Anjos ¹³, A. Annovi ^{125a,125b}, C. Antel ^{60a}, M. Antonelli ⁴⁹, A. Antonov ^{99,*}, F. Anulli ^{133a}, M. Aoki ⁶⁸, L. Aperio Bella ¹⁹, G. Arabidze ⁹², Y. Arai ⁶⁸, J.P. Araque ^{127a}, A.T.H. Arce ⁴⁷, F.A. Arduh ⁷³, J-F. Arguin ⁹⁶, S. Argyropoulos ⁶⁵, M. Arik ^{20a}, A.J. Armbruster ¹⁴⁴, L.J. Armitage ⁷⁸, O. Arnaez ³², H. Arnold ⁵⁰, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ⁹⁸, G. Artoni ¹²¹, S. Artz ⁸⁵, S. Asai ¹⁵⁶, N. Asbah ⁴⁴, A. Ashkenazi ¹⁵⁴, B. Åsman ^{147a,147b}, L. Asquith ¹⁵⁰, K. Assamagan ²⁷, R. Astalos ^{145a}, M. Atkinson ¹⁶⁶, N.B. Atlay ¹⁴², K. Augsten ¹²⁹, G. Avolio ³², B. Axen ¹⁶, M.K. Ayoub ¹¹⁸, G. Azuelos ^{96,4}, M.A. Baak ³², A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁷, K. Bachas ^{75a,75b}, M. Backes ³², M. Backhaus ³², P. Bagiacchi ^{133a,133b}, P. Bagnaia ^{133a,133b}, Y. Bai ^{35a}, J.T. Baines ¹³², O.K. Baker ¹⁷⁶, E.M. Baldin ^{110,3}, P. Balek ¹³⁰, T. Balestri ¹⁴⁹, F. Balli ¹³⁷, W.K. Balunas ¹²³, E. Banas ⁴¹, Sw. Banerjee ^{173,5}, A.A.E. Bannoura ¹⁷⁵, L. Barak ³², E.L. Barberio ⁹⁰, D. Barberis ^{52a,52b}, M. Barbero ⁸⁷, T. Barillari ¹⁰², T. Barklow ¹⁴⁴, N. Barlow ³⁰, S.L. Barnes ⁸⁶, B.M. Barnett ¹³², R.M. Barnett ¹⁶, Z. Barnovska ⁵, A. Baroncelli ^{135a}, G. Barone ²⁵, A.J. Barr ¹²¹, L. Barranco Navarro ¹⁶⁷, F. Barreiro ⁸⁴, J. Barreiro Guimarães da Costa ^{35a}, R. Bartoldus ¹⁴⁴, A.E. Barton ⁷⁴, P. Bartos ^{145a}, A. Basalaev ¹²⁴, A. Bassalat ¹¹⁸, R.L. Bates ⁵⁵, S.J. Batista ¹⁵⁹, J.R. Batley ³⁰, M. Battaglia ¹³⁸, M. Baucé ^{133a,133b}, F. Bauer ¹³⁷, H.S. Bawa ^{144,6}, J.B. Beacham ¹¹², M.D. Beattie ⁷⁴, T. Beau ⁸², P.H. Beauchemin ¹⁶², P. Bechtle ²³, H.P. Beck ^{18,7}, K. Becker ¹²¹, M. Becker ⁸⁵, M. Beckingham ¹⁷⁰, C. Becot ¹¹¹, A.J. Beddall ^{20e}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁷, M. Bedognetti ¹⁰⁸, C.P. Bee ¹⁴⁹, L.J. Beemster ¹⁰⁸, T.A. Beermann ³², M. Begel ²⁷, J.K. Behr ⁴⁴, C. Belanger-Champagne ⁸⁹, A.S. Bell ⁸⁰, G. Bella ¹⁵⁴, L. Bellagamba ^{22a}, A. Bellerive ³¹, M. Bellomo ⁸⁸, K. Belotskiy ⁹⁹, O. Beltramello ³², N.L. Belyaev ⁹⁹, O. Benary ¹⁵⁴, D. Benchekroun ^{136a}, M. Bender ¹⁰¹, K. Bendtz ^{147a,147b}, N. Benekos ¹⁰, Y. Benhammou ¹⁵⁴, E. Benhar Noccioli ¹⁷⁶, J. Benitez ⁶⁵, D.P. Benjamin ⁴⁷, J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁸, L. Beresford ¹²¹, M. Beretta ⁴⁹, D. Berge ¹⁰⁸, E. Bergeaas Kuutmann ¹⁶⁵, N. Berger ⁵, J. Beringer ¹⁶, S. Berlendis ⁵⁷, N.R. Bernard ⁸⁸, C. Bernius ¹¹¹, F.U. Bernlochner ²³, T. Berry ⁷⁹, P. Berta ¹³⁰, C. Bertella ⁸⁵, G. Bertoli ^{147a,147b}, F. Bertolucci ^{125a,125b}, I.A. Bertram ⁷⁴, C. Bertsche ⁴⁴, D. Bertsche ¹¹⁴, G.J. Besjes ³⁸, O. Bessidskaia Bylund ^{147a,147b}, M. Bessner ⁴⁴, N. Besson ¹³⁷, C. Betancourt ⁵⁰, S. Bethke ¹⁰², A.J. Bevan ⁷⁸, W. Bhimji ¹⁶, R.M. Bianchi ¹²⁶, L. Bianchini ²⁵, M. Bianco ³², O. Biebel ¹⁰¹, D. Biedermann ¹⁷, R. Bielski ⁸⁶, N.V. Biesuz ^{125a,125b}, M. Biglietti ^{135a}, J. Bilbao De Mendizabal ⁵¹, H. Bilokon ⁴⁹, M. Bindi ⁵⁶, S. Binet ¹¹⁸, A. Bingul ^{20b}, C. Bini ^{133a,133b}, S. Biondi ^{22a,22b}, D.M. Bjergaard ⁴⁷, C.W. Black ¹⁵¹, J.E. Black ¹⁴⁴, K.M. Black ²⁴, D. Blackburn ¹³⁹, R.E. Blair ⁶, J.-B. Blanchard ¹³⁷, J.E. Blanco ⁷⁹, T. Blazek ^{145a}, I. Bloch ⁴⁴, C. Blocker ²⁵, W. Blum ^{85,*}, U. Blumenschein ⁵⁶, S. Blunier ^{34a}, G.J. Bobbink ¹⁰⁸, V.S. Bobrovnikov ^{110,3}, S.S. Bocchetta ⁸³, A. Bocci ⁴⁷, C. Bock ¹⁰¹, M. Boehler ⁵⁰, D. Boerner ¹⁷⁵, J.A. Bogaerts ³², D. Bogavac ¹⁴, A.G. Bogdanchikov ¹¹⁰, C. Bohm ^{147a}, V. Boisvert ⁷⁹, P. Bokan ¹⁴, T. Bold ^{40a}, A.S. Boldyrev ^{164a,164c}, M. Bomben ⁸², M. Bona ⁷⁸, M. Boonekamp ¹³⁷, A. Borisov ¹³¹, G. Borissov ⁷⁴, J. Bortfeldt ³², D. Bortoletto ¹²¹, V. Bortolotto ^{62a,62b,62c}, K. Bos ¹⁰⁸, D. Boscherini ^{22a}, M. Bosman ¹³, J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁶, J. Bouffard ², E.V. Bouhova-Thacker ⁷⁴, D. Boumediene ³⁶, C. Bourdarios ¹¹⁸, S.K. Boutle ⁵⁵, A. Boveia ³², J. Boyd ³², I.R. Boyko ⁶⁷, J. Bracinik ¹⁹, A. Brandt ⁸, G. Brandt ⁵⁶, O. Brandt ^{60a}, U. Bratzler ¹⁵⁷, B. Brau ⁸⁸, J.E. Brau ¹¹⁷, H.M. Braun ^{175,*}, W.D. Breaden Madden ⁵⁵, K. Brendlinger ¹²³, A.J. Brennan ⁹⁰, L. Brenner ¹⁰⁸, R. Brenner ¹⁶⁵, S. Bressler ¹⁷², T.M. Bristow ⁴⁸, D. Britton ⁵⁵, D. Britzger ⁴⁴, F.M. Brochu ³⁰, I. Brock ²³,

- R. Brock 92, G. Brooijmans 37, T. Brooks 79, W.K. Brooks 34b, J. Brosamer 16, E. Brost 117, J.H. Broughton 19, P.A. Bruckman de Renstrom 41, D. Bruncko 145b, R. Bruneliere 50, A. Bruni 22a, G. Bruni 22a, L.S. Bruni 108, BH Brunt 30, M. Bruschi 22a, N. Bruscino 23, P. Bryant 33, L. Bryngemark 83, T. Buanes 15, Q. Buat 143, P. Buchholz 142, A.G. Buckley 55, I.A. Budagov 67, F. Buehrer 50, M.K. Bugge 120, O. Bulekov 99, D. Bullock 8, H. Burckhart 32, S. Burdin 76, C.D. Burgard 50, B. Burghgrave 109, K. Burka 41, S. Burke 132, I. Burmeister 45, J.T.P. Burr 121, E. Busato 36, D. Büscher 50, V. Büscher 85, P. Bussey 55, J.M. Butler 24, C.M. Buttar 55, J.M. Butterworth 80, P. Butti 108, W. Buttlinger 27, A. Buzatu 55, A.R. Buzykaev 110, S. Cabrera Urbán 167, D. Caforio 129, V.M. Cairo 39a, 39b, O. Cakir 4a, N. Calace 51, P. Calafiura 16, A. Calandri 87, G. Calderini 82, P. Calfayan 101, L.P. Caloba 26a, D. Calvet 36, S. Calvet 36, T.P. Calvet 87, R. Camacho Toro 33, S. Camarda 32, P. Camarri 134a, 134b, D. Cameron 120, R. Caminal Armadans 166, C. Camincher 57, S. Campana 32, M. Campanelli 80, A. Camplani 93a, 93b, A. Campoverde 142, V. Canale 105a, 105b, A. Canepa 160a, M. Cano Bret 35e, J. Cantero 115, R. Cantrill 127a, T. Cao 42, M.D.M. Capeans Garrido 32, I. Caprini 28b, M. Caprini 28b, M. Capua 39a, 39b, R. Caputo 85, R.M. Carbone 37, R. Cardarelli 134a, F. Cardillo 50, I. Carli 130, T. Carli 32, G. Carlino 105a, L. Carminati 93a, 93b, S. Caron 107, E. Carquin 34b, G.D. Carrillo-Montoya 32, J.R. Carter 30, J. Carvalho 127a, 127c, D. Casadei 19, M.P. Casado 13, 8, M. Casolino 13, D.W. Casper 163, E. Castaneda-Miranda 146a, R. Castelijn 108, A. Castelli 108, V. Castillo Gimenez 167, N.F. Castro 127a, 9, A. Catinaccio 32, J.R. Catmore 120, A. Cattai 32, J. Caudron 85, V. Cavaliere 166, E. Cavallaro 13, D. Cavalli 93a, M. Cavalli-Sforza 13, V. Cavasinni 125a, 125b, F. Ceradini 135a, 135b, L. Cerdá Alberich 167, B.C. Cerio 47, A.S. Cerqueira 26b, A. Cerri 150, L. Cerrito 78, F. Cerutti 16, M. Cerv 32, A. Cervelli 18, S.A. Cetin 20d, A. Chafaq 136a, D. Chakraborty 109, S.K. Chan 59, Y.L. Chan 62a, P. Chang 166, J.D. Chapman 30, D.G. Charlton 19, A. Chatterjee 51, C.C. Chau 159, C.A. Chavez Barajas 150, S. Che 112, S. Cheatham 74, A. Chegwidden 92, S. Chekanov 6, S.V. Chekulaev 160a, G.A. Chelkov 67, 10, M.A. Chelstowska 91, C. Chen 66, H. Chen 27, K. Chen 149, S. Chen 35c, S. Chen 156, X. Chen 35f, Y. Chen 69, H.C. Cheng 91, H.J. Cheng 35a, Y. Cheng 33, A. Cheplakov 67, E. Cheremushkina 131, R. Cherkaoui El Moursli 136e, V. Chernyatin 27, *, E. Cheu 7, L. Chevalier 137, V. Chiarella 49, G. Chiarella 125a, 125b, G. Chiodini 75a, A.S. Chisholm 19, A. Chitan 28b, M.V. Chizhov 67, K. Choi 63, A.R. Chomont 36, S. Chouridou 9, B.K.B. Chow 101, V. Christodoulou 80, D. Chromek-Burckhart 32, J. Chudoba 128, A.J. Chuinard 89, J.J. Chwastowski 41, L. Chytka 116, G. Ciapetti 133a, 133b, A.K. Ciftci 4a, D. Cinca 45, V. Cindro 77, I.A. Cioara 23, A. Ciocio 16, F. Cirotto 105a, 105b, Z.H. Citron 172, M. Citterio 93a, M. Ciubancan 28b, A. Clark 51, B.L. Clark 59, M.R. Clark 37, P.J. Clark 48, R.N. Clarke 16, C. Clement 147a, 147b, Y. Coadou 87, M. Cobal 164a, 164c, A. Coccaro 51, J. Cochran 66, L. Coffey 25, L. Colasurdo 107, B. Cole 37, A.P. Colijn 108, J. Collot 57, T. Colombo 32, G. Compostella 102, P. Conde Muiño 127a, 127b, E. Coniavitis 50, S.H. Connell 146b, I.A. Connelly 79, V. Consorti 50, S. Constantinescu 28b, G. Conti 32, F. Conventi 105a, 11, M. Cooke 16, B.D. Cooper 80, A.M. Cooper-Sarkar 121, K.J.R. Cormier 159, T. Cornelissen 175, M. Corradi 133a, 133b, F. Corriveau 89, 12, A. Corso-Radu 163, A. Cortes-Gonzalez 13, G. Cortiana 102, G. Costa 93a, M.J. Costa 167, D. Costanzo 140, G. Cottin 30, G. Cowan 79, B.E. Cox 86, K. Cranmer 111, S.J. Crawley 55, G. Cree 31, S. Crépé-Renaudin 57, F. Crescioli 82, W.A. Cribbs 147a, 147b, M. Crispin Ortuzar 121, M. Cristinziani 23, V. Croft 107, G. Crosetti 39a, 39b, T. Cuhadar Donszelmann 140, J. Cummings 176, M. Curatolo 49, J. Cúth 85, C. Cuthbert 151, H. Czirr 142, P. Czodrowski 3, G. D'amen 22a, 22b, S. D'Auria 55, M. D'Onofrio 76, M.J. Da Cunha Sargedas De Sousa 127a, 127b, C. Da Via 86, W. Dabrowski 40a, T. Dado 145a, T. Dai 91, O. Dale 15, F. Dallaire 96, C. Dallapiccola 88, M. Dam 38, J.R. Dandoy 33, N.P. Dang 50, A.C. Daniells 19, N.S. Dann 86, M. Danner 168, M. Dano Hoffmann 137, V. Dao 50, G. Darbo 52a, S. Darmora 8, J. Dassoulas 3, A. Datta Gupta 63, W. Davey 23, C. David 169, T. Davidek 130, M. Davies 154, P. Davison 80, E. Dawe 90, I. Dawson 140, R.K. Daya-Ishmukhametova 88, K. De 8, R. de Asmundis 105a, A. De Benedetti 114, S. De Castro 22a, 22b, S. De Cecco 82, N. De Groot 107, P. de Jong 108, H. De la Torre 84, F. De Lorenzi 66, A. De Maria 56, D. De Pedis 133a, A. De Salvo 133a, U. De Sanctis 150, A. De Santo 150, J.B. De Vivie De Regie 118, W.J. Dearnaley 74, R. Debbe 27, C. Debenedetti 138, D.V. Dedovich 67, N. Dehghanian 3, I. Deigaard 108, M. Del Gaudio 39a, 39b, J. Del Peso 84, T. Del Prete 125a, 125b, D. Delgove 118, F. Deliot 137, C.M. Delitzsch 51, M. Deliyergiyev 77, A. Dell'Acqua 32, L. Dell'Asta 24, M. Dell'Orso 125a, 125b, M. Della Pietra 105a, 11, D. della Volpe 51, M. Delmastro 5, P.A. Delsart 57, D.A. DeMarco 159, S. Demers 176, M. Demichev 67, A. Demilly 82, S.P. Denisov 131, D. Denysiuk 137, D. Derendarz 41, J.E. Derkaoui 136d, F. Derue 82, P. Dervan 76, K. Desch 23, C. Deterre 44, K. Dette 45, P.O. Deviveiros 32, A. Dewhurst 132,

- S. Dhaliwal 25, A. Di Ciaccio 134a, 134b, L. Di Ciaccio 5, W.K. Di Clemente 123, C. Di Donato 133a, 133b,
 A. Di Girolamo 32, B. Di Girolamo 32, B. Di Micco 135a, 135b, R. Di Nardo 32, A. Di Simone 50, R. Di Sipio 159,
 D. Di Valentino 31, C. Diaconu 87, M. Diamond 159, F.A. Dias 48, M.A. Diaz 34a, E.B. Diehl 91, J. Dietrich 17,
 S. Diglio 87, A. Dimitrijevska 14, J. Dingfelder 23, P. Dita 28b, S. Dita 28b, F. Dittus 32, F. Djama 87,
 T. Djobava 53b, J.I. Djuvland 60a, M.A.B. do Vale 26c, D. Dobos 32, M. Dobre 28b, C. Doglioni 83,
 T. Dohmae 156, J. Dolejsi 130, Z. Dolezal 130, B.A. Dolgoshein 99,* M. Donadelli 26d, S. Donati 125a, 125b,
 P. Dondero 122a, 122b, J. Donini 36, J. Dopke 132, A. Doria 105a, M.T. Dova 73, A.T. Doyle 55, E. Drechsler 56,
 M. Dris 10, Y. Du 35d, J. Duarte-Campderros 154, E. Duchovni 172, G. Duckeck 101, O.A. Ducu 96, 13,
 D. Duda 108, A. Dudarev 32, E.M. Duffield 16, L. Duflot 118, L. Duguid 79, M. Dührssen 32, M. Dumancic 172,
 M. Dunford 60a, H. Duran Yildiz 4a, M. Düren 54, A. Durglishvili 53b, D. Duschinger 46, B. Dutta 44,
 M. Dyndal 44, C. Eckardt 44, K.M. Ecker 102, R.C. Edgar 91, N.C. Edwards 48, T. Eifert 32, G. Eigen 15,
 K. Einsweiler 16, T. Ekelof 165, M. El Kacimi 136c, V. Ellajosyula 87, M. Ellert 165, S. Elles 5, F. Ellinghaus 175,
 A.A. Elliot 169, N. Ellis 32, J. Elmsheuser 27, M. Elsing 32, D. Emeliyanov 132, Y. Enari 156, O.C. Endner 85,
 M. Endo 119, J.S. Ennis 170, J. Erdmann 45, A. Ereditato 18, G. Ernis 175, J. Ernst 2, M. Ernst 27, S. Errede 166,
 E. Ertel 85, M. Escalier 118, H. Esch 45, C. Escobar 126, B. Esposito 49, A.I. Etienne 137, E. Etzion 154,
 H. Evans 63, A. Ezhilov 124, F. Fabbri 22a, 22b, L. Fabbri 22a, 22b, G. Facini 33, R.M. Fakhrutdinov 131,
 S. Falciano 133a, R.J. Falla 80, J. Faltova 32, Y. Fang 35a, M. Fanti 93a, 93b, A. Farbin 8, A. Farilla 135a,
 C. Farina 126, T. Farooque 13, S. Farrell 16, S.M. Farrington 170, P. Farthouat 32, F. Fassi 136e, P. Fassnacht 32,
 D. Fassouliotis 9, M. Faucci Giannelli 79, A. Favareto 52a, 52b, W.J. Fawcett 121, L. Fayard 118, O.L. Fedin 124, 14,
 W. Fedorko 168, S. Feigl 120, L. Feligioni 87, C. Feng 35d, E.J. Feng 32, H. Feng 91, A.B. Fenyuk 131,
 L. Feremenga 8, P. Fernandez Martinez 167, S. Fernandez Perez 13, J. Ferrando 55, A. Ferrari 165,
 P. Ferrari 108, R. Ferrari 122a, D.E. Ferreira de Lima 60b, A. Ferrer 167, D. Ferrere 51, C. Ferretti 91,
 A. Ferretto Parodi 52a, 52b, F. Fiedler 85, A. Filipčič 77, M. Filipuzzi 44, F. Filthaut 107, M. Fincke-Keeler 169,
 K.D. Finelli 151, M.C.N. Fiolhais 127a, 127c, L. Fiorini 167, A. Firan 42, A. Fischer 2, C. Fischer 13, J. Fischer 175,
 W.C. Fisher 92, N. Flaschel 44, I. Fleck 142, P. Fleischmann 91, G.T. Fletcher 140, R.R.M. Fletcher 123,
 T. Flick 175, A. Floderus 83, L.R. Flores Castillo 62a, M.J. Flowerdew 102, G.T. Forcolin 86, A. Formica 137,
 A. Forti 86, A.G. Foster 19, D. Fournier 118, H. Fox 74, S. Fracchia 13, P. Francavilla 82, M. Franchini 22a, 22b,
 D. Francis 32, L. Franconi 120, M. Franklin 59, M. Frate 163, M. Fraternali 122a, 122b, D. Freeborn 80,
 S.M. Fressard-Batraneanu 32, F. Friedrich 46, D. Froidevaux 32, J.A. Frost 121, C. Fukunaga 157,
 E. Fullana Torregrosa 85, T. Fusayasu 103, J. Fuster 167, C. Gabaldon 57, O. Gabizon 175, A. Gabrielli 22a, 22b,
 A. Gabrielli 16, G.P. Gach 40a, S. Gadatsch 32, S. Gadomski 51, G. Gagliardi 52a, 52b, L.G. Gagnon 96,
 P. Gagnon 63, C. Galea 107, B. Galhardo 127a, 127c, E.J. Gallas 121, B.J. Gallop 132, P. Gallus 129, G. Galster 38,
 K.K. Gan 112, J. Gao 35b, Y. Gao 48, Y.S. Gao 144, 6, F.M. Garay Walls 48, C. García 167, J.E. García Navarro 167,
 M. Garcia-Sciveres 16, R.W. Gardner 33, N. Garelli 144, V. Garonne 120, A. Gascon Bravo 44, C. Gatti 49,
 A. Gaudiello 52a, 52b, G. Gaudio 122a, B. Gaur 142, L. Gauthier 96, I.L. Gavrilenko 97, C. Gay 168, G. Gaycken 23,
 E.N. Gazis 10, Z. Gecse 168, C.N.P. Gee 132, Ch. Geich-Gimbel 23, M. Geisen 85, M.P. Geisler 60a, C. Gemme 52a,
 M.H. Genest 57, C. Geng 35b, 15, S. Gentile 133a, 133b, S. George 79, D. Gerbaudo 13, A. Gershon 154,
 S. Ghasemi 142, H. Ghazlane 136b, M. Ghneimat 23, B. Giacobbe 22a, S. Giagu 133a, 133b, P. Giannetti 125a, 125b,
 B. Gibbard 27, S.M. Gibson 79, M. Gignac 168, M. Gilchriese 16, T.P.S. Gillam 30, D. Gillberg 31, G. Gilles 175,
 D.M. Gingrich 3, 4, N. Giokaris 9, M.P. Giordani 164a, 164c, F.M. Giorgi 22a, F.M. Giorgi 17, P.F. Giraud 137,
 P. Giromini 59, D. Giugni 93a, F. Juli 121, C. Giuliani 102, M. Giulini 60b, B.K. Gjelsten 120, S. Gkaitatzis 155,
 I. Gkialas 155, E.L. Gkougkousis 118, L.K. Gladilin 100, C. Glasman 84, J. Glatzer 50, P.C.F. Glaysher 48,
 A. Glazov 44, M. Goblirsch-Kolb 102, J. Godlewski 41, S. Goldfarb 90, T. Golling 51, D. Golubkov 131,
 A. Gomes 127a, 127b, 127d, R. Gonçalo 127a, J. Goncalves Pinto Firmino Da Costa 137, G. Gonella 50,
 L. Gonella 19, A. Gongadze 67, S. González de la Hoz 167, G. Gonzalez Parra 13, S. Gonzalez-Sevilla 51,
 L. Goossens 32, P.A. Gorbounov 98, H.A. Gordon 27, I. Gorelov 106, B. Gorini 32, E. Gorini 75a, 75b,
 A. Gorišek 77, E. Gornicki 41, A.T. Goshaw 47, C. Gössling 45, M.I. Gostkin 67, C.R. Goudet 118,
 D. Goujdami 136c, A.G. Goussiou 139, N. Govender 146b, 16, E. Gozani 153, L. Graber 56, I. Grabowska-Bold 40a,
 P.O.J. Gradin 57, P. Grafström 22a, 22b, J. Gramling 51, E. Gramstad 120, S. Grancagnolo 17, V. Gratchev 124,
 P.M. Gravila 28e, H.M. Gray 32, E. Graziani 135a, Z.D. Greenwood 81, 17, C. Grefe 23, K. Gregersen 80,
 I.M. Gregor 44, P. Grenier 144, K. Grevtsov 5, J. Griffiths 8, A.A. Grillo 138, K. Grimm 74, S. Grinstein 13, 18,
 Ph. Gris 36, J.-F. Grivaz 118, S. Groh 85, J.P. Grohs 46, E. Gross 172, J. Grosse-Knetter 56, G.C. Grossi 81,

- Z.J. Grout ¹⁵⁰, L. Guan ⁹¹, W. Guan ¹⁷³, J. Guenther ⁶⁴, F. Guescini ⁵¹, D. Guest ¹⁶³, O. Gueta ¹⁵⁴, E. Guido ^{52a,52b}, T. Guillemin ⁵, S. Guindon ², U. Gul ⁵⁵, C. Gumpert ³², J. Guo ^{35e}, Y. Guo ^{35b,15}, S. Gupta ¹²¹, G. Gustavino ^{133a,133b}, P. Gutierrez ¹¹⁴, N.G. Gutierrez Ortiz ⁸⁰, C. Gutschow ⁴⁶, C. Guyot ¹³⁷, C. Gwenlan ¹²¹, C.B. Gwilliam ⁷⁶, A. Haas ¹¹¹, C. Haber ¹⁶, H.K. Hadavand ⁸, N. Haddad ^{136e}, A. Hadef ⁸⁷, P. Haefner ²³, S. Hageböck ²³, Z. Hajduk ⁴¹, H. Hakobyan ^{177,*}, M. Haleem ⁴⁴, J. Haley ¹¹⁵, G. Halladjian ⁹², G.D. Hallewell ⁸⁷, K. Hamacher ¹⁷⁵, P. Hamal ¹¹⁶, K. Hamano ¹⁶⁹, A. Hamilton ^{146a}, G.N. Hamity ¹⁴⁰, P.G. Hamnett ⁴⁴, L. Han ^{35b}, K. Hanagaki ^{68,19}, K. Hanawa ¹⁵⁶, M. Hance ¹³⁸, B. Haney ¹²³, P. Hanke ^{60a}, R. Hanna ¹³⁷, J.B. Hansen ³⁸, J.D. Hansen ³⁸, M.C. Hansen ²³, P.H. Hansen ³⁸, K. Hara ¹⁶¹, A.S. Hard ¹⁷³, T. Harenberg ¹⁷⁵, F. Hariri ¹¹⁸, S. Harkusha ⁹⁴, R.D. Harrington ⁴⁸, P.F. Harrison ¹⁷⁰, F. Hartjes ¹⁰⁸, N.M. Hartmann ¹⁰¹, M. Hasegawa ⁶⁹, Y. Hasegawa ¹⁴¹, A. Hasib ¹¹⁴, S. Hassani ¹³⁷, S. Haug ¹⁸, R. Hauser ⁹², L. Hauswald ⁴⁶, M. Havranek ¹²⁸, C.M. Hawkes ¹⁹, R.J. Hawkings ³², D. Hayden ⁹², C.P. Hays ¹²¹, J.M. Hays ⁷⁸, H.S. Hayward ⁷⁶, S.J. Haywood ¹³², S.J. Head ¹⁹, T. Heck ⁸⁵, V. Hedberg ⁸³, L. Heelan ⁸, S. Heim ¹²³, T. Heim ¹⁶, B. Heinemann ¹⁶, J.J. Heinrich ¹⁰¹, L. Heinrich ¹¹¹, C. Heinz ⁵⁴, J. Hejbal ¹²⁸, L. Helary ²⁴, S. Hellman ^{147a,147b}, C. Helsens ³², J. Henderson ¹²¹, R.C.W. Henderson ⁷⁴, Y. Heng ¹⁷³, S. Henkelmann ¹⁶⁸, A.M. Henriques Correia ³², S. Henrot-Versille ¹¹⁸, G.H. Herbert ¹⁷, Y. Hernández Jiménez ¹⁶⁷, G. Herten ⁵⁰, R. Hertenberger ¹⁰¹, L. Hervas ³², G.G. Hesketh ⁸⁰, N.P. Hessey ¹⁰⁸, J.W. Hetherly ⁴², R. Hickling ⁷⁸, E. Higón-Rodriguez ¹⁶⁷, E. Hill ¹⁶⁹, J.C. Hill ³⁰, K.H. Hiller ⁴⁴, S.J. Hillier ¹⁹, I. Hinchliffe ¹⁶, E. Hines ¹²³, R.R. Hinman ¹⁶, M. Hirose ⁵⁰, D. Hirschbuehl ¹⁷⁵, J. Hobbs ¹⁴⁹, N. Hod ^{160a}, M.C. Hodgkinson ¹⁴⁰, P. Hodgson ¹⁴⁰, A. Hoecker ³², M.R. Hoeferkamp ¹⁰⁶, F. Hoenig ¹⁰¹, D. Hohn ²³, T.R. Holmes ¹⁶, M. Homann ⁴⁵, T.M. Hong ¹²⁶, B.H. Hooberman ¹⁶⁶, W.H. Hopkins ¹¹⁷, Y. Horii ¹⁰⁴, A.J. Horton ¹⁴³, J-Y. Hostachy ⁵⁷, S. Hou ¹⁵², A. Hoummada ^{136a}, J. Howarth ⁴⁴, M. Hrabovsky ¹¹⁶, I. Hristova ¹⁷, J. Hrivnac ¹¹⁸, T. Hrynevich ⁹⁵, C. Hsu ^{146c}, P.J. Hsu ^{152,20}, S.-C. Hsu ¹³⁹, D. Hu ³⁷, Q. Hu ^{35b}, Y. Huang ⁴⁴, Z. Hubacek ¹²⁹, F. Hubaut ⁸⁷, F. Huegging ²³, T.B. Huffman ¹²¹, E.W. Hughes ³⁷, G. Hughes ⁷⁴, M. Huhtinen ³², P. Huo ¹⁴⁹, N. Huseynov ^{67,2}, J. Huston ⁹², J. Huth ⁵⁹, G. Iacobucci ⁵¹, G. Iakovidis ²⁷, I. Ibragimov ¹⁴², L. Iconomidou-Fayard ¹¹⁸, E. Ideal ¹⁷⁶, Z. Idrissi ^{136e}, P. Iengo ³², O. Igonkina ^{108,21}, T. Iizawa ¹⁷¹, Y. Ikegami ⁶⁸, M. Ikeno ⁶⁸, Y. Ilchenko ^{11,22}, D. Iliadis ¹⁵⁵, N. Ilic ¹⁴⁴, T. Ince ¹⁰², G. Introzzi ^{122a,122b}, P. Ioannou ^{9,*}, M. Iodice ^{135a}, K. Iordanidou ³⁷, V. Ippolito ⁵⁹, M. Ishino ⁷⁰, M. Ishitsuka ¹⁵⁸, R. Ishmukhametov ¹¹², C. Issever ¹²¹, S. Istin ^{20a}, F. Ito ¹⁶¹, J.M. Iturbe Ponce ⁸⁶, R. Iuppa ^{134a,134b}, W. Iwanski ⁶⁴, H. Iwasaki ⁶⁸, J.M. Izen ⁴³, V. Izzo ^{105a}, S. Jabbar ³, B. Jackson ¹²³, M. Jackson ⁷⁶, P. Jackson ¹, V. Jain ², K.B. Jakobi ⁸⁵, K. Jakobs ⁵⁰, S. Jakobsen ³², T. Jakoubek ¹²⁸, D.O. Jamin ¹¹⁵, D.K. Jana ⁸¹, E. Jansen ⁸⁰, R. Jansky ⁶⁴, J. Janssen ²³, M. Janus ⁵⁶, G. Jarlskog ⁸³, N. Javadov ^{67,2}, T. Javůrek ⁵⁰, F. Jeanneau ¹³⁷, L. Jeanty ¹⁶, G.-Y. Jeng ¹⁵¹, D. Jennens ⁹⁰, P. Jenni ^{50,23}, J. Jentzsch ⁴⁵, C. Jeske ¹⁷⁰, S. Jézéquel ⁵, H. Ji ¹⁷³, J. Jia ¹⁴⁹, H. Jiang ⁶⁶, Y. Jiang ^{35b}, S. Jiggins ⁸⁰, J. Jimenez Pena ¹⁶⁷, S. Jin ^{35a}, A. Jinaru ^{28b}, O. Jinnouchi ¹⁵⁸, P. Johansson ¹⁴⁰, K.A. Johns ⁷, W.J. Johnson ¹³⁹, K. Jon-And ^{147a,147b}, G. Jones ¹⁷⁰, R.W.L. Jones ⁷⁴, S. Jones ⁷, T.J. Jones ⁷⁶, J. Jongmanns ^{60a}, P.M. Jorge ^{127a,127b}, J. Jovicevic ^{160a}, X. Ju ¹⁷³, A. Juste Rozas ^{13,18}, M.K. Köhler ¹⁷², A. Kaczmarska ⁴¹, M. Kado ¹¹⁸, H. Kagan ¹¹², M. Kagan ¹⁴⁴, S.J. Kahn ⁸⁷, E. Kajomovitz ⁴⁷, C.W. Kalderon ¹²¹, A. Kaluza ⁸⁵, S. Kama ⁴², A. Kamenshchikov ¹³¹, N. Kanaya ¹⁵⁶, S. Kaneti ³⁰, L. Kanjur ⁷⁷, V.A. Kantserov ⁹⁹, J. Kanzaki ⁶⁸, B. Kaplan ¹¹¹, L.S. Kaplan ¹⁷³, A. Kapliy ³³, D. Kar ^{146c}, K. Karakostas ¹⁰, A. Karamaoun ³, N. Karastathis ¹⁰, M.J. Kareem ⁵⁶, E. Karentzos ¹⁰, M. Karnevskiy ⁸⁵, S.N. Karpov ⁶⁷, Z.M. Karpova ⁶⁷, K. Karthik ¹¹¹, V. Kartvelishvili ⁷⁴, A.N. Karyukhin ¹³¹, K. Kasahara ¹⁶¹, L. Kashif ¹⁷³, R.D. Kass ¹¹², A. Kastanas ¹⁵, Y. Kataoka ¹⁵⁶, C. Kato ¹⁵⁶, A. Katre ⁵¹, J. Katzy ⁴⁴, K. Kawagoe ⁷², T. Kawamoto ¹⁵⁶, G. Kawamura ⁵⁶, S. Kazama ¹⁵⁶, V.F. Kazanin ^{110,3}, R. Keeler ¹⁶⁹, R. Kehoe ⁴², J.S. Keller ⁴⁴, J.J. Kempster ⁷⁹, K. Kentaro ¹⁰⁴, H. Keoshkerian ¹⁵⁹, O. Kepka ¹²⁸, B.P. Kerševan ⁷⁷, S. Kersten ¹⁷⁵, R.A. Keyes ⁸⁹, M. Khader ¹⁶⁶, F. Khalil-zada ¹², A. Khanov ¹¹⁵, A.G. Kharlamov ^{110,3}, T.J. Khoo ⁵¹, V. Khovanskiy ⁹⁸, E. Khramov ⁶⁷, J. Khubua ^{53b,24}, S. Kido ⁶⁹, H.Y. Kim ⁸, S.H. Kim ¹⁶¹, Y.K. Kim ³³, N. Kimura ¹⁵⁵, O.M. Kind ¹⁷, B.T. King ⁷⁶, M. King ¹⁶⁷, S.B. King ¹⁶⁸, J. Kirk ¹³², A.E. Kiryunin ¹⁰², T. Kishimoto ⁶⁹, D. Kisielewska ^{40a}, F. Kiss ⁵⁰, K. Kiuchi ¹⁶¹, O. Kivernyk ¹³⁷, E. Kladiva ^{145b}, M.H. Klein ³⁷, M. Klein ⁷⁶, U. Klein ⁷⁶, K. Kleinknecht ⁸⁵, P. Klimek ¹⁰⁹, A. Klimentov ²⁷, R. Klingenberg ⁴⁵, J.A. Klinger ¹⁴⁰, T. Klioutchnikova ³², E.-E. Kluge ^{60a}, P. Kluit ¹⁰⁸, S. Kluth ¹⁰², J. Knapik ⁴¹, E. Kneringer ⁶⁴, E.B.F.G. Knoops ⁸⁷, A. Knue ⁵⁵, A. Kobayashi ¹⁵⁶, D. Kobayashi ¹⁵⁸, T. Kobayashi ¹⁵⁶, M. Kobel ⁴⁶, M. Kocian ¹⁴⁴, P. Kodys ¹³⁰, T. Koffeman ¹⁰⁸, T. Koi ¹⁴⁴, H. Kolanoski ¹⁷, M. Kolb ^{60b}, I. Koletsou ⁵, A.A. Komar ^{97,*}, Y. Komori ¹⁵⁶, T. Kondo ⁶⁸,

- N. Kondrashova 44, K. Köneke 50, A.C. König 107, T. Kono 68, 25, R. Konoplich 111, 26, N. Konstantinidis 80,
 R. Kopeliansky 63, S. Koperny 40a, L. Köpke 85, A.K. Kopp 50, K. Korcyl 41, K. Kordas 155, A. Korn 80,
 A.A. Korol 110, 3, I. Korolkov 13, E.V. Korolkova 140, O. Kortner 102, S. Kortner 102, T. Kosek 130,
 V.V. Kostyukhin 23, A. Kotwal 47, A. Kourkoumeli-Charalampidi 155, C. Kourkoumelis 9, V. Kouskoura 27,
 A.B. Kowalewska 41, R. Kowalewski 169, T.Z. Kowalski 40a, C. Kozakai 156, W. Kozanecki 137, A.S. Kozhin 131,
 V.A. Kramarenko 100, G. Kramberger 77, D. Krasnopevtsev 99, M.W. Krasny 82, A. Krasznahorkay 32,
 J.K. Kraus 23, A. Kravchenko 27, M. Kretz 60c, J. Kretzschmar 76, K. Kreutzfeldt 54, P. Krieger 159, K. Krizka 33,
 K. Kroeninger 45, H. Kroha 102, J. Kroll 123, J. Kroseberg 23, J. Krstic 14, U. Kruchonak 67, H. Krüger 23,
 N. Krumnack 66, A. Kruse 173, M.C. Kruse 47, M. Kruskal 24, T. Kubota 90, H. Kucuk 80, S. Kuday 4b,
 J.T. Kuechler 175, S. Kuehn 50, A. Kugel 60c, F. Kuger 174, A. Kuhl 138, T. Kuhl 44, V. Kukhtin 67, R. Kukla 137,
 Y. Kulchitsky 94, S. Kuleshov 34b, M. Kuna 133a, 133b, T. Kunigo 70, A. Kupco 128, H. Kurashige 69,
 Y.A. Kurochkin 94, V. Kus 128, E.S. Kuwertz 169, M. Kuze 158, J. Kvita 116, T. Kwan 169, D. Kyriazopoulos 140,
 A. La Rosa 102, J.L. La Rosa Navarro 26d, L. La Rotonda 39a, 39b, C. Lacasta 167, F. Lacava 133a, 133b, J. Lacey 31,
 H. Lacker 17, D. Lacour 82, V.R. Lacuesta 167, E. Ladygin 67, R. Lafaye 5, B. Laforge 82, T. Lagouri 176, S. Lai 56,
 S. Lammers 63, W. Lampl 7, E. Lançon 137, U. Landgraf 50, M.P.J. Landon 78, V.S. Lang 60a, J.C. Lange 13,
 A.J. Lankford 163, F. Lanni 27, K. Lantzsch 23, A. Lanza 122a, S. Laplace 82, C. Lapoire 32, J.F. Laporte 137,
 T. Lari 93a, F. Lasagni Manghi 22a, 22b, M. Lassnig 32, P. Laurelli 49, W. Lavrijsen 16, A.T. Law 138, P. Laycock 76,
 T. Lazovich 59, M. Lazzaroni 93a, 93b, B. Le 90, O. Le Dertz 82, E. Le Guirriec 87, E.P. Le Quillec 137,
 M. LeBlanc 169, T. LeCompte 6, F. Ledroit-Guillon 57, C.A. Lee 27, S.C. Lee 152, L. Lee 1, G. Lefebvre 82,
 M. Lefebvre 169, F. Legger 101, C. Leggett 16, A. Lehan 76, G. Lehmann Miotto 32, X. Lei 7, W.A. Leight 31,
 A. Leisos 155, 27, A.G. Leister 176, M.A.L. Leite 26d, R. Leitner 130, D. Lellouch 172, B. Lemmer 56,
 K.J.C. Leney 80, T. Lenz 23, B. Lenzi 32, R. Leone 7, S. Leone 125a, 125b, C. Leonidopoulos 48, S. Leontsinis 10,
 G. Lerner 150, C. Leroy 96, A.A.J. Lesage 137, C.G. Lester 30, M. Levchenko 124, J. Levêque 5, D. Levin 91,
 L.J. Levinson 172, M. Levy 19, D. Lewis 78, A.M. Leyko 23, M. Leyton 43, B. Li 35b, 15, H. Li 149, H.L. Li 33,
 L. Li 47, L. Li 35e, Q. Li 35a, S. Li 47, X. Li 86, Y. Li 142, Z. Liang 35a, B. Liberti 134a, A. Liblong 159, P. Lichard 32,
 K. Lie 166, J. Liebal 23, W. Liebig 15, A. Limosani 151, S.C. Lin 152, 28, T.H. Lin 85, B.E. Lindquist 149,
 A.E. Lioni 51, E. Lipesles 123, A. Lipniacka 15, M. Lisovsky 60b, T.M. Liss 166, A. Lister 168, A.M. Litke 138,
 B. Liu 152, 29, D. Liu 152, H. Liu 91, H. Liu 27, J. Liu 87, J.B. Liu 35b, K. Liu 87, L. Liu 166, M. Liu 47, M. Liu 35b,
 Y.L. Liu 35b, Y. Liu 35b, M. Livan 122a, 122b, A. Lleres 57, J. Llorente Merino 35a, S.L. Lloyd 78, F. Lo Sterzo 152,
 E. Lobodzinska 44, P. Loch 7, W.S. Lockman 138, F.K. Loebinger 86, A.E. Loevschall-Jensen 38, K.M. Loew 25,
 A. Loginov 176, *, T. Lohse 17, K. Lohwasser 44, M. Lokajicek 128, B.A. Long 24, J.D. Long 166, R.E. Long 74,
 L. Longo 75a, 75b, K.A.Looper 112, L. Lopes 127a, D. Lopez Mateos 59, B. Lopez Paredes 140, I. Lopez Paz 13,
 A. Lopez Solis 82, J. Lorenz 101, N. Lorenzo Martinez 63, M. Losada 21, P.J. Lösel 101, X. Lou 35a, A. Lounis 118,
 J. Love 6, P.A. Love 74, H. Lu 62a, N. Lu 91, H.J. Lubatti 139, C. Luci 133a, 133b, A. Lucotte 57, C. Luedtke 50,
 F. Luehring 63, W. Lukas 64, L. Luminari 133a, O. Lundberg 147a, 147b, B. Lund-Jensen 148, P.M. Luzi 82,
 D. Lynn 27, R. Lysak 128, E. Lytken 83, V. Lyubushkin 67, H. Ma 27, L.L. Ma 35d, Y. Ma 35d, G. Maccarrone 49,
 A. Macchiolo 102, C.M. Macdonald 140, B. Maček 77, J. Machado Miguens 123, 127b, D. Madaffari 87,
 R. Madar 36, H.J. Maddocks 165, W.F. Mader 46, A. Madsen 44, J. Maeda 69, S. Maeland 15, T. Maeno 27,
 A. Maevskiy 100, E. Magradze 56, J. Mahlstedt 108, C. Maiani 118, C. Maidantchik 26a, A.A. Maier 102,
 T. Maier 101, A. Maio 127a, 127b, 127d, S. Majewski 117, Y. Makida 68, N. Makovec 118, B. Malaescu 82,
 Pa. Malecki 41, V.P. Maleev 124, F. Malek 57, U. Mallik 65, D. Malon 6, C. Malone 144, S. Maltezos 10,
 S. Malyukov 32, J. Mamuzic 167, G. Mancini 49, B. Mandelli 32, L. Mandelli 93a, I. Mandić 77,
 J. Maneira 127a, 127b, L. Manhaes de Andrade Filho 26b, J. Manjarres Ramos 160b, A. Mann 101,
 A. Manousos 32, B. Mansoulie 137, J.D. Mansour 35a, R. Mantifel 89, M. Mantoani 56, S. Manzoni 93a, 93b,
 L. Mapelli 32, G. Marceca 29, L. March 51, G. Marchiori 82, M. Marcisovsky 128, M. Marjanovic 14,
 D.E. Marley 91, F. Marroquim 26a, S.P. Marsden 86, Z. Marshall 16, S. Marti-Garcia 167, B. Martin 92,
 T.A. Martin 170, V.J. Martin 48, B. Martin dit Latour 15, M. Martinez 13, 18, V.I. Martinez Outschoorn 166,
 S. Martin-Haugh 132, V.S. Martoiu 28b, A.C. Martyniuk 80, M. Marx 139, A. Marzin 32, L. Masetti 85,
 T. Mashimo 156, R. Mashinistov 97, J. Masik 86, A.L. Maslennikov 110, 3, I. Massa 22a, 22b, L. Massa 22a, 22b,
 P. Mastrandrea 5, A. Mastroberardino 39a, 39b, T. Masubuchi 156, P. Mättig 175, J. Mattmann 85, J. Maurer 28b,
 S.J. Maxfield 76, D.A. Maximov 110, 3, R. Mazini 152, S.M. Mazza 93a, 93b, N.C. Mc Fadden 106,
 G. Mc Goldrick 159, S.P. Mc Kee 91, A. McCarn 91, R.L. McCarthy 149, T.G. McCarthy 102, L.I. McClymont 80,

- E.F. McDonald 90, K.W. McFarlane 58,* J.A. Mcfayden 80, G. Mchedlidze 56, S.J. McMahon 132,
 R.A. McPherson 169, 12, M. Medinnis 44, S. Meehan 139, S. Mehlhase 101, A. Mehta 76, K. Meier 60a,
 C. Meineck 101, B. Meirose 43, D. Melini 167, B.R. Mellado Garcia 146c, M. Melo 145a, F. Meloni 18,
 A. Mengarelli 22a, 22b, S. Menke 102, E. Meoni 162, S. Mergelmeyer 17, P. Mermod 51, L. Merola 105a, 105b,
 C. Meroni 93a, F.S. Merritt 33, A. Messina 133a, 133b, J. Metcalfe 6, A.S. Mete 163, C. Meyer 85, C. Meyer 123,
 J.-P. Meyer 137, J. Meyer 108, H. Meyer Zu Theenhausen 60a, F. Miano 150, R.P. Middleton 132,
 S. Miglioranzi 52a, 52b, L. Mijović 23, G. Mikenberg 172, M. Mikestikova 128, M. Mikuž 77, M. Milesi 90,
 A. Milic 64, D.W. Miller 33, C. Mills 48, A. Milov 172, D.A. Milstead 147a, 147b, A.A. Minaenko 131,
 Y. Minami 156, I.A. Minashvili 67, A.I. Mincer 111, B. Mindur 40a, M. Mineev 67, Y. Ming 173, L.M. Mir 13,
 K.P. Mistry 123, T. Mitani 171, J. Mitrevski 101, V.A. Mitsou 167, A. Miucci 51, P.S. Miyagawa 140,
 J.U. Mjörnmark 83, T. Moa 147a, 147b, K. Mochizuki 96, S. Mohapatra 37, S. Molander 147a, 147b,
 R. Moles-Valls 23, R. Monden 70, M.C. Mondragon 92, K. Möning 44, J. Monk 38, E. Monnier 87,
 A. Montalbano 149, J. Montejo Berlingen 32, F. Monticelli 73, S. Monzani 93a, 93b, R.W. Moore 3,
 N. Morange 118, D. Moreno 21, M. Moreno Llácer 56, P. Morettini 52a, D. Mori 143, T. Mori 156, M. Morii 59,
 M. Morinaga 156, V. Morisbak 120, S. Moritz 85, A.K. Morley 151, G. Mornacchi 32, J.D. Morris 78,
 S.S. Mortensen 38, L. Morvaj 149, M. Mosidze 53b, J. Moss 144, K. Motohashi 158, R. Mount 144,
 E. Mountricha 27, S.V. Mouraviev 97,* E.J.W. Moyse 88, S. Muanza 87, R.D. Mudd 19, F. Mueller 102,
 J. Mueller 126, R.S.P. Mueller 101, T. Mueller 30, D. Muenstermann 74, P. Mullen 55, G.A. Mullier 18,
 F.J. Munoz Sanchez 86, J.A. Murillo Quijada 19, W.J. Murray 170, 132, H. Musheghyan 56, M. Muškinja 77,
 A.G. Myagkov 131, 30, M. Myska 129, B.P. Nachman 144, O. Nackenhorst 51, K. Nagai 121, R. Nagai 68, 25,
 K. Nagano 68, Y. Nagasaka 61, K. Nagata 161, M. Nagel 50, E. Nagy 87, A.M. Nairz 32, Y. Nakahama 32,
 K. Nakamura 68, T. Nakamura 156, I. Nakano 113, H. Namasivayam 43, R.F. Naranjo Garcia 44, R. Narayan 11,
 D.I. Narrias Villar 60a, I. Naryshkin 124, T. Naumann 44, G. Navarro 21, R. Nayyar 7, H.A. Neal 91,
 P.Yu. Nechaeva 97, T.J. Neep 86, P.D. Nef 144, A. Negri 122a, 122b, M. Negrini 22a, S. Nektarijevic 107,
 C. Nellist 118, A. Nelson 163, S. Nemecek 128, P. Nemethy 111, A.A. Nepomuceno 26a, M. Nessi 32, 31,
 M.S. Neubauer 166, M. Neumann 175, R.M. Neves 111, P. Nevski 27, P.R. Newman 19, D.H. Nguyen 6,
 T. Nguyen Manh 96, R.B. Nickerson 121, R. Nicolaïdou 137, J. Nielsen 138, A. Nikiforov 17,
 V. Nikolaenko 131, 30, I. Nikolic-Audit 82, K. Nikolopoulos 19, J.K. Nilsen 120, P. Nilsson 27, Y. Ninomiya 156,
 A. Nisati 133a, R. Nisius 102, T. Nobe 156, L. Nodulman 6, M. Nomachi 119, I. Nomidis 31, T. Nooney 78,
 S. Norberg 114, M. Nordberg 32, N. Norjoharuddeen 121, O. Novgorodova 46, S. Nowak 102, M. Nozaki 68,
 L. Nozka 116, K. Ntekas 10, E. Nurse 80, F. Nuti 90, F. O'grady 7, D.C. O'Neil 143, A.A. O'Rourke 44, V. O'Shea 55,
 F.G. Oakham 31, 4, H. Oberlack 102, T. Obermann 23, J. Ocariz 82, A. Ochi 69, I. Ochoa 37, J.P. Ochoa-Ricoux 34a,
 S. Oda 72, S. Odaka 68, H. Ogren 63, A. Oh 86, S.H. Oh 47, C.C. Ohm 16, H. Ohman 165, H. Oide 32,
 H. Okawa 161, Y. Okumura 33, T. Okuyama 68, A. Olariu 28b, L.F. Oleiro Seabra 127a, S.A. Olivares Pino 48,
 D. Oliveira Damazio 27, A. Olszewski 41, J. Olszowska 41, A. Onofre 127a, 127e, K. Onogi 104, P.U.E. Onyisi 11, 22,
 M.J. Oreglia 33, Y. Oren 154, D. Orestano 135a, 135b, N. Orlando 62b, R.S. Orr 159, B. Osculati 52a, 52b,
 R. Ospanov 86, G. Otero y Garzon 29, H. Ottono 72, M. Ouchrif 136d, F. Ould-Saada 120, A. Ouraou 137,
 K.P. Oussoren 108, Q. Ouyang 35a, M. Owen 55, R.E. Owen 19, V.E. Ozcan 20a, N. Ozturk 8, K. Pachal 143,
 A. Pacheco Pages 13, L. Pacheco Rodriguez 137, C. Padilla Aranda 13, M. Pagáčová 50, S. Pagan Griso 16,
 F. Paige 27, P. Pais 88, K. Pajchel 120, G. Palacino 160b, S. Palazzo 39a, 39b, S. Palestini 32, M. Palka 40b,
 D. Pallin 36, A. Palma 127a, 127b, E.St. Panagiotopoulou 10, C.E. Pandini 82, J.G. Panduro Vazquez 79,
 P. Pani 147a, 147b, S. Panitkin 27, D. Pantea 28b, L. Paolozzi 51, Th.D. Papadopoulou 10, K. Papageorgiou 155,
 A. Paramonov 6, D. Paredes Hernandez 176, A.J. Parker 74, M.A. Parker 30, K.A. Parker 140, F. Parodi 52a, 52b,
 J.A. Parsons 37, U. Parzefall 50, V.R. Pascuzzi 159, E. Pasqualucci 133a, S. Passaggio 52a, Fr. Pastore 79,
 G. Pásztor 31, 32, S. Pataraia 175, J.R. Pater 86, T. Pauly 32, J. Pearce 169, B. Pearson 114, L.E. Pedersen 38,
 M. Pedersen 120, S. Pedraza Lopez 167, R. Pedro 127a, 127b, S.V. Peleganchuk 110, 3, D. Pelikan 165, O. Penc 128,
 C. Peng 35a, H. Peng 35b, J. Penwell 63, B.S. Peralva 26b, M.M. Perego 137, D.V. Perepelitsa 27,
 E. Perez Codina 160a, L. Perini 93a, 93b, H. Pernegger 32, S. Perrella 105a, 105b, R. Peschke 44,
 V.D. Peshekhonov 67, K. Peters 44, R.F.Y. Peters 86, B.A. Petersen 32, T.C. Petersen 38, E. Petit 57, A. Petridis 1,
 C. Petridou 155, P. Petroff 118, E. Petrolo 133a, M. Petrov 121, F. Petracci 135a, 135b, N.E. Pettersson 88,
 A. Peyaud 137, R. Pezoa 34b, P.W. Phillips 132, G. Piacquadio 144, 33, E. Pianori 170, A. Picazio 88, E. Piccaro 78,
 M. Piccinini 22a, 22b, M.A. Pickering 121, R. Piegaia 29, J.E. Pilcher 33, A.D. Pilkington 86, A.W.J. Pin 86,

- M. Pinamonti ^{164a,164c,34}, J.L. Pinfold ³, A. Pingel ³⁸, S. Pires ⁸², H. Pirumov ⁴⁴, M. Pitt ¹⁷², L. Plazak ^{145a}, M.-A. Pleier ²⁷, V. Pleskot ⁸⁵, E. Plotnikova ⁶⁷, P. Plucinski ⁹², D. Pluth ⁶⁶, R. Poettgen ^{147a,147b}, L. Poggioli ¹¹⁸, D. Pohl ²³, G. Polesello ^{122a}, A. Poley ⁴⁴, A. Policicchio ^{39a,39b}, R. Polifka ¹⁵⁹, A. Polini ^{22a}, C.S. Pollard ⁵⁵, V. Polychronakos ²⁷, K. Pommès ³², L. Pontecorvo ^{133a}, B.G. Pope ⁹², G.A. Popeneciu ^{28c}, D.S. Popovic ¹⁴, A. Poppleton ³², S. Pospisil ¹²⁹, K. Potamianos ¹⁶, I.N. Potrap ⁶⁷, C.J. Potter ³⁰, C.T. Potter ¹¹⁷, G. Poulard ³², J. Poveda ³², V. Pozdnyakov ⁶⁷, M.E. Pozo Astigarraga ³², P. Pralavorio ⁸⁷, A. Pranko ¹⁶, S. Prell ⁶⁶, D. Price ⁸⁶, L.E. Price ⁶, M. Primavera ^{75a}, S. Prince ⁸⁹, M. Proissl ⁴⁸, K. Prokofiev ^{62c}, F. Prokoshin ^{34b}, S. Protopopescu ²⁷, J. Proudfoot ⁶, M. Przybycien ^{40a}, D. Puddu ^{135a,135b}, M. Purohit ^{27,35}, P. Puzo ¹¹⁸, J. Qian ⁹¹, G. Qin ⁵⁵, Y. Qin ⁸⁶, A. Quadt ⁵⁶, W.B. Quayle ^{164a,164b}, M. Queitsch-Maitland ⁸⁶, D. Quilty ⁵⁵, S. Raddum ¹²⁰, V. Radeka ²⁷, V. Radescu ^{60b}, S.K. Radhakrishnan ¹⁴⁹, P. Radloff ¹¹⁷, P. Rados ⁹⁰, F. Ragusa ^{93a,93b}, G. Rahal ¹⁷⁸, J.A. Raine ⁸⁶, S. Rajagopalan ²⁷, M. Rammensee ³², C. Rangel-Smith ¹⁶⁵, M.G. Ratti ^{93a,93b}, F. Rauscher ¹⁰¹, S. Rave ⁸⁵, T. Ravenscroft ⁵⁵, I. Ravinovich ¹⁷², M. Raymond ³², A.L. Read ¹²⁰, N.P. Readioff ⁷⁶, M. Reale ^{75a,75b}, D.M. Rebuzzi ^{122a,122b}, A. Redelbach ¹⁷⁴, G. Redlinger ²⁷, R. Reece ¹³⁸, K. Reeves ⁴³, L. Rehnisch ¹⁷, J. Reichert ¹²³, H. Reisin ²⁹, C. Rembser ³², H. Ren ^{35a}, M. Rescigno ^{133a}, S. Resconi ^{93a}, O.L. Rezanova ^{110,3}, P. Reznicek ¹³⁰, R. Rezvani ⁹⁶, R. Richter ¹⁰², S. Richter ⁸⁰, E. Richter-Was ^{40b}, O. Ricken ²³, M. Ridel ⁸², P. Rieck ¹⁷, C.J. Riegel ¹⁷⁵, J. Rieger ⁵⁶, O. Rifki ¹¹⁴, M. Rijssenbeek ¹⁴⁹, A. Rimoldi ^{122a,122b}, M. Rimoldi ¹⁸, L. Rinaldi ^{22a}, B. Ristić ⁵¹, E. Ritsch ³², I. Riu ¹³, F. Rizatdinova ¹¹⁵, E. Rizvi ⁷⁸, C. Rizzi ¹³, S.H. Robertson ^{89,12}, A. Robichaud-Veronneau ⁸⁹, D. Robinson ³⁰, J.E.M. Robinson ⁴⁴, A. Robson ⁵⁵, C. Roda ^{125a,125b}, Y. Rodina ⁸⁷, A. Rodriguez Perez ¹³, D. Rodriguez Rodriguez ¹⁶⁷, S. Roe ³², C.S. Rogan ⁵⁹, O. Røhne ¹²⁰, A. Romanouk ⁹⁹, M. Romano ^{22a,22b}, S.M. Romano Saez ³⁶, E. Romero Adam ¹⁶⁷, N. Rompotis ¹³⁹, M. Ronzani ⁵⁰, L. Roos ⁸², E. Ros ¹⁶⁷, S. Rosati ^{133a}, K. Rosbach ⁵⁰, P. Rose ¹³⁸, O. Rosenthal ¹⁴², N.-A. Rosien ⁵⁶, V. Rossetti ^{147a,147b}, E. Rossi ^{105a,105b}, L.P. Rossi ^{52a}, J.H.N. Rosten ³⁰, R. Rosten ¹³⁹, M. Rotaru ^{28b}, I. Roth ¹⁷², J. Rothberg ¹³⁹, D. Rousseau ¹¹⁸, C.R. Royon ¹³⁷, A. Rozanov ⁸⁷, Y. Rozen ¹⁵³, X. Ruan ^{146c}, F. Rubbo ¹⁴⁴, M.S. Rudolph ¹⁵⁹, F. Rühr ⁵⁰, A. Ruiz-Martinez ³¹, Z. Rurikova ⁵⁰, N.A. Rusakovich ⁶⁷, A. Ruschke ¹⁰¹, H.L. Russell ¹³⁹, J.P. Rutherford ⁷, N. Ruthmann ³², Y.F. Ryabov ¹²⁴, M. Rybar ¹⁶⁶, G. Rybkin ¹¹⁸, S. Ryu ⁶, A. Ryzhov ¹³¹, G.F. Rzehorz ⁵⁶, A.F. Saavedra ¹⁵¹, G. Sabato ¹⁰⁸, S. Sacerdoti ²⁹, H.F-W. Sadrozinski ¹³⁸, R. Sadykov ⁶⁷, F. Safai Tehrani ^{133a}, P. Saha ¹⁰⁹, M. Sahinsoy ^{60a}, M. Saimpert ¹³⁷, T. Saito ¹⁵⁶, H. Sakamoto ¹⁵⁶, Y. Sakurai ¹⁷¹, G. Salamanna ^{135a,135b}, A. Salamon ^{134a,134b}, J.E. Salazar Loyola ^{34b}, D. Salek ¹⁰⁸, P.H. Sales De Bruin ¹³⁹, D. Salihagic ¹⁰², A. Salnikov ¹⁴⁴, J. Salt ¹⁶⁷, D. Salvatore ^{39a,39b}, F. Salvatore ¹⁵⁰, A. Salvucci ^{62a}, A. Salzburger ³², D. Sammel ⁵⁰, D. Sampsonidis ¹⁵⁵, A. Sanchez ^{105a,105b}, J. Sánchez ¹⁶⁷, V. Sanchez Martinez ¹⁶⁷, H. Sandaker ¹²⁰, R.L. Sandbach ⁷⁸, H.G. Sander ⁸⁵, M. Sandhoff ¹⁷⁵, C. Sandoval ²¹, R. Sandstroem ¹⁰², D.P.C. Sankey ¹³², M. Sannino ^{52a,52b}, A. Sansoni ⁴⁹, C. Santoni ³⁶, R. Santonico ^{134a,134b}, H. Santos ^{127a}, I. Santoyo Castillo ¹⁵⁰, K. Sapp ¹²⁶, A. Sapronov ⁶⁷, J.G. Saraiva ^{127a,127d}, B. Sarrazin ²³, O. Sasaki ⁶⁸, Y. Sasaki ¹⁵⁶, K. Sato ¹⁶¹, G. Sauvage ^{5,*}, E. Sauvan ⁵, G. Savage ⁷⁹, P. Savard ^{159,4}, C. Sawyer ¹³², L. Sawyer ^{81,17}, J. Saxon ³³, C. Sbarra ^{22a}, A. Sbrizzi ^{22a,22b}, T. Scanlon ⁸⁰, D.A. Scannicchio ¹⁶³, M. Scarcella ¹⁵¹, V. Scarfone ^{39a,39b}, J. Schaarschmidt ¹⁷², P. Schacht ¹⁰², B.M. Schachtner ¹⁰¹, D. Schaefer ³², R. Schaefer ⁴⁴, J. Schaeffer ⁸⁵, S. Schaepe ²³, S. Schatzel ^{60b}, U. Schäfer ⁸⁵, A.C. Schaffer ¹¹⁸, D. Schaile ¹⁰¹, R.D. Schamberger ¹⁴⁹, V. Scharf ^{60a}, V.A. Schegelsky ¹²⁴, D. Scheirich ¹³⁰, M. Schernau ¹⁶³, C. Schiavi ^{52a,52b}, S. Schier ¹³⁸, C. Schillo ⁵⁰, M. Schioppa ^{39a,39b}, S. Schlenker ³², K.R. Schmidt-Sommerfeld ¹⁰², K. Schmieden ³², C. Schmitt ⁸⁵, S. Schmitt ⁴⁴, S. Schmitz ⁸⁵, B. Schneider ^{160a}, U. Schnoor ⁵⁰, L. Schoeffel ¹³⁷, A. Schoening ^{60b}, B.D. Schoenrock ⁹², E. Schopf ²³, M. Schott ⁸⁵, J. Schovancova ⁸, S. Schramm ⁵¹, M. Schreyer ¹⁷⁴, N. Schuh ⁸⁵, M.J. Schultens ²³, H.-C. Schultz-Coulon ^{60a}, H. Schulz ¹⁷, M. Schumacher ⁵⁰, B.A. Schumm ¹³⁸, Ph. Schune ¹³⁷, A. Schwartzman ¹⁴⁴, T.A. Schwarz ⁹¹, Ph. Schwegler ¹⁰², H. Schweiger ⁸⁶, Ph. Schwemling ¹³⁷, R. Schwienhorst ⁹², J. Schwindling ¹³⁷, T. Schwindt ²³, G. Sciolla ²⁵, F. Scuri ^{125a,125b}, F. Scutti ⁹⁰, J. Searcy ⁹¹, P. Seema ²³, S.C. Seidel ¹⁰⁶, A. Seiden ¹³⁸, F. Seifert ¹²⁹, J.M. Seixas ^{26a}, G. Sekhniaidze ^{105a}, K. Sekhon ⁹¹, S.J. Sekula ⁴², D.M. Seliverstov ^{124,*}, N. Semprini-Cesari ^{22a,22b}, C. Serfon ¹²⁰, L. Serin ¹¹⁸, L. Serkin ^{164a,164b}, M. Sessa ^{135a,135b}, R. Seuster ¹⁶⁹, H. Severini ¹¹⁴, T. Sfiligoj ⁷⁷, F. Sforza ³², A. Sfyrla ⁵¹, E. Shabalina ⁵⁶, N.W. Shaikh ^{147a,147b}, L.Y. Shan ^{35a}, R. Shang ¹⁶⁶, J.T. Shank ²⁴, M. Shapiro ¹⁶, P.B. Shatalov ⁹⁸, K. Shaw ^{164a,164b}, S.M. Shaw ⁸⁶, A. Shcherbakova ^{147a,147b}, C.Y. Shehu ¹⁵⁰, P. Sherwood ⁸⁰, L. Shi ^{152,36}, S. Shimizu ⁶⁹, C.O. Shimmin ¹⁶³, M. Shimojima ¹⁰³, M. Shiyakova ^{67,37},

- A. Shmeleva 97, D. Shoaleh Saadi 96, M.J. Shochet 33, S. Shojaii 93a, 93b, S. Shrestha 112, E. Shulga 99,
 M.A. Shupe 7, P. Sicho 128, A.M. Sickles 166, P.E. Sidebo 148, O. Sidiropoulou 174, D. Sidorov 115,
 A. Sidoti 22a, 22b, F. Siegert 46, Dj. Sijacki 14, J. Silva 127a, 127d, S.B. Silverstein 147a, V. Simak 129, O. Simard 5,
 Lj. Simic 14, S. Simion 118, E. Simioni 85, B. Simmons 80, D. Simon 36, M. Simon 85, P. Sinervo 159,
 N.B. Sinev 117, M. Sioli 22a, 22b, G. Siragusa 174, S.Yu. Sivoklokov 100, J. Sjölin 147a, 147b, M.B. Skinner 74,
 H.P. Skottowe 59, P. Skubic 114, M. Slater 19, T. Slavicek 129, M. Slawinska 108, K. Sliwa 162, R. Slovak 130,
 V. Smakhtin 172, B.H. Smart 5, L. Smestad 15, J. Smiesko 145a, S.Yu. Smirnov 99, Y. Smirnov 99,
 L.N. Smirnova 100, 38, O. Smirnova 83, M.N.K. Smith 37, R.W. Smith 37, M. Smizanska 74, K. Smolek 129,
 A.A. Snesarev 97, S. Snyder 27, R. Sobie 169, 12, F. Socher 46, A. Soffer 154, D.A. Soh 152, G. Sokhrannyi 77,
 C.A. Solans Sanchez 32, M. Solar 129, E.Yu. Soldatov 99, U. Soldevila 167, A.A. Solodkov 131, A. Soloshenko 67,
 O.V. Solovyanov 131, V. Solovyev 124, P. Sommer 50, H. Son 162, H.Y. Song 35b, 39, A. Sood 16, A. Sopczak 129,
 V. Sopko 129, V. Sorin 13, D. Sosa 60b, C.L. Sotiropoulou 125a, 125b, R. Soualah 164a, 164c, A.M. Soukharev 110, 3,
 D. South 44, B.C. Sowden 79, S. Spagnolo 75a, 75b, M. Spalla 125a, 125b, M. Spangenberg 170, F. Spanò 79,
 D. Sperlich 17, F. Spettel 102, R. Spighi 22a, G. Spigo 32, L.A. Spiller 90, M. Spousta 130, R.D. St. Denis 55,*
 A. Stabile 93a, R. Stamen 60a, S. Stamm 17, E. Stanecka 41, R.W. Stanek 6, C. Stanescu 135a,
 M. Stanescu-Bellu 44, M.M. Stanitzki 44, S. Stapnes 120, E.A. Starchenko 131, G.H. Stark 33, J. Stark 57,
 P. Staroba 128, P. Starovoitov 60a, S. Stärz 32, R. Staszewski 41, P. Steinberg 27, B. Stelzer 143, H.J. Stelzer 32,
 O. Stelzer-Chilton 160a, H. Stenzel 54, G.A. Stewart 55, J.A. Stillings 23, M.C. Stockton 89, M. Stoebe 89,
 G. Stoicea 28b, P. Stolte 56, S. Stonjek 102, A.R. Stradling 8, A. Straessner 46, M.E. Stramaglia 18,
 J. Strandberg 148, S. Strandberg 147a, 147b, A. Strandlie 120, M. Strauss 114, P. Strizenec 145b, R. Ströhmer 174,
 D.M. Strom 117, R. Stroynowski 42, A. Strubig 107, S.A. Stucci 18, B. Stugu 15, N.A. Styles 44, D. Su 144,
 J. Su 126, R. Subramaniam 81, S. Suchek 60a, Y. Sugaya 119, M. Suk 129, V.V. Sulin 97, S. Sultansoy 4c,
 T. Sumida 70, S. Sun 59, X. Sun 35a, J.E. Sundermann 50, K. Suruliz 150, G. Susinno 39a, 39b, M.R. Sutton 150,
 S. Suzuki 68, M. Svatos 128, M. Swiatlowski 33, I. Sykora 145a, T. Sykora 130, D. Ta 50, C. Taccini 135a, 135b,
 K. Tackmann 44, J. Taenzer 159, A. Taffard 163, R. Tafirout 160a, N. Taiblum 154, H. Takai 27, R. Takashima 71,
 T. Takeshita 141, Y. Takubo 68, M. Talby 87, A.A. Talyshев 110, 3, K.G. Tan 90, J. Tanaka 156, R. Tanaka 118,
 S. Tanaka 68, B.B. Tannenwald 112, S. Tapia Araya 34b, S. Tapprogge 85, S. Tarem 153, G.F. Tartarelli 93a,
 P. Tas 130, M. Tasevsky 128, T. Tashiro 70, E. Tassi 39a, 39b, A. Tavares Delgado 127a, 127b, Y. Tayalati 136d,
 A.C. Taylor 106, G.N. Taylor 90, P.T.E. Taylor 90, W. Taylor 160b, F.A. Teischinger 32, P. Teixeira-Dias 79,
 K.K. Temming 50, D. Temple 143, H. Ten Kate 32, P.K. Teng 152, J.J. Teoh 119, F. Tepel 175, S. Terada 68,
 K. Terashi 156, J. Terron 84, S. Terzo 102, M. Testa 49, R.J. Teuscher 159, 12, T. Theveneaux-Pelzer 87,
 J.P. Thomas 19, J. Thomas-Wilsker 79, E.N. Thompson 37, P.D. Thompson 19, A.S. Thompson 55,
 L.A. Thomsen 176, E. Thomson 123, M. Thomson 30, M.J. Tibbetts 16, R.E. Ticse Torres 87,
 V.O. Tikhomirov 97, 40, Yu.A. Tikhonov 110, 3, S. Timoshenko 99, P. Tipton 176, S. Tisserant 87, K. Todome 158,
 T. Todorov 5,* S. Todorova-Nova 130, J. Tojo 72, S. Tokár 145a, K. Tokushuku 68, E. Tolley 59, L. Tomlinson 86,
 M. Tomoto 104, L. Tompkins 144, 41, K. Toms 106, B. Tong 59, E. Torrence 117, H. Torres 143, E. Torró Pastor 139,
 J. Toth 87, 42, F. Touchard 87, D.R. Tovey 140, T. Trefzger 174, A. Tricoli 27, I.M. Trigger 160a,
 S. Trincaz-Duvold 82, M.F. Tripiana 13, W. Trischuk 159, B. Trocmé 57, A. Trofymov 44, C. Troncon 93a,
 M. Trottier-McDonald 16, M. Trovatelli 169, L. Truong 164a, 164c, M. Trzebinski 41, A. Trzupek 41,
 J.-C.-L. Tseng 121, P.V. Tsiareshka 94, G. Tsipolitis 10, N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 50,
 E.G. Tskhadadze 53a, K.M. Tsui 62a, I.I. Tsukerman 98, V. Tsulaia 16, S. Tsuno 68, D. Tsybychev 149,
 A. Tudorache 28b, V. Tudorache 28b, A.N. Tuna 59, S.A. Tupputi 22a, 22b, S. Turchikhin 100, 38, D. Turecek 129,
 D. Turgeman 172, R. Turra 93a, 93b, A.J. Turvey 42, P.M. Tuts 37, M. Tyndel 132, G. Ucchielli 22a, 22b, I. Ueda 156,
 M. Ughetto 147a, 147b, F. Ukegawa 161, G. Unal 32, A. Undrus 27, G. Unel 163, F.C. Ungaro 90, Y. Unno 68,
 C. Unverdorben 101, J. Urban 145b, P. Urquijo 90, P. Urrejola 85, G. Usai 8, A. Usanova 64, L. Vacavant 87,
 V. Vacek 129, B. Vachon 89, C. Valderanis 101, E. Valdes Santurio 147a, 147b, N. Valencic 108,
 S. Valentini 22a, 22b, A. Valero 167, L. Valery 13, S. Valkar 130, S. Vallecorsa 51, J.A. Valls Ferrer 167,
 W. Van Den Wollenberg 108, P.C. Van Der Deijl 108, R. van der Geer 108, H. van der Graaf 108,
 N. van Eldik 153, P. van Gemmeren 6, J. Van Nieuwkoop 143, I. van Vulpen 108, M.C. van Woerden 32,
 M. Vanadia 133a, 133b, W. Vandelli 32, R. Vanguri 123, A. Vaniachine 131, P. Vankov 108, G. Vardanyan 177,
 R. Vari 133a, E.W. Varnes 7, T. Varol 42, D. Varouchas 82, A. Vartapetian 8, K.E. Varvell 151, J.G. Vasquez 176,
 F. Vazeille 36, T. Vazquez Schroeder 89, J. Veatch 56, L.M. Veloce 159, F. Veloso 127a, 127c, S. Veneziano 133a,

- A. Ventura ^{75a,75b}, M. Venturi ¹⁶⁹, N. Venturi ¹⁵⁹, A. Venturini ²⁵, V. Vercesi ^{122a}, M. Verducci ^{133a,133b}, W. Verkerke ¹⁰⁸, J.C. Vermeulen ¹⁰⁸, A. Vest ^{46,43}, M.C. Vetterli ^{143,4}, O. Viazlo ⁸³, I. Vichou ^{166,*}, T. Vickey ¹⁴⁰, O.E. Vickey Boeriu ¹⁴⁰, G.H.A. Viehhauser ¹²¹, S. Viel ¹⁶, L. Vigani ¹²¹, R. Vigne ⁶⁴, M. Villa ^{22a,22b}, M. Villaplana Perez ^{93a,93b}, E. Vilucchi ⁴⁹, M.G. Vincter ³¹, V.B. Vinogradov ⁶⁷, C. Vittori ^{22a,22b}, I. Vivarelli ¹⁵⁰, S. Vlachos ¹⁰, M. Vlasak ¹²⁹, M. Vogel ¹⁷⁵, P. Vokac ¹²⁹, G. Volpi ^{125a,125b}, M. Volpi ⁹⁰, H. von der Schmitt ¹⁰², E. von Toerne ²³, V. Vorobel ¹³⁰, K. Vorobev ⁹⁹, M. Vos ¹⁶⁷, R. Voss ³², J.H. Vossebeld ⁷⁶, N. Vranjes ¹⁴, M. Vranjes Milosavljevic ¹⁴, V. Vrba ¹²⁸, M. Vreeswijk ¹⁰⁸, R. Vuillermet ³², I. Vukotic ³³, Z. Vykydal ¹²⁹, P. Wagner ²³, W. Wagner ¹⁷⁵, H. Wahlberg ⁷³, S. Wahrmund ⁴⁶, J. Wakabayashi ¹⁰⁴, J. Walder ⁷⁴, R. Walker ¹⁰¹, W. Walkowiak ¹⁴², V. Wallangen ^{147a,147b}, C. Wang ^{35c}, C. Wang ^{35d,87}, F. Wang ¹⁷³, H. Wang ¹⁶, H. Wang ⁴², J. Wang ⁴⁴, J. Wang ¹⁵¹, K. Wang ⁸⁹, R. Wang ⁶, S.M. Wang ¹⁵², T. Wang ²³, T. Wang ³⁷, W. Wang ^{35b}, X. Wang ¹⁷⁶, C. Wanotayaroj ¹¹⁷, A. Warburton ⁸⁹, C.P. Ward ³⁰, D.R. Wardrope ⁸⁰, A. Washbrook ⁴⁸, P.M. Watkins ¹⁹, A.T. Watson ¹⁹, M.F. Watson ¹⁹, G. Watts ¹³⁹, S. Watts ⁸⁶, B.M. Waugh ⁸⁰, S. Webb ⁸⁵, M.S. Weber ¹⁸, S.W. Weber ¹⁷⁴, J.S. Webster ⁶, A.R. Weidberg ¹²¹, B. Weinert ⁶³, J. Weingarten ⁵⁶, C. Weiser ⁵⁰, H. Weits ¹⁰⁸, P.S. Wells ³², T. Wenaus ²⁷, T. Wengler ³², S. Wenig ³², N. Wermes ²³, M. Werner ⁵⁰, M.D. Werner ⁶⁶, P. Werner ³², M. Wessels ^{60a}, J. Wetter ¹⁶², K. Whalen ¹¹⁷, N.L. Whallon ¹³⁹, A.M. Wharton ⁷⁴, A. White ⁸, M.J. White ¹, R. White ^{34b}, D. Whiteson ¹⁶³, F.J. Wickens ¹³², W. Wiedenmann ¹⁷³, M. Wieters ¹³², P. Wienemann ²³, C. Wiglesworth ³⁸, L.A.M. Wiik-Fuchs ²³, A. Wildauer ¹⁰², F. Wilk ⁸⁶, H.G. Wilkens ³², H.H. Williams ¹²³, S. Williams ¹⁰⁸, C. Willis ⁹², S. Willocq ⁸⁸, J.A. Wilson ¹⁹, I. Wingerter-Seez ⁵, F. Winklmeier ¹¹⁷, O.J. Winston ¹⁵⁰, B.T. Winter ²³, M. Wittgen ¹⁴⁴, J. Wittkowski ¹⁰¹, M.W. Wolter ⁴¹, H. Wolters ^{127a,127c}, S.D. Worm ¹³², B.K. Wosiek ⁴¹, J. Wotschack ³², M.J. Woudstra ⁸⁶, K.W. Wozniak ⁴¹, M. Wu ⁵⁷, M. Wu ³³, S.L. Wu ¹⁷³, X. Wu ⁵¹, Y. Wu ⁹¹, T.R. Wyatt ⁸⁶, B.M. Wynne ⁴⁸, S. Xella ³⁸, D. Xu ^{35a}, L. Xu ²⁷, B. Yabsley ¹⁵¹, S. Yacoob ^{146a}, R. Yakabe ⁶⁹, D. Yamaguchi ¹⁵⁸, Y. Yamaguchi ¹¹⁹, A. Yamamoto ⁶⁸, S. Yamamoto ¹⁵⁶, T. Yamanaka ¹⁵⁶, K. Yamauchi ¹⁰⁴, Y. Yamazaki ⁶⁹, Z. Yan ²⁴, H. Yang ^{35e}, H. Yang ¹⁷³, Y. Yang ¹⁵², Z. Yang ¹⁵, W-M. Yao ¹⁶, Y.C. Yap ⁸², Y. Yasu ⁶⁸, E. Yatsenko ⁵, K.H. Yau Wong ²³, J. Ye ⁴², S. Ye ²⁷, I. Yeletskikh ⁶⁷, A.L. Yen ⁵⁹, E. Yildirim ⁸⁵, K. Yorita ¹⁷¹, R. Yoshida ⁶, K. Yoshihara ¹²³, C. Young ¹⁴⁴, C.J.S. Young ³², S. Youssef ²⁴, D.R. Yu ¹⁶, J. Yu ⁸, J.M. Yu ⁹¹, J. Yu ⁶⁶, L. Yuan ⁶⁹, S.P.Y. Yuen ²³, I. Yusuff ^{30,44}, B. Zabinski ⁴¹, R. Zaidan ^{35d}, A.M. Zaitsev ^{131,30}, N. Zakharchuk ⁴⁴, J. Zalieckas ¹⁵, A. Zaman ¹⁴⁹, S. Zambito ⁵⁹, L. Zanello ^{133a,133b}, D. Zanzi ⁹⁰, C. Zeitnitz ¹⁷⁵, M. Zeman ¹²⁹, A. Zemla ^{40a}, J.C. Zeng ¹⁶⁶, Q. Zeng ¹⁴⁴, K. Zengel ²⁵, O. Zenin ¹³¹, T. Ženiš ^{145a}, D. Zerwas ¹¹⁸, D. Zhang ⁹¹, F. Zhang ¹⁷³, G. Zhang ^{35b,39}, H. Zhang ^{35c}, J. Zhang ⁶, L. Zhang ⁵⁰, R. Zhang ²³, R. Zhang ^{35b,45}, X. Zhang ^{35d}, Z. Zhang ¹¹⁸, X. Zhao ⁴², Y. Zhao ^{35d}, Z. Zhao ^{35b}, A. Zhemchugov ⁶⁷, J. Zhong ¹²¹, B. Zhou ⁹¹, C. Zhou ⁴⁷, L. Zhou ³⁷, L. Zhou ⁴², M. Zhou ¹⁴⁹, N. Zhou ^{35f}, C.G. Zhu ^{35d}, H. Zhu ^{35a}, J. Zhu ⁹¹, Y. Zhu ^{35b}, X. Zhuang ^{35a}, K. Zhukov ⁹⁷, A. Zibell ¹⁷⁴, D. Ziemska ⁶³, N.I. Zimine ⁶⁷, C. Zimmermann ⁸⁵, S. Zimmermann ⁵⁰, Z. Zinonos ⁵⁶, M. Zinser ⁸⁵, M. Ziolkowski ¹⁴², L. Živković ¹⁴, G. Zobernig ¹⁷³, A. Zoccoli ^{22a,22b}, M. zur Nedden ¹⁷, L. Zwalinski ³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany NY, United States³ Department of Physics, University of Alberta, Edmonton AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States⁷ Department of Physics, University of Arizona, Tucson AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States¹⁷ Department of Physics, Humboldt University, Berlin, Germany¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom²⁰ ^(a) Department of Physics, Bogaziçi University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²³ Physikalisches Institut, University of Bonn, Bonn, Germany

- ²⁴ Department of Physics, Boston University, Boston MA, United States
²⁵ Department of Physics, Brandeis University, Waltham MA, United States
²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States
²⁸ ^(a) Transilvania University of Brasov, Brasov, Romania; ^(b) National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(d) University Politehnica Bucharest, Bucharest; ^(e) West University in Timisoara, Timisoara, Romania
²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
³¹ Department of Physics, Carleton University, Ottawa ON, Canada
³² CERN, Geneva, Switzerland
³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States
³⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
³⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai ⁴⁶; ^(f) Physics Department, Tsinghua University, Beijing 100084, China
³⁶ Laboratoire de Physique Corpusculaire, Clermont Université et Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
³⁷ Nevis Laboratory, Columbia University, Irvington NY, United States
³⁸ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
³⁹ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
⁴⁰ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
⁴¹ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
⁴² Physics Department, Southern Methodist University, Dallas TX, United States
⁴³ Physics Department, University of Texas at Dallas, Richardson TX, United States
⁴⁴ DESY, Hamburg and Zeuthen, Germany
⁴⁵ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
⁴⁶ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
⁴⁷ Department of Physics, Duke University, Durham NC, United States
⁴⁸ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
⁴⁹ INFN Laboratori Nazionali di Frascati, Frascati, Italy
⁵⁰ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
⁵¹ Section de Physique, Université de Genève, Geneva, Switzerland
⁵² ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
⁵³ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
⁵⁴ II Physikalisch Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁵⁵ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁶ II Physikalisch Institut, Georg-August-Universität, Göttingen, Germany
⁵⁷ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁸ Department of Physics, Hampton University, Hampton VA, United States
⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States
⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶³ Department of Physics, Indiana University, Bloomington IN, United States
⁶⁴ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶⁵ University of Iowa, Iowa City IA, United States
⁶⁶ Department of Physics and Astronomy, Iowa State University, Ames IA, United States
⁶⁷ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁸ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁹ Graduate School of Science, Kobe University, Kobe, Japan
⁷⁰ Faculty of Science, Kyoto University, Kyoto, Japan
⁷¹ Kyoto University of Education, Kyoto, Japan
⁷² Department of Physics, Kyushu University, Fukuoka, Japan
⁷³ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷⁴ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁵ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁶ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁷ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁸ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁹ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁸⁰ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸¹ Louisiana Tech University, Ruston LA, United States
⁸² Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸³ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁴ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁵ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁶ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁷ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁸ Department of Physics, University of Massachusetts, Amherst MA, United States
⁸⁹ Department of Physics, McGill University, Montreal QC, Canada
⁹⁰ School of Physics, University of Melbourne, Victoria, Australia
⁹¹ Department of Physics, The University of Michigan, Ann Arbor MI, United States
⁹² Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
⁹³ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁴ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁵ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus

- ⁹⁶ Group of Particle Physics, University of Montreal, Montreal QC, Canada
⁹⁷ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁸ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁹ National Research Nuclear University MEPhI, Moscow, Russia
¹⁰⁰ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰¹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰² Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰³ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁴ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁵ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁶ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
¹⁰⁷ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁸ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁹ Department of Physics, Northern Illinois University, DeKalb IL, United States
¹¹⁰ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹¹ Department of Physics, New York University, New York NY, United States
¹¹² Ohio State University, Columbus OH, United States
¹¹³ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁴ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
¹¹⁵ Department of Physics, Oklahoma State University, Stillwater OK, United States
¹¹⁶ Palacký University, RCPMT, Olomouc, Czech Republic
¹¹⁷ Center for High Energy Physics, University of Oregon, Eugene OR, United States
¹¹⁸ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹¹⁹ Graduate School of Science, Osaka University, Osaka, Japan
¹²⁰ Department of Physics, University of Oslo, Oslo, Norway
¹²¹ Department of Physics, Oxford University, Oxford, United Kingdom
¹²² ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²³ Department of Physics, University of Pennsylvania, Philadelphia PA, United States
¹²⁴ National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁵ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁶ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
¹²⁷ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁸ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁹ Czech Technical University in Prague, Praha, Czech Republic
¹³⁰ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹³¹ State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³² Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³³ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁵ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
¹³⁶ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
¹³⁷ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
¹³⁸ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
¹³⁹ Department of Physics, University of Washington, Seattle WA, United States
¹⁴⁰ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴¹ Department of Physics, Shinshu University, Nagano, Japan
¹⁴² Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴³ Department of Physics, Simon Fraser University, Burnaby BC, Canada
¹⁴⁴ SLAC National Accelerator Laboratory, Stanford CA, United States
¹⁴⁵ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
¹⁴⁶ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁷ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁸ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁹ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States
¹⁵⁰ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵¹ School of Physics, University of Sydney, Sydney, Australia
¹⁵² Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵³ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
¹⁵⁴ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁵ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁶ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁷ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁸ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁵⁹ Department of Physics, University of Toronto, Toronto ON, Canada
¹⁶⁰ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
¹⁶¹ Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
¹⁶² Department of Physics and Astronomy, Tufts University, Medford MA, United States
¹⁶³ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
¹⁶⁴ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁵ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁶ Department of Physics, University of Illinois, Urbana IL, United States
¹⁶⁷ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain

- ¹⁶⁸ Department of Physics, University of British Columbia, Vancouver BC, Canada
¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
¹⁷⁰ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷¹ Waseda University, Tokyo, Japan
¹⁷² Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
¹⁷³ Department of Physics, University of Wisconsin, Madison WI, United States
¹⁷⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
¹⁷⁵ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁷⁶ Department of Physics, Yale University, New Haven CT, United States
¹⁷⁷ Yerevan Physics Institute, Yerevan, Armenia
¹⁷⁸ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

¹ Also at Department of Physics, King's College London, London, United Kingdom.

² Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

³ Also at Novosibirsk State University, Novosibirsk, Russia.

⁴ Also at TRIUMF, Vancouver BC, Canada.

⁵ Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.

⁶ Also at Department of Physics, California State University, Fresno CA, United States of America.

⁷ Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

⁸ Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona, Spain.

⁹ Also at Departamento de Fisica e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

¹⁰ Also at Tomsk State University, Tomsk, Russia.

¹¹ Also at Universita di Napoli Parthenope, Napoli, Italy.

¹² Also at Institute of Particle Physics (IPP), Canada.

¹³ Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania.

¹⁴ Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

¹⁵ Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.

¹⁶ Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.

¹⁷ Also at Louisiana Tech University, Ruston LA, United States of America.

¹⁸ Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

¹⁹ Also at Graduate School of Science, Osaka University, Osaka, Japan.

²⁰ Also at Department of Physics, National Tsing Hua University, Taiwan.

²¹ Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.

²² Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.

²³ Also at CERN, Geneva, Switzerland.

²⁴ Also at Georgian Technical University (GTU),Tbilisi, Georgia.

²⁵ Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.

²⁶ Also at Manhattan College, New York NY, United States of America.

²⁷ Also at Hellenic Open University, Patras, Greece.

²⁸ Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

²⁹ Also at School of Physics, Shandong University, Shandong, China.

³⁰ Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

³¹ Also at Section de Physique, Université de Genève, Geneva, Switzerland.

³² Also at Eotvos Lorand University, Budapest, Hungary.

³³ Also at Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America.

³⁴ Also at International School for Advanced Studies (SISSA), Trieste, Italy.

³⁵ Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America.

³⁶ Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

³⁷ Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.

³⁸ Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.

³⁹ Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

⁴⁰ Also at National Research Nuclear University MEPhI, Moscow, Russia.

⁴¹ Also at Department of Physics, Stanford University, Stanford CA, United States of America.

⁴² Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

⁴³ Also at Flensburg University of Applied Sciences, Flensburg, Germany.

⁴⁴ Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.

⁴⁵ Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

⁴⁶ Also affiliated with PKU-CHEP.

* Deceased.