



Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector



ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 28 September 2015
 Received in revised form 4 December 2015
 Accepted 16 December 2015
 Available online 18 December 2015
 Editor: W.-D. Schlatter

ABSTRACT

The four-lepton (4ℓ , $\ell = e, \mu$) production cross section is measured in the mass range from 80 to 1000 GeV using 20.3 fb^{-1} of data in pp collisions at $\sqrt{s} = 8$ TeV collected with the ATLAS detector at the LHC. The 4ℓ events are produced in the decays of resonant Z and Higgs bosons and the non-resonant ZZ continuum originating from $q\bar{q}$, gg , and qg initial states. A total of 476 signal candidate events are observed with a background expectation of 26.2 ± 3.6 events, enabling the measurement of the integrated cross section and the differential cross section as a function of the invariant mass and transverse momentum of the four-lepton system.

In the mass range above 180 GeV, assuming the theoretical constraint on the $q\bar{q}$ production cross section calculated with perturbative NNLO QCD and NLO electroweak corrections, the signal strength of the gluon-fusion component relative to its leading-order prediction is determined to be $\mu_{gg} = 2.4 \pm 1.0 \text{ (stat.)} \pm 0.5 \text{ (syst.)} \pm 0.8 \text{ (theory)}$.

© 2015 CERN for the benefit of the ATLAS Collaboration. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

This paper presents measurements of the production of four isolated charged-leptons in proton–proton collisions at a centre-of-mass energy of $\sqrt{s} = 8$ TeV using 20.3 fb^{-1} of data collected with the ATLAS detector at the LHC. For the four-lepton (4ℓ , $\ell = e, \mu$) production, both the integrated cross section and the differential cross sections as functions of invariant mass ($m_{4\ell}$) and transverse momentum ($p_T^{4\ell}$) of the 4ℓ system are measured in a mass range $80 < m_{4\ell} < 1000$ GeV. In addition, the 4ℓ signal strength of gluon fusion (ggF) production relative to its leading-order (LO) QCD estimate is measured. These measurements test the validity of the Standard Model (SM) through the interplay of QCD and electroweak effects for different 4ℓ production mechanisms as described by the LO Feynman diagrams shown in Fig. 1.

The 4ℓ signal events come from the decays of resonant Z and Higgs bosons and the non-resonant ZZ continuum produced from $q\bar{q}$, gg , and qg initial states, which are briefly discussed below.

• $q\bar{q}$ -initiated 4ℓ production

The tree-level diagrams for $q\bar{q} \rightarrow 4\ell$ production are shown in Fig. 1(a) and Fig. 1(b). The cross section as a function of $m_{4\ell}$ is shown in Fig. 2 (the dashed black histogram). The 4ℓ event production at the Z resonance occurs predominantly via the s -channel diagram as shown in Fig. 1(a), and was measured previously by

the ATLAS and CMS collaborations [1,2]. In the 4ℓ invariant mass region above the Z resonance the 4ℓ event production mainly proceeds through the t -channel process as shown in Fig. 1(b). The cross section significantly increases when both Z bosons are produced on-shell, resulting in a rise in the $m_{4\ell}$ spectrum around 180 GeV. In addition, a small portion of the 4ℓ events with the $q\bar{q}$ initial state can be produced from the vector-boson scattering (VBS) process.

• gg -initiated 4ℓ production

The LO diagrams of the Higgs-boson production and non-resonant 4ℓ production via ggF are shown in Fig. 1(c) and Fig. 1(d), respectively. The cross sections as a function of $m_{4\ell}$ are shown in Fig. 2 (the coloured histograms). The features of the 4ℓ events from the decays of Higgs-boson and continuum ZZ production via ggF are described below.

- (1) The dominant Higgs-boson production mechanism is ggF . Other Higgs-boson production mechanisms, vector-boson fusion (VBF), vector-boson associated production (VH), and top-pair associated production ($t\bar{t}H$), contribute less than 15% to the on-shell Higgs-boson decay to ZZ^* event rate. The on-shell Higgs-boson production and decay leads to a narrow resonance around 125 GeV, which has been a key signature in the Higgs-boson discovery by the ATLAS [3] and CMS [4] collaborations. The off-shell Higgs-boson production has a large destructive interference with continuum ZZ production from the ggF processes [5–7]. This effect can be observed in the

* E-mail address: atlas.publications@cern.ch.




Fig. 1. The LO Feynman diagrams for the $q\bar{q}$ - and gg -initiated production of 4ℓ : (a) s -channel production of $q\bar{q} \rightarrow Z^{(*)} \rightarrow \ell^+\ell^-$ with associated radiative decays to an additional lepton pair; (b) t -channel production of $q\bar{q} \rightarrow Z^{(*)}Z^{(*)} \rightarrow 4\ell$; (c) Higgs-boson production through gluon fusion $gg \rightarrow H^{(*)} \rightarrow ZZ^{(*)} \rightarrow 4\ell$; (d) non-resonant 4ℓ production through the quark-box diagram $gg \rightarrow Z^{(*)}Z^{(*)} \rightarrow 4\ell$. The $Z^{(*)}$ notation stands for production of on- and off-shell Z bosons (Z and Z^*) and production of off-shell photons (γ^*).




Fig. 2. The differential cross sections, $d\sigma/dm_{4\ell}$, versus the invariant mass of the four leptons $m_{4\ell}$, calculated by MCFM from the $q\bar{q}$ and gg initial states at $\sqrt{s} = 8$ TeV for the $2e2\mu$ final state in the experimental fiducial phase space (see Table 2 for definition). The inclusive $gg \rightarrow 4\ell$ distribution is the sum of the $gg \rightarrow H \rightarrow 4\ell$ and the $gg \rightarrow ZZ \rightarrow 4\ell$, and interference terms. The calculation of the $q\bar{q} \rightarrow 4\ell$ differential production cross section includes perturbative QCD corrections at NLO, while the distributions from the gg initial state are calculated at LO. The NNLO K -factors are applied to on-shell Higgs-boson production.

- high-mass tail of the distributions shown in Fig. 2, and has been used as a tool to constrain the total Higgs-boson width by the ATLAS and CMS collaborations [8,9].
- (2) The non-resonant $ZZ \rightarrow 4\ell$ production via ggF , includes the production of off-shell Higgs bosons and continuum ZZ production as well as their interference. This process produces a sizeable number of 4ℓ events in the $m_{4\ell} > 2 \times m_Z$ mass region and dominates the total gg -initiated 4ℓ production.

Contributions from different processes have different strengths as a function of $m_{4\ell}$ (Fig. 2) and $p_T^{4\ell}$. Therefore, differential 4ℓ production cross sections are measured separately as a function of $m_{4\ell}$ and $p_T^{4\ell}$. The measurement of the integrated cross section is first performed in the experimental fiducial phase space, and then extended to a common phase space for three 4ℓ channels: $4e$, 4μ , and $2e2\mu$. This common phase space is defined by $80 < m_{4\ell} < 1000$ GeV, $m_{\ell^+\ell^-} > 4$ GeV, $p_T^{Z^{1,2}} > 2$ GeV, and the presence of four leptons each with $p_T > 5$ GeV and $|\eta| < 2.8$.

Currently, the gluon-fusion production is estimated theoretically with only a LO QCD approximation for the gg continuum production [6,10]. In this analysis the mass range above 180 GeV is used to determine the signal strength of the gluon-fusion com-

ponent with respect to its LO prediction. This is done by fitting the observed $m_{4\ell}$ spectrum using the next-to-next-to-leading-order (NNLO) QCD theoretical prediction, corrected for next-to-leading-order (NLO) electroweak effects, for the production originating from the $q\bar{q}$ initial state.

2. The ATLAS detector

The ATLAS detector [11] has a cylindrical geometry¹ and consists of an inner tracking detector (ID) surrounded by a 2 T superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer (MS) with a toroidal magnetic field. The ID provides tracking for charged particles for $|\eta| < 2.5$. It consists of silicon pixel and strip detectors surrounded by a straw tube tracker that also provides transition radiation measurements for electron identification. The electromagnetic and hadronic calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. For $|\eta| < 2.5$, the liquid-argon electromagnetic calorimeter is finely segmented and plays an important role in the electron identification. The MS includes fast trigger chambers ($|\eta| < 2.4$) and high-precision tracking chambers covering $|\eta| < 2.7$. A three-level trigger system selects events to be recorded for offline physics analysis.

3. Signal and background simulation

The signal modelling for $q\bar{q} \rightarrow 4\ell$ production uses the POWHEG-BOX Monte Carlo (MC) program [12–14], which includes perturbative QCD corrections at NLO. The production through the qg initial state is an NLO contribution to the $q\bar{q}$ process. The CT10NLO [15] set of parton distribution functions (PDFs), with QCD renormalisation and factorisation scales (μ_R, μ_F) set to $m_{4\ell}$ are used to calculate the cross section and generate the kinematic distributions. The NNLO QCD [16] and the NLO electroweak (EW) [17] corrections are applied to the NLO cross section calculated by POWHEG-BOX as a function of the 4ℓ mass for the kinematic region where both Z bosons are produced on-shell. Following the same approach as described in Ref. [8], the 4ℓ event distributions are re-weighted to match those expected when using QCD scales of $m_{4\ell}/2$. This is done to unify the QCD scales used in simulation of the $q\bar{q}$ and the gg processes.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

The signal modelling of the on-shell Higgs-boson production via the ggF and VBF mechanisms uses POWHEG-BOX which provides calculations at NLO QCD, with the CT10NLO PDFs and $\mu_R, \mu_F = m_{4\ell}$. The Higgs-boson production via the VH and $t\bar{t}H$ mechanisms is simulated with PYTHIA8 [18]. The NNLO QCD and NLO EW effects on the cross-section calculations for on-shell Higgs-boson production are summarised in Ref. [19]. The expected event yields of on-shell Higgs boson are normalised to the higher-order corrected cross sections.

The non-resonant 4ℓ signal production includes off-shell Higgs-boson production, continuum ZZ production, and their interference. The LO MCFM generator [20] is used to simulate the non-resonant ggF production, with the CT10NNLO [21] set of PDFs with QCD scales of μ_R, μ_F set to $m_{4\ell}/2$; while the LO MADGRAPH generator [22] is used to simulate non-resonant VBF and VBS production and their interference. The NNLO QCD corrections are available for off-shell Higgs-boson production [23] and for the interference between off-shell Higgs bosons and ZZ pairs from the gg initial state [24]. However, no higher-order corrections are available for the continuum $gg \rightarrow ZZ$ process, which dominates the 4ℓ events from the gg initial state in the region outside the Higgs-boson resonance. Therefore, the LO cross section is used for the normalisation of the 4ℓ events produced in gluon-fusion processes.

All the signal MC generators are interfaced to PYTHIA8 for parton shower simulation, except MADGRAPH, which is interfaced to PYTHIA6 [25].

Backgrounds in this analysis include reconstructed 4ℓ events from $Z + \text{jets}$, $t\bar{t}$, diboson (ZW , $Z\gamma$ and double Drell-Yan), triboson VVV ($V = Z, W$), and VH ($H \rightarrow VV$), and $Z + \text{top}$ ($t\bar{t}$ and t) processes, which are also simulated.

The reducible background from $Z + \text{jets}$ production, which includes light- and heavy-flavour contributions, is modelled using both SHERPA [26] and ALPGEN [27]. The $Z\gamma$ process is simulated with SHERPA. The $t\bar{t}$ background is modelled using POWHEG-BOX.

Background events from ZH production, where $Z \rightarrow \ell\ell$ and $H \rightarrow VV$ ($VV = WW$ or ZZ with two leptons and two neutrinos or two leptons and two jets in the final state), are simulated with PYTHIA8. The ZW and the tZ processes are simulated with SHERPA and MADGRAPH, respectively. The irreducible background from VVV and $t\bar{t}Z$ is modelled with MADGRAPH. Finally, the double-Drell-Yan ZZ production is modelled with PYTHIA8.

For background modelling the POWHEG-BOX and MADGRAPH generators are interfaced to PYTHIA6 for the parton shower, hadronisation and underlying-event simulation. The ALPGEN generator is interfaced to HERWIG [28] for the parton shower and to JIMMY [29] for the underlying event simulation. SHERPA uses built-in models for both the parton shower and underlying-event description.

Both the signal and background MC events are simulated using the ATLAS detector simulation [30] based on the GEANT4 [31] framework. Additional pp interactions in the same and nearby bunch crossings (pile-up) are included in the simulations. The MC samples are re-weighted to reproduce the distribution of the mean number of interactions per bunch crossing observed in the data.

4. Event reconstruction and selection

The following event selection criteria are applied to the events collected with a single-lepton or dilepton trigger. The transverse momentum and transverse energy thresholds of the single-muon and single-electron triggers are 24 GeV. Two dimuon triggers are used, one with symmetric thresholds at 13 GeV and the other with asymmetric thresholds at 18 GeV and 8 GeV. For the dielectron trigger the symmetric thresholds are 12 GeV. Furthermore, there is

an electron-muon trigger of thresholds at 12 GeV (electron) and 8 GeV (muon).

A primary vertex reconstructed from at least three tracks, each with $p_T > 0.4$ GeV, is required. For events with more than one primary vertex, the vertex with the largest $\sum p_T^2$ of the associated tracks is selected.

Electron candidates are reconstructed from a combination of a cluster of energy deposits in the electromagnetic calorimeter and a track in the ID. They are required to have $p_T > 7$ GeV and $|\eta| < 2.47$. Candidate electrons must satisfy a loose set of identification criteria based on a likelihood built from parameters characterising the shower shape and track association as described in Ref. [32].

Muon identification is performed according to several criteria based on the information from the ID, the MS, and the calorimeter. The different types of reconstructed muons are: a) Combined (CB), which is the combination of tracks reconstructed independently in the ID and MS; b) Stand-Alone (SA), where the muon trajectory is reconstructed only in the MS; c) Segment-tagged (ST), where a track in the ID is associated with at least one local track segment in the MS; and d) Calorimeter-tagged (CaloTag), where a track in the ID is identified as a muon if it is associated with a minimum ionising particle's energy deposit in the calorimeter.

The acceptance for both the CB and ST muons is $|\eta| < 2.5$, while the SA muons are used to extend the $|\eta|$ acceptance to include the region from 2.5 to 2.7, which is not covered by the ID. CaloTag muons are used in the rapidity range $|\eta| < 0.1$ where there is incomplete MS coverage. All muon candidates are required to have $p_T > 6$ GeV.

In order to reject electrons and muons from hadron decays, only isolated leptons are selected. Two isolation requirements are used, one for the ID and one for the calorimeter. For the ID, the requirement is that the scalar sum of the transverse momenta, $\sum p_T$, of all tracks inside a cone of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.2$ around the lepton, excluding the lepton itself, be less than 15% of the lepton p_T . For the calorimeter, the $\sum E_T$ deposited inside a cone of $\Delta R = 0.2$ around the lepton, excluding the lepton itself and corrected for contributions from pile-up and, in the case of electrons, shower leakage, is required to be less than 30% of the muon E_T (15% for SA muons) and 20% of the electron E_T .

At the closest approach of a track to the primary vertex, the ratio of the transverse impact parameter d_0 to its uncertainty, the d_0 significance, must be smaller than 3.5 (6.5) for muons (electrons) to further reject leptons from heavy-flavour decays. The longitudinal impact parameter, $|z_0|$, must be less than 10 mm for electrons as well as muons (no vertex requirements are applied to SA muons).

Selection of lepton quadruplets is done separately in each of the channels 4μ , $2e2\mu$, $4e$, keeping only a single quadruplet per channel. Candidate quadruplets are formed by selecting two opposite-sign, same-flavour lepton pairs ($\ell^+\ell^-$). The two leading- p_T leptons of the quadruplet must have $p_T > 20$ and 15 GeV, respectively, while the third lepton must have $p_T > 10$ (8) GeV if it is an electron (muon). The four leptons of a quadruplet are required to be separated from each other by $\Delta R > 0.1$ (0.2) for same (different) flavour. At most one SA or a CaloTag muon is allowed in each quadruplet. The inclusion of final-state radiation to charged leptons follows the same approach as described in Ref. [33]. Each event is required to have the triggering lepton(s) matched to one or two of the selected leptons. All the selected 4ℓ events must lie in the $80 < m_{4\ell} < 1000$ GeV range.

For each channel, the lepton pair with the mass closest to the Z -boson mass is selected as the leading dilepton pair and its invariant mass, m_{12} , is required to be between 50 and 120 GeV. The sub-leading $\ell^+\ell^-$ pair with the largest invariant mass, m_{34} , among the remaining possible pairs, is selected in the invariant

mass range $12 < m_{34} < 120$ GeV. In the $4e$ and 4μ channels all possible $\ell^+\ell^-$ pairs are required to have $m_{\ell^+\ell^-} > 5$ GeV to reject events containing $J/\psi \rightarrow \ell^+\ell^-$ decays. The transverse momenta of the lepton pairs must be above 2 GeV.

5. Background estimation

The dominant reducible backgrounds for this analysis are from $Z +$ jets and $t\bar{t}$ processes and are estimated from data. Contributions from ZW , $Z\gamma$, tZ as well as from the irreducible backgrounds from $t\bar{t}Z$, VVV , ZH and double-DY processes are estimated from simulation.

The $Z +$ jets and $t\bar{t}$ backgrounds are estimated using two different final states in data: $\ell\ell + \mu\mu$ and $\ell\ell + ee$, where $\ell\ell$ ($\ell = e, \mu$) is the leading-lepton pair. The $\ell\ell + \mu\mu$ background arises from $Z +$ jets and $t\bar{t}$ processes where the $Z +$ jets contribution involves the associated production of a Z boson and heavy-flavour hadrons, which decay semileptonically, and a component arising from $Z +$ light-flavour jets with subsequent π/K in-flight decays. The background for $\ell\ell + ee$ final states arises from associated production of a Z boson with other objects namely jets misidentified as electrons, which can be light-flavour hadrons misidentified as electrons, photon conversions reconstructed as electrons, or electrons from semileptonic decays of heavy-flavour hadrons.

For both the $\ell\ell + \mu\mu$ and $\ell\ell + ee$ cases, the numbers of background events are estimated from a fit performed simultaneously to three mutually exclusive control regions, each of them providing information on one or more background components. The fit is based on the mass of the leading dilepton, m_{12} , which peaks at the Z mass for the $Z +$ jets component and has a broad distribution for the $t\bar{t}$ component. The three control regions are fit simultaneously to extract the different components of the reducible background, using a profile likelihood approach where the input template shapes for $Z +$ jets and $t\bar{t}$ are obtained from simulation. The fitted yields in the control regions are extrapolated to the signal region using efficiencies, referred to as transfer factors, obtained from simulation. Independent validation regions are used to check the extrapolations.

The three control regions for $\ell\ell + \mu\mu$ background are defined based on the impact parameter significance and isolation variables of the sub-leading muon pair and are constructed as follows:

- A heavy-flavour-enriched control region where at least one of the muons in the second pair fails the impact parameter significance requirement while the isolation requirement is relaxed;
- A light-flavour-enriched control region where at least one of the muons in the second pair fails the isolation requirement but passes the impact parameter significance cut;
- A $t\bar{t}$ -enriched region where the leading lepton pair is made of opposite-sign and different-flavour leptons. For the muons of the second pair there is no charge requirement, the isolation cut is relaxed and the muons must not satisfy the impact parameter requirement.

A validation region to check the $\ell\ell + \mu\mu$ background extrapolation is populated by both $Z +$ jets and $t\bar{t}$. The leading lepton pair is required to fulfil the full selection criteria, while there is neither isolation nor impact parameter requirements on the sub-leading muon pair. This region is used to check the fit results and verify that the data and MC simulation agree.

The three control regions for $\ell\ell + ee$ background are defined based on the impact parameter significance, isolation and electron identification requirements on the second electron pair. In all control regions at least one of the electrons in the second pair must

Table 1
Numbers of expected background events for different processes and channels.

Process	$4e$	4μ	$2e2\mu$
$t\bar{t}$	0.45 ± 0.24	0.68 ± 0.19	1.3 ± 0.5
$Z +$ jets	0.6 ± 0.29	5.3 ± 1.5	6.3 ± 1.4
Diboson	1.25 ± 0.18	0.83 ± 0.18	2.84 ± 0.34
Triboson	0.67 ± 0.12	0.97 ± 0.14	1.46 ± 0.19
$Z +$ top	0.62 ± 0.15	1.19 ± 0.32	1.7 ± 0.5

not satisfy the identification criteria. These regions are constructed as follows:

- A $Z +$ jets-enriched control region where at least one of the electrons of the second pair fails the track isolation and no calorimeter isolation is required;
- An additional $Z +$ jets-enriched control region where no charge requirement is made on the electrons of the second pair, while at least one of these electrons fails the impact parameter selection and no calorimeter or track isolation is required;
- A $t\bar{t}$ -enriched region, where the leading lepton pair is selected from opposite-sign and different-flavour leptons. There is no charge requirement for the sub-leading electron pair. At least one of the electrons of the second pair fails the calorimeter isolation requirement and neither track isolation nor impact parameter requirements are applied.

A validation region to check the $\ell\ell + ee$ background extrapolation is defined by removing the calorimeter isolation and requiring that at least one electron in the sub-leading pair fails the electron identification. Each candidate in the pair is required to pass the impact parameter and the track isolation selections. this region is used to check the fit outcome and verify that the data and MC simulation agree.

The residual contributions from ZZ and ZW production in all control regions are estimated from simulation. The purity of the $Z +$ jets and $t\bar{t}$ backgrounds in the control regions is above 95%.

In the validation regions, the post-fit MC predictions agree with the data within the statistical uncertainty.

The major uncertainties for the fitted reducible background come from the number of events in the control regions followed by the systematic uncertainty in the transfer factors. The latter is evaluated from the difference in the selection efficiency determined in data and simulation in dedicated control regions using leptons accompanying $Z \rightarrow \ell^+\ell^-$ candidates, where the leptons composing the Z -boson candidate are required to satisfy isolation and impact parameter criteria. Events with four leptons are excluded. For the MC estimated background the systematic uncertainties mainly come from theoretical cross-section uncertainties for different processes and from luminosity uncertainties in normalisations. The differential distributions for all background processes are taken from simulation.

The total number of background events estimated from data and MC simulation is 26.2 ± 3.6 . Numbers of background events expected per channel estimated for different processes are shown in Table 1. The background estimation was cross-checked with an alternative method, described in Refs. [1,34], called the fake-factor method. The results from this cross-check are found to be consistent within uncertainties with those described above.

6. Cross-section extraction method

Two cross sections are extracted from the number of observed events. One is the fiducial cross section, $\sigma_{4\ell}^{\text{fid}}$, in the experimental phase space defined by the event selection criteria and the other is the cross section, $\sigma_{4\ell}^{\text{ext}}$, in an extended common phase space

Table 2

List of selection cuts which define the fiducial region of the cross-section measurement. Same-flavour opposite-sign lepton pairs are denoted as SFOS, the leading lepton pair mass as m_{12} , and the sub-leading lepton pair mass as m_{34} . The four-momenta of all final-state photons within $\Delta R = 0.1$ of a lepton are added to the four-momentum of that lepton.

Lepton selection	
Muons:	$p_T > 6 \text{ GeV}, \eta < 2.7$
Electrons:	$p_T > 7 \text{ GeV}, \eta < 2.5$
Lepton pairing	
Leading pair:	SFOS lepton pair with smallest $ m_Z - m_{\ell\ell} $
Sub-leading pair:	The remaining SFOS with the largest $m_{\ell\ell}$
For both pairs:	$p_T^{\ell^+\ell^-} > 2 \text{ GeV}$
Event selection	
Lepton $p_T^{\ell_1, \ell_2, \ell_3}$:	$> 20, 15, 10(8 \text{ if } \mu) \text{ GeV}$
Mass requirements:	$50 < m_{12} < 120 \text{ GeV}$ $12 < m_{34} < 120 \text{ GeV}$
Lepton separation:	$\Delta R(\ell_i, \ell_j) > 0.1 \text{ (0.2)}$ for same- (different-) flavour leptons
J/ψ veto:	$m(\ell_i^+, \ell_j^-) > 5 \text{ GeV}$
4ℓ mass range:	$80 < m_{4\ell} < 1000 \text{ GeV}$

where electrons and muons have the same geometric and kinematic acceptance. The fiducial phase space is defined in **Table 2**. The extended phase space for the 4ℓ cross-section extraction is defined by $80 < m_{4\ell} < 1000 \text{ GeV}$, $m_{\ell^+\ell^-} > 4 \text{ GeV}$, $p_T^{Z_{1,2}} > 2 \text{ GeV}$, and the presence of four leptons each with $p_T > 5 \text{ GeV}$ and $|\eta| < 2.8$.

The cross section measurement is performed using a likelihood fit described below. For a given channel i , the observed number of events, N_{obs}^i , follows a Poisson distribution, $\text{Pois}(N_{\text{obs}}^i, N_{\text{pred}}^i)$, the mean of which, $N_{\text{pred}}^i = N_s^i + N_b^i$, is the sum of the expectations for signal and background yields. These yields depend on the fiducial cross section and the nuisance parameters, \vec{x} , which represent the experimental and theoretical uncertainties as:

$$N_s^i(\sigma_{4\ell}^{\text{fid}}, \vec{x}) = N_s^i(\sigma_{4\ell}^{\text{fid}}, 0)(1 + \sum_k x_k S_k^i), \quad (1)$$

$$N_b^i(\vec{x}) = N_b^i(0)(1 + \sum_k x_k B_k^i), \quad (2)$$

where S_k^i and B_k^i are the relative systematic effects on the signal and background, respectively, due to the k -th source of systematic uncertainty. The central expectation of the signal yield, corresponding to the systematic sources at the nominal value (referred to as the nuisance-free expectation), is given by:

$$N_s^i(\sigma_{4\ell}^{\text{fid}}, 0) = \mathcal{L} \cdot C_{4\ell} \cdot K_\tau \cdot \sigma_{4\ell}^{\text{fid}}, \quad (3)$$

where \mathcal{L} is the integrated luminosity, and $C_{4\ell}$ is the ratio of the number of accepted signal events to the number of generated events in the fiducial phase space. Corrections are applied to $C_{4\ell}$ to account for measured differences in trigger and reconstruction efficiencies between simulated and data samples. The $C_{4\ell}$ values are 53.3%, 82.2% and 67.7% for the $4e$, 4μ , and $2e2\mu$ channels, respectively. The contribution from τ -lepton decays is accounted for by a correction term $K_\tau = 1 + N_\tau^{\text{MC}}/N_{\text{sig}}^{\text{MC}}$, where N_τ^{MC} is the number of accepted simulated 4ℓ events in which at least one of the Z bosons decays into τ -lepton pairs, and $N_{\text{sig}}^{\text{MC}}$ is the number of accepted simulated ZZ events with decays into electrons or muons.

Cross-section measurements are extracted for a single channel or any combination of channels, using a likelihood method. The likelihood function is:

$$L(\sigma_{4\ell}^{\text{fid}}, \vec{x}) = \prod_i \text{Pois}(N_{\text{obs}}^i, N_{\text{pred}}^i(\sigma_{4\ell}^{\text{fid}}, \vec{x})) \cdot e^{-\frac{\vec{x}^2}{2}}, \quad (4)$$

Table 3

The combined relative uncertainties on the efficiency correction factor $C_{4\ell}$, evaluated as the sum in quadrature of the uncertainties from different sources, including electron and muon identification and theoretical uncertainties due to PDFs, QCD scales, and parton shower modelling. Extra uncertainties due to higher-order corrections for the gg process (NNLO K -factors for Higgs-boson production applied to the inclusive gg process) are also given.

Sources	$\Delta C_{4\ell}/C_{4\ell}$		
	$4e$	4μ	$2e2\mu$
Experimental (e)	4.8%	–	2.3%
Experimental (μ)	–	1.8%	0.9%
Theoretical	0.1%	0.1%	0.2%
Extra gg corrections	0.6%	0.2%	0.3%
Combined uncertainty	4.9%	1.9%	2.5%

Table 4

Theoretical relative uncertainties on the fiducial acceptance $A_{4\ell}$ and $A_{4\ell} \times C_{4\ell}$ due to PDFs, QCD scales and parton shower modelling. Extra uncertainties due to higher-order corrections for the gg process (NNLO K -factors for Higgs-boson production applied to the inclusive gg process) are also given.

Sources	$\Delta A_{4\ell}/A_{4\ell}$		
	$4e$	4μ	$2e2\mu$
Theoretical	1.2%	1.0%	1.6%
Extra gg corrections	4.0%	3.0%	3.9%
$\Delta(A_{4\ell} \times C_{4\ell})/(A_{4\ell} \times C_{4\ell})$			
Theoretical	1.4%	1.1%	1.7%
Extra gg corrections	4.6%	3.2%	4.2%

where the product runs over the channels to be considered.

For the extended phase space the likelihood function is parameterised as a function of the extended cross section similar to the one shown in Eq. (3) and multiplied by the fiducial acceptance $A_{4\ell}$, which is the ratio of the number of events within the fiducial phase-space region to the total number of generated events in the extended phase space. The fiducial acceptance $A_{4\ell}$ is evaluated using simulation to be 41.6%, 50.3%, and 42.2%, for the $4e$, 4μ , and $2e2\mu$ channels, respectively. The differences are due to the electron and muon geometric detection coverage.

To find the central value of the cross section σ , the likelihood function is maximised simultaneously with respect to the nuisance parameters and σ . Correlations between the signal and background systematic uncertainties are taken into account in the likelihood fitting procedure.

7. Systematic uncertainties

Systematic uncertainties on the measurement arise from uncertainties on the integrated luminosity, the experimental calibrations of the lepton energy and momentum, and the lepton detection efficiencies, as well as the theoretical modelling of signal acceptance, and the background estimation. The overall uncertainty on the integrated luminosity is $\pm 2.8\%$, which is derived following the same methodology as that detailed in Ref. [35]. A summary of the relative uncertainties of $C_{4\ell}$, $A_{4\ell}$, and $A_{4\ell} \times C_{4\ell}$ is given in **Tables 3 and 4**.

The effect on the expected signal event yields due to experimental systematic uncertainties is determined from the uncertainties on lepton energy and momentum scales and resolutions, as well as the uncertainties on efficiencies of the lepton reconstruction and identification. The major contributions come from the uncertainties on lepton reconstruction and identification efficiencies [36–38].

The uncertainties on the signal acceptance for both $C_{4\ell}$ and $A_{4\ell}$ include theoretical uncertainties from the choice of QCD scales and PDF set. The scales are varied independently from 0.5 to 2.0 times

Table 5

Summary of the observed and predicted numbers of 4ℓ events in different 4ℓ channels. N^{Data} denotes the selected number of data candidates. $N_{\text{expected}}^{\text{Total}}$ denotes the total predicted number of events (including τ contributions) for signal plus background. $N_{\text{non-gg}}^{\text{signal}}$ and the $N_{\text{gg}}^{\text{signal}}$ denote the predicted non-gg signal and the gg signal (no NNLO K -factor has been applied), respectively. N_{τ}^{MC} denotes the τ contributions. N_{bkg} denotes the total estimated number of background events (from data and MC simulation). The listed uncertainties of the expected number of signal events include statistical and experimental systematic uncertainties.

Channel	N^{Data}	$N_{\text{expected}}^{\text{Total}}$	$N_{\text{non-gg}}^{\text{signal}}$	$N_{\text{gg}}^{\text{signal}}$	N_{τ}^{MC}	N_{bkg}
4e	85	80 ± 4	68.4 ± 3.4	6.24 ± 0.31	1.28 ± 0.06	3.6 ± 0.5
4 μ	156	150.2 ± 2.9	128.2 ± 2.5	11.00 ± 0.21	2.18 ± 0.09	9.0 ± 1.5
2e2 μ	235	205 ± 5	172 ± 5	16.0 ± 0.4	3.08 ± 0.13	13.6 ± 2.1
Total	476	435 ± 9	369 ± 9	33.3 ± 0.8	6.54 ± 0.14	26.2 ± 3.6

the nominal values of μ_R and μ_F . The PDFs uncertainties are estimated by using the envelope [39] of variations of different PDF sets, CT10, MSTW2008 [40] and NNPDF2.3 [41].

The $C_{4\ell}$ uncertainty is mostly experimental and of the order of 2–5%, while the $A_{4\ell}$ uncertainty is entirely theoretical and of the order of 3–5%. A range of values of the relative uncertainties on the $C_{4\ell}$ are given by 4.9%, 1.9%, and 2.5% for the 4e, 4 μ , and 2e2 μ , respectively. The uncertainties on $C_{4\ell}$ due to higher-order corrections to the gg production processes are less than 0.6%. This is estimated by applying an approximate NNLO K -factor determined for the Higgs-boson production [23], assuming that it is applicable to the normalisation of the continuum gg $\rightarrow ZZ$ production cross section.

Uncertainties on $C_{4\ell}$, as a function of $m_{4\ell}$ and $p_T^{4\ell}$, are also computed for the differential cross section measurements. In the mass region ($m_{4\ell} < 150$ GeV), the relative uncertainties on $C_{4\ell}$ vary in the range of 4–9%, 1.7–2.7%, and 2–5% for the 4e, 4 μ , and 2e2 μ channel, respectively. In the mass region $m_{4\ell} > 150$ GeV, they are almost constant as a function of $m_{4\ell}$ and are about 4%, 1.8%, and 3% for the 4e, 4 μ , and 2e2 μ channel, respectively.

The relative uncertainties on $A_{4\ell}$ are 1.2%, 1.0%, and 1.6% for the 4e, 4 μ , and 2e2 μ channel, respectively, evaluated by comparing POWHEG-BOX and MCFM MC samples with the same approach for the QCD scales and the PDF uncertainties as described earlier. The QCD scale uncertainties do not change when going from NLO to NNLO for the signal normalisation for the $q\bar{q} \rightarrow 4\ell$ events [16]. An additional uncertainty (3–4%) is included in the $A_{4\ell}$ uncertainty estimate to account for the uncertainty of the Higgs-boson NNLO K -factor normalisation correction of the non-resonant 4ℓ signal from gluon fusion (labelled “extra gg corrections” in Tables 3 and 4).

The overall uncertainty on the background estimation is $\pm 14\%$. The contributions from different sources and channels are given in Table 1.

8. Results

8.1. Cross-section measurements

The numbers of expected and observed events after applying all selection criteria are shown in Table 5. A total of 476 candidate events is observed with a background expectation of 26.2 ± 3.6 events. The observed and predicted $m_{4\ell}$ and $p_T^{4\ell}$ distributions for the selected events are shown in Fig. 3.

The measured cross sections in the fiducial and extended phase space for different 4ℓ channels are summarised in Table 6 and compared to the SM predicted cross sections. The combined 4ℓ cross section in the extended phase space is found to be 73 ± 4 (stat.) ± 4 (syst.) ± 2 (lumi.) fb, compared to a SM prediction of 65 ± 4 fb. One should note that the cross section for non-resonant ZZ production from the gg-induced signal is only calculated at LO approximation, which could be significantly underestimated.




Fig. 3. Data and MC prediction comparison for selected events as a function of the invariant mass $m_{4\ell}$ (top) and the transverse momentum $p_T^{4\ell}$ (bottom) of the four-lepton system. The solid colours show the expected contributions from signal and background and the black points represent data with statistical error bars. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

8.2. Differential cross-section measurement

The measurement of the differential cross-section is performed in the fiducial phase space defined in Table 2. The events from all three 4ℓ channels are combined into a common sample for the unfolding procedure. The unfolding is done as a function of the two kinematic variables $m_{4\ell}$ and $p_T^{4\ell}$. The $m_{4\ell}$ spectrum is essential for the study of the different production mechanisms, while the $p_T^{4\ell}$ spectrum is sensitive to higher-order QCD corrections and to QCD resummation effects at small $p_T^{4\ell}$ [10]. The high- $p_T^{4\ell}$ region is sensitive to top-loop effects in gg $\rightarrow H$ production as well as to anomalous triple-boson couplings.

Table 6

Measured cross sections in the fiducial phase space (σ^{fid}) and extended phase space (σ^{ext}), compared to their SM predictions (calculations described in Section 3). One should note that the non-resonant gg-induced signal cross section is only calculated at LO approximation.

4ℓ	Measured σ^{fid} [fb]	SM σ^{fid} [fb]	Measured σ^{ext} [fb]	SM σ^{ext} [fb]
$4e$	$7.4^{+0.9}_{-0.8}$ (stat) $^{+0.4}_{-0.3}$ (syst) $^{+0.2}_{-0.2}$ (lumi)	6.9 ± 0.4	$17.8^{+2.1}_{-2.0}$ (stat) $^{+1.5}_{-1.1}$ (syst) $^{+0.5}_{-0.5}$ (lumi)	16.4 ± 1.0
4μ	$8.7^{+0.8}_{-0.7}$ (stat) $^{+0.2}_{-0.2}$ (syst) $^{+0.3}_{-0.2}$ (lumi)	8.3 ± 0.5	$17.3^{+1.5}_{-1.4}$ (stat) $^{+0.9}_{-0.7}$ (syst) $^{+0.5}_{-0.5}$ (lumi)	16.4 ± 1.0
$2e2\mu$	$15.9^{+1.1}_{-1.1}$ (stat) $^{+0.5}_{-0.4}$ (syst) $^{+0.5}_{-0.4}$ (lumi)	13.7 ± 0.9	$37.7^{+2.7}_{-2.6}$ (stat) $^{+2.5}_{-2.0}$ (syst) $^{+1.1}_{-1.1}$ (lumi)	32.1 ± 2.0
Total			73^{+4}_{-4} (stat) $^{+4}_{-4}$ (syst) $^{+2}_{-2}$ (lumi)	65 ± 4




Fig. 4. The measured differential cross-section distributions (the black points) of $m_{4\ell}$ (left) and $p_T^{4\ell}$ (right), unfolded into the fiducial phase space, and compared to theory predictions (red histogram). The combined statistical and systematic uncertainties of the measurements are shown as the error bars of the unfolded spectra. The theoretical predictions are the sum of the differential cross sections of the $q\bar{q} \rightarrow 4\ell$ and $gg \rightarrow 4\ell$ processes, where the LO cross sections are used for the non-resonant gg-induced signals, and the cross sections of the on-shell Higgs boson and the $q\bar{q}$ production processes are corrected with the NNLO K -factors for the $m_{4\ell}$ spectrum; except for the $p_T^{4\ell}$ where only the NLO and LO predictions are used for the $q\bar{q}$ and the gg processes, respectively. The total theoretical uncertainties are shown as error bands evaluated by the sum in quadrature of the contributions from parton showers, QCD scales, PDF sets, and electroweak corrections. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

The iterative Bayesian unfolding [42] is applied here. In the unfolding of binned data, the effects of the experimental acceptance and resolution are expressed in terms of a response matrix, where each element corresponds to the probability of an event in the i -th generator level bin being reconstructed in the j -th measurement bin. The response matrix is combined with the measured spectrum to form a likelihood, which is then multiplied by a prior distribution to produce the posterior probability of the true spectrum. The SM prediction is used as the initial prior, and once the posterior probability is obtained, it is used as the prior for the next iteration. The spectrum becomes insensitive to the initial prior after a few iterations. The differences between successive iterations are used to estimate the stability of the unfolding method. In this analysis four iterations are performed.

The unfolded distributions are shown in Fig. 4, where the differential cross section is presented as a function of $m_{4\ell}$ and $p_T^{4\ell}$ and compared to theory predictions. The data points shown in the figures are the measurements with combined statistical and systematic uncertainties. The theoretical predictions are the sum of the differential cross sections of the $q\bar{q} \rightarrow 4\ell$ and $gg \rightarrow 4\ell$ processes. The LO cross sections are used for the non-resonant gg-induced signals. The cross sections of the on-shell Higgs boson are normalised to include the NNLO QCD and NLO EW effects as summarised in Ref. [19]. The $q\bar{q}$ production processes are corrected with NNLO QCD and the NLO EW K -factors for the $m_{4\ell}$ spectrum

for $m_{4\ell} > 2 \times m_Z$. For the $p_T^{4\ell}$ spectrum, the $q\bar{q}$ signal prediction is calculated by POWHEG-BOX at NLO.

The uncertainties on the differential cross-section measurements are dominated by the statistical uncertainties of the data. For example, in the $m_{4\ell}$ regions between the Z and Higgs boson peaks and between the Higgs-boson mass m_H and $m_{4\ell} = 180$ GeV, the statistical uncertainties are of the order of 45% and 20%, respectively. In the high-mass region ($m_{4\ell} > 180$ GeV) they are of the order of 10%. Furthermore, one should note that the NNLO QCD corrections are not available for the $q\bar{q} \rightarrow 4\ell$ production calculation for the mass region $m_{4\ell} < 2 \times m_Z$.

In the $m_{4\ell}$ bin of 120–130 GeV, which is dominated by the resonant Higgs-boson contribution, the ratio of data to the MC prediction is compatible with the ATLAS measurement [33] of the Higgs-boson signal strength of $\mu_H = 1.44^{+0.40}_{-0.33}$. The data points in the $m_{4\ell}$ spectrum between 140 and 180 GeV are slightly more than 1σ above the theoretical predictions, where the NNLO QCD correction is not yet available. Some discrepancy is also observed in the lowest bin and in the region between 30 and 50 GeV of the $p_T^{4\ell}$ spectrum.

8.3. Extraction of the gg signal contribution in the $m_{4\ell} > 180$ GeV region

The extraction of the signal strength of the non-resonant $gg \rightarrow 4\ell$ production is performed in the high-mass region, $m_{4\ell} >$




Fig. 5. Comparison of the $m_{4\ell}$ spectra between the data (black points with error bars) and the prediction (red histogram) after the likelihood fit of μ_{gg} . The non-gg signal from the theoretical prediction (blue histogram) and the background (brown histogram) are also shown. The gg contribution is the difference between data and the sum of the non-gg signal and the background. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

180 GeV, where this production mode is dominated by the continuum $gg \rightarrow ZZ$ process through a quark-box diagram intermediate state (see Fig. 1(d)). Additional contributions come from the off-shell Higgs-boson production and the interference between Higgs boson and continuum ZZ production.

The $m_{4\ell}$ spectrum is chosen as the discriminant to extract the gg signal strength with respect to the LO gg prediction: $\mu_{gg} = \sigma(\text{data})/\sigma(\text{LO})$.

The contribution of the $q\bar{q} \rightarrow ZZ$ production is constrained to the best theory knowledge (which accounts for QCD NNLO and EW NLO $m_{4\ell}$ -dependent corrections) and μ_{gg} is extracted from a likelihood fit using the reconstructed $m_{4\ell}$ distributions. The experimental uncertainties are treated as fully correlated between $q\bar{q}$ and gg processes. The theoretical uncertainties, including the uncertainties on the normalisation of the $q\bar{q} \rightarrow ZZ \rightarrow 4\ell$, the shapes of 4ℓ spectra from both the $q\bar{q}$ and gg initial states, and the acceptance, are taken into account. The $m_{4\ell}$ distribution of the data, the fit, the expectation from non-gg signal processes and the background are shown in Fig. 5. The fit result is $\mu_{gg} = 2.4 \pm 1.0(\text{stat.}) \pm 0.5(\text{syst.}) \pm 0.8(\text{theory})$. This result corresponds to a gg-initiated cross section of 3.1 fb, which has the same relative uncertainties as μ_{gg} itself in the inclusive fiducial volume as defined in Table 2 with the additional requirement of $m_{4\ell} > 180$ GeV. The largest uncertainty is statistical. The theoretical uncertainty is mainly due to the normalisation uncertainty of the $q\bar{q} \rightarrow ZZ$ process.

The theoretical estimate of $m_{4\ell}$ -dependent K-factor for off-shell Higgs boson production given in Ref. [23] is in a range of 2.7–3.1 (with CT10NNLO PDF) and that given in Ref. [24] for the interference term is 2.05–2.45. These theoretical studies confirm that the gluon soft-collinear approximation predicts similar K-factors for off-shell Higgs-boson and interference, hence supporting the assumption of a similar K-factor for the continuum ZZ production. These theoretical calculated K-factors are compatible with the result obtained by this analysis, where the gg-initiated 4ℓ events are produced predominantly from the continuum ZZ production.

Applying the higher-order corrections to both the cross section of the off-shell Higgs-boson production and the contribution of the interference term, while keeping the LO cross section for the continuum $gg \rightarrow ZZ$ production, the change of the μ_{gg} fit result is negligible (approximately, $\Delta\mu_{gg} = 0.01$).

9. Conclusion

The measurement of four-lepton production in proton–proton collisions at $\sqrt{s} = 8$ TeV is presented using data corresponding to an integrated luminosity of 20.3 fb^{-1} collected with the ATLAS detector at the LHC. In total, 476 4ℓ candidate events are observed, with a background expectation of 26.2 ± 3.6 events, in the four-lepton invariant mass range between 80 and 1000 GeV. The 4ℓ production cross sections are determined in both fiducial and extended phase spaces. The measured cross section in the extended phase space, defined by $80 < m_{4\ell} < 1000$ GeV, $m_{\ell^+\ell^-} > 4$ GeV, $p_T^{Z_{1,2}} > 2$ GeV, four leptons each with $p_T > 5$ GeV and $|\eta| < 2.8$, is found to be 73 ± 4 (stat.) ± 4 (syst.) ± 2 (lumi.) fb, and is compared to a SM prediction of 65 ± 4 fb. The measurements of the 4ℓ differential cross sections are performed by unfolding the $m_{4\ell}$ and the $p_T^{4\ell}$ spectra. In the mass range above 180 GeV, assuming the theoretical constraint on the $q\bar{q}$ production cross section calculated with perturbative NNLO QCD and NLO electroweak corrections, the signal strength of the gluon-fusion component with respect to the LO prediction is determined to be $\mu_{gg} = 2.4 \pm 1.0(\text{stat.}) \pm 0.5(\text{syst.}) \pm 0.8(\text{theory})$.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Region Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] ATLAS Collaboration, Measurements of four-lepton production at the Z resonance in pp collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS, Phys. Rev. Lett. 112 (2014) 231806, arXiv:1403.5657 [hep-ex].

- [2] CMS Collaboration, Observation of Z decays to four leptons with the CMS detector at the LHC, *J. High Energy Phys.* **12** (2012) 034, arXiv:1210.3844 [hep-ex].
- [3] ATLAS Collaboration, Observation of a new particle in the search for the standard model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* **716** (2012) 1, arXiv:1207.7214 [hep-ex].
- [4] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* **716** (2012) 30, arXiv:1207.7235 [hep-ex].
- [5] N. Kauer, G. Passarino, Inadequacy of zero-width approximation for a light Higgs boson signal, *J. High Energy Phys.* **1208** (2012) 116, arXiv:1206.4803 [hep-ph].
- [6] F. Caola, K. Melnikov, Constraining the Higgs boson width with ZZ production at the LHC, *Phys. Rev. D* **88** (2013) 054024, arXiv:1307.4935 [hep-ph].
- [7] S. Goria, G. Passarino, D. Rosco, The Higgs boson lineshape, *Nucl. Phys. B* **864** (2012) 530, arXiv:1112.5517 [hep-ph].
- [8] ATLAS Collaboration, Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector, *Eur. Phys. J. C* **75** (2015) 335, arXiv:1503.01060 [hep-ex].
- [9] CMS Collaboration, Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs, *Phys. Lett. B* **736** (2014) 64, arXiv: 1405.3455 [hep-ex].
- [10] M. Grazzini, et al., Transverse-momentum resummation for vector-boson pair production at NNLL + NNLQ, arXiv:1507.02565 [hep-ph], 2015.
- [11] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* **3** (2008) S08003.
- [12] T. Melia, et al., W^+W^- , WZ and ZZ production in the POWHEG BOX, *J. High Energy Phys.* **1111** (2011) 078, arXiv:1107.5051 [hep-ph].
- [13] S. Alioli, et al., A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* **1006** (2010) 043, arXiv:1002.2581 [hep-ph].
- [14] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* **0411** (2004) 040, arXiv:hep-ph/0409146.
- [15] H.-L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* **82** (2010) 074024, arXiv:1007.2241 [hep-ph].
- [16] F. Cascioli, et al., ZZ production at hadron colliders in NNLO QCD, *Phys. Lett. B* **735** (2014) 311, arXiv:1405.2219 [hep-ph].
- [17] A. Bierwiler, T. Kasprzik, J.H. Kuhn, Vector-boson pair production at the LHC to $\mathcal{O}(\alpha^3)$ accuracy, *J. High Energy Phys.* **1312** (2013) 071, arXiv:1305.5402 [hep-ph].
- [18] T. Sjostrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* **178** (2008) 852, arXiv:0710.3820 [hep-ph].
- [19] LHC Higgs Cross Section Working Group, in: S. Heinemeyer (Ed.), *Handbook of LHC Higgs cross sections: 3. Higgs properties*, 2013, arXiv:1307.1347 [hep-ph].
- [20] J.M. Campbell, R.K. Ellis, C. Williams, Bounding the Higgs width at the LHC using full analytic results for $gg \rightarrow e^-e^+\mu^-\mu^+$, *J. High Energy Phys.* **1404** (2014) 060, arXiv:1311.3589 [hep-ph].
- [21] J. Gao, et al., CT10 next-to-next-to-leading order global analysis of QCD, *Phys. Rev. D* **89** (2014) 033009, arXiv:1302.6246 [hep-ph].
- [22] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **1407** (2014) 079, arXiv:1405.0301 [hep-ph].
- [23] G. Passarino, Higgs CAT, *Eur. Phys. J. C* **74** (2014) 2866, arXiv:1312.2397 [hep-ph].
- [24] C.S. Li, et al., Soft gluon resummation in the signal-background interference process of $gg(\rightarrow h^*) \rightarrow ZZ$, *J. High Energy Phys.* **08** (2015) 065, arXiv: 1504.02388 [hep-ph].
- [25] T. Sjostrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, *J. High Energy Phys.* **05** (2006) 026, arXiv:hep-ph/0603175.
- [26] T. Gleisberg, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* **0902** (2009) 007, arXiv:0811.4622 [hep-ph].
- [27] M.L. Mangano, et al., ALPGEN, a generator for hard multiparton processes in hadronic collisions, *J. High Energy Phys.* **0307** (2003) 001, arXiv:hep-ph/ 0206293.
- [28] G. Corcella, et al., HERWIG 6: an event generator for hadron emission reactions with interfering gluons (including supersymmetric processes), *J. High Energy Phys.* **0101** (2001) 010, arXiv:hep-ph/0011363.
- [29] J. Butterworth, J.R. Forshaw, M. Seymour, Multiparton interactions in photoproduction at HERA, *Z. Phys. C* **72** (1996) 637, arXiv:hep-ph/9601371.
- [30] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* **70** (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [31] S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods A* **506** (2003) 250.
- [32] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton–proton collision data, <http://cdsweb.cern.ch/record/1706245>, 2014.
- [33] ATLAS Collaboration, Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, *Phys. Rev. D* **91** (2015) 012006, arXiv:1408.5191 [hep-ex].
- [34] ATLAS Collaboration, Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and $ZZ\gamma$ couplings with the ATLAS detector, *J. High Energy Phys.* **1303** (2013) 128, arXiv:1211.6096 [hep-ex].
- [35] ATLAS Collaboration, Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* **73** (2013) 2518, arXiv:1302.4393 [hep-ex].
- [36] ATLAS Collaboration, Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data, *Eur. Phys. J. C* **74** (2014) 3130, arXiv:1407.3935 [hep-ex].
- [37] ATLAS Collaboration, Electron and photon energy calibration with the ATLAS detector using LHC run 1 data, *Eur. Phys. J. C* **74** (2014) 3071, arXiv:1407.5063 [hep-ex].
- [38] ATLAS Collaboration, Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data, *Eur. Phys. J. C* **74** (2014) 2941, arXiv:1404.2240 [hep-ex].
- [39] M. Botje, et al., The PDF4LHC Working Group, Interim recommendations, arXiv: 1101.0538 [hep-ph], 2011.
- [40] A. Martin, et al., Parton distributions for the LHC, *Eur. Phys. J. C* **63** (2009) 189, arXiv:0901.0002 [hep-ph].
- [41] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* **867** (2013) 244, arXiv:1207.1303 [hep-ph].
- [42] G. D'Agostini, Improved iterative Bayesian unfolding, arXiv:1010.0632 [physics. data-an], 2010.

ATLAS Collaboration

G. Aad ⁸⁵, B. Abbott ¹¹³, J. Abdallah ¹⁵¹, O. Abdinov ¹¹, R. Aben ¹⁰⁷, M. Abolins ⁹⁰, O.S. AbouZeid ¹⁵⁸, H. Abramowicz ¹⁵³, H. Abreu ¹⁵², R. Abreu ¹¹⁶, Y. Abulaiti ^{146a,146b}, B.S. Acharya ^{164a,164b,a}, L. Adamczyk ^{38a}, D.L. Adams ²⁵, J. Adelman ¹⁰⁸, S. Adomeit ¹⁰⁰, T. Adye ¹³¹, A.A. Affolder ⁷⁴, T. Agatonovic-Jovin ¹³, J. Agricola ⁵⁴, J.A. Aguilar-Saavedra ^{126a,126f}, S.P. Ahlen ²², F. Ahmadov ^{65,b}, G. Aielli ^{133a,133b}, H. Akerstedt ^{146a,146b}, T.P.A. Åkesson ⁸¹, A.V. Akimov ⁹⁶, G.L. Alberghini ^{20a,20b}, J. Albert ¹⁶⁹, S. Albrand ⁵⁵, M.J. Alconada Verzini ⁷¹, M. Alekса ³⁰, I.N. Aleksandrov ⁶⁵, C. Alexa ^{26b}, G. Alexander ¹⁵³, T. Alexopoulos ¹⁰, M. Alhroob ¹¹³, G. Alimonti ^{91a}, L. Alio ⁸⁵, J. Alison ³¹, S.P. Alkire ³⁵, B.M.M. Allbrooke ¹⁴⁹, P.P. Allport ¹⁸, A. Aloisio ^{104a,104b}, A. Alonso ³⁶, F. Alonso ⁷¹, C. Alpigiani ¹³⁸, A. Altheimer ³⁵, B. Alvarez Gonzalez ³⁰, D. Álvarez Piqueras ¹⁶⁷, M.G. Alviggi ^{104a,104b}, B.T. Amadio ¹⁵, K. Amako ⁶⁶, Y. Amaral Coutinho ^{24a}, C. Amelung ²³, D. Amidei ⁸⁹, S.P. Amor Dos Santos ^{126a,126c}, A. Amorim ^{126a,126b}, S. Amoroso ⁴⁸, N. Amram ¹⁵³, G. Amundsen ²³, C. Anastopoulos ¹³⁹, L.S. Ancu ⁴⁹, N. Andari ¹⁰⁸, T. Andeen ³⁵, C.F. Anders ^{58b}, G. Anders ³⁰, J.K. Anders ⁷⁴, K.J. Anderson ³¹, A. Andreazza ^{91a,91b}, V. Andrei ^{58a}, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁷, P. Anger ⁴⁴, A. Angerami ³⁵, F. Anghinolfi ³⁰, A.V. Anisenkov ^{109,c}, N. Anjos ¹², A. Annovi ^{124a,124b}, M. Antonelli ⁴⁷, A. Antonov ⁹⁸,

- J. Antos ^{144b}, F. Anulli ^{132a}, M. Aoki ⁶⁶, L. Aperio Bella ¹⁸, G. Arabidze ⁹⁰, Y. Arai ⁶⁶, J.P. Araque ^{126a},
 A.T.H. Arce ⁴⁵, F.A. Arduh ⁷¹, J-F. Arguin ⁹⁵, S. Argyropoulos ⁶³, M. Arik ^{19a}, A.J. Armbruster ³⁰, O. Arnaez ³⁰,
 H. Arnold ⁴⁸, M. Arratia ²⁸, O. Arslan ²¹, A. Artamonov ⁹⁷, G. Artoni ²³, S. Asai ¹⁵⁵, N. Asbah ⁴²,
 A. Ashkenazi ¹⁵³, B. Åsman ^{146a,146b}, L. Asquith ¹⁴⁹, K. Assamagan ²⁵, R. Astalos ^{144a}, M. Atkinson ¹⁶⁵,
 N.B. Atlay ¹⁴¹, K. Augsten ¹²⁸, M. Aurousseau ^{145b}, G. Avolio ³⁰, B. Axen ¹⁵, M.K. Ayoub ¹¹⁷, G. Azuelos ^{95,d},
 M.A. Baak ³⁰, A.E. Baas ^{58a}, M.J. Baca ¹⁸, C. Bacci ^{134a,134b}, H. Bachacou ¹³⁶, K. Bachas ¹⁵⁴, M. Backes ³⁰,
 M. Backhaus ³⁰, P. Bagiacchi ^{132a,132b}, P. Bagnaia ^{132a,132b}, Y. Bai ^{33a}, T. Bain ³⁵, J.T. Baines ¹³¹,
 O.K. Baker ¹⁷⁶, E.M. Baldin ^{109,c}, P. Balek ¹²⁹, T. Balestri ¹⁴⁸, F. Balli ⁸⁴, W.K. Balunas ¹²², E. Banas ³⁹,
 Sw. Banerjee ¹⁷³, A.A.E. Bannoura ¹⁷⁵, L. Barak ³⁰, E.L. Barberio ⁸⁸, D. Barberis ^{50a,50b}, M. Barbero ⁸⁵,
 T. Barillari ¹⁰¹, M. Barisonzi ^{164a,164b}, T. Barklow ¹⁴³, N. Barlow ²⁸, S.L. Barnes ⁸⁴, B.M. Barnett ¹³¹,
 R.M. Barnett ¹⁵, Z. Barnovska ⁵, A. Baroncelli ^{134a}, G. Barone ²³, A.J. Barr ¹²⁰, F. Barreiro ⁸²,
 J. Barreiro Guimaraes da Costa ⁵⁷, R. Bartoldus ¹⁴³, A.E. Barton ⁷², P. Bartos ^{144a}, A. Basalaev ¹²³,
 A. Bassalat ¹¹⁷, A. Basye ¹⁶⁵, R.L. Bates ⁵³, S.J. Batista ¹⁵⁸, J.R. Batley ²⁸, M. Battaglia ¹³⁷, M. Bauche ^{132a,132b},
 F. Bauer ¹³⁶, H.S. Bawa ^{143,e}, J.B. Beacham ¹¹¹, M.D. Beattie ⁷², T. Beau ⁸⁰, P.H. Beauchemin ¹⁶¹,
 R. Beccherle ^{124a,124b}, P. Bechtle ²¹, H.P. Beck ^{17,f}, K. Becker ¹²⁰, M. Becker ⁸³, M. Beckingham ¹⁷⁰,
 C. Becot ¹¹⁷, A.J. Beddall ^{19b}, A. Beddall ^{19b}, V.A. Bednyakov ⁶⁵, C.P. Bee ¹⁴⁸, L.J. Beemster ¹⁰⁷,
 T.A. Beermann ³⁰, M. Begel ²⁵, J.K. Behr ¹²⁰, C. Belanger-Champagne ⁸⁷, W.H. Bell ⁴⁹, G. Bella ¹⁵³,
 L. Bellagamba ^{20a}, A. Bellerive ²⁹, M. Bellomo ⁸⁶, K. Belotskiy ⁹⁸, O. Beltramello ³⁰, O. Benary ¹⁵³,
 D. Benchekroun ^{135a}, M. Bender ¹⁰⁰, K. Bendtz ^{146a,146b}, N. Benekos ¹⁰, Y. Benhammou ¹⁵³,
 E. Benhar Noccioli ⁴⁹, J.A. Benitez Garcia ^{159b}, D.P. Benjamin ⁴⁵, J.R. Bensinger ²³, S. Bentvelsen ¹⁰⁷,
 L. Beresford ¹²⁰, M. Beretta ⁴⁷, D. Berge ¹⁰⁷, E. Bergeaas Kuutmann ¹⁶⁶, N. Berger ⁵, F. Berghaus ¹⁶⁹,
 J. Beringer ¹⁵, C. Bernard ²², N.R. Bernard ⁸⁶, C. Bernius ¹¹⁰, F.U. Bernlochner ²¹, T. Berry ⁷⁷, P. Berta ¹²⁹,
 C. Bertella ⁸³, G. Bertoli ^{146a,146b}, F. Bertolucci ^{124a,124b}, C. Bertsche ¹¹³, D. Bertsche ¹¹³, M.I. Besana ^{91a},
 G.J. Besjes ³⁶, O. Bessidskaia Bylund ^{146a,146b}, M. Bessner ⁴², N. Besson ¹³⁶, C. Betancourt ⁴⁸, S. Bethke ¹⁰¹,
 A.J. Bevan ⁷⁶, W. Bhimji ¹⁵, R.M. Bianchi ¹²⁵, L. Bianchini ²³, M. Bianco ³⁰, O. Biebel ¹⁰⁰, D. Biedermann ¹⁶,
 S.P. Bieniek ⁷⁸, N.V. Biesuz ^{124a,124b}, M. Biglietti ^{134a}, J. Bilbao De Mendizabal ⁴⁹, H. Bilokon ⁴⁷, M. Bindi ⁵⁴,
 S. Binet ¹¹⁷, A. Bingul ^{19b}, C. Bini ^{132a,132b}, S. Biondi ^{20a,20b}, D.M. Bjergaard ⁴⁵, C.W. Black ¹⁵⁰, J.E. Black ¹⁴³,
 K.M. Black ²², D. Blackburn ¹³⁸, R.E. Blair ⁶, J.-B. Blanchard ¹³⁶, J.E. Blanco ⁷⁷, T. Blazek ^{144a}, I. Bloch ⁴²,
 C. Blocker ²³, W. Blum ^{83,*}, U. Blumenschein ⁵⁴, S. Blunier ^{32a}, G.J. Bobbink ¹⁰⁷, V.S. Bobrovnikov ^{109,c},
 S.S. Bocchetta ⁸¹, A. Bocci ⁴⁵, C. Bock ¹⁰⁰, M. Boehler ⁴⁸, J.A. Bogaerts ³⁰, D. Bogavac ¹³,
 A.G. Bogdanchikov ¹⁰⁹, C. Bohm ^{146a}, V. Boisvert ⁷⁷, T. Bold ^{38a}, V. Boldea ^{26b}, A.S. Boldyrev ⁹⁹,
 M. Bomben ⁸⁰, M. Bona ⁷⁶, M. Boonekamp ¹³⁶, A. Borisov ¹³⁰, G. Borissov ⁷², S. Borroni ⁴², J. Bortfeldt ¹⁰⁰,
 V. Bortolotto ^{60a,60b,60c}, K. Bos ¹⁰⁷, D. Boscherini ^{20a}, M. Bosman ¹², J. Boudreau ¹²⁵, J. Bouffard ²,
 E.V. Bouhova-Thacker ⁷², D. Boumediene ³⁴, C. Bourdarios ¹¹⁷, N. Bousson ¹¹⁴, S.K. Boutle ⁵³, A. Boveia ³⁰,
 J. Boyd ³⁰, I.R. Boyko ⁶⁵, I. Bozic ¹³, J. Bracinik ¹⁸, A. Brandt ⁸, G. Brandt ⁵⁴, O. Brandt ^{58a}, U. Bratzler ¹⁵⁶,
 B. Brau ⁸⁶, J.E. Brau ¹¹⁶, H.M. Braun ^{175,*}, W.D. Breaden Madden ⁵³, K. Brendlinger ¹²², A.J. Brennan ⁸⁸,
 L. Brenner ¹⁰⁷, R. Brenner ¹⁶⁶, S. Bressler ¹⁷², K. Bristow ^{145c}, T.M. Bristow ⁴⁶, D. Britton ⁵³, D. Britzger ⁴²,
 F.M. Brochu ²⁸, I. Brock ²¹, R. Brock ⁹⁰, J. Bronner ¹⁰¹, G. Brooijmans ³⁵, T. Brooks ⁷⁷, W.K. Brooks ^{32b},
 J. Brosamer ¹⁵, E. Brost ¹¹⁶, P.A. Bruckman de Renstrom ³⁹, D. Bruncko ^{144b}, R. Bruneliere ⁴⁸, A. Bruni ^{20a},
 G. Bruni ^{20a}, M. Bruschi ^{20a}, N. Bruscino ²¹, L. Bryngemark ⁸¹, T. Buanes ¹⁴, Q. Buat ¹⁴², P. Buchholz ¹⁴¹,
 A.G. Buckley ⁵³, S.I. Buda ^{26b}, I.A. Budagov ⁶⁵, F. Buehrer ⁴⁸, L. Bugge ¹¹⁹, M.K. Bugge ¹¹⁹, O. Bulekov ⁹⁸,
 D. Bullock ⁸, H. Burckhart ³⁰, S. Burdin ⁷⁴, C.D. Burgard ⁴⁸, B. Burghgrave ¹⁰⁸, S. Burke ¹³¹, I. Burmeister ⁴³,
 E. Busato ³⁴, D. Büscher ⁴⁸, V. Büscher ⁸³, P. Bussey ⁵³, J.M. Butler ²², A.I. Butt ³, C.M. Buttar ⁵³,
 J.M. Butterworth ⁷⁸, P. Butti ¹⁰⁷, W. Buttlinger ²⁵, A. Buzatu ⁵³, A.R. Buzykaev ^{109,c}, S. Cabrera Urbán ¹⁶⁷,
 D. Caforio ¹²⁸, V.M. Cairo ^{37a,37b}, O. Cakir ^{4a}, N. Calace ⁴⁹, P. Calafiura ¹⁵, A. Calandri ¹³⁶, G. Calderini ⁸⁰,
 P. Calfayan ¹⁰⁰, L.P. Caloba ^{24a}, D. Calvet ³⁴, S. Calvet ³⁴, R. Camacho Toro ³¹, S. Camarda ⁴²,
 P. Camarri ^{133a,133b}, D. Cameron ¹¹⁹, R. Caminal Armadans ¹⁶⁵, S. Campana ³⁰, M. Campanelli ⁷⁸,
 A. Campoverde ¹⁴⁸, V. Canale ^{104a,104b}, A. Canepa ^{159a}, M. Cano Bret ^{33e}, J. Cantero ⁸², R. Cantrill ^{126a},
 T. Cao ⁴⁰, M.D.M. Capeans Garrido ³⁰, I. Caprini ^{26b}, M. Caprini ^{26b}, M. Capua ^{37a,37b}, R. Caputo ⁸³,
 R.M. Carbone ³⁵, R. Cardarelli ^{133a}, F. Cardillo ⁴⁸, T. Carli ³⁰, G. Carlino ^{104a}, L. Carminati ^{91a,91b},
 S. Caron ¹⁰⁶, E. Carquin ^{32a}, G.D. Carrillo-Montoya ³⁰, J.R. Carter ²⁸, J. Carvalho ^{126a,126c}, D. Casadei ⁷⁸,
 M.P. Casado ¹², M. Casolino ¹², E. Castaneda-Miranda ^{145a}, A. Castelli ¹⁰⁷, V. Castillo Gimenez ¹⁶⁷,

- N.F. Castro ^{126a,g}, P. Catastini ⁵⁷, A. Catinaccio ³⁰, J.R. Catmore ¹¹⁹, A. Cattai ³⁰, J. Caudron ⁸³, V. Cavalieri ¹⁶⁵, D. Cavalli ^{91a}, M. Cavalli-Sforza ¹², V. Cavasinni ^{124a,124b}, F. Ceradini ^{134a,134b}, B.C. Cerio ⁴⁵, K. Cerny ¹²⁹, A.S. Cerqueira ^{24b}, A. Cerri ¹⁴⁹, L. Cerrito ⁷⁶, F. Cerutti ¹⁵, M. Cerv ³⁰, A. Cervelli ¹⁷, S.A. Cetin ^{19c}, A. Chafaq ^{135a}, D. Chakraborty ¹⁰⁸, I. Chalupkova ¹²⁹, P. Chang ¹⁶⁵, J.D. Chapman ²⁸, D.G. Charlton ¹⁸, C.C. Chau ¹⁵⁸, C.A. Chavez Barajas ¹⁴⁹, S. Cheatham ¹⁵², A. Chegwidden ⁹⁰, S. Chekanov ⁶, S.V. Chekulaev ^{159a}, G.A. Chelkov ^{65,h}, M.A. Chelstowska ⁸⁹, C. Chen ⁶⁴, H. Chen ²⁵, K. Chen ¹⁴⁸, L. Chen ^{33d,i}, S. Chen ^{33c}, S. Chen ¹⁵⁵, X. Chen ^{33f}, Y. Chen ⁶⁷, H.C. Cheng ⁸⁹, Y. Cheng ³¹, A. Cheplakov ⁶⁵, E. Cheremushkina ¹³⁰, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ^{25,*}, E. Cheu ⁷, L. Chevalier ¹³⁶, V. Chiarella ⁴⁷, G. Chiarelli ^{124a,124b}, G. Chiodini ^{73a}, A.S. Chisholm ¹⁸, R.T. Chislett ⁷⁸, A. Chitan ^{26b}, M.V. Chizhov ⁶⁵, K. Choi ⁶¹, S. Chouridou ⁹, B.K.B. Chow ¹⁰⁰, V. Christodoulou ⁷⁸, D. Chromek-Burckhart ³⁰, J. Chudoba ¹²⁷, A.J. Chuinard ⁸⁷, J.J. Chwastowski ³⁹, L. Chytka ¹¹⁵, G. Ciapetti ^{132a,132b}, A.K. Ciftci ^{4a}, D. Cinca ⁵³, V. Cindro ⁷⁵, I.A. Cioara ²¹, A. Ciocio ¹⁵, F. Cirotto ^{104a,104b}, Z.H. Citron ¹⁷², M. Ciubancan ^{26b}, A. Clark ⁴⁹, B.L. Clark ⁵⁷, P.J. Clark ⁴⁶, R.N. Clarke ¹⁵, C. Clement ^{146a,146b}, Y. Coadou ⁸⁵, M. Cobal ^{164a,164c}, A. Coccaro ⁴⁹, J. Cochran ⁶⁴, L. Coffey ²³, J.G. Cogan ¹⁴³, L. Colasurdo ¹⁰⁶, B. Cole ³⁵, S. Cole ¹⁰⁸, A.P. Colijn ¹⁰⁷, J. Collot ⁵⁵, T. Colombo ^{58c}, G. Compostella ¹⁰¹, P. Conde Muiño ^{126a,126b}, E. Coniavitis ⁴⁸, S.H. Connell ^{145b}, I.A. Connnelly ⁷⁷, V. Consorti ⁴⁸, S. Constantinescu ^{26b}, C. Conta ^{121a,121b}, G. Conti ³⁰, F. Conventi ^{104a,j}, M. Cooke ¹⁵, B.D. Cooper ⁷⁸, A.M. Cooper-Sarkar ¹²⁰, T. Cornelissen ¹⁷⁵, M. Corradi ^{20a}, F. Corriveau ^{87,k}, A. Corso-Radu ¹⁶³, A. Cortes-Gonzalez ¹², G. Cortiana ¹⁰¹, G. Costa ^{91a}, M.J. Costa ¹⁶⁷, D. Costanzo ¹³⁹, D. Côté ⁸, G. Cottin ²⁸, G. Cowan ⁷⁷, B.E. Cox ⁸⁴, K. Cranmer ¹¹⁰, G. Cree ²⁹, S. Crépé-Renaudin ⁵⁵, F. Crescioli ⁸⁰, W.A. Cribbs ^{146a,146b}, M. Crispin Ortuzar ¹²⁰, M. Cristinziani ²¹, V. Croft ¹⁰⁶, G. Crosetti ^{37a,37b}, T. Cuhadar Donszelmann ¹³⁹, J. Cummings ¹⁷⁶, M. Curatolo ⁴⁷, J. Cúth ⁸³, C. Cuthbert ¹⁵⁰, H. Czirr ¹⁴¹, P. Czodrowski ³, S. D'Auria ⁵³, M. D'Onofrio ⁷⁴, M.J. Da Cunha Sargedas De Sousa ^{126a,126b}, C. Da Via ⁸⁴, W. Dabrowski ^{38a}, A. Dafinca ¹²⁰, T. Dai ⁸⁹, O. Dale ¹⁴, F. Dallaire ⁹⁵, C. Dallapiccola ⁸⁶, M. Dam ³⁶, J.R. Dandoy ³¹, N.P. Dang ⁴⁸, A.C. Daniells ¹⁸, M. Danner ¹⁶⁸, M. Dano Hoffmann ¹³⁶, V. Dao ⁴⁸, G. Darbo ^{50a}, S. Darmora ⁸, J. Dassoulas ³, A. Dattagupta ⁶¹, W. Davey ²¹, C. David ¹⁶⁹, T. Davidek ¹²⁹, E. Davies ^{120,l}, M. Davies ¹⁵³, P. Davison ⁷⁸, Y. Davygora ^{58a}, E. Dawe ⁸⁸, I. Dawson ¹³⁹, R.K. Daya-Ishmukhametova ⁸⁶, K. De ⁸, R. de Asmundis ^{104a}, A. De Benedetti ¹¹³, S. De Castro ^{20a,20b}, S. De Cecco ⁸⁰, N. De Groot ¹⁰⁶, P. de Jong ¹⁰⁷, H. De la Torre ⁸², F. De Lorenzi ⁶⁴, D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ¹⁴⁹, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁷, W.J. Dearnaley ⁷², R. Debbe ²⁵, C. Debenedetti ¹³⁷, D.V. Dedovich ⁶⁵, I. Deigaard ¹⁰⁷, J. Del Peso ⁸², T. Del Prete ^{124a,124b}, D. Delgove ¹¹⁷, F. Deliot ¹³⁶, C.M. Delitzsch ⁴⁹, M. Deliyergiyev ⁷⁵, A. Dell'Acqua ³⁰, L. Dell'Asta ²², M. Dell'Orso ^{124a,124b}, M. Della Pietra ^{104a,j}, D. della Volpe ⁴⁹, M. Delmastro ⁵, P.A. Delsart ⁵⁵, C. Deluca ¹⁰⁷, D.A. DeMarco ¹⁵⁸, S. Demers ¹⁷⁶, M. Demichev ⁶⁵, A. Demilly ⁸⁰, S.P. Denisov ¹³⁰, D. Derendarz ³⁹, J.E. Derkaoui ^{135d}, F. Derue ⁸⁰, P. Dervan ⁷⁴, K. Desch ²¹, C. Deterre ⁴², P.O. Deviveiros ³⁰, A. Dewhurst ¹³¹, S. Dhaliwal ²³, A. Di Ciaccio ^{133a,133b}, L. Di Ciaccio ⁵, A. Di Domenico ^{132a,132b}, C. Di Donato ^{104a,104b}, A. Di Girolamo ³⁰, B. Di Girolamo ³⁰, A. Di Mattia ¹⁵², B. Di Micco ^{134a,134b}, R. Di Nardo ⁴⁷, A. Di Simone ⁴⁸, R. Di Sipio ¹⁵⁸, D. Di Valentino ²⁹, C. Diaconu ⁸⁵, M. Diamond ¹⁵⁸, F.A. Dias ⁴⁶, M.A. Diaz ^{32a}, E.B. Diehl ⁸⁹, J. Dietrich ¹⁶, S. Diglio ⁸⁵, A. Dimitrievska ¹³, J. Dingfelder ²¹, P. Dita ^{26b}, S. Dita ^{26b}, F. Dittus ³⁰, F. Djama ⁸⁵, T. Djobava ^{51b}, J.I. Djuvsland ^{58a}, M.A.B. do Vale ^{24c}, D. Dobos ³⁰, M. Dobre ^{26b}, C. Doglioni ⁸¹, T. Dohmae ¹⁵⁵, J. Dolejsi ¹²⁹, Z. Dolezal ¹²⁹, B.A. Dolgoshein ^{98,*}, M. Donadelli ^{24d}, S. Donati ^{124a,124b}, P. Dondero ^{121a,121b}, J. Donini ³⁴, J. Dopke ¹³¹, A. Doria ^{104a}, M.T. Dova ⁷¹, A.T. Doyle ⁵³, E. Drechsler ⁵⁴, M. Dris ¹⁰, E. Dubreuil ³⁴, E. Duchovni ¹⁷², G. Duckeck ¹⁰⁰, O.A. Ducu ^{26b,85}, D. Duda ¹⁰⁷, A. Dudarev ³⁰, L. Duflot ¹¹⁷, L. Duguid ⁷⁷, M. Dührssen ³⁰, M. Dunford ^{58a}, H. Duran Yildiz ^{4a}, M. Düren ⁵², A. Durglishvili ^{51b}, D. Duschinger ⁴⁴, B. Dutta ⁴², M. Dyndal ^{38a}, C. Eckardt ⁴², K.M. Ecker ¹⁰¹, R.C. Edgar ⁸⁹, W. Edson ², N.C. Edwards ⁴⁶, W. Ehrenfeld ²¹, T. Eifert ³⁰, G. Eigen ¹⁴, K. Einsweiler ¹⁵, T. Ekelof ¹⁶⁶, M. El Kacimi ^{135c}, M. Ellert ¹⁶⁶, S. Elles ⁵, F. Ellinghaus ¹⁷⁵, A.A. Elliot ¹⁶⁹, N. Ellis ³⁰, J. Elmsheuser ¹⁰⁰, M. Elsing ³⁰, D. Emeliyanov ¹³¹, Y. Enari ¹⁵⁵, O.C. Endner ⁸³, M. Endo ¹¹⁸, J. Erdmann ⁴³, A. Ereditato ¹⁷, G. Ernis ¹⁷⁵, J. Ernst ², M. Ernst ²⁵, S. Errede ¹⁶⁵, E. Ertel ⁸³, M. Escalier ¹¹⁷, H. Esch ⁴³, C. Escobar ¹²⁵, B. Esposito ⁴⁷, A.I. Etienne ¹³⁶, E. Etzion ¹⁵³, H. Evans ⁶¹, A. Ezhilov ¹²³, L. Fabbri ^{20a,20b}, G. Facini ³¹, R.M. Fakhrutdinov ¹³⁰, S. Falciano ^{132a}, R.J. Falla ⁷⁸, J. Faltova ¹²⁹, Y. Fang ^{33a}, M. Fanti ^{91a,91b}, A. Farbin ⁸, A. Farilla ^{134a}, T. Farooque ¹², S. Farrell ¹⁵, S.M. Farrington ¹⁷⁰, P. Farthouat ³⁰, F. Fassi ^{135e}, P. Fassnacht ³⁰,

- D. Fassouliotis ⁹, M. Faucci Giannelli ⁷⁷, A. Favareto ^{50a,50b}, L. Fayard ¹¹⁷, O.L. Fedin ^{123,m}, W. Fedorko ¹⁶⁸, S. Feigl ³⁰, L. Feligioni ⁸⁵, C. Feng ^{33d}, E.J. Feng ³⁰, H. Feng ⁸⁹, A.B. Fenyuk ¹³⁰, L. Feremenga ⁸, P. Fernandez Martinez ¹⁶⁷, S. Fernandez Perez ³⁰, J. Ferrando ⁵³, A. Ferrari ¹⁶⁶, P. Ferrari ¹⁰⁷, R. Ferrari ^{121a}, D.E. Ferreira de Lima ⁵³, A. Ferrer ¹⁶⁷, D. Ferrere ⁴⁹, C. Ferretti ⁸⁹, A. Ferretto Parodi ^{50a,50b}, M. Fiascaris ³¹, F. Fiedler ⁸³, A. Filipčič ⁷⁵, M. Filipuzzi ⁴², F. Filthaut ¹⁰⁶, M. Fincke-Keeler ¹⁶⁹, K.D. Finelli ¹⁵⁰, M.C.N. Fiolhais ^{126a,126c}, L. Fiorini ¹⁶⁷, A. Firan ⁴⁰, A. Fischer ², C. Fischer ¹², J. Fischer ¹⁷⁵, W.C. Fisher ⁹⁰, N. Flaschel ⁴², I. Fleck ¹⁴¹, P. Fleischmann ⁸⁹, G.T. Fletcher ¹³⁹, G. Fletcher ⁷⁶, R.R.M. Fletcher ¹²², T. Flick ¹⁷⁵, A. Floderus ⁸¹, L.R. Flores Castillo ^{60a}, M.J. Flowerdew ¹⁰¹, A. Formica ¹³⁶, A. Forti ⁸⁴, D. Fournier ¹¹⁷, H. Fox ⁷², S. Fracchia ¹², P. Francavilla ⁸⁰, M. Franchini ^{20a,20b}, D. Francis ³⁰, L. Franconi ¹¹⁹, M. Franklin ⁵⁷, M. Frate ¹⁶³, M. Fraternali ^{121a,121b}, D. Freeborn ⁷⁸, S.T. French ²⁸, F. Friedrich ⁴⁴, D. Froidevaux ³⁰, J.A. Frost ¹²⁰, C. Fukunaga ¹⁵⁶, E. Fullana Torregrosa ⁸³, B.G. Fulsom ¹⁴³, T. Fusayasu ¹⁰², J. Fuster ¹⁶⁷, C. Gabaldon ⁵⁵, O. Gabizon ¹⁷⁵, A. Gabrielli ^{20a,20b}, A. Gabrielli ¹⁵, G.P. Gach ¹⁸, S. Gadatsch ³⁰, S. Gadomski ⁴⁹, G. Gagliardi ^{50a,50b}, P. Gagnon ⁶¹, C. Galea ¹⁰⁶, B. Galhardo ^{126a,126c}, E.J. Gallas ¹²⁰, B.J. Gallop ¹³¹, P. Gallus ¹²⁸, G. Galster ³⁶, K.K. Gan ¹¹¹, J. Gao ^{33b,85}, Y. Gao ⁴⁶, Y.S. Gao ^{143,e}, F.M. Garay Walls ⁴⁶, F. Garberson ¹⁷⁶, C. García ¹⁶⁷, J.E. García Navarro ¹⁶⁷, M. Garcia-Sciveres ¹⁵, R.W. Gardner ³¹, N. Garelli ¹⁴³, V. Garonne ¹¹⁹, C. Gatti ⁴⁷, A. Gaudiello ^{50a,50b}, G. Gaudio ^{121a}, B. Gaur ¹⁴¹, L. Gauthier ⁹⁵, P. Gauzzi ^{132a,132b}, I.L. Gavrilenko ⁹⁶, C. Gay ¹⁶⁸, G. Gaycken ²¹, E.N. Gazis ¹⁰, P. Ge ^{33d}, Z. Gecse ¹⁶⁸, C.N.P. Gee ¹³¹, Ch. Geich-Gimbel ²¹, M.P. Geisler ^{58a}, C. Gemme ^{50a}, M.H. Genest ⁵⁵, S. Gentile ^{132a,132b}, M. George ⁵⁴, S. George ⁷⁷, D. Gerbaudo ¹⁶³, A. Gershon ¹⁵³, S. Ghasemi ¹⁴¹, H. Ghazlane ^{135b}, B. Giacobbe ^{20a}, S. Giagu ^{132a,132b}, V. Giangiobbe ¹², P. Giannetti ^{124a,124b}, B. Gibbard ²⁵, S.M. Gibson ⁷⁷, M. Gignac ¹⁶⁸, M. Gilchriese ¹⁵, T.P.S. Gillam ²⁸, D. Gillberg ³⁰, G. Gilles ³⁴, D.M. Gingrich ^{3,d}, N. Giokaris ⁹, M.P. Giordani ^{164a,164c}, F.M. Giorgi ^{20a}, F.M. Giorgi ¹⁶, P.F. Giraud ¹³⁶, P. Giromini ⁴⁷, D. Giugni ^{91a}, C. Giuliani ⁴⁸, M. Giulini ^{58b}, B.K. Gjelsten ¹¹⁹, S. Gkaitatzis ¹⁵⁴, I. Gkialas ¹⁵⁴, E.L. Gkougkousis ¹¹⁷, L.K. Gladilin ⁹⁹, C. Glasman ⁸², J. Glatzer ³⁰, P.C.F. Glaysher ⁴⁶, A. Glazov ⁴², M. Goblirsch-Kolb ¹⁰¹, J.R. Goddard ⁷⁶, J. Godlewski ³⁹, S. Goldfarb ⁸⁹, T. Golling ⁴⁹, D. Golubkov ¹³⁰, A. Gomes ^{126a,126b,126d}, R. Gonçalo ^{126a}, J. Goncalves Pinto Firmino Da Costa ¹³⁶, L. Gonella ²¹, S. González de la Hoz ¹⁶⁷, G. Gonzalez Parra ¹², S. Gonzalez-Sevilla ⁴⁹, L. Goossens ³⁰, P.A. Gorbounov ⁹⁷, H.A. Gordon ²⁵, I. Gorelov ¹⁰⁵, B. Gorini ³⁰, E. Gorini ^{73a,73b}, A. Gorišek ⁷⁵, E. Gornicki ³⁹, A.T. Goshaw ⁴⁵, C. Gössling ⁴³, M.I. Gostkin ⁶⁵, D. Goujdami ^{135c}, A.G. Goussiou ¹³⁸, N. Govender ^{145b}, E. Gozani ¹⁵², H.M.X. Grabas ¹³⁷, L. Gruber ⁵⁴, I. Grabowska-Bold ^{38a}, P.O.J. Gradin ¹⁶⁶, P. Grafström ^{20a,20b}, K.-J. Grahn ⁴², J. Gramling ⁴⁹, E. Gramstad ¹¹⁹, S. Grancagnolo ¹⁶, V. Gratchev ¹²³, H.M. Gray ³⁰, E. Graziani ^{134a}, Z.D. Greenwood ^{79,n}, C. Grefe ²¹, K. Gregersen ⁷⁸, I.M. Gregor ⁴², P. Grenier ¹⁴³, J. Griffiths ⁸, A.A. Grillo ¹³⁷, K. Grimm ⁷², S. Grinstein ^{12,o}, Ph. Gris ³⁴, J.-F. Grivaz ¹¹⁷, J.P. Grohs ⁴⁴, A. Grohsjean ⁴², E. Gross ¹⁷², J. Grosse-Knetter ⁵⁴, G.C. Grossi ⁷⁹, Z.J. Grout ¹⁴⁹, L. Guan ⁸⁹, J. Guenther ¹²⁸, F. Guescini ⁴⁹, D. Guest ¹⁷⁶, O. Gueta ¹⁵³, E. Guido ^{50a,50b}, T. Guillemin ¹¹⁷, S. Guindon ², U. Gul ⁵³, C. Gumpert ⁴⁴, J. Guo ^{33e}, Y. Guo ^{33b,p}, S. Gupta ¹²⁰, G. Gustavino ^{132a,132b}, P. Gutierrez ¹¹³, N.G. Gutierrez Ortiz ⁷⁸, C. Gutschow ⁴⁴, C. Guyot ¹³⁶, C. Gwenlan ¹²⁰, C.B. Gwilliam ⁷⁴, A. Haas ¹¹⁰, C. Haber ¹⁵, H.K. Hadavand ⁸, N. Haddad ^{135e}, P. Haefner ²¹, S. Hageböck ²¹, Z. Hajduk ³⁹, H. Hakobyan ¹⁷⁷, M. Haleem ⁴², J. Haley ¹¹⁴, D. Hall ¹²⁰, G. Halladjian ⁹⁰, G.D. Hallewell ⁸⁵, K. Hamacher ¹⁷⁵, P. Hamal ¹¹⁵, K. Hamano ¹⁶⁹, A. Hamilton ^{145a}, G.N. Hamity ¹³⁹, P.G. Hamnett ⁴², L. Han ^{33b}, K. Hanagaki ^{66,q}, K. Hanawa ¹⁵⁵, M. Hance ¹³⁷, B. Haney ¹²², P. Hanke ^{58a}, R. Hanna ¹³⁶, J.B. Hansen ³⁶, J.D. Hansen ³⁶, M.C. Hansen ²¹, P.H. Hansen ³⁶, K. Hara ¹⁶⁰, A.S. Hard ¹⁷³, T. Harenberg ¹⁷⁵, F. Hariri ¹¹⁷, S. Harkusha ⁹², R.D. Harrington ⁴⁶, P.F. Harrison ¹⁷⁰, F. Hartjes ¹⁰⁷, M. Hasegawa ⁶⁷, Y. Hasegawa ¹⁴⁰, A. Hasib ¹¹³, S. Hassani ¹³⁶, S. Haug ¹⁷, R. Hauser ⁹⁰, L. Hauswald ⁴⁴, M. Havranek ¹²⁷, C.M. Hawkes ¹⁸, R.J. Hawkings ³⁰, A.D. Hawkins ⁸¹, T. Hayashi ¹⁶⁰, D. Hayden ⁹⁰, C.P. Hays ¹²⁰, J.M. Hays ⁷⁶, H.S. Hayward ⁷⁴, S.J. Haywood ¹³¹, S.J. Head ¹⁸, T. Heck ⁸³, V. Hedberg ⁸¹, L. Heelan ⁸, S. Heim ¹²², T. Heim ¹⁷⁵, B. Heinemann ¹⁵, L. Heinrich ¹¹⁰, J. Hejbal ¹²⁷, L. Helary ²², S. Hellman ^{146a,146b}, D. Hellmich ²¹, C. Helsens ¹², J. Henderson ¹²⁰, R.C.W. Henderson ⁷², Y. Heng ¹⁷³, C. Henglert ⁴², S. Henkelmann ¹⁶⁸, A. Henrichs ¹⁷⁶, A.M. Henriques Correia ³⁰, S. Henrot-Versille ¹¹⁷, G.H. Herbert ¹⁶, Y. Hernández Jiménez ¹⁶⁷, G. Herten ⁴⁸, R. Hertenberger ¹⁰⁰, L. Hervas ³⁰, G.G. Hesketh ⁷⁸, N.P. Hessey ¹⁰⁷, J.W. Hetherly ⁴⁰, R. Hickling ⁷⁶, E. Higón-Rodriguez ¹⁶⁷, E. Hill ¹⁶⁹, J.C. Hill ²⁸, K.H. Hiller ⁴², S.J. Hillier ¹⁸, I. Hinchliffe ¹⁵, E. Hines ¹²², R.R. Hinman ¹⁵, M. Hirose ¹⁵⁷, D. Hirschbuehl ¹⁷⁵, J. Hobbs ¹⁴⁸, N. Hod ¹⁰⁷, M.C. Hodgkinson ¹³⁹, P. Hodgson ¹³⁹,

- A. Hoecker ³⁰, M.R. Hoeferkamp ¹⁰⁵, F. Hoenig ¹⁰⁰, M. Hohlfeld ⁸³, D. Hohn ²¹, T.R. Holmes ¹⁵,
 M. Homann ⁴³, T.M. Hong ¹²⁵, W.H. Hopkins ¹¹⁶, Y. Horii ¹⁰³, A.J. Horton ¹⁴², J-Y. Hostachy ⁵⁵, S. Hou ¹⁵¹,
 A. Hoummada ^{135a}, J. Howard ¹²⁰, J. Howarth ⁴², M. Hrabovsky ¹¹⁵, I. Hristova ¹⁶, J. Hrivnac ¹¹⁷,
 T. Hrynev'ova ⁵, A. Hrynevich ⁹³, C. Hsu ^{145c}, P.J. Hsu ^{151,r}, S.-C. Hsu ¹³⁸, D. Hu ³⁵, Q. Hu ^{33b}, X. Hu ⁸⁹,
 Y. Huang ⁴², Z. Hubacek ¹²⁸, F. Hubaut ⁸⁵, F. Huegging ²¹, T.B. Huffman ¹²⁰, E.W. Hughes ³⁵, G. Hughes ⁷²,
 M. Huhtinen ³⁰, T.A. Hülsing ⁸³, N. Huseynov ^{65,b}, J. Huston ⁹⁰, J. Huth ⁵⁷, G. Iacobucci ⁴⁹, G. Iakovidis ²⁵,
 I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ¹¹⁷, E. Ideal ¹⁷⁶, Z. Idrissi ^{135e}, P. Iengo ³⁰, O. Igonkina ¹⁰⁷,
 T. Iizawa ¹⁷¹, Y. Ikegami ⁶⁶, K. Ikematsu ¹⁴¹, M. Ikeno ⁶⁶, Y. Ilchenko ^{31,s}, D. Iliadis ¹⁵⁴, N. Ilic ¹⁴³,
 T. Ince ¹⁰¹, G. Introzzi ^{121a,121b}, P. Ioannou ⁹, M. Iodice ^{134a}, K. Iordanidou ³⁵, V. Ippolito ⁵⁷,
 A. Irles Quiles ¹⁶⁷, C. Isaksson ¹⁶⁶, M. Ishino ⁶⁸, M. Ishitsuka ¹⁵⁷, R. Ishmukhametov ¹¹¹, C. Issever ¹²⁰,
 S. Istin ^{19a}, J.M. Iturbe Ponce ⁸⁴, R. Iuppa ^{133a,133b}, J. Ivarsson ⁸¹, W. Iwanski ³⁹, H. Iwasaki ⁶⁶, J.M. Izen ⁴¹,
 V. Izzo ^{104a}, S. Jabbar ³, B. Jackson ¹²², M. Jackson ⁷⁴, P. Jackson ¹, M.R. Jaekel ³⁰, V. Jain ², K. Jakobs ⁴⁸,
 S. Jakobsen ³⁰, T. Jakoubek ¹²⁷, J. Jakubek ¹²⁸, D.O. Jamin ¹¹⁴, D.K. Jana ⁷⁹, E. Jansen ⁷⁸, R. Jansky ⁶²,
 J. Janssen ²¹, M. Janus ⁵⁴, G. Jarlskog ⁸¹, N. Javadov ^{65,b}, T. Javůrek ⁴⁸, L. Jeanty ¹⁵, J. Jejelava ^{51a,t},
 G.-Y. Jeng ¹⁵⁰, D. Jennens ⁸⁸, P. Jenni ^{48,u}, J. Jentzsch ⁴³, C. Jeske ¹⁷⁰, S. Jézéquel ⁵, H. Ji ¹⁷³, J. Jia ¹⁴⁸,
 Y. Jiang ^{33b}, S. Jiggins ⁷⁸, J. Jimenez Pena ¹⁶⁷, S. Jin ^{33a}, A. Jinaru ^{26b}, O. Jinnouchi ¹⁵⁷, M.D. Joergensen ³⁶,
 P. Johansson ¹³⁹, K.A. Johns ⁷, W.J. Johnson ¹³⁸, K. Jon-And ^{146a,146b}, G. Jones ¹⁷⁰, R.W.L. Jones ⁷²,
 T.J. Jones ⁷⁴, J. Jongmanns ^{58a}, P.M. Jorge ^{126a,126b}, K.D. Joshi ⁸⁴, J. Jovicevic ^{159a}, X. Ju ¹⁷³, P. Jussel ⁶²,
 A. Juste Rozas ^{12,o}, M. Kaci ¹⁶⁷, A. Kaczmarska ³⁹, M. Kado ¹¹⁷, H. Kagan ¹¹¹, M. Kagan ¹⁴³, S.J. Kahn ⁸⁵,
 E. Kajomovitz ⁴⁵, C.W. Kalderon ¹²⁰, S. Kama ⁴⁰, A. Kamenshchikov ¹³⁰, N. Kanaya ¹⁵⁵, S. Kaneti ²⁸,
 V.A. Kantserov ⁹⁸, J. Kanzaki ⁶⁶, B. Kaplan ¹¹⁰, L.S. Kaplan ¹⁷³, A. Kapliy ³¹, D. Kar ^{145c}, K. Karakostas ¹⁰,
 A. Karamaoun ³, N. Karastathis ^{10,107}, M.J. Kareem ⁵⁴, E. Karentzos ¹⁰, M. Karnevskiy ⁸³, S.N. Karpov ⁶⁵,
 Z.M. Karpova ⁶⁵, K. Karthik ¹¹⁰, V. Kartvelishvili ⁷², A.N. Karyukhin ¹³⁰, K. Kasahara ¹⁶⁰, L. Kashif ¹⁷³,
 R.D. Kass ¹¹¹, A. Kastanas ¹⁴, Y. Kataoka ¹⁵⁵, C. Kato ¹⁵⁵, A. Katre ⁴⁹, J. Katzy ⁴², K. Kawade ¹⁰³,
 K. Kawagoe ⁷⁰, T. Kawamoto ¹⁵⁵, G. Kawamura ⁵⁴, S. Kazama ¹⁵⁵, V.F. Kazanin ^{109,c}, R. Keeler ¹⁶⁹,
 R. Kehoe ⁴⁰, J.S. Keller ⁴², J.J. Kempster ⁷⁷, H. Keoshkerian ⁸⁴, O. Kepka ¹²⁷, B.P. Kerševan ⁷⁵, S. Kersten ¹⁷⁵,
 R.A. Keyes ⁸⁷, F. Khalil-zada ¹¹, H. Khandanyan ^{146a,146b}, A. Khanov ¹¹⁴, A.G. Kharlamov ^{109,c}, T.J. Khoo ²⁸,
 V. Khovanskiy ⁹⁷, E. Khramov ⁶⁵, J. Khubua ^{51b,v}, S. Kido ⁶⁷, H.Y. Kim ⁸, S.H. Kim ¹⁶⁰, Y.K. Kim ³¹,
 N. Kimura ¹⁵⁴, O.M. Kind ¹⁶, B.T. King ⁷⁴, M. King ¹⁶⁷, S.B. King ¹⁶⁸, J. Kirk ¹³¹, A.E. Kiryunin ¹⁰¹,
 T. Kishimoto ⁶⁷, D. Kisielewska ^{38a}, F. Kiss ⁴⁸, K. Kiuchi ¹⁶⁰, O. Kivernyk ¹³⁶, E. Kladiva ^{144b}, M.H. Klein ³⁵,
 M. Klein ⁷⁴, U. Klein ⁷⁴, K. Kleinknecht ⁸³, P. Klimek ^{146a,146b}, A. Klimentov ²⁵, R. Klingenberg ⁴³,
 J.A. Klinger ¹³⁹, T. Klioutchnikova ³⁰, E.-E. Kluge ^{58a}, P. Kluit ¹⁰⁷, S. Kluth ¹⁰¹, J. Knapik ³⁹, E. Kneringer ⁶²,
 E.B.F.G. Knoops ⁸⁵, A. Knue ⁵³, A. Kobayashi ¹⁵⁵, D. Kobayashi ¹⁵⁷, T. Kobayashi ¹⁵⁵, M. Kobel ⁴⁴,
 M. Kocian ¹⁴³, P. Kodys ¹²⁹, T. Koffas ²⁹, E. Koffeman ¹⁰⁷, L.A. Kogan ¹²⁰, S. Kohlmann ¹⁷⁵, Z. Kohout ¹²⁸,
 T. Kohriki ⁶⁶, T. Koi ¹⁴³, H. Kolanoski ¹⁶, M. Kolb ^{58b}, I. Koletsou ⁵, A.A. Komar ^{96,*}, Y. Komori ¹⁵⁵,
 T. Kondo ⁶⁶, N. Kondrashova ⁴², K. Köneke ⁴⁸, A.C. König ¹⁰⁶, T. Kono ⁶⁶, R. Konoplich ^{110,w},
 N. Konstantinidis ⁷⁸, R. Kopeliansky ¹⁵², S. Koperny ^{38a}, L. Köpke ⁸³, A.K. Kopp ⁴⁸, K. Korcyl ³⁹,
 K. Kordas ¹⁵⁴, A. Korn ⁷⁸, A.A. Korol ^{109,c}, I. Korolkov ¹², E.V. Korolkova ¹³⁹, O. Kortner ¹⁰¹, S. Kortner ¹⁰¹,
 T. Kosek ¹²⁹, V.V. Kostyukhin ²¹, V.M. Kotov ⁶⁵, A. Kotwal ⁴⁵, A. Kourkoumelis-Charalampidi ¹⁵⁴,
 C. Kourkoumelis ⁹, V. Kouskoura ²⁵, A. Koutsman ^{159a}, R. Kowalewski ¹⁶⁹, T.Z. Kowalski ^{38a},
 W. Kozanecki ¹³⁶, A.S. Kozhin ¹³⁰, V.A. Kramarenko ⁹⁹, G. Kramberger ⁷⁵, D. Krasnopevtsev ⁹⁸,
 M.W. Krasny ⁸⁰, A. Krasznahorkay ³⁰, J.K. Kraus ²¹, A. Kravchenko ²⁵, S. Kreiss ¹¹⁰, M. Kretz ^{58c},
 J. Kretzschmar ⁷⁴, K. Kreutzfeldt ⁵², P. Krieger ¹⁵⁸, K. Krizka ³¹, K. Kroeninger ⁴³, H. Kroha ¹⁰¹, J. Kroll ¹²²,
 J. Kroeseberg ²¹, J. Krstic ¹³, U. Kruchonak ⁶⁵, H. Krüger ²¹, N. Krumnack ⁶⁴, A. Kruse ¹⁷³, M.C. Kruse ⁴⁵,
 M. Kruskal ²², T. Kubota ⁸⁸, H. Kucuk ⁷⁸, S. Kuday ^{4b}, S. Kuehn ⁴⁸, A. Kugel ^{58c}, F. Kuger ¹⁷⁴, A. Kuhl ¹³⁷,
 T. Kuhl ⁴², V. Kukhtin ⁶⁵, R. Kukla ¹³⁶, Y. Kulchitsky ⁹², S. Kuleshov ^{32b}, M. Kuna ^{132a,132b}, T. Kunigo ⁶⁸,
 A. Kupco ¹²⁷, H. Kurashige ⁶⁷, Y.A. Kurochkin ⁹², V. Kus ¹²⁷, E.S. Kuwertz ¹⁶⁹, M. Kuze ¹⁵⁷, J. Kvita ¹¹⁵,
 T. Kwan ¹⁶⁹, D. Kyriazopoulos ¹³⁹, A. La Rosa ¹³⁷, J.L. La Rosa Navarro ^{24d}, L. La Rotonda ^{37a,37b},
 C. Lacasta ¹⁶⁷, F. Lacava ^{132a,132b}, J. Lacey ²⁹, H. Lacker ¹⁶, D. Lacour ⁸⁰, V.R. Lacuesta ¹⁶⁷, E. Ladygin ⁶⁵,
 R. Lafaye ⁵, B. Laforge ⁸⁰, T. Lagouri ¹⁷⁶, S. Lai ⁵⁴, L. Lambourne ⁷⁸, S. Lammers ⁶¹, C.L. Lampen ⁷,
 W. Lampl ⁷, E. Lançon ¹³⁶, U. Landgraf ⁴⁸, M.P.J. Landon ⁷⁶, V.S. Lang ^{58a}, J.C. Lange ¹², A.J. Lankford ¹⁶³,
 F. Lanni ²⁵, K. Lantzsch ²¹, A. Lanza ^{121a}, S. Laplace ⁸⁰, C. Lapoire ³⁰, J.F. Laporte ¹³⁶, T. Lari ^{91a},

- F. Lasagni Manghi ^{20a,20b}, M. Lassnig ³⁰, P. Laurelli ⁴⁷, W. Lavrijsen ¹⁵, A.T. Law ¹³⁷, P. Laycock ⁷⁴,
 T. Lazovich ⁵⁷, O. Le Dortz ⁸⁰, E. Le Guirriec ⁸⁵, E. Le Menedeu ¹², M. LeBlanc ¹⁶⁹, T. LeCompte ⁶,
 F. Ledroit-Guillon ⁵⁵, C.A. Lee ^{145a}, S.C. Lee ¹⁵¹, L. Lee ¹, G. Lefebvre ⁸⁰, M. Lefebvre ¹⁶⁹, F. Legger ¹⁰⁰,
 C. Leggett ¹⁵, A. Lehan ⁷⁴, G. Lehmann Miotto ³⁰, X. Lei ⁷, W.A. Leight ²⁹, A. Leisos ^{154,x}, A.G. Leister ¹⁷⁶,
 M.A.L. Leite ^{24d}, R. Leitner ¹²⁹, D. Lellouch ¹⁷², B. Lemmer ⁵⁴, K.J.C. Leney ⁷⁸, T. Lenz ²¹, B. Lenzi ³⁰,
 R. Leone ⁷, S. Leone ^{124a,124b}, C. Leonidopoulos ⁴⁶, S. Leontsinis ¹⁰, C. Leroy ⁹⁵, C.G. Lester ²⁸,
 M. Levchenko ¹²³, J. Levêque ⁵, D. Levin ⁸⁹, L.J. Levinson ¹⁷², M. Levy ¹⁸, A. Lewis ¹²⁰, A.M. Leyko ²¹,
 M. Leyton ⁴¹, B. Li ^{33b,y}, H. Li ¹⁴⁸, H.L. Li ³¹, L. Li ⁴⁵, L. Li ^{33e}, S. Li ⁴⁵, X. Li ⁸⁴, Y. Li ^{33c,z}, Z. Liang ¹³⁷,
 H. Liao ³⁴, B. Liberti ^{133a}, A. Liblong ¹⁵⁸, P. Lichard ³⁰, K. Lie ¹⁶⁵, J. Liebal ²¹, W. Liebig ¹⁴, C. Limbach ²¹,
 A. Limosani ¹⁵⁰, S.C. Lin ^{151,aa}, T.H. Lin ⁸³, F. Linde ¹⁰⁷, B.E. Lindquist ¹⁴⁸, J.T. Linnemann ⁹⁰, E. Lipeles ¹²²,
 A. Lipniacka ¹⁴, M. Lisovyi ^{58b}, T.M. Liss ¹⁶⁵, D. Lissauer ²⁵, A. Lister ¹⁶⁸, A.M. Litke ¹³⁷, B. Liu ^{151,ab},
 D. Liu ¹⁵¹, H. Liu ⁸⁹, J. Liu ⁸⁵, J.B. Liu ^{33b}, K. Liu ⁸⁵, L. Liu ¹⁶⁵, M. Liu ⁴⁵, M. Liu ^{33b}, Y. Liu ^{33b},
 M. Livan ^{121a,121b}, A. Lleres ⁵⁵, J. Llorente Merino ⁸², S.L. Lloyd ⁷⁶, F. Lo Sterzo ¹⁵¹, E. Lobodzinska ⁴²,
 P. Loch ⁷, W.S. Lockman ¹³⁷, F.K. Loebinger ⁸⁴, A.E. Loevschall-Jensen ³⁶, K.M. Loew ²³, A. Loginov ¹⁷⁶,
 T. Lohse ¹⁶, K. Lohwasser ⁴², M. Lokajicek ¹²⁷, B.A. Long ²², J.D. Long ¹⁶⁵, R.E. Long ⁷², K.A.Looper ¹¹¹,
 L. Lopes ^{126a}, D. Lopez Mateos ⁵⁷, B. Lopez Paredes ¹³⁹, I. Lopez Paz ¹², J. Lorenz ¹⁰⁰,
 N. Lorenzo Martinez ⁶¹, M. Losada ¹⁶², P.J. Lösel ¹⁰⁰, X. Lou ^{33a}, A. Lounis ¹¹⁷, J. Love ⁶, P.A. Love ⁷²,
 N. Lu ⁸⁹, H.J. Lubatti ¹³⁸, C. Luci ^{132a,132b}, A. Lucotte ⁵⁵, C. Luedtke ⁴⁸, F. Luehring ⁶¹, W. Lukas ⁶²,
 L. Luminari ^{132a}, O. Lundberg ^{146a,146b}, B. Lund-Jensen ¹⁴⁷, D. Lynn ²⁵, R. Lysak ¹²⁷, E. Lytken ⁸¹, H. Ma ²⁵,
 L.L. Ma ^{33d}, G. Maccarrone ⁴⁷, A. Macchiolo ¹⁰¹, C.M. Macdonald ¹³⁹, B. Maček ⁷⁵,
 J. Machado Miguens ^{122,126b}, D. Macina ³⁰, D. Madaffari ⁸⁵, R. Madar ³⁴, H.J. Maddocks ⁷², W.F. Mader ⁴⁴,
 A. Madsen ¹⁶⁶, J. Maeda ⁶⁷, S. Maeland ¹⁴, T. Maeno ²⁵, A. Maevskiy ⁹⁹, E. Magradze ⁵⁴, K. Mahboubi ⁴⁸,
 J. Mahlstedt ¹⁰⁷, C. Maiani ¹³⁶, C. Maidantchik ^{24a}, A.A. Maier ¹⁰¹, T. Maier ¹⁰⁰, A. Maio ^{126a,126b,126d},
 S. Majewski ¹¹⁶, Y. Makida ⁶⁶, N. Makovec ¹¹⁷, B. Malaescu ⁸⁰, Pa. Malecki ³⁹, V.P. Maleev ¹²³, F. Malek ⁵⁵,
 U. Mallik ⁶³, D. Malon ⁶, C. Malone ¹⁴³, S. Maltezos ¹⁰, V.M. Malyshev ¹⁰⁹, S. Malyukov ³⁰, J. Mamuzic ⁴²,
 G. Mancini ⁴⁷, B. Mandelli ³⁰, L. Mandelli ^{91a}, I. Mandić ⁷⁵, R. Mandrysch ⁶³, J. Maneira ^{126a,126b},
 A. Manfredini ¹⁰¹, L. Manhaes de Andrade Filho ^{24b}, J. Manjarres Ramos ^{159b}, A. Mann ¹⁰⁰,
 A. Manousakis-Katsikakis ⁹, B. Mansoulie ¹³⁶, R. Mantifel ⁸⁷, M. Mantoani ⁵⁴, L. Mapelli ³⁰, L. March ^{145c},
 G. Marchiori ⁸⁰, M. Marcisovsky ¹²⁷, C.P. Marino ¹⁶⁹, M. Marjanovic ¹³, D.E. Marley ⁸⁹, F. Marroquim ^{24a},
 S.P. Marsden ⁸⁴, Z. Marshall ¹⁵, L.F. Marti ¹⁷, S. Marti-Garcia ¹⁶⁷, B. Martin ⁹⁰, T.A. Martin ¹⁷⁰, V.J. Martin ⁴⁶,
 B. Martin dit Latour ¹⁴, M. Martinez ^{12,0}, S. Martin-Haugh ¹³¹, V.S. Martoiu ^{26b}, A.C. Martyniuk ⁷⁸,
 M. Marx ¹³⁸, F. Marzano ^{132a}, A. Marzin ³⁰, L. Masetti ⁸³, T. Mashimo ¹⁵⁵, R. Mashinistov ⁹⁶, J. Masik ⁸⁴,
 A.L. Maslennikov ^{109,c}, I. Massa ^{20a,20b}, L. Massa ^{20a,20b}, P. Mastrandrea ⁵, A. Mastroberardino ^{37a,37b},
 T. Masubuchi ¹⁵⁵, P. Mättig ¹⁷⁵, J. Mattmann ⁸³, J. Maurer ^{26b}, S.J. Maxfield ⁷⁴, D.A. Maximov ^{109,c},
 R. Mazini ¹⁵¹, S.M. Mazza ^{91a,91b}, G. Mc Goldrick ¹⁵⁸, S.P. Mc Kee ⁸⁹, A. McCarn ⁸⁹, R.L. McCarthy ¹⁴⁸,
 T.G. McCarthy ²⁹, N.A. McCubbin ¹³¹, K.W. McFarlane ^{56,*}, J.A. McFayden ⁷⁸, G. Mchedlidze ⁵⁴,
 S.J. McMahon ¹³¹, R.A. McPherson ^{169,k}, M. Medinnis ⁴², S. Meehan ^{145a}, S. Mehlhase ¹⁰⁰, A. Mehta ⁷⁴,
 K. Meier ^{58a}, C. Meineck ¹⁰⁰, B. Meirose ⁴¹, B.R. Mellado Garcia ^{145c}, F. Meloni ¹⁷, A. Mengarelli ^{20a,20b},
 S. Menke ¹⁰¹, E. Meoni ¹⁶¹, K.M. Mercurio ⁵⁷, S. Mergelmeyer ²¹, P. Mermod ⁴⁹, L. Merola ^{104a,104b},
 C. Meroni ^{91a}, F.S. Merritt ³¹, A. Messina ^{132a,132b}, J. Metcalfe ²⁵, A.S. Mete ¹⁶³, C. Meyer ⁸³, C. Meyer ¹²²,
 J-P. Meyer ¹³⁶, J. Meyer ¹⁰⁷, H. Meyer Zu Theenhausen ^{58a}, R.P. Middleton ¹³¹, S. Miglioranzi ^{164a,164c},
 L. Mijović ²¹, G. Mikenberg ¹⁷², M. Mikestikova ¹²⁷, M. Mikuž ⁷⁵, M. Milesi ⁸⁸, A. Milic ³⁰, D.W. Miller ³¹,
 C. Mills ⁴⁶, A. Milov ¹⁷², D.A. Milstead ^{146a,146b}, A.A. Minaenko ¹³⁰, Y. Minami ¹⁵⁵, I.A. Minashvili ⁶⁵,
 A.I. Mincer ¹¹⁰, B. Mindur ^{38a}, M. Mineev ⁶⁵, Y. Ming ¹⁷³, L.M. Mir ¹², K.P. Mistry ¹²², T. Mitani ¹⁷¹,
 J. Mitrevski ¹⁰⁰, V.A. Mitsou ¹⁶⁷, A. Miucci ⁴⁹, P.S. Miyagawa ¹³⁹, J.U. Mjörnmark ⁸¹, T. Moa ^{146a,146b},
 K. Mochizuki ⁸⁵, S. Mohapatra ³⁵, W. Mohr ⁴⁸, S. Molander ^{146a,146b}, R. Moles-Valls ²¹, R. Monden ⁶⁸,
 K. Mönig ⁴², C. Monini ⁵⁵, J. Monk ³⁶, E. Monnier ⁸⁵, A. Montalbano ¹⁴⁸, J. Montejo Berlinguen ¹²,
 F. Monticelli ⁷¹, S. Monzani ^{132a,132b}, R.W. Moore ³, N. Morange ¹¹⁷, D. Moreno ¹⁶², M. Moreno Llácer ⁵⁴,
 P. Morettini ^{50a}, D. Mori ¹⁴², T. Mori ¹⁵⁵, M. Morii ⁵⁷, M. Morinaga ¹⁵⁵, V. Morisbak ¹¹⁹, S. Moritz ⁸³,
 A.K. Morley ¹⁵⁰, G. Mornacchi ³⁰, J.D. Morris ⁷⁶, S.S. Mortensen ³⁶, A. Morton ⁵³, L. Morvaj ¹⁰³,
 M. Mosidze ^{51b}, J. Moss ¹⁴³, K. Motohashi ¹⁵⁷, R. Mount ¹⁴³, E. Mountricha ²⁵, S.V. Mouraviev ^{96,*},
 E.J.W. Moyse ⁸⁶, S. Muanza ⁸⁵, R.D. Mudd ¹⁸, F. Mueller ¹⁰¹, J. Mueller ¹²⁵, R.S.P. Mueller ¹⁰⁰, T. Mueller ²⁸,

- D. Muenstermann ⁴⁹, P. Mullen ⁵³, G.A. Mullier ¹⁷, J.A. Murillo Quijada ¹⁸, W.J. Murray ^{170,131},
 H. Musheghyan ⁵⁴, E. Musto ¹⁵², A.G. Myagkov ^{130,ac}, M. Myska ¹²⁸, B.P. Nachman ¹⁴³, O. Nackenhorst ⁵⁴,
 J. Nadal ⁵⁴, K. Nagai ¹²⁰, R. Nagai ¹⁵⁷, Y. Nagai ⁸⁵, K. Nagano ⁶⁶, A. Nagarkar ¹¹¹, Y. Nagasaka ⁵⁹,
 K. Nagata ¹⁶⁰, M. Nagel ¹⁰¹, E. Nagy ⁸⁵, A.M. Nairz ³⁰, Y. Nakahama ³⁰, K. Nakamura ⁶⁶, T. Nakamura ¹⁵⁵,
 I. Nakano ¹¹², H. Namasivayam ⁴¹, R.F. Naranjo Garcia ⁴², R. Narayan ³¹, D.I. Narrias Villar ^{58a},
 T. Naumann ⁴², G. Navarro ¹⁶², R. Nayyar ⁷, H.A. Neal ⁸⁹, P.Yu. Nechaeva ⁹⁶, T.J. Neep ⁸⁴, P.D. Nef ¹⁴³,
 A. Negri ^{121a,121b}, M. Negrini ^{20a}, S. Nektarijevic ¹⁰⁶, C. Nellist ¹¹⁷, A. Nelson ¹⁶³, S. Nemecek ¹²⁷,
 P. Nemethy ¹¹⁰, A.A. Nepomuceno ^{24a}, M. Nessi ^{30,ad}, M.S. Neubauer ¹⁶⁵, M. Neumann ¹⁷⁵, R.M. Neves ¹¹⁰,
 P. Nevski ²⁵, P.R. Newman ¹⁸, D.H. Nguyen ⁶, R.B. Nickerson ¹²⁰, R. Nicolaïdou ¹³⁶, B. Nicquevert ³⁰,
 J. Nielsen ¹³⁷, N. Nikiforou ³⁵, A. Nikiforov ¹⁶, V. Nikolaenko ^{130,ac}, I. Nikolic-Audit ⁸⁰, K. Nikolopoulos ¹⁸,
 J.K. Nilsen ¹¹⁹, P. Nilsson ²⁵, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, R. Nisius ¹⁰¹, T. Nobe ¹⁵⁵, M. Nomachi ¹¹⁸,
 I. Nomidis ²⁹, T. Nooney ⁷⁶, S. Norberg ¹¹³, M. Nordberg ³⁰, O. Novgorodova ⁴⁴, S. Nowak ¹⁰¹, M. Nozaki ⁶⁶,
 L. Nozka ¹¹⁵, K. Ntekas ¹⁰, G. Nunes Hanninger ⁸⁸, T. Nunnemann ¹⁰⁰, E. Nurse ⁷⁸, F. Nuti ⁸⁸, B.J. O'Brien ⁴⁶,
 F. O'grady ⁷, D.C. O'Neil ¹⁴², V. O'Shea ⁵³, F.G. Oakham ^{29,d}, H. Oberlack ¹⁰¹, T. Obermann ²¹, J. Ocariz ⁸⁰,
 A. Ochi ⁶⁷, I. Ochoa ³⁵, J.P. Ochoa-Ricoux ^{32a}, S. Oda ⁷⁰, S. Odaka ⁶⁶, H. Ogren ⁶¹, A. Oh ⁸⁴, S.H. Oh ⁴⁵,
 C.C. Ohm ¹⁵, H. Ohman ¹⁶⁶, H. Oide ³⁰, W. Okamura ¹¹⁸, H. Okawa ¹⁶⁰, Y. Okumura ³¹, T. Okuyama ⁶⁶,
 A. Olariu ^{26b}, S.A. Olivares Pino ⁴⁶, D. Oliveira Damazio ²⁵, A. Olszewski ³⁹, J. Olszowska ³⁹,
 A. Onofre ^{126a,126e}, K. Onogi ¹⁰³, P.U.E. Onyisi ^{31,s}, C.J. Oram ^{159a}, M.J. Oreglia ³¹, Y. Oren ¹⁵³,
 D. Orestano ^{134a,134b}, N. Orlando ¹⁵⁴, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁸, B. Osculati ^{50a,50b}, R. Ospanov ⁸⁴,
 G. Otero y Garzon ²⁷, H. Otono ⁷⁰, M. Ouchrif ^{135d}, F. Ould-Saada ¹¹⁹, A. Ouraou ¹³⁶, K.P. Oussoren ¹⁰⁷,
 Q. Ouyang ^{33a}, A. Ovcharova ¹⁵, M. Owen ⁵³, R.E. Owen ¹⁸, V.E. Ozcan ^{19a}, N. Ozturk ⁸, K. Pachal ¹⁴²,
 A. Pacheco Pages ¹², C. Padilla Aranda ¹², M. Pagáčová ⁴⁸, S. Pagan Griso ¹⁵, E. Paganis ¹³⁹, F. Paige ²⁵,
 P. Pais ⁸⁶, K. Pajchel ¹¹⁹, G. Palacino ^{159b}, S. Palestini ³⁰, M. Palka ^{38b}, D. Pallin ³⁴, A. Palma ^{126a,126b},
 Y.B. Pan ¹⁷³, E. St. Panagiotopoulou ¹⁰, C.E. Pandini ⁸⁰, J.G. Panduro Vazquez ⁷⁷, P. Pani ^{146a,146b},
 S. Panitkin ²⁵, D. Pantea ^{26b}, L. Paolozzi ⁴⁹, Th.D. Papadopoulou ¹⁰, K. Papageorgiou ¹⁵⁴, A. Paramonov ⁶,
 D. Paredes Hernandez ¹⁵⁴, M.A. Parker ²⁸, K.A. Parker ¹³⁹, F. Parodi ^{50a,50b}, J.A. Parsons ³⁵, U. Parzefall ⁴⁸,
 E. Pasqualucci ^{132a}, S. Passaggio ^{50a}, F. Pastore ^{134a,134b,*}, Fr. Pastore ⁷⁷, G. Pásztor ²⁹, S. Pataraia ¹⁷⁵,
 N.D. Patel ¹⁵⁰, J.R. Pater ⁸⁴, T. Pauly ³⁰, J. Pearce ¹⁶⁹, B. Pearson ¹¹³, L.E. Pedersen ³⁶, M. Pedersen ¹¹⁹,
 S. Pedraza Lopez ¹⁶⁷, R. Pedro ^{126a,126b}, S.V. Peleganchuk ^{109,c}, D. Pelikan ¹⁶⁶, O. Penc ¹²⁷, C. Peng ^{33a},
 H. Peng ^{33b}, B. Penning ³¹, J. Penwell ⁶¹, D.V. Perepelitsa ²⁵, E. Perez Codina ^{159a},
 M.T. Pérez García-Estañ ¹⁶⁷, L. Perini ^{91a,91b}, H. Pernegger ³⁰, S. Perrella ^{104a,104b}, R. Peschke ⁴²,
 V.D. Peshekhonov ⁶⁵, K. Peters ³⁰, R.F.Y. Peters ⁸⁴, B.A. Petersen ³⁰, T.C. Petersen ³⁶, E. Petit ⁴², A. Petridis ¹,
 C. Petridou ¹⁵⁴, P. Petroff ¹¹⁷, E. Petrolo ^{132a}, F. Petrucci ^{134a,134b}, N.E. Pettersson ¹⁵⁷, R. Pezoa ^{32b},
 P.W. Phillips ¹³¹, G. Piacquadio ¹⁴³, E. Pianori ¹⁷⁰, A. Picazio ⁴⁹, E. Piccaro ⁷⁶, M. Piccinini ^{20a,20b},
 M.A. Pickering ¹²⁰, R. Piegaia ²⁷, D.T. Pignotti ¹¹¹, J.E. Pilcher ³¹, A.D. Pilkington ⁸⁴, A.W.J. Pin ⁸⁴,
 J. Pina ^{126a,126b,126d}, M. Pinamonti ^{164a,164c,ae}, J.L. Pinfold ³, A. Pingel ³⁶, S. Pires ⁸⁰, H. Pirumov ⁴²,
 M. Pitt ¹⁷², C. Pizio ^{91a,91b}, L. Plazak ^{144a}, M.-A. Pleier ²⁵, V. Pleskot ¹²⁹, E. Plotnikova ⁶⁵,
 P. Plucinski ^{146a,146b}, D. Pluth ⁶⁴, R. Poettgen ^{146a,146b}, L. Poggioli ¹¹⁷, D. Pohl ²¹, G. Polesello ^{121a},
 A. Poley ⁴², A. Policicchio ^{37a,37b}, R. Polifka ¹⁵⁸, A. Polini ^{20a}, C.S. Pollard ⁵³, V. Polychronakos ²⁵,
 K. Pommès ³⁰, L. Pontecorvo ^{132a}, B.G. Pope ⁹⁰, G.A. Popeneciu ^{26c}, D.S. Popovic ¹³, A. Poppleton ³⁰,
 S. Pospisil ¹²⁸, K. Potamianos ¹⁵, I.N. Potrap ⁶⁵, C.J. Potter ¹⁴⁹, C.T. Potter ¹¹⁶, G. Poulard ³⁰, J. Poveda ³⁰,
 V. Pozdnyakov ⁶⁵, P. Pralavorio ⁸⁵, A. Pranko ¹⁵, S. Prasad ³⁰, S. Prell ⁶⁴, D. Price ⁸⁴, L.E. Price ⁶,
 M. Primavera ^{73a}, S. Prince ⁸⁷, M. Proissl ⁴⁶, K. Prokofiev ^{60c}, F. Prokoshin ^{32b}, E. Protopapadaki ¹³⁶,
 S. Protopopescu ²⁵, J. Proudfoot ⁶, M. Przybycien ^{38a}, E. Ptacek ¹¹⁶, D. Puddu ^{134a,134b}, E. Pueschel ⁸⁶,
 D. Puldon ¹⁴⁸, M. Purohit ^{25,af}, P. Puzo ¹¹⁷, J. Qian ⁸⁹, G. Qin ⁵³, Y. Qin ⁸⁴, A. Quadt ⁵⁴, D.R. Quarrie ¹⁵,
 W.B. Quayle ^{164a,164b}, M. Queitsch-Maitland ⁸⁴, D. Quilty ⁵³, S. Raddum ¹¹⁹, V. Radeka ²⁵, V. Radescu ⁴²,
 S.K. Radhakrishnan ¹⁴⁸, P. Radloff ¹¹⁶, P. Rados ⁸⁸, F. Ragusa ^{91a,91b}, G. Rahal ¹⁷⁸, S. Rajagopalan ²⁵,
 M. Rammensee ³⁰, C. Rangel-Smith ¹⁶⁶, F. Rauscher ¹⁰⁰, S. Rave ⁸³, T. Ravenscroft ⁵³, M. Raymond ³⁰,
 A.L. Read ¹¹⁹, N.P. Readioff ⁷⁴, D.M. Rebuzzi ^{121a,121b}, A. Redelbach ¹⁷⁴, G. Redlinger ²⁵, R. Reece ¹³⁷,
 K. Reeves ⁴¹, L. Rehnisch ¹⁶, J. Reichert ¹²², H. Reisin ²⁷, C. Rembser ³⁰, H. Ren ^{33a}, A. Renaud ¹¹⁷,
 M. Rescigno ^{132a}, S. Resconi ^{91a}, O.L. Rezanova ^{109,c}, P. Reznicek ¹²⁹, R. Rezvani ⁹⁵, R. Richter ¹⁰¹,
 S. Richter ⁷⁸, E. Richter-Was ^{38b}, O. Ricken ²¹, M. Ridel ⁸⁰, P. Rieck ¹⁶, C.J. Riegel ¹⁷⁵, J. Rieger ⁵⁴, O. Rifki ¹¹³,

- M. Rijssenbeek 148, A. Rimoldi 121a,121b, L. Rinaldi 20a, B. Ristić 49, E. Ritsch 30, I. Riu 12, F. Rizatdinova 114, E. Rizvi 76, S.H. Robertson 87,k, A. Robichaud-Veronneau 87, D. Robinson 28, J.E.M. Robinson 42, A. Robson 53, C. Roda 124a,124b, S. Roe 30, O. Røhne 119, S. Rolli 161, A. Romanouk 98, M. Romano 20a,20b, S.M. Romano Saez 34, E. Romero Adam 167, N. Rompotis 138, M. Ronzani 48, L. Roos 80, E. Ros 167, S. Rosati 132a, K. Rosbach 48, P. Rose 137, P.L. Rosendahl 14, O. Rosenthal 141, V. Rossetti 146a,146b, E. Rossi 104a,104b, L.P. Rossi 50a, J.H.N. Rosten 28, R. Rosten 138, M. Rotaru 26b, I. Roth 172, J. Rothberg 138, D. Rousseau 117, C.R. Royon 136, A. Rozanov 85, Y. Rozen 152, X. Ruan 145c, F. Rubbo 143, I. Rubinskiy 42, V.I. Rud 99, C. Rudolph 44, M.S. Rudolph 158, F. Rühr 48, A. Ruiz-Martinez 30, Z. Rurikova 48, N.A. Rusakovich 65, A. Ruschke 100, H.L. Russell 138, J.P. Rutherford 7, N. Ruthmann 30, Y.F. Ryabov 123, M. Rybar 165, G. Rybkin 117, N.C. Ryder 120, A.F. Saavedra 150, G. Sabato 107, S. Sacerdoti 27, A. Saddique 3, H.F-W. Sadrozinski 137, R. Sadykov 65, F. Safai Tehrani 132a, P. Saha 108, M. Sahinsoy 58a, M. Saimpert 136, T. Saito 155, H. Sakamoto 155, Y. Sakurai 171, G. Salamanna 134a,134b, A. Salamon 133a, J.E. Salazar Loyola 32b, M. Saleem 113, D. Salek 107, P.H. Sales De Bruin 138, D. Salihagic 101, A. Salnikov 143, J. Salt 167, D. Salvatore 37a,37b, F. Salvatore 149, A. Salvucci 60a, A. Salzburger 30, D. Sammel 48, D. Sampsonidis 154, A. Sanchez 104a,104b, J. Sánchez 167, V. Sanchez Martinez 167, H. Sandaker 119, R.L. Sandbach 76, H.G. Sander 83, M.P. Sanders 100, M. Sandhoff 175, C. Sandoval 162, R. Sandstroem 101, D.P.C. Sankey 131, M. Sannino 50a,50b, A. Sansoni 47, C. Santoni 34, R. Santonic 133a,133b, H. Santos 126a, I. Santoyo Castillo 149, K. Sapp 125, A. Sapronov 65, J.G. Saraiva 126a,126d, B. Sarrazin 21, O. Sasaki 66, Y. Sasaki 155, K. Sato 160, G. Sauvage 5,* , E. Sauvan 5, G. Savage 77, P. Savard 158,d, C. Sawyer 131, L. Sawyer 79,n, J. Saxon 31, C. Sbarra 20a, A. Sbrizzi 20a,20b, T. Scanlon 78, D.A. Scannicchio 163, M. Scarcella 150, V. Scarfone 37a,37b, J. Schaarschmidt 172, P. Schacht 101, D. Schaefer 30, R. Schaefer 42, J. Schaeffer 83, S. Schaepe 21, S. Schaetzl 58b, U. Schäfer 83, A.C. Schaffer 117, D. Schaille 100, R.D. Schamberger 148, V. Scharf 58a, V.A. Schegelsky 123, D. Scheirich 129, M. Schernau 163, C. Schiavi 50a,50b, C. Schillo 48, M. Schioppa 37a,37b, S. Schlenker 30, K. Schmieden 30, C. Schmitt 83, S. Schmitt 58b, S. Schmitt 42, B. Schneider 159a, Y.J. Schnellbach 74, U. Schnoor 44, L. Schoeffel 136, A. Schoening 58b, B.D. Schoenrock 90, E. Schopf 21, A.L.S. Schorlemmer 54, M. Schott 83, D. Schouten 159a, J. Schovancova 8, S. Schramm 49, M. Schreyer 174, N. Schuh 83, M.J. Schultens 21, H.-C. Schultz-Coulon 58a, H. Schulz 16, M. Schumacher 48, B.A. Schumm 137, Ph. Schune 136, C. Schwanenberger 84, A. Schwartzman 143, T.A. Schwarz 89, Ph. Schwegler 101, H. Schweiger 84, Ph. Schwemling 136, R. Schwienhorst 90, J. Schwindling 136, T. Schwindt 21, F.G. Sciacca 17, E. Scifo 117, G. Sciolla 23, F. Scuri 124a,124b, F. Scutti 21, J. Searcy 89, G. Sedov 42, E. Sedykh 123, P. Seema 21, S.C. Seidel 105, A. Seiden 137, F. Seifert 128, J.M. Seixas 24a, G. Sekhniaidze 104a, K. Sekhon 89, S.J. Sekula 40, D.M. Seliverstov 123,* , N. Semprini-Cesari 20a,20b, C. Serfon 30, L. Serin 117, L. Serkin 164a,164b, T. Serre 85, M. Sessa 134a,134b, R. Seuster 159a, H. Severini 113, T. Sfiligoj 75, F. Sforza 30, A. Sfyrla 30, E. Shabalina 54, M. Shamim 116, L.Y. Shan 33a, R. Shang 165, J.T. Shank 22, M. Shapiro 15, P.B. Shatalov 97, K. Shaw 164a,164b, S.M. Shaw 84, A. Shcherbakova 146a,146b, C.Y. Shehu 149, P. Sherwood 78, L. Shi 151,ag, S. Shimizu 67, C.O. Shimmin 163, M. Shimojima 102, M. Shiyakova 65, A. Shmeleva 96, D. Shoaleh Saadi 95, M.J. Shochet 31, S. Shojaii 91a,91b, S. Shrestha 111, E. Shulga 98, M.A. Shupe 7, S. Shushkevich 42, P. Sicho 127, P.E. Sidebo 147, O. Sidiropoulou 174, D. Sidorov 114, A. Sidoti 20a,20b, F. Siegert 44, Dj. Sijacki 13, J. Silva 126a,126d, Y. Silver 153, S.B. Silverstein 146a, V. Simak 128, O. Simard 5, Lj. Simic 13, S. Simion 117, E. Simioni 83, B. Simmons 78, D. Simon 34, P. Sinervo 158, N.B. Sinev 116, M. Sioli 20a,20b, G. Siragusa 174, A.N. Sisakyan 65,* , S.Yu. Sivoklokov 99, J. Sjölin 146a,146b, T.B. Sjursen 14, M.B. Skinner 72, H.P. Skottowe 57, P. Skubic 113, M. Slater 18, T. Slavicek 128, M. Slawinska 107, K. Sliwa 161, V. Smakhtin 172, B.H. Smart 46, L. Smestad 14, S.Yu. Smirnov 98, Y. Smirnov 98, L.N. Smirnova 99,ah, O. Smirnova 81, M.N.K. Smith 35, R.W. Smith 35, M. Smizanska 72, K. Smolek 128, A.A. Snesarev 96, G. Snidero 76, S. Snyder 25, R. Sobie 169,k, F. Socher 44, A. Soffer 153, D.A. Soh 151,ag, G. Sokhrannyi 75, C.A. Solans 30, M. Solar 128, J. Solc 128, E.Yu. Soldatov 98, U. Soldevila 167, A.A. Solodkov 130, A. Soloshenko 65, O.V. Solovyanov 130, V. Solovyev 123, P. Sommer 48, H.Y. Song 33b,y, N. Soni 1, A. Sood 15, A. Sopczak 128, B. Sopko 128, V. Sopko 128, V. Sorin 12, D. Sosa 58b, M. Sosebee 8, C.L. Sotiropoulou 124a,124b, R. Soualah 164a,164c, A.M. Soukharev 109,c, D. South 42, B.C. Sowden 77, S. Spagnolo 73a,73b, M. Spalla 124a,124b, M. Spangenberg 170, F. Spanò 77, W.R. Spearman 57, D. Sperlich 16, F. Spettel 101, R. Spighi 20a, G. Spigo 30, L.A. Spiller 88, M. Spousta 129, R.D. St. Denis 53,* , A. Stabile 91a, S. Staerz 44, J. Stahlman 122, R. Stamen 58a, S. Stamm 16, E. Stancka 39, C. Stanescu 134a, M. Stanescu-Bellu 42, M.M. Stanitzki 42, S. Stapnes 119, E.A. Starchenko 130, J. Stark 55, P. Staroba 127,

- P. Starovoitov ^{58a}, R. Staszewski ³⁹, P. Steinberg ²⁵, B. Stelzer ¹⁴², H.J. Stelzer ³⁰, O. Stelzer-Chilton ^{159a}, H. Stenzel ⁵², G.A. Stewart ⁵³, J.A. Stillings ²¹, M.C. Stockton ⁸⁷, M. Stoebe ⁸⁷, G. Stoica ^{26b}, P. Stolte ⁵⁴, S. Stonjek ¹⁰¹, A.R. Stradling ⁸, A. Straessner ⁴⁴, M.E. Stramaglia ¹⁷, J. Strandberg ¹⁴⁷, S. Strandberg ^{146a,146b}, A. Strandlie ¹¹⁹, E. Strauss ¹⁴³, M. Strauss ¹¹³, P. Strizenec ^{144b}, R. Ströhmer ¹⁷⁴, D.M. Strom ¹¹⁶, R. Stroynowski ⁴⁰, A. Strubig ¹⁰⁶, S.A. Stucci ¹⁷, B. Stugu ¹⁴, N.A. Styles ⁴², D. Su ¹⁴³, J. Su ¹²⁵, R. Subramaniam ⁷⁹, A. Succurro ¹², S. Suchek ^{58a}, Y. Sugaya ¹¹⁸, M. Suk ¹²⁸, V.V. Sulin ⁹⁶, S. Sultansoy ^{4c}, T. Sumida ⁶⁸, S. Sun ⁵⁷, X. Sun ^{33a}, J.E. Sundermann ⁴⁸, K. Suruliz ¹⁴⁹, G. Susinno ^{37a,37b}, M.R. Sutton ¹⁴⁹, S. Suzuki ⁶⁶, M. Svatos ¹²⁷, M. Swiatlowski ¹⁴³, I. Sykora ^{144a}, T. Sykora ¹²⁹, D. Ta ⁴⁸, C. Taccini ^{134a,134b}, K. Tackmann ⁴², J. Taenzer ¹⁵⁸, A. Taffard ¹⁶³, R. Tafirout ^{159a}, N. Taiblum ¹⁵³, H. Takai ²⁵, R. Takashima ⁶⁹, H. Takeda ⁶⁷, T. Takeshita ¹⁴⁰, Y. Takubo ⁶⁶, M. Talby ⁸⁵, A.A. Talyshev ^{109,c}, J.Y.C. Tam ¹⁷⁴, K.G. Tan ⁸⁸, J. Tanaka ¹⁵⁵, R. Tanaka ¹¹⁷, S. Tanaka ⁶⁶, B.B. Tannenwald ¹¹¹, N. Tannoury ²¹, S. Tapia Araya ^{32b}, S. Tapprogge ⁸³, S. Tarem ¹⁵², F. Tarrade ²⁹, G.F. Tartarelli ^{91a}, P. Tas ¹²⁹, M. Tasevsky ¹²⁷, T. Tashiro ⁶⁸, E. Tassi ^{37a,37b}, A. Tavares Delgado ^{126a,126b}, Y. Tayalati ^{135d}, F.E. Taylor ⁹⁴, G.N. Taylor ⁸⁸, P.T.E. Taylor ⁸⁸, W. Taylor ^{159b}, F.A. Teischinger ³⁰, M. Teixeira Dias Castanheira ⁷⁶, P. Teixeira-Dias ⁷⁷, K.K. Temming ⁴⁸, D. Temple ¹⁴², H. Ten Kate ³⁰, P.K. Teng ¹⁵¹, J.J. Teoh ¹¹⁸, F. Tepel ¹⁷⁵, S. Terada ⁶⁶, K. Terashi ¹⁵⁵, J. Terron ⁸², S. Terzo ¹⁰¹, M. Testa ⁴⁷, R.J. Teuscher ^{158,k}, T. Theveneaux-Pelzer ³⁴, J.P. Thomas ¹⁸, J. Thomas-Wilsker ⁷⁷, E.N. Thompson ³⁵, P.D. Thompson ¹⁸, R.J. Thompson ⁸⁴, A.S. Thompson ⁵³, L.A. Thomsen ¹⁷⁶, E. Thomson ¹²², M. Thomson ²⁸, R.P. Thun ^{89,*}, M.J. Tibbetts ¹⁵, R.E. Ticse Torres ⁸⁵, V.O. Tikhomirov ^{96,ai}, Yu.A. Tikhonov ^{109,c}, S. Timoshenko ⁹⁸, E. Tiouchichine ⁸⁵, P. Tipton ¹⁷⁶, S. Tisserant ⁸⁵, K. Todome ¹⁵⁷, T. Todorov ^{5,*}, S. Todorova-Nova ¹²⁹, J. Tojo ⁷⁰, S. Tokár ^{144a}, K. Tokushuku ⁶⁶, K. Tollefson ⁹⁰, E. Tolley ⁵⁷, L. Tomlinson ⁸⁴, M. Tomoto ¹⁰³, L. Tompkins ^{143,aj}, K. Toms ¹⁰⁵, E. Torrence ¹¹⁶, H. Torres ¹⁴², E. Torró Pastor ¹³⁸, J. Toth ^{85,ak}, F. Touchard ⁸⁵, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷⁴, L. Tremblet ³⁰, A. Tricoli ³⁰, I.M. Trigger ^{159a}, S. Trincaz-Duvold ⁸⁰, M.F. Tripiana ¹², W. Trischuk ¹⁵⁸, B. Trocmé ⁵⁵, C. Troncon ^{91a}, M. Trottier-McDonald ¹⁵, M. Trovatelli ¹⁶⁹, L. Truong ^{164a,164c}, M. Trzebinski ³⁹, A. Trzupek ³⁹, C. Tsarouchas ³⁰, J.-C.-L. Tseng ¹²⁰, P.V. Tsiareshka ⁹², D. Tsionou ¹⁵⁴, G. Tsipolitis ¹⁰, N. Tsirintanis ⁹, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁷, V. Tsulaia ¹⁵, S. Tsuno ⁶⁶, D. Tsybychev ¹⁴⁸, A. Tudorache ^{26b}, V. Tudorache ^{26b}, A.N. Tuna ⁵⁷, S.A. Tupputi ^{20a,20b}, S. Turchikhin ^{99,ah}, D. Turecek ¹²⁸, R. Turra ^{91a,91b}, A.J. Turvey ⁴⁰, P.M. Tuts ³⁵, A. Tykhonov ⁴⁹, M. Tylmad ^{146a,146b}, M. Tyndel ¹³¹, I. Ueda ¹⁵⁵, R. Ueno ²⁹, M. Ughetto ^{146a,146b}, M. Ugland ¹⁴, F. Ukegawa ¹⁶⁰, G. Unal ³⁰, A. Undrus ²⁵, G. Unel ¹⁶³, F.C. Ungaro ⁴⁸, Y. Unno ⁶⁶, C. Unverdorben ¹⁰⁰, J. Urban ^{144b}, P. Urquijo ⁸⁸, P. Urrejola ⁸³, G. Usai ⁸, A. Usanova ⁶², L. Vacavant ⁸⁵, V. Vacek ¹²⁸, B. Vachon ⁸⁷, C. Valderanis ⁸³, N. Valencic ¹⁰⁷, S. Valentinetto ^{20a,20b}, A. Valero ¹⁶⁷, L. Valery ¹², S. Valkar ¹²⁹, S. Vallecorsa ⁴⁹, J.A. Valls Ferrer ¹⁶⁷, W. Van Den Wollenberg ¹⁰⁷, P.C. Van Der Deijl ¹⁰⁷, R. van der Geer ¹⁰⁷, H. van der Graaf ¹⁰⁷, N. van Eldik ¹⁵², P. van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴², I. van Vulpen ¹⁰⁷, M.C. van Woerden ³⁰, M. Vanadia ^{132a,132b}, W. Vandelli ³⁰, R. Vanguri ¹²², A. Vaniachine ⁶, F. Vannucci ⁸⁰, G. Vardanyan ¹⁷⁷, R. Vari ^{132a}, E.W. Varnes ⁷, T. Varol ⁴⁰, D. Varouchas ⁸⁰, A. Vartapetian ⁸, K.E. Varvell ¹⁵⁰, F. Vazeille ³⁴, T. Vazquez Schroeder ⁸⁷, J. Veatch ⁷, L.M. Veloce ¹⁵⁸, F. Veloso ^{126a,126c}, T. Velz ²¹, S. Veneziano ^{132a}, A. Ventura ^{73a,73b}, D. Ventura ⁸⁶, M. Venturi ¹⁶⁹, N. Venturi ¹⁵⁸, A. Venturini ²³, V. Vercesi ^{121a}, M. Verducci ^{132a,132b}, W. Verkerke ¹⁰⁷, J.C. Vermeulen ¹⁰⁷, A. Vest ⁴⁴, M.C. Vetterli ^{142,d}, O. Viazlo ⁸¹, I. Vichou ¹⁶⁵, T. Vickey ¹³⁹, O.E. Vickey Boeriu ¹³⁹, G.H.A. Viehhauser ¹²⁰, S. Viel ¹⁵, R. Vigne ⁶², M. Villa ^{20a,20b}, M. Villaplana Perez ^{91a,91b}, E. Vilucchi ⁴⁷, M.G. Vincter ²⁹, V.B. Vinogradov ⁶⁵, I. Vivarelli ¹⁴⁹, F. Vives Vaque ³, S. Vlachos ¹⁰, D. Vladoiu ¹⁰⁰, M. Vlasak ¹²⁸, M. Vogel ^{32a}, P. Vokac ¹²⁸, G. Volpi ^{124a,124b}, M. Volpi ⁸⁸, H. von der Schmitt ¹⁰¹, H. von Radziewski ⁴⁸, E. von Toerne ²¹, V. Vorobel ¹²⁹, K. Vorobev ⁹⁸, M. Vos ¹⁶⁷, R. Voss ³⁰, J.H. Vossebeld ⁷⁴, N. Vranjes ¹³, M. Vranjes Milosavljevic ¹³, V. Vrba ¹²⁷, M. Vreeswijk ¹⁰⁷, R. Vuillermet ³⁰, I. Vukotic ³¹, Z. Vykydal ¹²⁸, P. Wagner ²¹, W. Wagner ¹⁷⁵, H. Wahlberg ⁷¹, S. Wahr mund ⁴⁴, J. Wakabayashi ¹⁰³, J. Walder ⁷², R. Walker ¹⁰⁰, W. Walkowiak ¹⁴¹, C. Wang ¹⁵¹, F. Wang ¹⁷³, H. Wang ¹⁵, H. Wang ⁴⁰, J. Wang ⁴², J. Wang ¹⁵⁰, K. Wang ⁸⁷, R. Wang ⁶, S.M. Wang ¹⁵¹, T. Wang ²¹, T. Wang ³⁵, X. Wang ¹⁷⁶, C. Wanotayaroj ¹¹⁶, A. Warburton ⁸⁷, C.P. Ward ²⁸, D.R. Wardrope ⁷⁸, A. Washbrook ⁴⁶, C. Wasicki ⁴², P.M. Watkins ¹⁸, A.T. Watson ¹⁸, I.J. Watson ¹⁵⁰, M.F. Watson ¹⁸, G. Watts ¹³⁸, S. Watts ⁸⁴, B.M. Waugh ⁷⁸, S. Webb ⁸⁴, M.S. Weber ¹⁷, S.W. Weber ¹⁷⁴, J.S. Webster ³¹, A.R. Weidberg ¹²⁰, B. Weinert ⁶¹, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, H. Weits ¹⁰⁷, P.S. Wells ³⁰, T. Wenaus ²⁵, T. Wengler ³⁰, S. Wenig ³⁰,

N. Wermes ²¹, M. Werner ⁴⁸, P. Werner ³⁰, M. Wessels ^{58a}, J. Wetter ¹⁶¹, K. Whalen ¹¹⁶, A.M. Wharton ⁷², A. White ⁸, M.J. White ¹, R. White ^{32b}, S. White ^{124a,124b}, D. Whiteson ¹⁶³, F.J. Wickens ¹³¹, W. Wiedenmann ¹⁷³, M. Wieler ¹³¹, P. Wienemann ²¹, C. Wiglesworth ³⁶, L.A.M. Wiik-Fuchs ²¹, A. Wildauer ¹⁰¹, H.G. Wilkens ³⁰, H.H. Williams ¹²², S. Williams ¹⁰⁷, C. Willis ⁹⁰, S. Willocq ⁸⁶, A. Wilson ⁸⁹, J.A. Wilson ¹⁸, I. Wingerter-Seez ⁵, F. Winkelmeier ¹¹⁶, B.T. Winter ²¹, M. Wittgen ¹⁴³, J. Wittkowski ¹⁰⁰, S.J. Wollstadt ⁸³, M.W. Wolter ³⁹, H. Wolters ^{126a,126c}, B.K. Wosiek ³⁹, J. Wotschack ³⁰, M.J. Woudstra ⁸⁴, K.W. Wozniak ³⁹, M. Wu ⁵⁵, M. Wu ³¹, S.L. Wu ¹⁷³, X. Wu ⁴⁹, Y. Wu ⁸⁹, T.R. Wyatt ⁸⁴, B.M. Wynne ⁴⁶, S. Xella ³⁶, D. Xu ^{33a}, L. Xu ²⁵, B. Yabsley ¹⁵⁰, S. Yacoob ^{145a}, R. Yakabe ⁶⁷, M. Yamada ⁶⁶, D. Yamaguchi ¹⁵⁷, Y. Yamaguchi ¹¹⁸, A. Yamamoto ⁶⁶, S. Yamamoto ¹⁵⁵, T. Yamanaka ¹⁵⁵, K. Yamauchi ¹⁰³, Y. Yamazaki ⁶⁷, Z. Yan ²², H. Yang ^{33e}, H. Yang ¹⁷³, Y. Yang ¹⁵¹, W.-M. Yao ¹⁵, Y. Yasu ⁶⁶, E. Yatsenko ⁵, K.H. Yau Wong ²¹, J. Ye ⁴⁰, S. Ye ²⁵, I. Yeletskikh ⁶⁵, A.L. Yen ⁵⁷, E. Yildirim ⁴², K. Yorita ¹⁷¹, R. Yoshida ⁶, K. Yoshihara ¹²², C. Young ¹⁴³, C.J.S. Young ³⁰, S. Youssef ²², D.R. Yu ¹⁵, J. Yu ⁸, J.M. Yu ⁸⁹, J. Yu ¹¹⁴, L. Yuan ⁶⁷, S.P.Y. Yuen ²¹, A. Yurkewicz ¹⁰⁸, I. Yusuff ^{28,al}, B. Zabinski ³⁹, R. Zaidan ⁶³, A.M. Zaitsev ^{130,ac}, J. Zalieckas ¹⁴, A. Zaman ¹⁴⁸, S. Zambito ⁵⁷, L. Zanello ^{132a,132b}, D. Zanzi ⁸⁸, C. Zeitnitz ¹⁷⁵, M. Zeman ¹²⁸, A. Zemla ^{38a}, Q. Zeng ¹⁴³, K. Zengel ²³, O. Zenin ¹³⁰, T. Ženiš ^{144a}, D. Zerwas ¹¹⁷, D. Zhang ⁸⁹, F. Zhang ¹⁷³, G. Zhang ^{33b}, H. Zhang ^{33c}, J. Zhang ⁶, L. Zhang ⁴⁸, R. Zhang ^{33b,i}, X. Zhang ^{33d}, Z. Zhang ¹¹⁷, X. Zhao ⁴⁰, Y. Zhao ^{33d,117}, Z. Zhao ^{33b}, A. Zhemchugov ⁶⁵, J. Zhong ¹²⁰, B. Zhou ⁸⁹, C. Zhou ⁴⁵, L. Zhou ³⁵, L. Zhou ⁴⁰, M. Zhou ¹⁴⁸, N. Zhou ^{33f}, C.G. Zhu ^{33d}, H. Zhu ^{33a}, J. Zhu ⁸⁹, Y. Zhu ^{33b}, X. Zhuang ^{33a}, K. Zhukov ⁹⁶, A. Zibell ¹⁷⁴, D. Ziemińska ⁶¹, N.I. Zimine ⁶⁵, C. Zimmermann ⁸³, S. Zimmermann ⁴⁸, Z. Zimonos ⁵⁴, M. Zinser ⁸³, M. Ziolkowski ¹⁴¹, L. Živković ¹³, G. Zobernig ¹⁷³, A. Zoccoli ^{20a,20b}, M. zur Nedden ¹⁶, G. Zurzolo ^{104a,104b}, L. Zwaliński ³⁰

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany NY, United States³ Department of Physics, University of Alberta, Edmonton AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States⁷ Department of Physics, University of Arizona, Tucson AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain¹³ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States¹⁶ Department of Physics, Humboldt University, Berlin, Germany¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Dogus University, Istanbul, Turkey²⁰ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²¹ Physikalisches Institut, University of Bonn, Bonn, Germany²² Department of Physics, Boston University, Boston MA, United States²³ Department of Physics, Brandeis University, Waltham MA, United States²⁴ ^(a) Universidade Federal do Rio de Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁵ Physics Department, Brookhaven National Laboratory, Upton NY, United States²⁶ ^(a) Transilvania University of Brasov, Brasov; ^(b) National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(d) University Politehnica Bucharest, Bucharest; ^(e) West University in Timisoara, Timisoara, Romania²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom²⁹ Department of Physics, Carleton University, Ottawa ON, Canada³⁰ CERN, Geneva, Switzerland³¹ Enrico Fermi Institute, University of Chicago, Chicago IL, United States³² ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³³ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; ^(f) Physics Department, Tsinghua University, Beijing 100084, China³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁵ Nevis Laboratory, Columbia University, Irvington NY, United States³⁶ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁷ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy³⁸ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland³⁹ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland⁴⁰ Physics Department, Southern Methodist University, Dallas TX, United States⁴¹ Physics Department, University of Texas at Dallas, Richardson TX, United States⁴² DESY, Hamburg and Zeuthen, Germany

- ⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
⁴⁴ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
⁴⁵ Department of Physics, Duke University, Durham NC, United States
⁴⁶ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁶ Department of Physics, Hampton University, Hampton VA, United States
⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States
⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶⁰ ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶¹ Department of Physics, Indiana University, Bloomington IN, United States
⁶² Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶³ University of Iowa, Iowa City IA, United States
⁶⁴ Department of Physics and Astronomy, Iowa State University, Ames IA, United States
⁶⁵ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁶ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁷ Graduate School of Science, Kobe University, Kobe, Japan
⁶⁸ Faculty of Science, Kyoto University, Kyoto, Japan
⁶⁹ Kyoto University of Education, Kyoto, Japan
⁷⁰ Department of Physics, Kyushu University, Fukuoka, Japan
⁷¹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷² Physics Department, Lancaster University, Lancaster, United Kingdom
⁷³ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁴ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁵ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁶ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁷ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁸ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁹ Louisiana Tech University, Ruston LA, United States
⁸⁰ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸¹ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸² Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸³ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁴ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁵ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁶ Department of Physics, University of Massachusetts, Amherst MA, United States
⁸⁷ Department of Physics, McGill University, Montreal QC, Canada
⁸⁸ School of Physics, University of Melbourne, Victoria, Australia
⁸⁹ Department of Physics, The University of Michigan, Ann Arbor MI, United States
⁹⁰ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
⁹¹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹² B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹³ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹⁴ Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States
⁹⁵ Group of Particle Physics, University of Montreal, Montreal QC, Canada
⁹⁶ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁷ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁸ National Research Nuclear University MEPhI, Moscow, Russia
⁹⁹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰⁰ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰¹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰² Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰³ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁴ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁵ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
¹⁰⁶ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁷ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁸ Department of Physics, Northern Illinois University, DeKalb IL, United States
¹⁰⁹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹⁰ Department of Physics, New York University, New York NY, United States
¹¹¹ Ohio State University, Columbus OH, United States
¹¹² Faculty of Science, Okayama University, Okayama, Japan
¹¹³ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
¹¹⁴ Department of Physics, Oklahoma State University, Stillwater OK, United States
¹¹⁵ Palacký University, RCPTM, Olomouc, Czech Republic
¹¹⁶ Center for High Energy Physics, University of Oregon, Eugene OR, United States
¹¹⁷ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁸ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁹ Department of Physics, University of Oslo, Oslo, Norway

- ¹²⁰ Department of Physics, Oxford University, Oxford, United Kingdom
¹²¹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²² Department of Physics, University of Pennsylvania, Philadelphia PA, United States
¹²³ National Research Centre 'Kurchatov Institute' B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁴ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁵ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
¹²⁶ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁷ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁸ Czech Technical University in Prague, Praha, Czech Republic
¹²⁹ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹³⁰ State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³¹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³² ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
¹³³ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
¹³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
¹³⁶ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
¹³⁸ Department of Physics, University of Washington, Seattle WA, United States
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby BC, Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford CA, United States
¹⁴⁴ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
¹⁴⁵ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁶ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁷ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁸ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States
¹⁴⁹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵⁰ School of Physics, University of Sydney, Sydney, Australia
¹⁵¹ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵² Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
¹⁵³ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁴ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁵ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁶ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁷ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁵⁸ Department of Physics, University of Toronto, Toronto ON, Canada
¹⁵⁹ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
¹⁶⁰ Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
¹⁶¹ Department of Physics and Astronomy, Tufts University, Medford MA, United States
¹⁶² Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
¹⁶³ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
¹⁶⁴ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁵ Department of Physics, University of Illinois, Urbana IL, United States
¹⁶⁶ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁷ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
¹⁶⁸ Department of Physics, University of British Columbia, Vancouver BC, Canada
¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
¹⁷⁰ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷¹ Waseda University, Tokyo, Japan
¹⁷² Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
¹⁷³ Department of Physics, University of Wisconsin, Madison WI, United States
¹⁷⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
¹⁷⁵ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁷⁶ Department of Physics, Yale University, New Haven CT, United States
¹⁷⁷ Yerevan Physics Institute, Yerevan, Armenia
¹⁷⁸ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^c Also at Novosibirsk State University, Novosibirsk, Russia.^d Also at TRIUMF, Vancouver, BC, Canada.^e Also at Department of Physics, California State University, Fresno, CA, United States.^f Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.^g Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.^h Also at Tomsk State University, Tomsk, Russia.ⁱ Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.^j Also at Universita di Napoli Parthenope, Napoli, Italy.

- ^k Also at Institute of Particle Physics (IPP), Canada.
- ^l Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.
- ^m Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.
- ⁿ Also at Louisiana Tech University, Ruston, LA, United States.
- ^o Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
- ^p Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.
- ^q Also at Graduate School of Science, Osaka University, Osaka, Japan.
- ^r Also at Department of Physics, National Tsing Hua University, Taiwan.
- ^s Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.
- ^t Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
- ^u Also at CERN, Geneva, Switzerland.
- ^v Also at Georgian Technical University (GTU), Tbilisi, Georgia.
- ^w Also at Manhattan College, New York, NY, United States.
- ^x Also at Hellenic Open University, Patras, Greece.
- ^y Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^z Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.
- ^{aa} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^{ab} Also at School of Physics, Shandong University, Shandong, China.
- ^{ac} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- ^{ad} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
- ^{ae} Also at International School for Advanced Studies (SISSA), Trieste, Italy.
- ^{af} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
- ^{ag} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
- ^{ah} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
- ^{ai} Also at National Research Nuclear University MEPhI, Moscow, Russia.
- ^{aj} Also at Department of Physics, Stanford University, Stanford, CA, United States.
- ^{ak} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- ^{al} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
- * Deceased.