



# Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector

The ATLAS Collaboration \*

## ARTICLE INFO

### Article history:

Received 2 September 2021

Received in revised form 16 February 2022

Accepted 2 April 2022

Available online 6 April 2022

Editor: M. Doser

## ABSTRACT

Heavy-flavour hadron production provides information about the transport properties and microscopic structure of the quark-gluon plasma created in ultra-relativistic heavy-ion collisions. A measurement of the muons from semileptonic decays of charm and bottom hadrons produced in Pb+Pb and  $p\bar{p}$  collisions at a nucleon-nucleon centre-of-mass energy of 5.02 TeV with the ATLAS detector at the Large Hadron Collider is presented. The Pb+Pb data were collected in 2015 and 2018 with sampled integrated luminosities of  $208 \mu\text{b}^{-1}$  and  $38 \mu\text{b}^{-1}$ , respectively, and  $p\bar{p}$  data with a sampled integrated luminosity of  $1.17 \text{ pb}^{-1}$  were collected in 2017. Muons from heavy-flavour semileptonic decays are separated from the light-flavour hadronic background using the momentum imbalance between the inner detector and muon spectrometer measurements, and muons originating from charm and bottom decays are further separated via the muon track's transverse impact parameter. Differential yields in Pb+Pb collisions and differential cross sections in  $p\bar{p}$  collisions for such muons are measured as a function of muon transverse momentum from 4 GeV to 30 GeV in the absolute pseudorapidity interval  $|\eta| < 2$ . Nuclear modification factors for charm and bottom muons are presented as a function of muon transverse momentum in intervals of Pb+Pb collision centrality. The bottom muon results are the most precise measurement of b quark nuclear modification at low transverse momentum where reconstruction of B hadrons is challenging. The measured nuclear modification factors quantify a significant suppression of the yields of muons from decays of charm and bottom hadrons, with stronger effects for muons from charm hadron decays.

© 2022 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP<sup>3</sup>.

## 1. Introduction

Quark-gluon plasma (QGP) is a state of matter in which the quarks and gluons are deconfined from colour-neutral hadronic states. Ultra-relativistic collisions of large nuclei create nuclei-sized droplets of QGP at temperatures in excess of 300–500 MeV [1,2]. These droplets exist for a mere  $10^{-23}$  seconds and hence there is no way to fire an external probe at the droplet to investigate its properties. Instead, the probes must be generated in the collision itself and then interact with the droplet. Interactions with the QGP, both radiative and collisional, may provide key information regarding the properties and constituents of the QGP [3]. Specifically, the balance of radiative and collisional energy transfer depends on the mass of the constituents [4,5]. Heavy quarks, charm and bottom, have masses much larger than the droplet temperature. Thus, they are produced in the initial collision via high-momentum-transfer interactions between incident quarks and gluons. The strong-force interactions conserve the quantum numbers associated with the

charm and bottom quarks. Thus, once created, these quarks can have substantial modifications to their momentum distributions when traversing the QGP, but they cannot be destroyed. In addition, radiative energy loss is suppressed for heavy quarks by the so-called ‘dead-cone effect’ [6], i.e. gluon radiation is suppressed at angles smaller than the quark’s mass to energy ratio. A key to constraining the relative contribution of radiative energy loss is to measure the modification of the momentum distributions for charm and bottom quarks separately, since the dead-cone effect will be more pronounced for bottom quarks than for charm quarks at the same momentum.

There are numerous publications detailing the modifications of momentum distributions of heavy-flavour hadrons measured in heavy-ion collisions via direct reconstruction and via decay leptons in heavy-ion collisions at the Relativistic Heavy Ion Collider (RHIC) [7] and the Large Hadron Collider (LHC) [8] – current measurements and theory calculations are reviewed in Refs. [9,10]. In nucleus-nucleus (A+A) collisions, each event is described by its centrality, which reflects the overlap of the colliding nuclei. The geometry of each event is calculated using a Monte Carlo (MC) Glauber model – for details see Ref. [11]. The modification to par-

\* E-mail address: [atlas.publications@cern.ch](mailto:atlas.publications@cern.ch).



ticle yields in A+A collisions relative to  $pp$  collisions is quantified by a nuclear modification factor  $R_{AA}$  defined as:

$$R_{AA} = \frac{N_{AA}/N_{\text{evt}}}{\langle T_{AA} \rangle \times \sigma_{pp}}, \quad (1)$$

where  $N_{AA}$  is the number of observed particles of interest in Pb+Pb collisions,  $N_{\text{evt}}$  is the number of minimum-bias Pb+Pb events,  $\langle T_{AA} \rangle$  is the average value of the nuclear thickness function, and  $\sigma_{pp}$  is the particle production cross section in  $pp$  collisions at the same collision energy. If  $R_{AA}$  equals unity, the production in A+A collisions is the same as in  $pp$  collisions but scaled up by the larger parton–parton luminosity, while  $R_{AA} < 1$  indicates a suppression.

The nuclear modification factors for inclusive ‘heavy-flavour muons’ (mostly muons from  $D$  and  $B$  meson semileptonic decays) have been measured in Pb+Pb collisions at  $\sqrt{s_{\text{NN}}} = 2.76$  TeV by the ATLAS experiment [12] and the ALICE experiment [13]. The ALICE experiment measured the nuclear modification factor for inclusive heavy-flavour electrons at the same energy [14,15] and also at  $\sqrt{s_{\text{NN}}} = 5.02$  TeV [16]. Nuclear modification factors for charm hadrons  $D^0$ ,  $D_s$ ,  $D^*$ , and  $\Lambda_c$  have been measured by the CMS [17] and ALICE [18,19] experiments in Pb+Pb collisions at  $\sqrt{s_{\text{NN}}} = 5.02$  TeV, and by the STAR [20–23] experiment in Au+Au collisions at a lower energy of  $\sqrt{s_{\text{NN}}} = 200$  GeV. These measurements indicate significant suppression for heavy-flavour hadrons in Pb+Pb collisions. At transverse momentum ( $p_T$ ) greater than 4 GeV, the prompt- $D^0$   $R_{AA}$  is found to be consistent within the uncertainties with the  $R_{AA}$  of inclusive charged particles (dominated by  $\pi$ ), while at lower  $p_T$  values  $D^0$  mesons have a smaller suppression (larger  $R_{AA}$ ) compared to charged particles, as expected theoretically from the dead-cone effect.

The measurement presented here follows the previous ATLAS measurement of muons originating from heavy-flavour hadron decays in Pb+Pb collisions at  $\sqrt{s_{\text{NN}}} = 2.76$  TeV [12]. This Letter, based on the higher number of events in the combined 2015 and 2018 Pb+Pb datasets and the 2017  $pp$  dataset at 5.02 TeV, extends results to the transverse momentum range  $4 < p_T < 30$  GeV, and more importantly, further separates inclusive heavy-flavour muons into contributions from charm hadron decays (charm muons) and bottom hadron decays (bottom muons). The charm and bottom contribution separation is based on the muon track’s transverse impact parameter, similar to the method used in previous ATLAS measurements [24,25]. Results for charm and bottom muon cross sections in  $pp$  collisions are shown as a function of muon  $p_T$  and compared with perturbative QCD calculations. The nuclear modification factor is presented as a function of muon  $p_T$  in various Pb+Pb centrality intervals. Finally, the  $R_{AA}$  measurements, along with a previous measurement of the heavy-flavour muon momentum anisotropies [25], are compared with the expectations from theoretical calculations. The  $R_{AA}$  value quantifies the average energy loss, and the azimuthal anisotropy,  $v_2$  [25], at high  $p_T$ , quantifies the azimuthal angle dependence of energy loss. Simultaneous constraints on  $R_{AA}$  and  $v_2$  for the same final state are important in distinguishing the relative impacts of different heavy-quark energy loss mechanisms and in understanding the influence of the initial QGP droplet geometry on the resulting evolution of kinematics of heavy-flavour quarks in the medium.

## 2. ATLAS detector

The ATLAS detector [26–28] at the LHC covers nearly the entire solid angle around the collision point.<sup>1</sup> It consists of an inner

tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting toroidal magnets with eight coils each. The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range  $|\eta| < 2.5$ .

The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, with the first hit typically in the insertable B-layer installed before Run 2 [27,28]. It is followed by the silicon microstrip tracker which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to  $|\eta| = 2.0$ .

The calorimeter system covers the pseudorapidity range  $|\eta| < 4.9$ . Within the region  $|\eta| < 3.2$ , electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering  $|\eta| < 1.8$  to correct for energy loss in material upstream of the calorimeters. Hadronic calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within  $|\eta| < 1.7$ , and two copper/LAr hadronic endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules (FCal), covering the forward regions of  $3.1 < |\eta| < 4.9$ , optimized for electromagnetic and hadronic measurements respectively. The minimum-bias trigger scintillators detect charged particles over  $2.07 < |\eta| < 3.86$  using two hodoscopes of 12 counters positioned at  $z = \pm 3.6$  m. The zero-degree calorimeters (ZDC) measure neutral particles at pseudorapidities  $|\eta| \geq 8.3$  and consist of layers of alternating quartz rods and tungsten plates.


The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by superconducting air-core toroids. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. A set of precision chambers covers the region  $|\eta| < 2.7$  with three layers of monitored drift tubes, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range  $|\eta| < 2.4$  with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions. Events of interest are selected to be recorded by the first-level trigger (L1) system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger (HLT) [29]. The first-level trigger selects events from the 40 MHz bunch crossings at a rate below 100 kHz (75 kHz) for  $pp$  (Pb+Pb) collisions, and the high-level trigger reduces the average event output rate to about 1.2 kHz for recording. An extensive software suite [30] is used for real and simulated data reconstruction and analysis, for operation and in the trigger and data acquisition systems of the experiment.

## 3. Event selection

The  $pp$  data used in this analysis were recorded with the ATLAS detector in 2017, while the Pb+Pb data were recorded in 2015 and 2018. Both the  $pp$  and Pb+Pb events were selected online using a trigger that requires a muon at the L1 and HLT with a  $p_T$  larger than 4 GeV [29,31]. After selecting run periods when the detector subsystems were operational and taking into account the fraction of the total luminosity sampled by the triggers, the datasets used

<sup>1</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$ -axis

points upwards. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the  $z$ -axis. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ . Angular distance is measured in units of  $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$ .



**Fig. 1.** Fit results of the  $\rho$  distribution for muons with  $6 < p_T < 7$  GeV in  $pp$  collisions (left) and in  $Pb+Pb$  collisions with 20–30% centrality (right). The ratios of the data to fit results are shown in the lower panels. The prompt-muon background contributions are very small in the fitted muon kinematic region. The grey bands in the lower panels indicate the statistical and systematic uncertainties combined in quadrature.

in the analysis correspond to integrated luminosities of  $1.17 \text{ pb}^{-1}$  for  $pp$  data,  $208 \mu\text{b}^{-1}$  for 2015  $Pb+Pb$  data, and  $38 \mu\text{b}^{-1}$  for 2018  $Pb+Pb$  data. The 2017  $pp$  data, with a small average number of interactions per bunch crossing in the range from 0.4 to 4, were collected to serve as the baseline for  $Pb+Pb$  collision measurements at the same centre-of-mass energy per nucleon pair. Only a small fraction of events from the 2018  $Pb+Pb$  data was recorded by the low  $p_T$  muon trigger used in this analysis. Other muon triggers in the 2018  $Pb+Pb$  data were studied and improved statistical uncertainties while increasing systematic uncertainties, and are thus not incorporated. The 2015 and 2018 results are consistent and thus combined in these results. The selected  $Pb+Pb$  events are further required to satisfy offline minimum-bias  $Pb+Pb$  collision criteria, identical to those used in Ref. [25]. This additional requirement identifies and rejects 0.2% of the selected events as pile-up events, based on a combination of the total transverse energy measured in the FCal, denoted by  $\Sigma E_T^{\text{FCal}}$ , and the ZDC energy.

The centrality of each  $Pb+Pb$  event is characterized by its  $\Sigma E_T^{\text{FCal}}$  value. For the results shown here, the minimum-bias  $\Sigma E_T^{\text{FCal}}$  distribution is divided into percentiles ordered from the most central (large  $\Sigma E_T^{\text{FCal}}$ , small impact parameter) to the most peripheral (small  $\Sigma E_T^{\text{FCal}}$ , large impact parameter): 0–10%, 10–20%, 20–30%, 30–40%, and 40–60%. The interval 0–100% corresponds to the total  $Pb+Pb$  inelastic cross section [32]. An MC Glauber [11] model is used to calculate  $\langle T_{AA} \rangle$  for each centrality interval [33].

Muons with  $4 < p_T < 30$  GeV and  $|\eta| < 2$  reconstructed in both the ID and the MS are selected and required to pass ‘medium’ selection requirements, detailed in Ref. [34]. Selected muons are required to be matched with an online muon candidate that fires the event trigger. Each muon is assigned a weight which is the inverse of the product of the reconstruction and trigger efficiencies, evaluated for muons as a function of their kinematic variables, and in the case of  $Pb+Pb$  data as a function of centrality as well.


The muon reconstruction and identification efficiency is factorized as the product of the individual reconstruction efficiencies in the ID and MS, where the ID and MS matching efficiency is included in the MS efficiency. The ID and MS efficiencies in  $pp$  collisions are determined in the large  $pp$  dataset collected in 2017 at  $\sqrt{s} = 13$  TeV, using the tag-and-probe method on  $J/\psi \rightarrow \mu^+\mu^-$  events as detailed in Ref. [34]. They are applied to the  $pp$  data at  $\sqrt{s} = 5.02$  TeV used in this analysis, in fine intervals of muon  $p_T$  and  $\eta$ . The difference between the muon reconstruction efficiencies at  $\sqrt{s} = 5.02$  TeV and  $\sqrt{s} = 13$  TeV due to different pile-up contributions and multiplicities is found to be negligible [34]. The

MS efficiencies obtained from  $pp$  and  $Pb+Pb$  data collected in the same year show no significant difference. Thus, the MS efficiencies for 2015 and 2018  $Pb+Pb$  data are obtained from the large  $pp$  datasets at  $\sqrt{s} = 13$  TeV in the corresponding years in fine intervals of muon  $p_T$  and  $\eta$ . The resulting MS efficiency plateaus at 97% at  $p_T > 7$  GeV. The ID efficiency in  $Pb+Pb$  events is obtained from  $Pb+Pb$  data using the same  $J/\psi \rightarrow \mu^+\mu^-$  tag-and-probe method in intervals of muon  $p_T$  and  $\eta$ . The measured  $Pb+Pb$  ID efficiency is about 98% with the efficiency in 2018 being 3% lower than that in 2015 at  $1 < |\eta| < 2$  independent of  $p_T$ , while no difference between 2015 and 2018 is observed at  $|\eta| < 1$ . No centrality dependence is observed for MS and ID efficiencies for muons in  $Pb+Pb$  collisions.

The initial estimations of the muon trigger efficiency are obtained from  $J/\psi \rightarrow \mu^+\mu^-$  PYTHIA 8 [35] simulations in fine intervals of muon  $p_T$  and  $\eta$  using the tag-and-probe method [31]. All generated events were passed through a GEANT4 simulation [36,37] of the ATLAS detector under the same conditions as present during data-taking and were digitized and reconstructed in the same way as the data. The same simulated trigger efficiency is used in  $pp$  and  $Pb+Pb$  data. Relative efficiency differences between simulations and data and between  $pp$  and  $Pb+Pb$  collisions are covered by additional corrections described as follows. Mis-modelling of the trigger performance in simulation, quantified by the ratio of measured efficiencies in data and the simulations, is accounted for by applying a multiplicative correction not exceeding 10%. To account for the different online muon momentum scale in  $pp$  and  $Pb+Pb$  data, as well as the slightly different trigger performance in 2015 and 2018, an additional correction factor, determined by the  $Pb+Pb$  to  $pp$  data-driven efficiency ratio, is applied to  $Pb+Pb$  data as a function of muon  $p_T$  and  $\eta$ , the centrality, and the year of  $Pb+Pb$  data-taking.

#### 4. Signal extraction

As detailed in previous ATLAS publications [12,24,25,38], the background contributions in the selected muon samples (labelled ‘bkg’ in Figs. 1 and 2) have three components. The first one is called the ‘prompt-muon background’ and includes contributions from decays of non-open-heavy-flavour particles such as direct quarkonia, low-mass resonances,  $\tau$ -leptons, and massive electroweak  $W/Z$  bosons. The second component is the ‘hadronic background’ resulting from  $\pi$  and  $K$  decaying into muons in the volume of the ID or punching through the calorimeter. The last



**Fig. 2.** (Top)  $d_0$  templates for different background contributions, and data  $d_0$  distributions before (solid points) and after (open points) background subtraction for muons with  $6 < p_T < 7 \text{ GeV}$  in  $pp$  collisions (left) and in  $\text{Pb}+\text{Pb}$  collisions with 20–30% centrality (right). (Bottom) Fit results of the background-subtracted  $d_0$  distribution for muons with  $6 < p_T < 7 \text{ GeV}$  in  $pp$  collisions (left) and in  $\text{Pb}+\text{Pb}$  collisions with 20–30% centrality (right). The vertical dashed lines indicate the  $d_0$  range,  $|d_0| < 0.5 \text{ mm}$ , used in the fit procedure. Data to fitted result ratios are shown in the bottom panels. The grey bands indicate the statistical and systematic uncertainties combined in quadrature.

component is from random combinations of uncorrelated track segments from the ID and MS, called the ‘fake-muon background’. The prompt-muon background, expected to be small compared to signal muons, is estimated in simulations. These simulations are scaled to match existing measurements of different background sources under consistent fiducial selections. The main prompt-muon background for muons with  $20 < p_T < 30 \text{ GeV}$  is from  $W$  decays, and is approximately 3% in  $pp$  collisions at 10% (5%) in 0–10% (40–60%)  $\text{Pb}+\text{Pb}$  collisions based on previous ATLAS measurements [39,40]. Hadronic and fake-muon backgrounds are subtracted from the signal muons by fitting the muon momentum imbalance,  $\rho = (p^{\text{ID}} - p^{\text{MS}})/p^{\text{ID}}$ , where  $p^{\text{ID}}$  is the muon momentum measured in the ID, and  $p^{\text{MS}}$  is that measured in the MS corrected for the energy loss inside the calorimeter. The  $\rho$  distribution shapes of hadronic and fake-muon backgrounds are extracted from simulations while their yields are determined from the fit procedure.

The prompt-muon background contribution in  $pp$  events is estimated from PYTHIA8 simulations of prompt  $J/\psi$ ,  $\psi(2S)$ , and  $\gamma(nS)$  production based on a non-relativistic QCD colour-octet model [41], and from  $W$  and  $Z$  production simulated with the PowHEG Box v2 generator [42] interfaced to the PYTHIA8 parton shower model. The CT10 PDF set [43] was used in the matrix element, while the CTEQ6L1 PDF set [44] was used for the modelling of non-perturbative effects in the initial-state parton shower. The simulated prompt-muon background processes are all scaled by process-dependent single scaling factors to match previous ATLAS measurements in  $pp$  collisions at  $\sqrt{s} = 5.02 \text{ TeV}$  [39,45]. Other contributions from low-mass resonances and  $\tau$ -leptons in the measured muon  $p_T$  range are found to be less than 1% [24,38] and are neglected in this analysis. In  $\text{Pb}+\text{Pb}$  collisions, the esti-

mated prompt-muon background rates take into account nuclear modifications measured in Refs. [40,46–48].

Muons from hard scattering have a symmetric  $\rho$  distribution peaked at zero, while the hadronic background has a broader  $\rho$  distribution and the peak shifted toward higher values. This change in shape is due to differences between the actual energy loss of this background and the estimated energy loss based on muon simulations. Only energy loss of muons is properly corrected for and added to the MS momentum measurement. The different shapes of the  $\rho$  distributions for the hadronic background and the other muons allow the hadronic background to be isolated using a template-fitting procedure [24,25]. The yields of inclusive heavy-flavour muons and hadronic background muons are extracted from the  $\rho$  template fit. The templates for the charm and bottom muon  $\rho$  distributions are determined from multijet hard-scattering PYTHIA8  $pp$  collision events at  $\sqrt{s} = 5.02 \text{ TeV}$  filtered for the presence of a generator-level muon produced with parameter values as in the A14 tune [49] and using the NNPDF23LO parton distribution functions [50]. The templates for the charm and bottom muon  $\rho$  distributions (and track transverse impact parameter,  $d_0$ , distributions, described below) in multijet hard-scattering QCD PYTHIA8 samples are found to be identical to those from non-diffractive QCD PYTHIA8 samples, while hard-scattering QCD PYTHIA8 samples have much higher muon filter efficiency. The  $\rho$  templates for the prompt-muon background are obtained from the simulation procedure described in the previous paragraph. The hadronic background and fake-muon  $\rho$  templates are obtained from non-diffractive QCD simulations of  $pp$  collisions at  $\sqrt{s} = 5.02 \text{ TeV}$  in PYTHIA8, with the A14 tune and NNPDF23LO parton distribution functions. The fake-muon contribution is fixed relative to the hadronic background, with the ratio obtained from

simulations. The momenta of the reconstructed muons selected in PYTHIA 8 simulations are calibrated to match the muon momentum response in  $pp$  and Pb+Pb data. The calibration is performed via shift and smearing parameters [25] determined from the invariant mass response in  $J/\psi \rightarrow \mu^+\mu^-$  events. The same calibration is applied to all muon candidates including those from background contributions. Alternative calibrations for background contributions are used for the systematic uncertainty evaluation.

Examples of the  $\rho$  template fit are shown in Fig. 1 for muons with  $6 < p_T < 7$  GeV in  $pp$  collisions and 20–30% centrality Pb+Pb collisions. The signal muon  $\rho$  distribution shape shows no obvious dependence on muon  $p_T$ , but is found to be broader in the more forward pseudorapidity region and more central Pb+Pb collisions, both due to poorer muon momentum resolution in the ID. The hadronic background  $\rho$  distribution becomes broader at higher  $p_T$  and in more central collisions.

Charm and bottom muons are further separated using the muon track's transverse impact parameter,  $d_0$ , which is calculated relative to the beam spot [51]. Due to the different lifetimes of charm and bottom hadrons (approximately  $1.5 \times 10^{-12}$  s for  $B$  mesons,  $1.0 \times 10^{-12}$  s for  $D^+$  and  $0.4 \times 10^{-12}$  s for  $D^0$  mesons), the corresponding muons have different  $d_0$  distributions, and their fractional contributions can be extracted using a template-fitting procedure. Background contributions are subtracted from data distributions of  $d_0$  as shown in the upper panels in Fig. 2. For each of the three background sources, the  $d_0$  shape is determined in simulations. In  $pp$  data analysis, the  $d_0$  shape templates of various background sources are obtained from the PYTHIA 8 simulations used to build the  $\rho$  templates. In Pb+Pb data analysis, the same PYTHIA 8 events overlaid with minimum-bias Pb+Pb events collected in 2015 are used to build the background  $d_0$  templates to approximate background distributions in Pb+Pb collisions. The  $d_0$  distributions from high-quality prompt tracks in simulations and 2018 Pb+Pb data are smeared to match those in 2015 Pb+Pb data. The prompt-muon background  $d_0$  distribution normalization is constrained by the yield estimates from MC simulations. The hadronic and fake-muon background  $d_0$  distribution normalization factors are extracted from the  $\rho$  template fit. The signal muon  $d_0$  distribution in Pb+Pb data is narrower than in  $pp$  data because of a smaller transverse beam size. The background  $d_0$  distribution becomes moderately narrower with increasing  $p_T$  and shows no evident centrality dependence. After subtraction, the remaining  $d_0$  distribution in data contains only contributions from heavy-flavour muons.

The  $d_0$  fit is performed in the range of  $|d_0| < 0.5$  mm as events with  $|d_0| > 0.5$  mm are statistically limited in both data and simulations and have little sensitivity to the charm muon contribution. For  $pp$  data, the charm and bottom muon  $d_0$  templates are obtained from the muon-filtered multijet PYTHIA 8 simulations at  $\sqrt{s} = 5.02$  TeV, as done for  $\rho$  templates. Bottom muons contain the  $b \rightarrow c \rightarrow \mu$  cascade contribution. The  $d_0$  distributions of signal muons show no obvious dependence on the muon  $p_T$ , but they become broader with increasing parent  $B$  and  $D$  meson  $p_T$ . The simulated samples from PYTHIA 8 are reweighted to match the inclusive  $B$  and  $D$  meson  $p_T$  spectra from fixed-order next-to-leading-log (FONLL) resummation calculations [52,53]. The charm and bottom baryon-to-meson ratios in the simulations are corrected to match the measured values in Refs. [54,55]. The baryon-to-meson ratio is treated the same in  $pp$  and Pb+Pb, and allowed to vary independently for each system by a factor of two, based on values reported in Ref. [56], in determining systematic uncertainties. The yield of  $D^+$  relative to  $D^0$  is corrected to match the measured value in Refs. [57,58]. In the Pb+Pb analysis, the charm and bottom muon  $d_0$  templates are obtained from the  $pp$  PYTHIA 8 simulations overlaid with minimum-bias Pb+Pb events from 2015, similar to what is done for the background  $d_0$  templates. Besides

the FONLL resummation and baryon-to-meson corrections as applied in  $pp$  collisions, an additional correction is applied to match the modified charm and bottom hadron  $p_T$  spectra measured in Pb+Pb collisions by ALICE [18] and CMS [17]. Examples of  $d_0$  template fits for muons with  $6 < p_T < 7$  GeV are shown in Fig. 2 for  $pp$  collisions and 20–30% centrality Pb+Pb collisions. The relative fractions of charm and bottom muons are extracted from the  $d_0$  template fit.

## 5. Systematic uncertainties

Systematic uncertainties associated with the various steps of the analysis are assessed. The measured cross section in  $pp$  collisions, per-event yields in Pb+Pb collisions and  $R_{AA}$  are recalculated by systematically varying the effect of each source of uncertainty and then compared with the nominal results. The resulting difference is assigned as a systematic uncertainty. Each group of systematic uncertainties described in the following subsections are considered as uncorrelated, and are therefore summed in quadrature. Some sources of systematic uncertainties that are correlated between  $pp$  and Pb+Pb collisions partially cancel out in  $R_{AA}$ .

### 5.1. Muon correction uncertainties

The systematic uncertainties from the muon reconstruction efficiency and muon trigger efficiency corrections for  $pp$  collisions are dominated by the uncertainty in determining these efficiencies in data with the tag-and-probe method. These are evaluated following the procedures in previous ATLAS measurements [31, 34], including variations in the tag-and-probe efficiency extraction method, online–offline matching requirement, and muon purity in the selected sample. The Pb+Pb efficiency is affected by the systematic uncertainty sources mentioned above, due to the use of the  $pp$  efficiency in the factorized treatment. An additional uncertainty in Pb+Pb is associated with the determination of the ID reconstruction efficiency in data using the tag-and-probe method. Uncertainties in the trigger efficiency correction are determined from the Pb+Pb to  $pp$  efficiency ratio and residual discrepancies between fully corrected Pb+Pb muon spectra measured in the 2015 and 2018 data-taking periods. Apart from specific Pb+Pb uncertainties, other uncertainties are correlated between collision systems and thus cancel out in  $R_{AA}$ .

### 5.2. Background removal uncertainties

The systematic uncertainty in the momentum imbalance templates includes the effect of the uncertainty in the muon momentum calibration parameters, the uncertainty due to the dedicated hadronic-background calibration, and the uncertainty due to  $\rho$ - $d_0$  correlation in the hadronic background. Charm muon yields are more sensitive to the background removal procedure as charm muons have narrower  $d_0$  distributions around 0 where the background contamination is large. The systematic uncertainties in the calibration parameters, which originate from the uncertainty in the determination of  $J/\psi \rightarrow \mu^+\mu^-$  invariant mass [59], contribute 3% relative uncertainty to the final charm muon yields and 1% to the bottom muon yields. Since the hadronic background could have a different momentum scale than that for real muons, the results are also examined using a data-driven hadronic-background momentum calibration in the background-dominated region  $\rho > 0.2$ . The difference is included as a systematic uncertainty which is about 10% (4%) for charm (bottom) muon yields at low  $p_T$  and decreases with increasing  $p_T$ . To account for the small  $\rho$ - $d_0$  correlation in hadronic background, the corresponding  $\rho$  templates in different  $d_0$  selections are used and the resulting difference is assigned as an additional systematic uncertainty. The relative uncertainty due

**Table 1**

Contributions to systematic uncertainties given in percent for the cross section in  $pp$ , yields in  $Pb+Pb$ , and nuclear modification factor of charm and bottom muons. Ranges indicate the minimum and maximum systematic uncertainties found in all muon  $p_T$  bins and centralities for a given source.

Source	$\sigma_{pp}$ [%]		$N_{AA}$ [%]		$R_{AA}$ [%]	
	$c \rightarrow \mu$	$b \rightarrow \mu$	$c \rightarrow \mu$	$b \rightarrow \mu$	$c \rightarrow \mu$	$b \rightarrow \mu$
Muon efficiency	0.5–1.0	0.4–0.6	0.6–16	0.3–16	0.3–16	0.2–16
Background removal	4.3–12	0.8–3.8	2.5–30	1.0–5.1	1.9–27	0.5–4.7
Charm–bottom separation	4.5–9.8	3.2–8.0	9.2–37	6.2–16	5.1–23	4.1–13
Global normalization	1.6	1.6	0.9–4.6	0.9–4.6	1.8–4.9	1.8–4.9
Total systematic uncertainty	5.8–13	3.1–7.4	10–47	6.9–19	6.5–35	5.4–18

to the background  $\rho$ - $d_0$  correlation is about 3% for charm muon yields and less than 1% for bottom muon yields. The  $\rho$ -template-related systematic uncertainties are treated as correlated between  $pp$  and  $Pb+Pb$  data, and partially cancel out in  $R_{AA}$ .

In the analysis, the size of each prompt-muon background contribution is held at a fixed value obtained from PYTHIA 8 simulations scaled to match existing measurements. To assess the associated uncertainty, the  $pp$  and  $Pb+Pb$  analyses are repeated while varying the estimated sizes of the different prompt-muon contributions by the corresponding experimental uncertainties in their production rates [39,45] and  $R_{AA}$  values [40,46–48]. The sensitivity to the fake-muon rate estimation is evaluated by varying the fake-muon candidate definition in simulations with different truth-level and reconstruction-level objects matching criteria. The resulting variation of the fake-muon rate is about 20–40%, and produces 5% variations, on average, in the measured charm and bottom yields. The fake-muon systematic uncertainty is assumed to be uncorrelated between the  $pp$  and  $Pb+Pb$  results.

### 5.3. Charm–bottom separation uncertainties

The systematic uncertainties in the impact parameter template, that are common for  $pp$  and  $Pb+Pb$  results, include several components. Uncertainties in the FONLL calculations are evaluated based on Ref. [52,53]. Uncertainties coming from baryon-to-meson ratio mis-modelling correction use measurements published in Ref. [54,55]. Uncertainties in  $D^+/D^0$  mis-modelling correction are based on reported uncertainties in Ref. [60,61]. They are propagated to the  $pp$  and  $Pb+Pb$  results, and are treated as correlated between the  $pp$  and  $Pb+Pb$  results. The muon  $p_T$  spectra predicted by FONLL calculations are weighted to match the measured charm and bottom muon spectra reported in this Letter. The resulting weighting factors are used to adjust signal  $d_0$  templates to quantify the bias due to observed mis-modelling in the FONLL calculations. The resulting difference of 1–5% in the muon yields is assigned as an additional uncertainty and is treated as correlated between the  $pp$  and  $Pb+Pb$  results. Uncertainties in the nuclear modification factor for parent hadrons in  $Pb+Pb$  are propagated using the experimental uncertainties in  $D$  and  $B$  meson  $R_{AA}$  values from Refs. [17,18]. Minimum-bias  $Pb+Pb$  events collected in 2018, instead of 2015 events, are used to overlay with PYTHIA 8 simulations to test the sensitivity to slightly different overlay conditions. Resulting changes in the muon yields due to different overlay conditions are assigned as a systematic uncertainty in the  $Pb+Pb$  results. Uncertainties in the determination of  $d_0$  shift and smearing parameters are found to have a negligible impact, less than 0.5%, on the extracted charm and bottom yields.

### 5.4. Global normalization uncertainties

In the 2017  $pp$  data, the LUCID-2 detector [62] is used for the primary luminosity measurement. The uncertainty in the integrated luminosity is derived using the methods described in

Ref. [63], and is 1.6%. For  $Pb+Pb$  collisions, the systematic uncertainty in  $\langle T_{AA} \rangle$  is estimated by varying the MC Glauber model parameters as detailed in Ref. [33].


## 5.5. Uncertainty summary

Table 1 summarizes relative uncertainties in the measurement of charm and bottom muon production in  $pp$  and  $Pb+Pb$  collisions, and in the nuclear modification factor  $R_{AA}$ . The leading sources of uncertainty in all muon  $p_T$  bins and  $Pb+Pb$  collision centralities are the background removal and charm–bottom separation uncertainties, and at low muon  $p_T$  in central  $Pb+Pb$  collisions the evaluation of the muon efficiency.


## 6. Results

Fig. 3 shows the differential cross section for muons from charm and bottom hadron decays within  $|\eta| < 2$  as a function of muon  $p_T$  in  $pp$  collisions at  $\sqrt{s} = 5.02$  TeV. The measurements are compared with theoretical calculations for muons from  $D$  and  $B$  meson decays in the FONLL resummation framework [64]. Uncertainties affecting the FONLL calculations include uncertainties in the parton distribution functions, heavy-flavour quark masses, and the renormalization and factorization scales. For muons from charm quarks, the FONLL calculation reaches the experimental data with the upper edge of its uncertainty band at  $p_T < 10$  GeV, but underestimates the data at higher  $p_T$ . Similar differences between FONLL calculations and prompt-charm measurements were observed in previous measurements at LHC energies, for example, in ALICE measurements of prompt  $D$  mesons [65] and inclusive heavy-flavour leptons [16,66], and in an LHCb measurement of prompt  $D$  mesons [67]. The measured cross section for muons from bottom quarks is a factor of 1.3–1.4 higher than the FONLL-calculated central value (including  $b \rightarrow c \rightarrow \mu$ ) but still inside the FONLL calculation’s uncertainty band at low  $p_T$ , while the calculated central value agrees with the data within experimental uncertainties for  $p_T > 10$  GeV, similar to observations in a previous ATLAS measurement of non-prompt charmonium [59] and an ALICE measurement of non-prompt  $D$  mesons [60].

Fig. 4 shows the differential per-event invariant yields for muons from charm and bottom hadron decays, in  $Pb+Pb$  collisions at  $\sqrt{s_{NN}} = 5.02$  TeV as a function of muon  $p_T$ . To quantify the modification of the momentum distribution between  $pp$  and  $Pb+Pb$  collisions the nuclear modification factor is calculated according to Eq. (1) in several centrality intervals. The resulting charm and bottom muon  $R_{AA}$  values are shown in Fig. 5 as a function of muon  $p_T$ . There is substantial suppression of muons from both charm and bottom hadron decays for all analysed  $Pb+Pb$  centrality intervals. The suppression increases monotonically from the 40–60% interval to the most central 0–10% interval. The monotonic centrality dependence follows expectations as the heavy quarks spend a longer time in the hotter and larger QGP droplet formed in collisions that have larger nuclear overlap, i.e. the more central inter-



**Fig. 3.** Differential cross section of charm (left) and bottom (right) muons as a function of muon  $p_T$ , plotted at the centres of the  $p_T$  intervals, in  $pp$  collisions at  $\sqrt{s} = 5.02$  TeV in comparison with FONLL calculations. Data results and FONLL calculations for bottom muons both include the  $b \rightarrow c \rightarrow \mu$  contribution. Statistical uncertainties in the data and calculation are shown as vertical lines and systematic uncertainties in the data and calculation are shown as boxes.




**Fig. 4.** Differential per-event invariant yields of muons from charm hadron decays (left) and bottom hadron decays (right) as a function of  $p_T$ , plotted at the centres of the  $p_T$  intervals, for different centrality intervals in  $Pb+Pb$  collisions at  $\sqrt{s_{NN}} = 5.02$  TeV. For each centrality interval from peripheral to central, an additional scaling factor of 2 is applied to the plotted points for visual clarity. Statistical uncertainties are shown as vertical lines and systematic uncertainties are shown as boxes.

vals. Charm muon  $R_{AA}$  shows weak  $p_T$  dependence in all centrality intervals, while bottom muon  $R_{AA}$  first decreases with increasing muon  $p_T$  up to 10 GeV and then remains mostly unchanged in all centralities.

Muons from charm decays have a stronger suppression than muons from bottom decays at low  $p_T$  in all centrality intervals. This difference in suppression is highlighted in Fig. 6, which overlays the 0–10% and 40–60% centrality intervals already presented in Fig. 5 for both charm and bottom muon  $R_{AA}$ . The mass ordering of the measured  $R_{AA}$  follows expectations, as the charm quarks, being lighter than the bottom quarks, are expected to lose more energy in the QGP. Thus the charm quarks are pushed further to lower  $p_T$ , and emerge more strongly suppressed than bottom quarks when compared with the cross section in  $pp$  collisions. The decay muon  $p_T$  spectrum depends on the  $p_T$  spectra of various charm and bottom hadrons in  $pp$  and  $Pb+Pb$  collisions. A portion of the difference found in the charm and bottom muon  $R_{AA}$  results could be attributed to the difference between charm and bottom hadron spectra, and thus full model comparisons are necessary.

Fig. 6 also compares the experimental data with theoretical calculations referred to as DREENA-B [68] and DAB-MOD [69,70]. The DREENA-B calculation includes radiative and collisional energy loss

of the heavy quarks traversing the QGP, the latter modelled via a 1 + 1D Bjorken expansion [71] with path-length distributions calculated following the procedure described in Ref. [72]. The width of the band corresponding to the DREENA-B theoretical uncertainties reflects the range of the ratio of magnetic to electric screening masses as constrained by non-perturbative calculations [71]. As discussed in Ref. [68], the predicted  $R_{AA}$  is higher for  $B$  mesons than for  $D$  mesons, converging to the same value at  $p_T \approx 25$  GeV as is expected when the particle  $p_T$  becomes much larger than the mass of the heavier  $b$ -quark. The corresponding  $R_{AA}$  for muons shown for direct comparison with the experimental data is calculated using PYTHIA8, which simulates meson decay kinematics. The DREENA-B prediction is in reasonable agreement with the experimental data. The DAB-MOD framework used here includes calculations with only Langevin drag and diffusion contributions for the heavy quarks in the QGP. The curves shown here are obtained with TRENTO geometric initial conditions [73], heavy-quark Langevin dynamics with the Moore and Teaney parameterization [74], and coupling values for charm (bottom) of  $D/2\pi T = 2.23$  (2.79), where  $D$  is the spatial diffusion coefficient and  $T$  is the temperature. The temperature at which heavy quarks decouple from the medium is  $T = 160$  MeV and both coalescence and fragmentation are implemented for hadronization. The DAB-MOD predictions with only



**Fig. 5.** Nuclear modification factor,  $R_{AA}$ , for muons from charm hadron decays (top panels) and bottom hadron decays (bottom panels) as a function of  $p_T$  for five different centrality intervals. The centrality intervals are separated for clarity into the left (0–10%, 20–30%, 40–60%) and right (10–20%, 30–40%) panels. Statistical uncertainties are shown as vertical lines and uncorrelated systematic uncertainties as boxes around the points. Correlated fractional systematic uncertainties, including  $T_{AA}$  and  $pp$  luminosity uncertainties, are isolated as coloured boxes around unity for different centrality intervals.

Langevin dynamics shown in Fig. 6 as coloured solid lines are in qualitative agreement with the experimental data, but have a stronger  $p_T$  dependence than the experimental data, particularly in the most central collisions. No uncertainties are included for DAB-MOD calculations shown here.


It is notable that both of these calculations also predict the azimuthal anisotropies of the heavy-flavour muons. ATLAS has previously published azimuthal anisotropies quantified by the elliptic flow coefficient,  $v_2$ , for muons from charm and bottom hadron decays [25]. The lower panels of Fig. 6 show those ATLAS measurements of  $v_2$  as a function of  $p_T$  in comparison with both the DREENA-B and DAB-MOD calculations. The DREENA-B calculations agree qualitatively with both  $v_2$  and  $R_{AA}$  for both charm and bottom muons, while the previously described implementation of DAB-MOD underestimates the charm muon  $v_2$  even though it qualitatively matches the  $R_{AA}$ . In all theoretical implementations, a larger coupling of charm and bottom quarks to the QGP results in a reduced  $R_{AA}$  (i.e. more suppression) and an increased  $v_2$  (i.e. larger anisotropy). Thus, increasing the coupling of charm to the QGP in DAB-MOD, for example, could bring the predicted  $v_2$  into closer agreement with data but would simultaneously decrease  $R_{AA}$ , pushing the calculation further below the data. That said, another key component of these calculations is the modelling of the QGP space-time evolution, and thus it could be instructive in the future to compare the different theory calculations with a common QGP model to test whether the differences in  $R_{AA}$  and

$v_2$  arise from the QGP modelling or the energy-loss implementation.


Fig. 7 shows the measured ratio of charm muon  $R_{AA}$  to bottom muon  $R_{AA}$  as a function of  $p_T$  in comparison with DREENA-B and DAB-MOD calculations. The large uncertainty in the measured ratio is due to a strong negative correlation between the charm and bottom muon  $R_{AA}$  uncertainties. As indicated by the measured  $R_{AA}$  ratios, charm muons are significantly more suppressed than bottom muons in the  $p_T < 8$  GeV range. However, no strong conclusion about the relative strength of their suppression can be drawn at higher  $p_T$  with existing large uncertainties. Compared with the ratios measured in data, the calculations underestimate the  $R_{AA}$  ratios for 0–10% centrality, while they mostly capture the magnitude and  $p_T$  dependence of the ratio for 40–60% centrality. As shown in Fig. 6, the discrepancy between data and the models in the 0–10% centrality interval is primarily due to the underestimation of charm muon  $R_{AA}$ .

## 7. Conclusion

The ATLAS experiment at the LHC has measured the production rates and nuclear modification factors,  $R_{AA}$ , of muons from semileptonic decays of heavy-flavour hadrons in  $pp$  and  $Pb+Pb$  collisions at 5.02 TeV. The measurement uses 2017  $pp$  data and combined 2015 and 2018  $Pb+Pb$  data corresponding to integrated luminosities of  $1.17 \text{ pb}^{-1}$  and  $246 \text{ pb}^{-1}$  respectively. Compared to



**Fig. 6.** Nuclear modification factor,  $R_{AA}$ , (top) and elliptic flow,  $v_2$ , results taken from Ref. [25] (bottom) for muons from bottom hadron decays and charm hadron decays for 0–10% (left) and 40–60% (right) centrality intervals as a function of  $p_T$ . Statistical uncertainties are shown as vertical lines and systematic uncertainties as boxes. Also shown are theoretical calculations from the DREENA-B and DAB-MOD models. See text regarding the uncertainty band of DREENA-B model calculations.



**Fig. 7.** The ratio of charm muon  $R_{AA}$  to bottom muon  $R_{AA}$ ,  $R_{AA}^{\text{charm}} / R_{AA}^{\text{bottom}}$ , for 0–10% (left) and 40–60% (right) Pb+Pb centrality intervals as a function of muon  $p_T$ . Statistical uncertainties are shown as vertical lines and systematic uncertainties as boxes. Also shown are theoretical calculations for the decay muons from DREENA-B and DAB-MOD in the same centrality intervals.

a previous ATLAS measurement of heavy-flavour muons, this Letter reports separate results for charm and bottom muons and covers a wider  $p_T$  range. The differential cross section measured in  $pp$  collisions for muons from decays of hadrons containing a bottom quark is reproduced with FONLL calculations. For muons from decays of hadrons containing a charm quark, the FONLL calculation is lower than the data at all measured  $p_T$  but agrees with it within the systematic uncertainties of the calculations below 10 GeV. The  $R_{AA}$  measurements indicate a significant suppression of the yield of muons from both charm and bottom hadron decays, with a suppression that increases monotonically from peripheral to central collisions.

The suppression is stronger for charm quarks than for bottom quarks, as seen via muons at low  $p_T < 10$  GeV. The relative dif-

ference between charm and bottom suppression is consistent with theoretical expectations for 10–60% Pb+Pb collisions, while the difference is smaller in data compared to theory for 0–10% Pb+Pb collisions. The simultaneous constraints imposed by the measurements of  $R_{AA}$  presented here and the flow measurements previously published by ATLAS could provide important information for understanding heavy-quark transport and QGP properties.

#### Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SStC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Mincencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; JINR; MES of Russia and NRC KI, Russian Federation; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristea programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and GIF, Israel; Norwegian Financial Mechanism 2014–2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelser, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [75].

## References

- [1] U. Heinz, R. Snellings, Collective flow and viscosity in relativistic heavy-ion collisions, *Annu. Rev. Nucl. Part. Sci.* 63 (2013) 123, arXiv:1301.2826 [nucl-th].
- [2] P. Romatschke, U. Romatschke, Relativistic Fluid Dynamics In and Out of Equilibrium, Cambridge Monographs on Mathematical Physics, Cambridge University Press, 2019, arXiv:1712.05815 [nucl-th].
- [3] S. Cao, et al., Toward the determination of heavy-quark transport coefficients in quark-gluon plasma, *Phys. Rev. C* 99 (2019) 054907, arXiv:1809.07894 [nucl-th].
- [4] M. Younus, C.E. Coleman-Smith, S.A. Bass, D.K. Srivastava, Charm quark energy loss in infinite QCD matter using a parton cascade model, *Phys. Rev. C* 91 (2015) 024912, arXiv:1309.1276 [nucl-th].
- [5] C.E. Coleman-Smith, B. Muller, Constituent mass dependence of transport coefficients in a quark-gluon plasma, arXiv:1209.3328 [hep-ph], 2012.
- [6] Y.L. Dokshitzer, D.E. Kharzeev, Heavy-quark colorimetry of QCD matter, *Phys. Lett. B* 519 (2001) 199, arXiv:hep-ph/0106202 [hep-ph].
- [7] M. Harrison, S. Peggs, T. Roser, The RHIC accelerator, *Annu. Rev. Nucl. Part. Sci.* 52 (2002) 425.
- [8] L. Evans, P. Bryant, LHC machine, *J. Instrum.* 3 (2008) S08001.
- [9] X. Dong, Y.-J. Lee, R. Rapp, Open heavy-flavor production in heavy-ion collisions, *Annu. Rev. Nucl. Part. Sci.* 69 (2019) 417, arXiv:1903.07709 [nucl-ex].
- [10] R. Averbeck, Heavy-flavor production in heavy-ion collisions and implications for the properties of hot QCD matter, *Prog. Part. Nucl. Phys.* 70 (2013) 159, arXiv:1505.03828 [nucl-ex].
- [11] M.L. Miller, K. Reygers, S.J. Sanders, P. Steinberg, Glauber modeling in high-energy nuclear collisions, *Annu. Rev. Nucl. Part. Sci.* 57 (2007) 205, arXiv:nucl-ex/0701025 [nucl-ex].
- [12] ATLAS Collaboration, Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector, *Phys. Rev. C* 98 (2018) 044905, arXiv: 1805.05220 [hep-ex].
- [13] ALICE Collaboration, Production of muons from heavy-flavour hadron decays at high transverse momentum in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  and 2.76 TeV, *Phys. Lett. B* 820 (2021) 136558, arXiv:2011.05718 [nucl-ex].
- [14] ALICE Collaboration, Measurements of low- $p_T$  electrons from semileptonic heavy-flavour hadron decays at mid-rapidity in pp and Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV, *J. High Energy Phys.* 10 (2018) 061, arXiv:1805.04379 [nucl-ex].
- [15] ALICE Collaboration, Measurement of the production of high- $p_T$  electrons from heavy-flavour hadron decays in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV, *Phys. Lett. B* 771 (2017) 467, arXiv:1609.07104 [nucl-ex].
- [16] ALICE Collaboration, Measurement of electrons from semileptonic heavy-flavour hadron decays at midrapidity in pp and Pb-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, *Phys. Lett. B* 804 (2020) 135377, arXiv:1910.09110 [nucl-ex].
- [17] CMS Collaboration, Nuclear modification factor of  $D^0$  mesons in PbPb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, *Phys. Lett. B* 782 (2018) 474, arXiv:1708.04962 [hep-ex].
- [18] ALICE Collaboration, Measurement of  $D^0$ ,  $D^+$ ,  $D^{*+}$  and  $D_s^+$  production in Pb-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, *J. High Energy Phys.* 10 (2018) 174, arXiv: 1804.09083 [nucl-ex].
- [19] ALICE Collaboration,  $\Lambda_c^+$  production in Pb-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, *Phys. Lett. B* 793 (2019) 212, arXiv:1809.10922 [nucl-ex].
- [20] STAR Collaboration, J. Adam, et al., Centrality and transverse momentum dependence of  $D^0$ -meson production at mid-rapidity in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV, *Phys. Rev. C* 99 (2019) 034908, arXiv:1812.10224 [nucl-ex].
- [21] STAR Collaboration, L. Adamczyk, et al., Observation of  $D^0$  meson nuclear modifications in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV, *Phys. Rev. Lett.* 113 (2014) 142301, arXiv:1404.6185 [nucl-ex]; Erratum: *Phys. Rev. Lett.* 121 (2018) 229901.
- [22] STAR Collaboration, J. Adam, et al., Observation of  $D_s^\pm/D^0$  enhancement in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV, arXiv:2101.11793 [hep-ex], 2021.
- [23] STAR Collaboration, J. Adam, et al., First measurement of  $\Lambda_c$  baryon production in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV, *Phys. Rev. Lett.* 124 (2020) 172301, arXiv:1910.14628 [nucl-ex].
- [24] ATLAS Collaboration, Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector, *Phys. Rev. Lett.* 124 (2020) 082301, arXiv:1909.01650 [hep-ex].
- [25] ATLAS Collaboration, Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector, *Phys. Lett. B* 807 (2020) 135595, arXiv:2003.03565 [hep-ex].
- [26] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, *J. Instrum.* 3 (2008) S08003.
- [27] ATLAS Collaboration, ATLAS insertable B-layer technical design report, ATLAS-TDR-19; CERN-LHCC-2010-013, <https://cds.cern.ch/record/1291633>, 2010; Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, <https://cds.cern.ch/record/1451888>, 2012.
- [28] B. Abbott, et al., Production and integration of the ATLAS insertable B-layer, *J. Instrum.* 13 (2018) T05008, arXiv:1803.00844 [physics.ins-det].
- [29] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [30] ATLAS Collaboration, The ATLAS collaboration software and firmware, ATL-SOFT-PUB-2021-001, <https://cds.cern.ch/record/2767187>, 2021.
- [31] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, *J. Instrum.* 15 (2020) P09015, arXiv:2004.13447 [hep-ex].
- [32] J.P. Guillaud, A.E. Sobol, Simulation of diffractive and non-diffractive processes at the LHC energy with the PYTHIA and PHOJET MC event generators, *Tech. Rep.*, 2004, <http://hal.in2p3.fr/in2p3-00021835>.
- [33] ATLAS Collaboration, Measurement of the azimuthal anisotropy of charged particles produced in  $\sqrt{s_{NN}} = 5.02$  TeV Pb+Pb collisions with the ATLAS detector, *Eur. Phys. J. C* 78 (2018) 997, arXiv:1808.03951 [hep-ex].
- [34] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at  $\sqrt{s} = 13$  TeV, *Eur. Phys. J. C* 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [35] T. Sjöstrand, et al., An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* 191 (2015) 159, arXiv:1410.3012 [hep-ph].
- [36] S. Agostinelli, et al., GEANT4 – a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [37] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [38] ATLAS Collaboration, Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, *Phys. Lett. B* 707 (2012) 438, arXiv:1109.0525 [hep-ex].
- [39] ATLAS Collaboration, Measurements of  $W$  and  $Z$  boson production in pp collisions at  $\sqrt{s} = 5.02$  TeV with the ATLAS detector, *Eur. Phys. J. C* 79 (2019) 128, arXiv:1810.08424 [hep-ex]; Erratum: *Eur. Phys. J. C* 79 (2019) 374.
- [40] ATLAS Collaboration, Measurement of  $W^\pm$  boson production in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector, *Eur. Phys. J. C* 79 (2019) 935, arXiv:1907.10414 [hep-ex].

- [41] G.T. Bodwin, E. Braaten, G.P. Lepage, Rigorous QCD analysis of inclusive annihilation and production of heavy quarkonium, Phys. Rev. D 51 (1995) 1125, arXiv:hep-ph/9407339 [hep-ph]; Erratum: Phys. Rev. D 55 (1997) 5853.
- [42] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [43] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [44] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 07 (2002) 012, arXiv:hep-ph/0201195.
- [45] ATLAS Collaboration, Measurement of quarkonium production in proton-lead and proton-proton collisions at 5.02 TeV with the ATLAS detector, Eur. Phys. J. C 78 (2018) 171, arXiv:1709.03089 [hep-ex].
- [46] ATLAS Collaboration, Prompt and non-prompt  $J/\psi$  and  $\psi(2S)$  suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment, Eur. Phys. J. C 78 (2018) 762, arXiv:1805.04077 [hep-ex].
- [47] CMS Collaboration, Measurement of nuclear modification factors of  $\Upsilon(1S)$ ,  $\Upsilon(2S)$ , and  $\Upsilon(3S)$  mesons in PbPb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, Phys. Lett. B 790 (2019) 270, arXiv:1805.09215 [hep-ex].
- [48] ATLAS Collaboration,  $Z$  boson production in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV measured by the ATLAS experiment, Phys. Lett. B 802 (2020) 135262, arXiv:1910.13396 [hep-ex].
- [49] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [50] R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [51] ATLAS Collaboration, Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC, Eur. Phys. J. C 77 (2017) 332, arXiv:1611.10235 [hep-ex].
- [52] M. Cacciari, M. Greco, P. Nason, The  $p_T$  spectrum in heavy-flavour hadroproduction, J. High Energy Phys. 05 (1998) 007, arXiv:hep-ph/9803400 [hep-ph].
- [53] M. Cacciari, S. Frixione, P. Nason, The  $pr$  spectrum in heavy-flavour photoproduction, J. High Energy Phys. 03 (2001) 006, arXiv:hep-ph/0102134 [hep-ph].
- [54] M. Lisovyi, A. Verbytskyi, O. Zenayev, Combined analysis of charm-quark fragmentation-fraction measurements, Eur. Phys. J. C 76 (2016) 397, arXiv:1509.01061 [hep-ex].
- [55] CDF Collaboration, T. Aaltonen, et al., Measurement of ratios of fragmentation fractions for bottom hadrons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV, Phys. Rev. C 77 (2008) 072003, arXiv:0801.4375 [hep-ex].
- [56] A.M. Sirunyan, et al., Production of  $\Lambda_c^+$  baryons in proton-proton and lead-lead collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, Phys. Lett. B 803 (2020) 135328, arXiv:1906.03322 [hep-ex].
- [57] Particle Data Group, P.A. Zyla, et al., Review of particle physics, Prog. Theor. Exp. Phys. 2020 (2020) 083C01.
- [58] E. Lohrmann, A summary of charm hadron production fractions, arXiv:1112.3757 [hep-ex], 2011.
- [59] ATLAS Collaboration, Measurement of the differential cross-sections of prompt and non-prompt production of  $J/\psi$  and  $\psi(2S)$  in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS detector, Eur. Phys. J. C 76 (2016) 283, arXiv:1512.03657 [hep-ex].
- [60] ALICE Collaboration, Measurement of beauty and charm production in  $pp$  collisions at  $\sqrt{s} = 5.02$  TeV via non-prompt and prompt  $D$  mesons, J. High Energy Phys. 05 (2021) 220, arXiv:2102.13601 [nucl-ex].
- [61] ALICE Collaboration, Measurement of charm production at central rapidity in proton-proton collisions at  $\sqrt{s} = 7$  TeV, J. High Energy Phys. 01 (2012) 128, arXiv:1111.1553 [hep-ex].
- [62] G. Avoni, et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, J. Instrum. 13 (2018) P07017.
- [63] ATLAS Collaboration, Luminosity determination in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, <https://cds.cern.ch/record/2677054>, 2019.
- [64] M. Cacciari, et al., Theoretical predictions for charm and bottom production at the LHC, J. High Energy Phys. 10 (2012) 137, arXiv:1205.6344 [hep-ph].
- [65] ALICE Collaboration, Measurement of  $D^0$ ,  $D^+$ ,  $D^{*+}$  and  $D_s^+$  production in  $pp$  collisions at  $\sqrt{s} = 5.02$  TeV with ALICE, Eur. Phys. J. C 79 (2019) 388, arXiv:1901.07979 [nucl-ex].
- [66] ALICE Collaboration, Production of muons from heavy-flavour hadron decays in  $pp$  collisions at  $\sqrt{s} = 5.02$  TeV, J. High Energy Phys. 09 (2019) 008, arXiv:1905.07207 [nucl-ex].
- [67] LHCb Collaboration, Measurements of prompt charm production cross-sections in  $pp$  collisions at  $\sqrt{s} = 5$  TeV, J. High Energy Phys. 06 (2017) 147, arXiv:1610.02230 [hep-ex].
- [68] D. Zivic, I. Salom, J. Auvinen, M. Djordjevic, M. Djordjevic, DREENA-B framework: first predictions of  $R_{AA}$  and  $v_2$  within dynamical energy loss formalism in evolving QCD medium, Phys. Lett. B 791 (2019) 236, arXiv:1805.04786 [nucl-th].
- [69] R. Katz, C.A.G. Prado, J. Noronha-Hostler, J. Noronha, A.A.P. Suade, Sensitivity study with a  $D$  and  $B$  mesons modular simulation code of heavy flavor  $R_{AA}$  and azimuthal anisotropies based on beam energy, initial conditions, hadronization, and suppression mechanisms, Phys. Rev. C 102 (2020) 024906, arXiv:1906.10768 [nucl-th].
- [70] C.A.G. Prado, et al., Event-by-event correlations between soft hadrons and  $D^0$  mesons in 5.02 TeV PbPb collisions at the CERN Large Hadron Collider, Phys. Rev. C 96 (2017) 064903, arXiv:1611.02965 [nucl-th].
- [71] J.D. Bjorken, Highly relativistic nucleus-nucleus collisions: the central rapidity region, Phys. Rev. D 27 (1983) 140.
- [72] A. Dainese, Perspectives for the study of charm in-medium quenching at the LHC with ALICE, Eur. Phys. J. C 33 (2004) 495, arXiv:nucl-ex/0312005.
- [73] J.S. Moreland, J.E. Bernhard, S.A. Bass, Alternative ansatz to wounded nucleon and binary collision scaling in high-energy nuclear collisions, Phys. Rev. C 92 (2015) 011901, arXiv:1412.4708 [nucl-th].
- [74] G.D. Moore, D. Teaney, How much do heavy quarks thermalize in a heavy ion collision?, Phys. Rev. C 71 (2005) 064904, arXiv:hep-ph/0412346 [hep-ph].
- [75] ATLAS Collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2021-003, <https://cds.cern.ch/record/2776662>.

## The ATLAS Collaboration

G. Aad<sup>99</sup>, B. Abbott<sup>124</sup>, D.C. Abbott<sup>100</sup>, A. Abed Abud<sup>34</sup>, K. Abeling<sup>51</sup>, D.K. Abhayasinghe<sup>91</sup>, S.H. Abidi<sup>27</sup>, H. Abramowicz<sup>157</sup>, H. Abreu<sup>156</sup>, Y. Abulaiti<sup>5</sup>, A.C. Abusleme Hoffman<sup>142a</sup>, B.S. Acharya<sup>64a,64b,p</sup>, B. Achkar<sup>51</sup>, L. Adam<sup>97</sup>, C. Adam Bourdarios<sup>4</sup>, L. Adamczyk<sup>81a</sup>, L. Adamek<sup>162</sup>, S.V. Addepalli<sup>24</sup>, J. Adelman<sup>117</sup>, A. Adiguzel<sup>11c,ae</sup>, S. Adorni<sup>52</sup>, T. Adye<sup>139</sup>, A.A. Affolder<sup>141</sup>, Y. Afik<sup>156</sup>, C. Agapopoulou<sup>62</sup>, M.N. Agaras<sup>12</sup>, J. Agarwala<sup>68a,68b</sup>, A. Aggarwal<sup>115</sup>, C. Agheorghiesei<sup>25c</sup>, J.A. Aguilar-Saavedra<sup>135f,135a,ad</sup>, A. Ahmad<sup>34</sup>, F. Ahmadov<sup>77</sup>, W.S. Ahmed<sup>101</sup>, X. Ai<sup>44</sup>, G. Aielli<sup>71a,71b</sup>, I. Aizenberg<sup>175</sup>, S. Akatsuka<sup>83</sup>, M. Akbiyik<sup>97</sup>, T.P.A. Åkesson<sup>94</sup>, A.V. Akimov<sup>108</sup>, K. Al Khoury<sup>37</sup>, G.L. Alberghi<sup>21b</sup>, J. Albert<sup>171</sup>, P. Albicocco<sup>49</sup>, M.J. Alconada Verzini<sup>86</sup>, S. Alderweireldt<sup>48</sup>, M. Aleksa<sup>34</sup>, I.N. Aleksandrov<sup>77</sup>, C. Alexa<sup>25b</sup>, T. Alexopoulos<sup>9</sup>, A. Alfonsi<sup>116</sup>, F. Alfonsi<sup>21b</sup>, M. Alhroob<sup>124</sup>, B. Ali<sup>137</sup>, S. Ali<sup>154</sup>, M. Aliev<sup>161</sup>, G. Alimonti<sup>66a</sup>, C. Allaire<sup>34</sup>, B.M.M. Allbrooke<sup>152</sup>, P.P. Allport<sup>19</sup>, A. Aloisio<sup>67a,67b</sup>, F. Alonso<sup>86</sup>, C. Alpigiani<sup>144</sup>, E. Alunno Camelia<sup>71a,71b</sup>, M. Alvarez Estevez<sup>96</sup>, M.G. Alviggi<sup>67a,67b</sup>, Y. Amaral Coutinho<sup>78b</sup>, A. Ambler<sup>101</sup>, L. Ambroz<sup>130</sup>, C. Amelung<sup>34</sup>, D. Amidei<sup>103</sup>, S.P. Amor Dos Santos<sup>135a</sup>, S. Amoroso<sup>44</sup>, C.S. Amrouche<sup>52</sup>, C. Anastopoulos<sup>145</sup>, N. Andari<sup>140</sup>, T. Andeen<sup>10</sup>, J.K. Anders<sup>18</sup>, S.Y. Andrean<sup>43a,43b</sup>, A. Andreazza<sup>66a,66b</sup>, S. Angelidakis<sup>8</sup>, A. Angerami<sup>37</sup>, A.V. Anisenkov<sup>118b,118a</sup>, A. Annovi<sup>69a</sup>, C. Antel<sup>52</sup>, M.T. Anthony<sup>145</sup>, E. Antipov<sup>125</sup>, M. Antonelli<sup>49</sup>, D.J.A. Antrim<sup>16</sup>, F. Anulli<sup>70a</sup>, M. Aoki<sup>79</sup>, J.A. Aparisi Pozo<sup>169</sup>, M.A. Aparo<sup>152</sup>, L. Aperio Bella<sup>44</sup>, N. Aranzabal<sup>34</sup>, V. Araujo Ferraz<sup>78a</sup>, C. Arcangeletti<sup>49</sup>, A.T.H. Arce<sup>47</sup>, E. Arena<sup>88</sup>, J.-F. Arguin<sup>107</sup>, S. Argyropoulos<sup>50</sup>, J.-H. Arling<sup>44</sup>, A.J. Armbruster<sup>34</sup>, A. Armstrong<sup>166</sup>, O. Arnaez<sup>162</sup>, H. Arnold<sup>34</sup>,

- Z.P. Arrubarrena Tame <sup>111</sup>, G. Artoni <sup>130</sup>, H. Asada <sup>113</sup>, K. Asai <sup>122</sup>, S. Asai <sup>159</sup>, N.A. Asbah <sup>57</sup>,  
 E.M. Asimakopoulou <sup>167</sup>, L. Asquith <sup>152</sup>, J. Assahsah <sup>33d</sup>, K. Assamagan <sup>27</sup>, R. Astalos <sup>26a</sup>, R.J. Atkin <sup>31a</sup>,  
 M. Atkinson <sup>168</sup>, N.B. Atlay <sup>17</sup>, H. Atmani <sup>58b</sup>, P.A. Atmasiddha <sup>103</sup>, K. Augsten <sup>137</sup>, S. Auricchio <sup>67a,67b</sup>,  
 V.A. Austrup <sup>177</sup>, G. Avner <sup>156</sup>, G. Avolio <sup>34</sup>, M.K. Ayoub <sup>13c</sup>, G. Azuelos <sup>107,al</sup>, D. Babal <sup>26a</sup>, H. Bachacou <sup>140</sup>,  
 K. Bachas <sup>158</sup>, A. Bachiu <sup>32</sup>, F. Backman <sup>43a,43b</sup>, A. Badea <sup>57</sup>, P. Bagnaia <sup>70a,70b</sup>, H. Bahrasemani <sup>148</sup>,  
 A.J. Bailey <sup>169</sup>, V.R. Bailey <sup>168</sup>, J.T. Baines <sup>139</sup>, C. Bakalis <sup>9</sup>, O.K. Baker <sup>178</sup>, P.J. Bakker <sup>116</sup>, E. Bakos <sup>14</sup>,  
 D. Bakshi Gupta <sup>7</sup>, S. Balaji <sup>153</sup>, R. Balasubramanian <sup>116</sup>, E.M. Baldin <sup>118b,118a</sup>, P. Balek <sup>138</sup>,  
 E. Ballabene <sup>66a,66b</sup>, F. Balli <sup>140</sup>, W.K. Balunas <sup>130</sup>, J. Balz <sup>97</sup>, E. Banas <sup>82</sup>, M. Bandiermonte <sup>134</sup>,  
 A. Bandyopadhyay <sup>17</sup>, S. Bansal <sup>22</sup>, L. Barak <sup>157</sup>, E.L. Barberio <sup>102</sup>, D. Barberis <sup>53b,53a</sup>, M. Barbero <sup>99</sup>,  
 G. Barbour <sup>92</sup>, K.N. Barends <sup>31a</sup>, T. Barillari <sup>112</sup>, M-S. Barisits <sup>34</sup>, J. Barkeloo <sup>127</sup>, T. Barklow <sup>149</sup>,  
 B.M. Barnett <sup>139</sup>, R.M. Barnett <sup>16</sup>, A. Baroncelli <sup>58a</sup>, G. Barone <sup>27</sup>, A.J. Barr <sup>130</sup>, L. Barranco Navarro <sup>43a,43b</sup>,  
 F. Barreiro <sup>96</sup>, J. Barreiro Guimarães da Costa <sup>13a</sup>, U. Barron <sup>157</sup>, S. Barsov <sup>133</sup>, F. Bartels <sup>59a</sup>, R. Bartoldus <sup>149</sup>,  
 G. Bartolini <sup>99</sup>, A.E. Barton <sup>87</sup>, P. Bartos <sup>26a</sup>, A. Basalaev <sup>44</sup>, A. Basan <sup>97</sup>, I. Bashta <sup>72a,72b</sup>, A. Bassalat <sup>62,ai</sup>,  
 M.J. Basso <sup>162</sup>, C.R. Basson <sup>98</sup>, R.L. Bates <sup>55</sup>, S. Batlamous <sup>33e</sup>, J.R. Batley <sup>30</sup>, B. Batool <sup>147</sup>, M. Battaglia <sup>141</sup>,  
 M. Bauce <sup>70a,70b</sup>, F. Bauer <sup>140,\*</sup>, P. Bauer <sup>22</sup>, H.S. Bawa <sup>29</sup>, A. Bayirli <sup>11c</sup>, J.B. Beacham <sup>47</sup>, T. Beau <sup>131</sup>,  
 P.H. Beauchemin <sup>165</sup>, F. Becherer <sup>50</sup>, P. Bechtle <sup>22</sup>, H.P. Beck <sup>18,r</sup>, K. Becker <sup>173</sup>, C. Becot <sup>44</sup>, A.J. Beddall <sup>11a</sup>,  
 V.A. Bednyakov <sup>77</sup>, C.P. Bee <sup>151</sup>, T.A. Beermann <sup>177</sup>, M. Begalli <sup>78b</sup>, M. Begel <sup>27</sup>, A. Behera <sup>151</sup>, J.K. Behr <sup>44</sup>,  
 C. Beirao Da Cruz E Silva <sup>34</sup>, J.F. Beirer <sup>51,34</sup>, F. Beisiegel <sup>22</sup>, M. Belfkir <sup>4</sup>, G. Bella <sup>157</sup>, L. Bellagamba <sup>21b</sup>,  
 A. Bellerive <sup>32</sup>, P. Bellos <sup>19</sup>, K. Beloborodov <sup>118b,118a</sup>, K. Belotskiy <sup>109</sup>, N.L. Belyaev <sup>109</sup>, D. Benchekroun <sup>33a</sup>,  
 Y. Benhammou <sup>157</sup>, D.P. Benjamin <sup>27</sup>, M. Benoit <sup>27</sup>, J.R. Bensinger <sup>24</sup>, S. Bentvelsen <sup>116</sup>, L. Beresford <sup>34</sup>,  
 M. Beretta <sup>49</sup>, D. Berge <sup>17</sup>, E. Bergeaas Kuutmann <sup>167</sup>, N. Berger <sup>4</sup>, B. Bergmann <sup>137</sup>, L.J. Bergsten <sup>24</sup>,  
 J. Beringer <sup>16</sup>, S. Berlendis <sup>6</sup>, G. Bernardi <sup>131</sup>, C. Bernius <sup>149</sup>, F.U. Bernlochner <sup>22</sup>, T. Berry <sup>91</sup>, P. Berta <sup>138</sup>,  
 A. Berthold <sup>46</sup>, I.A. Bertram <sup>87</sup>, O. Bessidskaia Bylund <sup>177</sup>, S. Bethke <sup>112</sup>, A. Betti <sup>40</sup>, A.J. Bevan <sup>90</sup>,  
 S. Bhatta <sup>151</sup>, D.S. Bhattacharya <sup>172</sup>, P. Bhattacharai <sup>24</sup>, V.S. Bhopatkar <sup>5</sup>, R. Bi <sup>134</sup>, R.M. Bianchi <sup>134</sup>,  
 O. Biebel <sup>111</sup>, R. Bielski <sup>127</sup>, N.V. Biesuz <sup>69a,69b</sup>, M. Biglietti <sup>72a</sup>, T.R.V. Billoud <sup>137</sup>, M. Bind <sup>51</sup>, A. Bingul <sup>11d</sup>,  
 C. Bini <sup>70a,70b</sup>, S. Biondi <sup>21b,21a</sup>, A. Biondini <sup>88</sup>, C.J. Birch-sykes <sup>98</sup>, G.A. Bird <sup>19,139</sup>, M. Birman <sup>175</sup>,  
 T. Bisanz <sup>34</sup>, J.P. Biswal <sup>2</sup>, D. Biswas <sup>176,k</sup>, A. Bitadze <sup>98</sup>, C. Bittrich <sup>46</sup>, K. Bjørke <sup>129</sup>, I. Bloch <sup>44</sup>, C. Blocker <sup>24</sup>,  
 A. Blue <sup>55</sup>, U. Blumenschein <sup>90</sup>, J. Blumenthal <sup>97</sup>, G.J. Bobbink <sup>116</sup>, V.S. Bobrovnikov <sup>118b,118a</sup>, M. Boehler <sup>50</sup>,  
 D. Bogavac <sup>12</sup>, A.G. Bogdanchikov <sup>118b,118a</sup>, C. Bohm <sup>43a</sup>, V. Boisvert <sup>91</sup>, P. Bokan <sup>44</sup>, T. Bold <sup>81a</sup>,  
 M. Bomben <sup>131</sup>, M. Bona <sup>90</sup>, M. Boonekamp <sup>140</sup>, C.D. Booth <sup>91</sup>, A.G. Borbely <sup>55</sup>, H.M. Borecka-Bielska <sup>107</sup>,  
 L.S. Borgna <sup>92</sup>, G. Borissov <sup>87</sup>, D. Bortoletto <sup>130</sup>, D. Boscherini <sup>21b</sup>, M. Bosman <sup>12</sup>, J.D. Bossio Sola <sup>34</sup>,  
 K. Bouaouda <sup>33a</sup>, J. Boudreau <sup>134</sup>, E.V. Bouhova-Thacker <sup>87</sup>, D. Boumediene <sup>36</sup>, R. Bouquet <sup>131</sup>, A. Boveia <sup>123</sup>,  
 J. Boyd <sup>34</sup>, D. Boye <sup>27</sup>, I.R. Boyko <sup>77</sup>, A.J. Bozson <sup>91</sup>, J. Bracinik <sup>19</sup>, N. Brahimi <sup>58d,58c</sup>, G. Brandt <sup>177</sup>,  
 O. Brandt <sup>30</sup>, F. Braren <sup>44</sup>, B. Brau <sup>100</sup>, J.E. Brau <sup>127</sup>, W.D. Breaden Madden <sup>55</sup>, K. Brendlinger <sup>44</sup>,  
 R. Brener <sup>175</sup>, L. Brenner <sup>34</sup>, R. Brenner <sup>167</sup>, S. Bressler <sup>175</sup>, B. Brickwedde <sup>97</sup>, D.L. Briglin <sup>19</sup>, D. Britton <sup>55</sup>,  
 D. Britzger <sup>112</sup>, I. Brock <sup>22</sup>, R. Brock <sup>104</sup>, G. Brooijmans <sup>37</sup>, W.K. Brooks <sup>142d</sup>, E. Brost <sup>27</sup>,  
 P.A. Bruckman de Renstrom <sup>82</sup>, B. Brüters <sup>44</sup>, D. Bruncko <sup>26b</sup>, A. Bruni <sup>21b</sup>, G. Bruni <sup>21b</sup>, M. Bruschi <sup>21b</sup>,  
 N. Bruscino <sup>70a,70b</sup>, L. Bryngemark <sup>149</sup>, T. Buanes <sup>15</sup>, Q. Buat <sup>151</sup>, P. Buchholz <sup>147</sup>, A.G. Buckley <sup>55</sup>,  
 I.A. Budagov <sup>77</sup>, M.K. Bugge <sup>129</sup>, O. Bulekov <sup>109</sup>, B.A. Bullard <sup>57</sup>, T.J. Burch <sup>117</sup>, S. Burdin <sup>88</sup>, C.D. Burgard <sup>44</sup>,  
 A.M. Burger <sup>125</sup>, B. Burghgrave <sup>7</sup>, J.T.P. Burr <sup>44</sup>, C.D. Burton <sup>10</sup>, J.C. Burzynski <sup>100</sup>, V. Büscher <sup>97</sup>,  
 P.J. Bussey <sup>55</sup>, J.M. Butler <sup>23</sup>, C.M. Buttar <sup>55</sup>, J.M. Butterworth <sup>92</sup>, W. Buttinger <sup>139</sup>, C.J. Buxo Vazquez <sup>104</sup>,  
 A.R. Buzykaev <sup>118b,118a</sup>, G. Cabras <sup>21b</sup>, S. Cabrera Urbán <sup>169</sup>, D. Caforio <sup>54</sup>, H. Cai <sup>134</sup>, V.M.M. Cairo <sup>149</sup>,  
 O. Cakir <sup>3a</sup>, N. Calace <sup>34</sup>, P. Calafiura <sup>16</sup>, G. Calderini <sup>131</sup>, P. Calfayan <sup>63</sup>, G. Callea <sup>55</sup>, L.P. Caloba <sup>78b</sup>,  
 S. Calvente Lopez <sup>96</sup>, D. Calvet <sup>36</sup>, S. Calvet <sup>36</sup>, T.P. Calvet <sup>99</sup>, M. Calvetti <sup>69a,69b</sup>, R. Camacho Toro <sup>131</sup>,  
 S. Camarda <sup>34</sup>, D. Camarero Munoz <sup>96</sup>, P. Camarri <sup>71a,71b</sup>, M.T. Camerlingo <sup>72a,72b</sup>, D. Cameron <sup>129</sup>,  
 C. Camincher <sup>171</sup>, M. Campanelli <sup>92</sup>, A. Camplani <sup>38</sup>, V. Canale <sup>67a,67b</sup>, A. Canesse <sup>101</sup>, M. Cano Bret <sup>75</sup>,  
 J. Cantero <sup>125</sup>, Y. Cao <sup>168</sup>, F. Capocasa <sup>24</sup>, M. Capua <sup>39b,39a</sup>, A. Carbone <sup>66a,66b</sup>, R. Cardarelli <sup>71a</sup>,  
 F. Cardillo <sup>169</sup>, G. Carducci <sup>39b,39a</sup>, T. Carli <sup>34</sup>, G. Carlino <sup>67a</sup>, B.T. Carlson <sup>134</sup>, E.M. Carlson <sup>171,163a</sup>,  
 L. Carminati <sup>66a,66b</sup>, M. Carnesale <sup>70a,70b</sup>, R.M.D. Carney <sup>149</sup>, S. Caron <sup>115</sup>, E. Carquin <sup>142d</sup>, S. Carrá <sup>44</sup>,  
 G. Carratta <sup>21b,21a</sup>, J.W.S. Carter <sup>162</sup>, T.M. Carter <sup>48</sup>, D. Casadei <sup>31c</sup>, M.P. Casado <sup>12,h</sup>, A.F. Casha <sup>162</sup>,  
 E.G. Castiglia <sup>178</sup>, F.L. Castillo <sup>59a</sup>, L. Castillo Garcia <sup>12</sup>, V. Castillo Gimenez <sup>169</sup>, N.F. Castro <sup>135a,135e</sup>,  
 A. Catinaccio <sup>34</sup>, J.R. Catmore <sup>129</sup>, A. Cattai <sup>34</sup>, V. Cavalieri <sup>27</sup>, N. Cavalli <sup>21b,21a</sup>, V. Cavasinni <sup>69a,69b</sup>,  
 E. Celebi <sup>11b</sup>, F. Celli <sup>130</sup>, M.S. Centonze <sup>65a,65b</sup>, K. Cerny <sup>126</sup>, A.S. Cerqueira <sup>78a</sup>, A. Cerri <sup>152</sup>,

- L. Cerrito <sup>71a,71b</sup>, F. Cerutti <sup>16</sup>, A. Cervelli <sup>21b</sup>, S.A. Cetin <sup>11b</sup>, Z. Chadi <sup>33a</sup>, D. Chakraborty <sup>117</sup>, M. Chala <sup>135f</sup>, J. Chan <sup>176</sup>, W.S. Chan <sup>116</sup>, W.Y. Chan <sup>88</sup>, J.D. Chapman <sup>30</sup>, B. Chargeishvili <sup>155b</sup>, D.G. Charlton <sup>19</sup>, T.P. Charman <sup>90</sup>, M. Chatterjee <sup>18</sup>, S. Chekanov <sup>5</sup>, S.V. Chekulaev <sup>163a</sup>, G.A. Chelkov <sup>77,ag</sup>, A. Chen <sup>103</sup>, B. Chen <sup>157</sup>, C. Chen <sup>58a</sup>, C.H. Chen <sup>76</sup>, H. Chen <sup>13c</sup>, H. Chen <sup>27</sup>, J. Chen <sup>58c</sup>, J. Chen <sup>37</sup>, J. Chen <sup>24</sup>, S. Chen <sup>132</sup>, S.J. Chen <sup>13c</sup>, X. Chen <sup>58c</sup>, X. Chen <sup>13b</sup>, Y. Chen <sup>58a</sup>, Y.-H. Chen <sup>44</sup>, C.L. Cheng <sup>176</sup>, H.C. Cheng <sup>60a</sup>, H.J. Cheng <sup>13a</sup>, A. Cheplakov <sup>77</sup>, E. Cheremushkina <sup>44</sup>, E. Cherepanova <sup>77</sup>, R. Cherkaoui El Moursli <sup>33e</sup>, E. Cheu <sup>6</sup>, K. Cheung <sup>61</sup>, L. Chevalier <sup>140</sup>, V. Chiarella <sup>49</sup>, G. Chiarelli <sup>69a</sup>, G. Chiodini <sup>65a</sup>, A.S. Chisholm <sup>19</sup>, A. Chitan <sup>25b</sup>, Y.H. Chiu <sup>171</sup>, M.V. Chizhov <sup>77,t</sup>, K. Choi <sup>10</sup>, A.R. Chomont <sup>70a,70b</sup>, Y. Chou <sup>100</sup>, Y.S. Chow <sup>116</sup>, L.D. Christopher <sup>31f</sup>, M.C. Chu <sup>60a</sup>, X. Chu <sup>13a,13d</sup>, J. Chudoba <sup>136</sup>, J.J. Chwastowski <sup>82</sup>, D. Cieri <sup>112</sup>, K.M. Ciesla <sup>82</sup>, V. Cindro <sup>89</sup>, I.A. Cioară <sup>25b</sup>, A. Ciocio <sup>16</sup>, F. Cirotto <sup>67a,67b</sup>, Z.H. Citron <sup>175,l</sup>, M. Citterio <sup>66a</sup>, D.A. Ciubotaru <sup>25b</sup>, B.M. Ciungu <sup>162</sup>, A. Clark <sup>52</sup>, P.J. Clark <sup>48</sup>, J.M. Clavijo Columbie <sup>44</sup>, S.E. Clawson <sup>98</sup>, C. Clement <sup>43a,43b</sup>, L. Clissa <sup>21b,21a</sup>, Y. Coadou <sup>99</sup>, M. Cobal <sup>64a,64c</sup>, A. Coccaro <sup>53b</sup>, J. Cochran <sup>76</sup>, R.F. Coelho Barrue <sup>135a</sup>, R. Coelho Lopes De Sa <sup>100</sup>, S. Coelli <sup>66a</sup>, H. Cohen <sup>157</sup>, A.E.C. Coimbra <sup>34</sup>, B. Cole <sup>37</sup>, J. Collot <sup>56</sup>, P. Conde Muiño <sup>135a,135h</sup>, S.H. Connell <sup>31c</sup>, I.A. Connelly <sup>55</sup>, E.I. Conroy <sup>130</sup>, F. Conventi <sup>67a,am</sup>, H.G. Cooke <sup>19</sup>, A.M. Cooper-Sarkar <sup>130</sup>, F. Cormier <sup>170</sup>, L.D. Corpe <sup>34</sup>, M. Corradi <sup>70a,70b</sup>, E.E. Corrigan <sup>94</sup>, F. Corriveau <sup>101,aa</sup>, M.J. Costa <sup>169</sup>, F. Costanza <sup>4</sup>, D. Costanzo <sup>145</sup>, B.M. Cote <sup>123</sup>, G. Cowan <sup>91</sup>, J.W. Cowley <sup>30</sup>, K. Cranmer <sup>121</sup>, S. Crépé-Renaudin <sup>56</sup>, F. Crescioli <sup>131</sup>, M. Cristinziani <sup>147</sup>, M. Cristoforetti <sup>73a,73b,b</sup>, V. Croft <sup>165</sup>, G. Crosetti <sup>39b,39a</sup>, A. Cueto <sup>34</sup>, T. Cuhadar Donszelmann <sup>166</sup>, H. Cui <sup>13a,13d</sup>, A.R. Cukierman <sup>149</sup>, W.R. Cunningham <sup>55</sup>, P. Czodrowski <sup>34</sup>, M.M. Czurylo <sup>59b</sup>, M.J. Da Cunha Sargedas De Sousa <sup>58a</sup>, J.V. Da Fonseca Pinto <sup>78b</sup>, C. Da Via <sup>98</sup>, W. Dabrowski <sup>81a</sup>, T. Dado <sup>45</sup>, S. Dahbi <sup>31f</sup>, T. Dai <sup>103</sup>, C. Dallapiccola <sup>100</sup>, M. Dam <sup>38</sup>, G. D'amen <sup>27</sup>, V. D'Amico <sup>72a,72b</sup>, J. Damp <sup>97</sup>, J.R. Dandoy <sup>132</sup>, M.F. Daneri <sup>28</sup>, M. Danninger <sup>148</sup>, V. Dao <sup>34</sup>, G. Darbo <sup>53b</sup>, S. Darmora <sup>5</sup>, A. Dattagupta <sup>127</sup>, S. D'Auria <sup>66a,66b</sup>, C. David <sup>163b</sup>, T. Davidek <sup>138</sup>, D.R. Davis <sup>47</sup>, B. Davis-Purcell <sup>32</sup>, I. Dawson <sup>90</sup>, K. De <sup>7</sup>, R. De Asmundis <sup>67a</sup>, M. De Beurs <sup>116</sup>, S. De Castro <sup>21b,21a</sup>, N. De Groot <sup>115</sup>, P. de Jong <sup>116</sup>, H. De la Torre <sup>104</sup>, A. De Maria <sup>13c</sup>, D. De Pedis <sup>70a</sup>, A. De Salvo <sup>70a</sup>, U. De Sanctis <sup>71a,71b</sup>, M. De Santis <sup>71a,71b</sup>, A. De Santo <sup>152</sup>, J.B. De Vivie De Regie <sup>56</sup>, D.V. Dedovich <sup>77</sup>, J. Degens <sup>116</sup>, A.M. Deiana <sup>40</sup>, J. Del Peso <sup>96</sup>, Y. Delabat Diaz <sup>44</sup>, F. Deliot <sup>140</sup>, C.M. Delitzsch <sup>6</sup>, M. Della Pietra <sup>67a,67b</sup>, D. Della Volpe <sup>52</sup>, A. Dell'Acqua <sup>34</sup>, L. Dell'Asta <sup>66a,66b</sup>, M. Delmastro <sup>4</sup>, P.A. Delsart <sup>56</sup>, S. Demers <sup>178</sup>, M. Demichev <sup>77</sup>, S.P. Denisov <sup>119</sup>, L. D'Eramo <sup>117</sup>, D. Derendarz <sup>82</sup>, J.E. Derkaoui <sup>33d</sup>, F. Derue <sup>131</sup>, P. Dervan <sup>88</sup>, K. Desch <sup>22</sup>, K. Dette <sup>162</sup>, C. Deutsch <sup>22</sup>, P.O. Deviveiros <sup>34</sup>, F.A. Di Bello <sup>70a,70b</sup>, A. Di Ciacio <sup>71a,71b</sup>, L. Di Ciacio <sup>4</sup>, C. Di Donato <sup>67a,67b</sup>, A. Di Girolamo <sup>34</sup>, G. Di Gregorio <sup>69a,69b</sup>, A. Di Luca <sup>73a,73b</sup>, B. Di Micco <sup>72a,72b</sup>, R. Di Nardo <sup>72a,72b</sup>, C. Diaconu <sup>99</sup>, F.A. Dias <sup>116</sup>, T. Dias Do Vale <sup>135a</sup>, M.A. Diaz <sup>142a</sup>, F.G. Diaz Capriles <sup>22</sup>, J. Dickinson <sup>16</sup>, M. Didenko <sup>169</sup>, E.B. Diehl <sup>103</sup>, J. Dietrich <sup>17</sup>, S. Díez Cornell <sup>44</sup>, C. Diez Pardos <sup>147</sup>, A. Dimitrievska <sup>16</sup>, W. Ding <sup>13b</sup>, J. Dingfelder <sup>22</sup>, I-M. Dinu <sup>25b</sup>, S.J. Dittmeier <sup>59b</sup>, F. Dittus <sup>34</sup>, F. Djama <sup>99</sup>, T. Djobava <sup>155b</sup>, J.I. Djuvsland <sup>15</sup>, M.A.B. Do Vale <sup>143</sup>, D. Dodsworth <sup>24</sup>, C. Doglioni <sup>94</sup>, J. Dolejsi <sup>138</sup>, Z. Dolezal <sup>138</sup>, M. Donadelli <sup>78c</sup>, B. Dong <sup>58c</sup>, J. Donini <sup>36</sup>, A. D'onofrio <sup>13c</sup>, M. D'Onofrio <sup>88</sup>, J. Dopke <sup>139</sup>, A. Doria <sup>67a</sup>, M.T. Dova <sup>86</sup>, A.T. Doyle <sup>55</sup>, E. Drechsler <sup>148</sup>, E. Dreyer <sup>148</sup>, T. Dreyer <sup>51</sup>, A.S. Drobac <sup>165</sup>, D. Du <sup>58b</sup>, T.A. du Pree <sup>116</sup>, F. Dubinin <sup>108</sup>, M. Dubovsky <sup>26a</sup>, A. Dubreuil <sup>52</sup>, E. Duchovni <sup>175</sup>, G. Duckeck <sup>111</sup>, O.A. Ducu <sup>34,25b</sup>, D. Duda <sup>112</sup>, A. Dudarev <sup>34</sup>, M. D'uffizi <sup>98</sup>, L. Duflot <sup>62</sup>, M. Dührssen <sup>34</sup>, C. Dülsen <sup>177</sup>, A.E. Dumitriu <sup>25b</sup>, M. Dunford <sup>59a</sup>, S. Dungs <sup>45</sup>, K. Dunne <sup>43a,43b</sup>, A. Duperrin <sup>99</sup>, H. Duran Yildiz <sup>3a</sup>, M. Düren <sup>54</sup>, A. Durglishvili <sup>155b</sup>, B. Dutta <sup>44</sup>, B.L. Dwyer <sup>117</sup>, G.I. Dyckes <sup>132</sup>, M. Dyndal <sup>81a</sup>, S. Dysch <sup>98</sup>, B.S. Dziedzic <sup>82</sup>, B. Eckerova <sup>26a</sup>, M.G. Eggleston <sup>47</sup>, E. Egidio Purcino De Souza <sup>78b</sup>, L.F. Ehrke <sup>52</sup>, T. Eifert <sup>7</sup>, G. Eigen <sup>15</sup>, K. Einsweiler <sup>16</sup>, T. Ekelof <sup>167</sup>, Y. El Ghazali <sup>33b</sup>, H. El Jarrari <sup>33e</sup>, A. El Moussaouy <sup>33a</sup>, V. Ellajosyula <sup>167</sup>, M. Ellert <sup>167</sup>, F. Ellinghaus <sup>177</sup>, A.A. Elliot <sup>90</sup>, N. Ellis <sup>34</sup>, J. Elmsheuser <sup>27</sup>, M. Elsing <sup>34</sup>, D. Emeliyanov <sup>139</sup>, A. Emerman <sup>37</sup>, Y. Enari <sup>159</sup>, J. Erdmann <sup>45</sup>, A. Ereditato <sup>18</sup>, P.A. Erland <sup>82</sup>, M. Errenst <sup>177</sup>, M. Escalier <sup>62</sup>, C. Escobar <sup>169</sup>, O. Estrada Pastor <sup>169</sup>, E. Etzion <sup>157</sup>, G. Evans <sup>135a</sup>, H. Evans <sup>63</sup>, M.O. Evans <sup>152</sup>, A. Ezhilov <sup>133</sup>, F. Fabbri <sup>55</sup>, L. Fabbri <sup>21b,21a</sup>, V. Fabiani <sup>115</sup>, G. Facini <sup>173</sup>, V. Fadeyev <sup>141</sup>, R.M. Fakhruddinov <sup>119</sup>, S. Falciano <sup>70a</sup>, P.J. Falke <sup>22</sup>, S. Falke <sup>34</sup>, J. Faltova <sup>138</sup>, Y. Fan <sup>13a</sup>, Y. Fang <sup>13a</sup>, Y. Fang <sup>13a</sup>, G. Fanourakis <sup>42</sup>, M. Fanti <sup>66a,66b</sup>, M. Faraj <sup>58c</sup>, A. Farbin <sup>7</sup>, A. Farilla <sup>72a</sup>, E.M. Farina <sup>68a,68b</sup>, T. Farooque <sup>104</sup>, S.M. Farrington <sup>48</sup>, P. Farthouat <sup>34</sup>, F. Fassi <sup>33e</sup>, D. Fassouliotis <sup>8</sup>, M. Faucci Giannelli <sup>71a,71b</sup>, W.J. Fawcett <sup>30</sup>, L. Fayard <sup>62</sup>, O.L. Fedin <sup>133,q</sup>, M. Feickert <sup>168</sup>, L. Feligioni <sup>99</sup>, A. Fell <sup>145</sup>, C. Feng <sup>58b</sup>, M. Feng <sup>13b</sup>, M.J. Fenton <sup>166</sup>, A.B. Fenyuk <sup>119</sup>, S.W. Ferguson <sup>41</sup>, J. Ferrando <sup>44</sup>, A. Ferrari <sup>167</sup>, P. Ferrari <sup>116</sup>, R. Ferrari <sup>68a</sup>, D. Ferrere <sup>52</sup>, C. Ferretti <sup>103</sup>, F. Fiedler <sup>97</sup>, A. Filipčič <sup>89</sup>, F. Filthaut <sup>115</sup>,

- M.C.N. Fiolhais <sup>135a,135c,a</sup>, L. Fiorini <sup>169</sup>, F. Fischer <sup>147</sup>, W.C. Fisher <sup>104</sup>, T. Fitschen <sup>19</sup>, I. Fleck <sup>147</sup>, P. Fleischmann <sup>103</sup>, T. Flick <sup>177</sup>, B.M. Flierl <sup>111</sup>, L. Flores <sup>132</sup>, L.R. Flores Castillo <sup>60a</sup>, F.M. Follega <sup>73a,73b</sup>, N. Fomin <sup>15</sup>, J.H. Foo <sup>162</sup>, G.T. Forcolin <sup>73a,73b</sup>, B.C. Forland <sup>63</sup>, A. Formica <sup>140</sup>, F.A. Förster <sup>12</sup>, A.C. Forti <sup>98</sup>, E. Fortin <sup>99</sup>, M.G. Foti <sup>130</sup>, D. Fournier <sup>62</sup>, H. Fox <sup>87</sup>, P. Francavilla <sup>69a,69b</sup>, S. Francescato <sup>70a,70b</sup>, M. Franchini <sup>21b,21a</sup>, S. Franchino <sup>59a</sup>, D. Francis <sup>34</sup>, L. Franco <sup>4</sup>, L. Franconi <sup>18</sup>, M. Franklin <sup>57</sup>, G. Frattari <sup>70a,70b</sup>, A.C. Freegard <sup>90</sup>, P.M. Freeman <sup>19</sup>, B. Freund <sup>107</sup>, W.S. Freund <sup>78b</sup>, E.M. Freundlich <sup>45</sup>, D. Froidevaux <sup>34</sup>, J.A. Frost <sup>130</sup>, Y. Fu <sup>58a</sup>, M. Fujimoto <sup>122</sup>, E. Fullana Torregrosa <sup>169</sup>, J. Fuster <sup>169</sup>, A. Gabrielli <sup>21b,21a</sup>, A. Gabrielli <sup>34</sup>, P. Gadow <sup>44</sup>, G. Gagliardi <sup>53b,53a</sup>, L.G. Gagnon <sup>16</sup>, G.E. Gallardo <sup>130</sup>, E.J. Gallas <sup>130</sup>, B.J. Gallop <sup>139</sup>, R. Gamboa Goni <sup>90</sup>, K.K. Gan <sup>123</sup>, S. Ganguly <sup>175</sup>, J. Gao <sup>58a</sup>, Y. Gao <sup>48</sup>, Y.S. Gao <sup>29,n</sup>, F.M. Garay Walls <sup>142a</sup>, C. García <sup>169</sup>, J.E. García Navarro <sup>169</sup>, J.A. García Pascual <sup>13a</sup>, M. Garcia-Sciveres <sup>16</sup>, R.W. Gardner <sup>35</sup>, D. Garg <sup>75</sup>, S. Gargiulo <sup>50</sup>, C.A. Garner <sup>162</sup>, V. Garonne <sup>129</sup>, S.J. Gasiorowski <sup>144</sup>, P. Gaspar <sup>78b</sup>, G. Gaudio <sup>68a</sup>, P. Gauzzi <sup>70a,70b</sup>, I.L. Gavrilenco <sup>108</sup>, A. Gavrilyuk <sup>120</sup>, C. Gay <sup>170</sup>, G. Gaycken <sup>44</sup>, E.N. Gazis <sup>9</sup>, A.A. Geanta <sup>25b</sup>, C.M. Gee <sup>141</sup>, C.N.P. Gee <sup>139</sup>, J. Geisen <sup>94</sup>, M. Geisen <sup>97</sup>, C. Gemme <sup>53b</sup>, M.H. Genest <sup>56</sup>, S. Gentile <sup>70a,70b</sup>, S. George <sup>91</sup>, W.F. George <sup>19</sup>, T. Geralis <sup>42</sup>, L.O. Gerlach <sup>51</sup>, P. Gessinger-Befurt <sup>34</sup>, M. Ghasemi Bostanabad <sup>171</sup>, M. Ghneimat <sup>147</sup>, A. Ghosh <sup>166</sup>, A. Ghosh <sup>75</sup>, B. Giacobbe <sup>21b</sup>, S. Giagu <sup>70a,70b</sup>, N. Giangiacomi <sup>162</sup>, P. Giannetti <sup>69a</sup>, A. Giannini <sup>67a,67b</sup>, S.M. Gibson <sup>91</sup>, M. Gignac <sup>141</sup>, D.T. Gil <sup>81b</sup>, B.J. Gilbert <sup>37</sup>, D. Gillberg <sup>32</sup>, G. Gilles <sup>116</sup>, N.E.K. Gillwald <sup>44</sup>, D.M. Gingrich <sup>2,al</sup>, M.P. Giordani <sup>64a,64c</sup>, P.F. Giraud <sup>140</sup>, G. Giugliarelli <sup>64a,64c</sup>, D. Giugni <sup>66a</sup>, F. Giuli <sup>71a,71b</sup>, I. Gkalias <sup>8,i</sup>, P. Gkountoumis <sup>9</sup>, L.K. Gladilin <sup>110</sup>, C. Glasman <sup>96</sup>, G.R. Gledhill <sup>127</sup>, M. Glisic <sup>127</sup>, I. Gnesi <sup>39b,d</sup>, M. Goblirsch-Kolb <sup>24</sup>, D. Godin <sup>107</sup>, S. Goldfarb <sup>102</sup>, T. Golling <sup>52</sup>, D. Golubkov <sup>119</sup>, J.P. Gombas <sup>104</sup>, A. Gomes <sup>135a,135b</sup>, R. Goncalves Gama <sup>51</sup>, R. Gonçalo <sup>135a,135c</sup>, G. Gonella <sup>127</sup>, L. Gonella <sup>19</sup>, A. Gongadze <sup>77</sup>, F. Gonnella <sup>19</sup>, J.L. Gonski <sup>37</sup>, S. González de la Hoz <sup>169</sup>, S. Gonzalez Fernandez <sup>12</sup>, R. Gonzalez Lopez <sup>88</sup>, C. Gonzalez Renteria <sup>16</sup>, R. Gonzalez Suarez <sup>167</sup>, S. Gonzalez-Sevilla <sup>52</sup>, G.R. Gonzalvo Rodriguez <sup>169</sup>, R.Y. González Andana <sup>142a</sup>, L. Goossens <sup>34</sup>, N.A. Gorasia <sup>19</sup>, P.A. Gorbounov <sup>120</sup>, H.A. Gordon <sup>27</sup>, B. Gorini <sup>34</sup>, E. Gorini <sup>65a,65b</sup>, A. Gorišek <sup>89</sup>, A.T. Goshaw <sup>47</sup>, M.I. Gostkin <sup>77</sup>, C.A. Gottardo <sup>115</sup>, M. Gouighri <sup>33b</sup>, V. Goumarre <sup>44</sup>, A.G. Goussiou <sup>144</sup>, N. Govender <sup>31c</sup>, C. Goy <sup>4</sup>, I. Grabowska-Bold <sup>81a</sup>, K. Graham <sup>32</sup>, E. Gramstad <sup>129</sup>, S. Grancagnolo <sup>17</sup>, M. Grandi <sup>152</sup>, V. Gratchev <sup>133</sup>, P.M. Gravila <sup>25f</sup>, F.G. Gravili <sup>65a,65b</sup>, H.M. Gray <sup>16</sup>, C. Grefe <sup>22</sup>, I.M. Gregor <sup>44</sup>, P. Grenier <sup>149</sup>, K. Grevtsov <sup>44</sup>, C. Grieco <sup>12</sup>, N.A. Grieser <sup>124</sup>, A.A. Grillo <sup>141</sup>, K. Grimm <sup>29,m</sup>, S. Grinstein <sup>12,x</sup>, J.-F. Grivaz <sup>62</sup>, S. Groh <sup>97</sup>, E. Gross <sup>175</sup>, J. Grosse-Knetter <sup>51</sup>, Z.J. Grout <sup>92</sup>, C. Grud <sup>103</sup>, A. Grummer <sup>114</sup>, J.C. Grundy <sup>130</sup>, L. Guan <sup>103</sup>, W. Guan <sup>176</sup>, C. Gubbels <sup>170</sup>, J. Guenther <sup>34</sup>, J.G.R. Guerrero Rojas <sup>169</sup>, F. Guescini <sup>112</sup>, D. Guest <sup>17</sup>, R. Gugel <sup>97</sup>, A. Guida <sup>44</sup>, T. Guillemin <sup>4</sup>, S. Guindon <sup>34</sup>, J. Guo <sup>58c</sup>, L. Guo <sup>62</sup>, Y. Guo <sup>103</sup>, R. Gupta <sup>44</sup>, S. Gurbuz <sup>22</sup>, G. Gustavino <sup>124</sup>, M. Guth <sup>52</sup>, P. Gutierrez <sup>124</sup>, L.F. Gutierrez Zagazeta <sup>132</sup>, C. Gutschow <sup>92</sup>, C. Guyot <sup>140</sup>, C. Gwenlan <sup>130</sup>, C.B. Gwilliam <sup>88</sup>, E.S. Haaland <sup>129</sup>, A. Haas <sup>121</sup>, M. Habedank <sup>17</sup>, C. Haber <sup>16</sup>, H.K. Hadavand <sup>7</sup>, A. Hadef <sup>97</sup>, M. Haleem <sup>172</sup>, J. Haley <sup>125</sup>, J.J. Hall <sup>145</sup>, G. Halladjian <sup>104</sup>, G.D. Hallewell <sup>99</sup>, L. Halser <sup>18</sup>, K. Hamano <sup>171</sup>, H. Hamdaoui <sup>33e</sup>, M. Hamer <sup>22</sup>, G.N. Hamity <sup>48</sup>, K. Han <sup>58a</sup>, L. Han <sup>13c</sup>, L. Han <sup>58a</sup>, S. Han <sup>16</sup>, Y.F. Han <sup>162</sup>, K. Hanagaki <sup>79,v</sup>, M. Hance <sup>141</sup>, M.D. Hank <sup>35</sup>, R. Hankache <sup>98</sup>, E. Hansen <sup>94</sup>, J.B. Hansen <sup>38</sup>, J.D. Hansen <sup>38</sup>, M.C. Hansen <sup>22</sup>, P.H. Hansen <sup>38</sup>, K. Hara <sup>164</sup>, T. Harenberg <sup>177</sup>, S. Harkusha <sup>105</sup>, Y.T. Harris <sup>130</sup>, P.F. Harrison <sup>173</sup>, N.M. Hartman <sup>149</sup>, N.M. Hartmann <sup>111</sup>, Y. Hasegawa <sup>146</sup>, A. Hasib <sup>48</sup>, S. Hassani <sup>140</sup>, S. Haug <sup>18</sup>, R. Hauser <sup>104</sup>, M. Havranek <sup>137</sup>, C.M. Hawkes <sup>19</sup>, R.J. Hawkings <sup>34</sup>, S. Hayashida <sup>113</sup>, D. Hayden <sup>104</sup>, C. Hayes <sup>103</sup>, R.L. Hayes <sup>170</sup>, C.P. Hays <sup>130</sup>, J.M. Hays <sup>90</sup>, H.S. Hayward <sup>88</sup>, S.J. Haywood <sup>139</sup>, F. He <sup>58a</sup>, Y. He <sup>160</sup>, Y. He <sup>131</sup>, M.P. Heath <sup>48</sup>, V. Hedberg <sup>94</sup>, A.L. Heggelund <sup>129</sup>, N.D. Hehir <sup>90</sup>, C. Heidegger <sup>50</sup>, K.K. Heidegger <sup>50</sup>, W.D. Heidorn <sup>76</sup>, J. Heilman <sup>32</sup>, S. Heim <sup>44</sup>, T. Heim <sup>16</sup>, B. Heinemann <sup>44,aj</sup>, J.G. Heinlein <sup>132</sup>, J.J. Heinrich <sup>127</sup>, L. Heinrich <sup>34</sup>, J. Hejbal <sup>136</sup>, L. Helary <sup>44</sup>, A. Held <sup>121</sup>, S. Hellesund <sup>129</sup>, C.M. Helling <sup>141</sup>, S. Hellman <sup>43a,43b</sup>, C. Helsens <sup>34</sup>, R.C.W. Henderson <sup>87</sup>, L. Henkelmann <sup>30</sup>, A.M. Henriques Correia <sup>34</sup>, H. Herde <sup>149</sup>, Y. Hernández Jiménez <sup>151</sup>, H. Herr <sup>97</sup>, M.G. Herrmann <sup>111</sup>, T. Herrmann <sup>46</sup>, G. Herten <sup>50</sup>, R. Hertenberger <sup>111</sup>, L. Hervas <sup>34</sup>, N.P. Hessey <sup>163a</sup>, H. Hibi <sup>80</sup>, S. Higashino <sup>79</sup>, E. Higón-Rodriguez <sup>169</sup>, K.K. Hill <sup>27</sup>, K.H. Hiller <sup>44</sup>, S.J. Hillier <sup>19</sup>, M. Hils <sup>46</sup>, I. Hinchliffe <sup>16</sup>, F. Hinterkeuser <sup>22</sup>, M. Hirose <sup>128</sup>, S. Hirose <sup>164</sup>, D. Hirschbuehl <sup>177</sup>, B. Hiti <sup>89</sup>, O. Hladik <sup>136</sup>, J. Hobbs <sup>151</sup>, R. Hobincu <sup>25e</sup>, N. Hod <sup>175</sup>, M.C. Hodgkinson <sup>145</sup>, B.H. Hodgkinson <sup>30</sup>, A. Hoecker <sup>34</sup>, J. Hofer <sup>44</sup>, D. Hohn <sup>50</sup>, T. Holm <sup>22</sup>, T.R. Holmes <sup>35</sup>, M. Holzbock <sup>112</sup>, L.B.A.H. Hommels <sup>30</sup>, B.P. Honan <sup>98</sup>, J. Hong <sup>58c</sup>, T.M. Hong <sup>134</sup>, J.C. Honig <sup>50</sup>, A. Hönele <sup>112</sup>, B.H. Hooberman <sup>168</sup>, W.H. Hopkins <sup>5</sup>, Y. Horii <sup>113</sup>, P. Horn <sup>46</sup>, L.A. Horyn <sup>35</sup>, S. Hou <sup>154</sup>, J. Howarth <sup>55</sup>,

- J. Hoya <sup>86</sup>, M. Hrabovsky <sup>126</sup>, A. Hrynevich <sup>106</sup>, T. Hrynevich <sup>4</sup>, P.J. Hsu <sup>61</sup>, S.-C. Hsu <sup>144</sup>, Q. Hu <sup>37</sup>, S. Hu <sup>58c</sup>, Y.F. Hu <sup>13a,13d,an</sup>, D.P. Huang <sup>92</sup>, X. Huang <sup>13c</sup>, Y. Huang <sup>58a</sup>, Y. Huang <sup>13a</sup>, Z. Hubacek <sup>137</sup>, F. Hubaut <sup>99</sup>, M. Huebner <sup>22</sup>, F. Huegging <sup>22</sup>, T.B. Huffman <sup>130</sup>, M. Huhtinen <sup>34</sup>, R. Hulskens <sup>56</sup>, N. Huseynov <sup>77,ab</sup>, J. Huston <sup>104</sup>, J. Huth <sup>57</sup>, R. Hyneman <sup>149</sup>, S. Hyrych <sup>26a</sup>, G. Iacobucci <sup>52</sup>, G. Iakovidis <sup>27</sup>, I. Ibragimov <sup>147</sup>, L. Iconomidou-Fayard <sup>62</sup>, P. Iengo <sup>34</sup>, R. Iguchi <sup>159</sup>, T. Iizawa <sup>52</sup>, Y. Ikegami <sup>79</sup>, A. Ilg <sup>18</sup>, N. Illic <sup>162</sup>, H. Imam <sup>33a</sup>, T. Ingebretsen Carlson <sup>43a,43b</sup>, G. Introzzi <sup>68a,68b</sup>, M. Iodice <sup>72a</sup>, V. Ippolito <sup>70a,70b</sup>, M. Ishino <sup>159</sup>, W. Islam <sup>125</sup>, C. Issever <sup>17,44</sup>, S. Istin <sup>11c,ao</sup>, J.M. Iturbe Ponce <sup>60a</sup>, R. Iuppa <sup>73a,73b</sup>, A. Ivina <sup>175</sup>, J.M. Izen <sup>41</sup>, V. Izzo <sup>67a</sup>, P. Jacka <sup>136</sup>, P. Jackson <sup>1</sup>, R.M. Jacobs <sup>44</sup>, B.P. Jaeger <sup>148</sup>, C.S. Jagfeld <sup>111</sup>, G. Jäkel <sup>177</sup>, K. Jakobs <sup>50</sup>, T. Jakoubek <sup>175</sup>, J. Jamieson <sup>55</sup>, K.W. Janas <sup>81a</sup>, G. Jarlskog <sup>94</sup>, A.E. Jaspan <sup>88</sup>, N. Javadov <sup>77,ab</sup>, T. Javůrek <sup>34</sup>, M. Javurkova <sup>100</sup>, F. Jeanneau <sup>140</sup>, L. Jeanty <sup>127</sup>, J. Jejelava <sup>155a,ac</sup>, P. Jenni <sup>50,e</sup>, S. Jézéquel <sup>4</sup>, J. Jia <sup>151</sup>, Z. Jia <sup>13c</sup>, Y. Jiang <sup>58a</sup>, S. Jiggins <sup>50</sup>, J. Jimenez Pena <sup>112</sup>, S. Jin <sup>13c</sup>, A. Jinaru <sup>25b</sup>, O. Jinnouchi <sup>160</sup>, H. Jivan <sup>31f</sup>, P. Johansson <sup>145</sup>, K.A. Johns <sup>6</sup>, C.A. Johnson <sup>63</sup>, D.M. Jones <sup>30</sup>, E. Jones <sup>173</sup>, R.W.L. Jones <sup>87</sup>, T.J. Jones <sup>88</sup>, J. Jovicevic <sup>51</sup>, X. Ju <sup>16</sup>, J.J. Junggeburth <sup>34</sup>, A. Juste Rozas <sup>12,x</sup>, S. Kabana <sup>142c</sup>, A. Kaczmarska <sup>82</sup>, M. Kado <sup>70a,70b</sup>, H. Kagan <sup>123</sup>, M. Kagan <sup>149</sup>, A. Kahn <sup>37</sup>, C. Kahra <sup>97</sup>, T. Kaji <sup>174</sup>, E. Kajomovitz <sup>156</sup>, C.W. Kalderon <sup>27</sup>, A. Kamenshchikov <sup>119</sup>, M. Kaneda <sup>159</sup>, N.J. Kang <sup>141</sup>, S. Kang <sup>76</sup>, Y. Kano <sup>113</sup>, J. Kanzaki <sup>79</sup>, D. Kar <sup>31f</sup>, K. Karava <sup>130</sup>, M.J. Kareem <sup>163b</sup>, I. Karkanias <sup>158</sup>, S.N. Karpov <sup>77</sup>, Z.M. Karpova <sup>77</sup>, V. Kartvelishvili <sup>87</sup>, A.N. Karyukhin <sup>119</sup>, E. Kasimi <sup>158</sup>, C. Kato <sup>58d</sup>, J. Katzy <sup>44</sup>, K. Kawade <sup>146</sup>, K. Kawagoe <sup>85</sup>, T. Kawaguchi <sup>113</sup>, T. Kawamoto <sup>140</sup>, G. Kawamura <sup>51</sup>, E.F. Kay <sup>171</sup>, F.I. Kaya <sup>165</sup>, S. Kazakos <sup>12</sup>, V.F. Kazanin <sup>118b,118a</sup>, Y. Ke <sup>151</sup>, J.M. Keaveney <sup>31a</sup>, R. Keeler <sup>171</sup>, J.S. Keller <sup>32</sup>, D. Kelsey <sup>152</sup>, J.J. Kempster <sup>19</sup>, J. Kendrick <sup>19</sup>, K.E. Kennedy <sup>37</sup>, O. Kepka <sup>136</sup>, S. Kersten <sup>177</sup>, B.P. Kerševan <sup>89</sup>, S. Ketabchi Haghighat <sup>162</sup>, M. Khandoga <sup>131</sup>, A. Khanov <sup>125</sup>, A.G. Kharlamov <sup>118b,118a</sup>, T. Kharlamova <sup>118b,118a</sup>, E.E. Khoda <sup>144</sup>, T.J. Khoo <sup>17</sup>, G. Khoriauli <sup>172</sup>, E. Kramov <sup>77</sup>, J. Khubua <sup>155b</sup>, S. Kido <sup>80</sup>, M. Kiehn <sup>34</sup>, A. Kilgallon <sup>127</sup>, E. Kim <sup>160</sup>, Y.K. Kim <sup>35</sup>, N. Kimura <sup>92</sup>, A. Kirchhoff <sup>51</sup>, D. Kirchmeier <sup>46</sup>, C. Kifel <sup>22</sup>, J. Kirk <sup>139</sup>, A.E. Kiryunin <sup>112</sup>, T. Kishimoto <sup>159</sup>, D.P. Kisliuk <sup>162</sup>, V. Kitali <sup>44</sup>, C. Kitsaki <sup>9</sup>, O. Kivernyk <sup>22</sup>, T. Klapdor-Kleingrothaus <sup>50</sup>, M. Klassen <sup>59a</sup>, C. Klein <sup>32</sup>, L. Klein <sup>172</sup>, M.H. Klein <sup>103</sup>, M. Klein <sup>88</sup>, U. Klein <sup>88</sup>, P. Klimek <sup>34</sup>, A. Klimentov <sup>27</sup>, F. Klimpel <sup>34</sup>, T. Klingl <sup>22</sup>, T. Klioutchnikova <sup>34</sup>, F.F. Klitzner <sup>111</sup>, P. Kluit <sup>116</sup>, S. Kluth <sup>112</sup>, E. Knerner <sup>74</sup>, T.M. Knight <sup>162</sup>, A. Knue <sup>50</sup>, D. Kobayashi <sup>85</sup>, M. Kobel <sup>46</sup>, M. Kocian <sup>149</sup>, T. Kodama <sup>159</sup>, P. Kodys <sup>138</sup>, D.M. Koeck <sup>152</sup>, P.T. Koenig <sup>22</sup>, T. Koffas <sup>32</sup>, N.M. Köhler <sup>34</sup>, M. Kolb <sup>140</sup>, I. Koletsou <sup>4</sup>, T. Komarek <sup>126</sup>, K. Köneke <sup>50</sup>, A.X.Y. Kong <sup>1</sup>, T. Kono <sup>122</sup>, V. Konstantinides <sup>92</sup>, N. Konstantinidis <sup>92</sup>, B. Konya <sup>94</sup>, R. Kopeliansky <sup>63</sup>, S. Koperny <sup>81a</sup>, K. Korcyl <sup>82</sup>, K. Kordas <sup>158</sup>, G. Koren <sup>157</sup>, A. Korn <sup>92</sup>, S. Korn <sup>51</sup>, I. Korolkov <sup>12</sup>, E.V. Korolkova <sup>145</sup>, N. Korotkova <sup>110</sup>, B. Kortman <sup>116</sup>, O. Kortner <sup>112</sup>, S. Kortner <sup>112</sup>, W.H. Kostecka <sup>117</sup>, V.V. Kostyukhin <sup>145,161</sup>, A. Kotsokechagia <sup>62</sup>, A. Kotwal <sup>47</sup>, A. Koulouris <sup>34</sup>, A. Kourkoumeli-Charalampidi <sup>68a,68b</sup>, C. Kourkoumelis <sup>8</sup>, E. Kourlitis <sup>5</sup>, O. Kovanda <sup>152</sup>, R. Kowalewski <sup>171</sup>, W. Kozanecki <sup>140</sup>, A.S. Kozhin <sup>119</sup>, V.A. Kramarenko <sup>110</sup>, G. Kramberger <sup>89</sup>, D. Krasnopevtsev <sup>58a</sup>, M.W. Krasny <sup>131</sup>, A. Krasznahorkay <sup>34</sup>, J.A. Kremer <sup>97</sup>, J. Kretzschmar <sup>88</sup>, K. Kreul <sup>17</sup>, P. Krieger <sup>162</sup>, F. Krieter <sup>111</sup>, S. Krishnamurthy <sup>100</sup>, A. Krishnan <sup>59b</sup>, M. Krivos <sup>138</sup>, K. Krizka <sup>16</sup>, K. Kroeninger <sup>45</sup>, H. Kroha <sup>112</sup>, J. Kroll <sup>136</sup>, J. Kroll <sup>132</sup>, K.S. Krowpman <sup>104</sup>, U. Kruchonak <sup>77</sup>, H. Krüger <sup>22</sup>, N. Krumnack <sup>76</sup>, M.C. Kruse <sup>47</sup>, J.A. Krzysiak <sup>82</sup>, A. Kubota <sup>160</sup>, O. Kuchinskaia <sup>161</sup>, S. Kuday <sup>3b</sup>, D. Kuechler <sup>44</sup>, J.T. Kuechler <sup>44</sup>, S. Kuehn <sup>34</sup>, T. Kuhl <sup>44</sup>, V. Kukhtin <sup>77</sup>, Y. Kulchitsky <sup>105,af</sup>, S. Kuleshov <sup>142b</sup>, M. Kumar <sup>31f</sup>, N. Kumari <sup>99</sup>, M. Kuna <sup>56</sup>, A. Kupco <sup>136</sup>, T. Kupfer <sup>45</sup>, O. Kuprash <sup>50</sup>, H. Kurashige <sup>80</sup>, LL. Kurchaninov <sup>163a</sup>, Y.A. Kurochkin <sup>105</sup>, A. Kurova <sup>109</sup>, M.G. Kurth <sup>13a,13d</sup>, E.S. Kuwertz <sup>34</sup>, M. Kuze <sup>160</sup>, A.K. Kvam <sup>144</sup>, J. Kvita <sup>126</sup>, T. Kwan <sup>101</sup>, K.W. Kwok <sup>60a</sup>, C. Lacasta <sup>169</sup>, F. Lacava <sup>70a,70b</sup>, H. Lacker <sup>17</sup>, D. Lacour <sup>131</sup>, N.N. Lad <sup>92</sup>, E. Ladygin <sup>77</sup>, R. Lafaye <sup>4</sup>, B. Laforge <sup>131</sup>, T. Lagouri <sup>142c</sup>, S. Lai <sup>51</sup>, I.K. Lakomiec <sup>81a</sup>, N. Lalloue <sup>56</sup>, J.E. Lambert <sup>124</sup>, S. Lammers <sup>63</sup>, W. Lampl <sup>6</sup>, C. Lampoudis <sup>158</sup>, E. Lançon <sup>27</sup>, U. Landgraf <sup>50</sup>, M.P.J. Landon <sup>90</sup>, V.S. Lang <sup>50</sup>, J.C. Lange <sup>51</sup>, R.J. Langenberg <sup>100</sup>, A.J. Lankford <sup>166</sup>, F. Lanni <sup>27</sup>, K. Lantzsch <sup>22</sup>, A. Lanza <sup>68a</sup>, A. Lapertosa <sup>53b,53a</sup>, J.F. Laporte <sup>140</sup>, T. Lari <sup>66a</sup>, F. Lasagni Manghi <sup>21b</sup>, M. Lassnig <sup>34</sup>, V. Latonova <sup>136</sup>, T.S. Lau <sup>60a</sup>, A. Laudrain <sup>97</sup>, A. Laurier <sup>32</sup>, M. Lavorgna <sup>67a,67b</sup>, S.D. Lawlor <sup>91</sup>, Z. Lawrence <sup>98</sup>, M. Lazzaroni <sup>66a,66b</sup>, B. Le <sup>98</sup>, B. Leban <sup>89</sup>, A. Lebedev <sup>76</sup>, M. LeBlanc <sup>34</sup>, T. LeCompte <sup>5</sup>, F. Ledroit-Guillon <sup>56</sup>, A.C.A. Lee <sup>92</sup>, G.R. Lee <sup>15</sup>, L. Lee <sup>57</sup>, S.C. Lee <sup>154</sup>, S. Lee <sup>76</sup>, L.L. Leeuw <sup>31c</sup>, B. Lefebvre <sup>163a</sup>, H.P. Lefebvre <sup>91</sup>, M. Lefebvre <sup>171</sup>, C. Leggett <sup>16</sup>, K. Lehmann <sup>148</sup>, N. Lehmann <sup>18</sup>, G. Lehmann Miotto <sup>34</sup>, W.A. Leight <sup>44</sup>, A. Leisos <sup>158,w</sup>, M.A.L. Leite <sup>78c</sup>, C.E. Leitgeb <sup>44</sup>, R. Leitner <sup>138</sup>, K.J.C. Leney <sup>40</sup>, T. Lenz <sup>22</sup>, S. Leone <sup>69a</sup>, C. Leonidopoulos <sup>48</sup>, A. Leopold <sup>131</sup>, C. Leroy <sup>107</sup>, R. Les <sup>104</sup>, C.G. Lester <sup>30</sup>, M. Levchenko <sup>133</sup>, J. Levêque <sup>4</sup>, D. Levin <sup>103</sup>, L.J. Levinson <sup>175</sup>, D.J. Lewis <sup>19</sup>, B. Li <sup>13b</sup>, B. Li <sup>58b</sup>,

- C. Li <sup>58a</sup>, C.-Q. Li <sup>58c,58d</sup>, H. Li <sup>58a</sup>, H. Li <sup>58b</sup>, J. Li <sup>58c</sup>, K. Li <sup>144</sup>, L. Li <sup>58c</sup>, M. Li <sup>13a,13d</sup>, Q.Y. Li <sup>58a</sup>, S. Li <sup>58d,58c,c</sup>, X. Li <sup>44</sup>, Y. Li <sup>44</sup>, Z. Li <sup>58b</sup>, Z. Li <sup>130</sup>, Z. Li <sup>101</sup>, Z. Li <sup>88</sup>, Z. Liang <sup>13a</sup>, M. Liberatore <sup>44</sup>, B. Liberti <sup>71a</sup>, K. Lie <sup>60c</sup>, K. Lin <sup>104</sup>, R.A. Linck <sup>63</sup>, R.E. Lindley <sup>6</sup>, J.H. Lindon <sup>2</sup>, A. Linss <sup>44</sup>, E. Lipeles <sup>132</sup>, A. Lipniacka <sup>15</sup>, T.M. Liss <sup>168,ak</sup>, A. Lister <sup>170</sup>, J.D. Little <sup>7</sup>, B. Liu <sup>13a</sup>, B.X. Liu <sup>148</sup>, J.B. Liu <sup>58a</sup>, J.K.K. Liu <sup>35</sup>, K. Liu <sup>58d,58c</sup>, M. Liu <sup>58a</sup>, M.Y. Liu <sup>58a</sup>, P. Liu <sup>13a</sup>, X. Liu <sup>58a</sup>, Y. Liu <sup>44</sup>, Y. Liu <sup>13c,13d</sup>, Y.L. Liu <sup>103</sup>, Y.W. Liu <sup>58a</sup>, M. Livan <sup>68a,68b</sup>, A. Lleres <sup>56</sup>, J. Llorente Merino <sup>148</sup>, S.L. Lloyd <sup>90</sup>, E.M. Lobodzinska <sup>44</sup>, P. Loch <sup>6</sup>, S. Loffredo <sup>71a,71b</sup>, T. Lohse <sup>17</sup>, K. Lohwasser <sup>145</sup>, M. Lokajicek <sup>136</sup>, J.D. Long <sup>168</sup>, I. Longarini <sup>70a,70b</sup>, L. Longo <sup>34</sup>, R. Longo <sup>168</sup>, I. Lopez Paz <sup>12</sup>, A. Lopez Solis <sup>44</sup>, J. Lorenz <sup>111</sup>, N. Lorenzo Martinez <sup>4</sup>, A.M. Lory <sup>111</sup>, A. Löslé <sup>50</sup>, X. Lou <sup>43a,43b</sup>, X. Lou <sup>13a</sup>, A. Lounis <sup>62</sup>, J. Love <sup>5</sup>, P.A. Love <sup>87</sup>, J.J. Lozano Bahilo <sup>169</sup>, G. Lu <sup>13a</sup>, M. Lu <sup>58a</sup>, S. Lu <sup>132</sup>, Y.J. Lu <sup>61</sup>, H.J. Lubatti <sup>144</sup>, C. Luci <sup>70a,70b</sup>, F.L. Lucio Alves <sup>13c</sup>, A. Lucotte <sup>56</sup>, F. Luehring <sup>63</sup>, I. Luise <sup>151</sup>, L. Luminari <sup>70a</sup>, O. Lundberg <sup>150</sup>, B. Lund-Jensen <sup>150</sup>, N.A. Luongo <sup>127</sup>, M.S. Lutz <sup>157</sup>, D. Lynn <sup>27</sup>, H. Lyons <sup>88</sup>, R. Lysak <sup>136</sup>, E. Lytken <sup>94</sup>, F. Lyu <sup>13a</sup>, V. Lyubushkin <sup>77</sup>, T. Lyubushkina <sup>77</sup>, H. Ma <sup>27</sup>, LL. Ma <sup>58b</sup>, Y. Ma <sup>92</sup>, D.M. Mac Donell <sup>171</sup>, G. Maccarrone <sup>49</sup>, C.M. Macdonald <sup>145</sup>, J.C. MacDonald <sup>145</sup>, R. Madar <sup>36</sup>, W.F. Mader <sup>46</sup>, M. Madugoda Ralalage Don <sup>125</sup>, N. Madysa <sup>46</sup>, J. Maeda <sup>80</sup>, T. Maeno <sup>27</sup>, M. Maerker <sup>46</sup>, V. Magerl <sup>50</sup>, J. Magro <sup>64a,64c</sup>, D.J. Mahon <sup>37</sup>, C. Maidantchik <sup>78b</sup>, A. Maio <sup>135a,135b,135d</sup>, K. Maj <sup>81a</sup>, O. Majersky <sup>26a</sup>, S. Majewski <sup>127</sup>, N. Makovec <sup>62</sup>, B. Malaescu <sup>131</sup>, Pa. Malecki <sup>82</sup>, V.P. Maleev <sup>133</sup>, F. Malek <sup>56</sup>, D. Malito <sup>39b,39a</sup>, U. Mallik <sup>75</sup>, C. Malone <sup>30</sup>, S. Maltezos <sup>9</sup>, S. Malyukov <sup>77</sup>, J. Mamuzic <sup>169</sup>, G. Mancini <sup>49</sup>, J.P. Mandalia <sup>90</sup>, I. Mandić <sup>89</sup>, L. Manhaes de Andrade Filho <sup>78a</sup>, I.M. Maniatis <sup>158</sup>, M. Manisha <sup>140</sup>, J. Manjarres Ramos <sup>46</sup>, K.H. Mankinen <sup>94</sup>, A. Mann <sup>111</sup>, A. Manousos <sup>74</sup>, B. Mansoulie <sup>140</sup>, I. Manthos <sup>158</sup>, S. Manzoni <sup>116</sup>, A. Marantis <sup>158,w</sup>, L. Marchese <sup>130</sup>, G. Marchiori <sup>131</sup>, M. Marcisovsky <sup>136</sup>, L. Marcoccia <sup>71a,71b</sup>, C. Marcon <sup>94</sup>, M. Marjanovic <sup>124</sup>, Z. Marshall <sup>16</sup>, S. Marti-Garcia <sup>169</sup>, T.A. Martin <sup>173</sup>, V.J. Martin <sup>48</sup>, B. Martin dit Latour <sup>15</sup>, L. Martinelli <sup>70a,70b</sup>, M. Martinez <sup>12,x</sup>, P. Martinez Agullo <sup>169</sup>, V.I. Martinez Outschoorn <sup>100</sup>, S. Martin-Haugh <sup>139</sup>, V.S. Martoiu <sup>25b</sup>, A.C. Martyniuk <sup>92</sup>, A. Marzin <sup>34</sup>, S.R. Maschek <sup>112</sup>, L. Masetti <sup>97</sup>, T. Mashimo <sup>159</sup>, J. Masik <sup>98</sup>, A.L. Maslennikov <sup>118b,118a</sup>, L. Massa <sup>21b</sup>, P. Massarotti <sup>67a,67b</sup>, P. Mastrandrea <sup>69a,69b</sup>, A. Mastroberardino <sup>39b,39a</sup>, T. Masubuchi <sup>159</sup>, D. Matakias <sup>27</sup>, T. Mathisen <sup>167</sup>, A. Matic <sup>111</sup>, N. Matsuzawa <sup>159</sup>, J. Maurer <sup>25b</sup>, B. Maček <sup>89</sup>, D.A. Maximov <sup>118b,118a</sup>, R. Mazini <sup>154</sup>, I. Maznas <sup>158</sup>, S.M. Mazza <sup>141</sup>, C. Mc Ginn <sup>27</sup>, J.P. Mc Gowan <sup>101</sup>, S.P. Mc Kee <sup>103</sup>, T.G. McCarthy <sup>112</sup>, W.P. McCormack <sup>16</sup>, E.F. McDonald <sup>102</sup>, A.E. McDougall <sup>116</sup>, J.A. McFayden <sup>152</sup>, G. Mchedlidze <sup>155b</sup>, M.A. McKay <sup>40</sup>, K.D. McLean <sup>171</sup>, S.J. McMahon <sup>139</sup>, P.C. McNamara <sup>102</sup>, R.A. McPherson <sup>171,aa</sup>, J.E. Mdhluli <sup>31f</sup>, Z.A. Meadows <sup>100</sup>, S. Meehan <sup>34</sup>, T. Megy <sup>36</sup>, S. Mehlhase <sup>111</sup>, A. Mehta <sup>88</sup>, B. Meirose <sup>41</sup>, D. Melini <sup>156</sup>, B.R. Mellado Garcia <sup>31f</sup>, F. Meloni <sup>44</sup>, A. Melzer <sup>22</sup>, E.D. Mendes Gouveia <sup>135a</sup>, A.M. Mendes Jacques Da Costa <sup>19</sup>, H.Y. Meng <sup>162</sup>, L. Meng <sup>34</sup>, S. Menke <sup>112</sup>, M. Mentink <sup>34</sup>, E. Meoni <sup>39b,39a</sup>, C. Merlassino <sup>130</sup>, P. Mermod <sup>52,\*</sup>, L. Merola <sup>67a,67b</sup>, C. Meroni <sup>66a</sup>, G. Merz <sup>103</sup>, O. Meshkov <sup>110,108</sup>, J.K.R. Meshreki <sup>147</sup>, J. Metcalfe <sup>5</sup>, A.S. Mete <sup>5</sup>, C. Meyer <sup>63</sup>, J.-P. Meyer <sup>140</sup>, M. Michetti <sup>17</sup>, R.P. Middleton <sup>139</sup>, L. Mijović <sup>48</sup>, G. Mikenberg <sup>175</sup>, M. Mikestikova <sup>136</sup>, M. Mikuž <sup>89</sup>, H. Mildner <sup>145</sup>, A. Milic <sup>162</sup>, C.D. Milke <sup>40</sup>, D.W. Miller <sup>35</sup>, L.S. Miller <sup>32</sup>, A. Milov <sup>175</sup>, D.A. Milstead <sup>43a,43b</sup>, A.A. Minaenko <sup>119</sup>, I.A. Minashvili <sup>155b</sup>, L. Mince <sup>55</sup>, A.I. Mincer <sup>121</sup>, B. Mindur <sup>81a</sup>, M. Mineev <sup>77</sup>, Y. Minegishi <sup>159</sup>, Y. Mino <sup>83</sup>, L.M. Mir <sup>12</sup>, M. Miralles Lopez <sup>169</sup>, M. Mironova <sup>130</sup>, T. Mitani <sup>174</sup>, V.A. Mitsou <sup>169</sup>, M. Mittal <sup>58c</sup>, O. Miu <sup>162</sup>, P.S. Miyagawa <sup>90</sup>, Y. Miyazaki <sup>85</sup>, A. Mizukami <sup>79</sup>, J.U. Mjörnmark <sup>94</sup>, T. Mkrtchyan <sup>59a</sup>, M. Mlynarikova <sup>117</sup>, T. Moa <sup>43a,43b</sup>, S. Mobius <sup>51</sup>, K. Mochizuki <sup>107</sup>, P. Moder <sup>44</sup>, P. Mogg <sup>111</sup>, A.F. Mohammed <sup>13a</sup>, S. Mohapatra <sup>37</sup>, G. Mokgatitswane <sup>31f</sup>, B. Mondal <sup>147</sup>, S. Mondal <sup>137</sup>, K. Mönig <sup>44</sup>, E. Monnier <sup>99</sup>, A. Montalbano <sup>148</sup>, J. Montejo Berlingen <sup>34</sup>, M. Montella <sup>123</sup>, F. Monticelli <sup>86</sup>, N. Morange <sup>62</sup>, A.L. Moreira De Carvalho <sup>135a</sup>, M. Moreno Llácer <sup>169</sup>, C. Moreno Martinez <sup>12</sup>, P. Morettini <sup>53b</sup>, M. Morgenstern <sup>156</sup>, S. Morgenstern <sup>173</sup>, D. Mori <sup>148</sup>, M. Morii <sup>57</sup>, M. Morinaga <sup>159</sup>, V. Morisbak <sup>129</sup>, A.K. Morley <sup>34</sup>, A.P. Morris <sup>92</sup>, L. Morvaj <sup>34</sup>, P. Moschovakos <sup>34</sup>, B. Moser <sup>116</sup>, M. Mosidze <sup>155b</sup>, T. Moskalets <sup>50</sup>, P. Moskvitina <sup>115</sup>, J. Moss <sup>29,o</sup>, E.J.W. Moyse <sup>100</sup>, S. Muanza <sup>99</sup>, J. Mueller <sup>134</sup>, R. Mueller <sup>18</sup>, D. Muenstermann <sup>87</sup>, G.A. Mullier <sup>94</sup>, J.J. Mullin <sup>132</sup>, D.P. Mungo <sup>66a,66b</sup>, J.L. Munoz Martinez <sup>12</sup>, F.J. Munoz Sanchez <sup>98</sup>, M. Murin <sup>98</sup>, P. Murin <sup>26b</sup>, W.J. Murray <sup>173,139</sup>, A. Murrone <sup>66a,66b</sup>, J.M. Muse <sup>124</sup>, M. Muškinja <sup>16</sup>, C. Mwewa <sup>27</sup>, A.G. Myagkov <sup>119,ag</sup>, A.J. Myers <sup>7</sup>, A.A. Myers <sup>134</sup>, G. Myers <sup>63</sup>, M. Myska <sup>137</sup>, B.P. Nachman <sup>16</sup>, O. Nackenhorst <sup>45</sup>, A. Nag Nag <sup>46</sup>, K. Nagai <sup>130</sup>, K. Nagano <sup>79</sup>, J.L. Nagle <sup>27</sup>, E. Nagy <sup>99</sup>, A.M. Nairz <sup>34</sup>, Y. Nakahama <sup>113</sup>, K. Nakamura <sup>79</sup>, H. Nanjo <sup>128</sup>, F. Napolitano <sup>59a</sup>, R. Narayan <sup>40</sup>, I. Naryshkin <sup>133</sup>, M. Naseri <sup>32</sup>, C. Nass <sup>22</sup>, T. Naumann <sup>44</sup>, G. Navarro <sup>20a</sup>, J. Navarro-Gonzalez <sup>169</sup>, R. Nayak <sup>157</sup>, P.Y. Nechaeva <sup>108</sup>, F. Nechansky <sup>44</sup>, T.J. Neep <sup>19</sup>,

- A. Negri <sup>68a,68b</sup>, M. Negrini <sup>21b</sup>, C. Nellist <sup>115</sup>, C. Nelson <sup>101</sup>, K. Nelson <sup>103</sup>, M.E. Nelson <sup>43a,43b</sup>, S. Nemecek <sup>136</sup>, M. Nessi <sup>34,g</sup>, M.S. Neubauer <sup>168</sup>, F. Neuhaus <sup>97</sup>, J. Neundorf <sup>44</sup>, R. Newhouse <sup>170</sup>, P.R. Newman <sup>19</sup>, C.W. Ng <sup>134</sup>, Y.S. Ng <sup>17</sup>, Y.W.Y. Ng <sup>166</sup>, B. Ngair <sup>33e</sup>, H.D.N. Nguyen <sup>99</sup>, R.B. Nickerson <sup>130</sup>, R. Nicolaïdou <sup>140</sup>, D.S. Nielsen <sup>38</sup>, J. Nielsen <sup>141</sup>, M. Niemeyer <sup>51</sup>, N. Nikiforou <sup>10</sup>, V. Nikolaenko <sup>119,ag</sup>, I. Nikolic-Audit <sup>131</sup>, K. Nikolopoulos <sup>19</sup>, P. Nilsson <sup>27</sup>, H.R. Nindhito <sup>52</sup>, A. Nisati <sup>70a</sup>, N. Nishu <sup>2</sup>, R. Nisius <sup>112</sup>, T. Nitta <sup>174</sup>, T. Nobe <sup>159</sup>, D.L. Noel <sup>30</sup>, Y. Noguchi <sup>83</sup>, I. Nomidis <sup>131</sup>, M.A. Nomura <sup>27</sup>, M.B. Norfolk <sup>145</sup>, R.R.B. Norisam <sup>92</sup>, J. Novak <sup>89</sup>, T. Novak <sup>44</sup>, O. Novgorodova <sup>46</sup>, L. Novotny <sup>137</sup>, R. Novotny <sup>114</sup>, L. Nozka <sup>126</sup>, K. Ntekas <sup>166</sup>, E. Nurse <sup>92</sup>, F.G. Oakham <sup>32,al</sup>, J. Ocariz <sup>131</sup>, A. Ochi <sup>80</sup>, I. Ochoa <sup>135a</sup>, J.P. Ochoa-Ricoux <sup>142a</sup>, S. Oda <sup>85</sup>, S. Odaka <sup>79</sup>, S. Oerdeke <sup>167</sup>, A. Ogrodnik <sup>81a</sup>, A. Oh <sup>98</sup>, C.C. Ohm <sup>150</sup>, H. Oide <sup>160</sup>, R. Oishi <sup>159</sup>, M.L. Ojeda <sup>162</sup>, Y. Okazaki <sup>83</sup>, M.W. O'Keefe <sup>88</sup>, Y. Okumura <sup>159</sup>, A. Olariu <sup>25b</sup>, L.F. Oleiro Seabra <sup>135a</sup>, S.A. Olivares Pino <sup>142c</sup>, D. Oliveira Damazio <sup>27</sup>, D. Oliveira Goncalves <sup>78a</sup>, J.L. Oliver <sup>166</sup>, M.J.R. Olsson <sup>166</sup>, A. Olszewski <sup>82</sup>, J. Olszowska <sup>82</sup>, Ö.O. Öncel <sup>22</sup>, D.C. O'Neil <sup>148</sup>, A.P. O'Neill <sup>130</sup>, A. Onofre <sup>135a,135e</sup>, P.U.E. Onyisi <sup>10</sup>, R.G. Oreamuno Madriz <sup>117</sup>, M.J. Oreglia <sup>35</sup>, G.E. Orellana <sup>86</sup>, D. Orestano <sup>72a,72b</sup>, N. Orlando <sup>12</sup>, R.S. Orr <sup>162</sup>, V. O'Shea <sup>55</sup>, R. Ospanov <sup>58a</sup>, G. Otero y Garzon <sup>28</sup>, H. Otono <sup>85</sup>, P.S. Ott <sup>59a</sup>, G.J. Ottino <sup>16</sup>, M. Ouchrif <sup>33d</sup>, J. Ouellette <sup>27</sup>, F. Ould-Saada <sup>129</sup>, A. Ouraou <sup>140,\*</sup>, Q. Ouyang <sup>13a</sup>, M. Owen <sup>55</sup>, R.E. Owen <sup>139</sup>, K.Y. Oyulmaz <sup>11c</sup>, V.E. Ozcan <sup>11c</sup>, N. Ozturk <sup>7</sup>, S. Ozturk <sup>11c</sup>, J. Pacalt <sup>126</sup>, H.A. Pacey <sup>30</sup>, K. Pachal <sup>47</sup>, A. Pacheco Pages <sup>12</sup>, C. Padilla Aranda <sup>12</sup>, S. Pagan Griso <sup>16</sup>, G. Palacino <sup>63</sup>, S. Palazzo <sup>48</sup>, S. Palestini <sup>34</sup>, M. Palka <sup>81b</sup>, P. Palni <sup>81a</sup>, D.K. Panchal <sup>10</sup>, C.E. Pandini <sup>52</sup>, J.G. Panduro Vazquez <sup>91</sup>, P. Pani <sup>44</sup>, G. Panizzo <sup>64a,64c</sup>, L. Paolozzi <sup>52</sup>, C. Papadatos <sup>107</sup>, S. Parajuli <sup>40</sup>, A. Paramonov <sup>5</sup>, C. Paraskevopoulos <sup>9</sup>, D. Paredes Hernandez <sup>60b</sup>, S.R. Paredes Saenz <sup>130</sup>, B. Parida <sup>175</sup>, T.H. Park <sup>162</sup>, A.J. Parker <sup>29</sup>, M.A. Parker <sup>30</sup>, F. Parodi <sup>53b,53a</sup>, E.W. Parrish <sup>117</sup>, J.A. Parsons <sup>37</sup>, U. Parzefall <sup>50</sup>, L. Pascual Dominguez <sup>157</sup>, V.R. Pascuzzi <sup>16</sup>, F. Pasquali <sup>116</sup>, E. Pasqualucci <sup>70a</sup>, S. Passaggio <sup>53b</sup>, F. Pastore <sup>91</sup>, P. Pasuwan <sup>43a,43b</sup>, J.R. Pater <sup>98</sup>, A. Pathak <sup>176</sup>, J. Patton <sup>88</sup>, T. Pauly <sup>34</sup>, J. Pearkes <sup>149</sup>, M. Pedersen <sup>129</sup>, L. Pedraza Diaz <sup>115</sup>, R. Pedro <sup>135a</sup>, T. Peiffer <sup>51</sup>, S.V. Peleganchuk <sup>118b,118a</sup>, O. Penc <sup>136</sup>, C. Peng <sup>60b</sup>, H. Peng <sup>58a</sup>, M. Penzin <sup>161</sup>, B.S. Peralva <sup>78a</sup>, M.M. Perego <sup>62</sup>, A.P. Pereira Peixoto <sup>135a</sup>, L. Pereira Sanchez <sup>43a,43b</sup>, D.V. Perepelitsa <sup>27</sup>, E. Perez Codina <sup>163a</sup>, M. Perganti <sup>9</sup>, L. Perini <sup>66a,66b</sup>, H. Pernegger <sup>34</sup>, S. Perrella <sup>34</sup>, A. Perrevoort <sup>116</sup>, K. Peters <sup>44</sup>, R.F.Y. Peters <sup>98</sup>, B.A. Petersen <sup>34</sup>, T.C. Petersen <sup>38</sup>, E. Petit <sup>99</sup>, V. Petousis <sup>137</sup>, C. Petridou <sup>158</sup>, P. Petroff <sup>62</sup>, F. Petrucci <sup>72a,72b</sup>, M. Pettee <sup>178</sup>, N.E. Pettersson <sup>34</sup>, K. Petukhova <sup>138</sup>, A. Peyaud <sup>140</sup>, R. Pezoa <sup>142d</sup>, L. Pezzotti <sup>68a,68b</sup>, G. Pezzullo <sup>178</sup>, T. Pham <sup>102</sup>, P.W. Phillips <sup>139</sup>, M.W. Phipps <sup>168</sup>, G. Piacquadio <sup>151</sup>, E. Pianori <sup>16</sup>, F. Piazza <sup>66a,66b</sup>, A. Picazio <sup>100</sup>, R. Piegaia <sup>28</sup>, D. Pietreanu <sup>25b</sup>, J.E. Pilcher <sup>35</sup>, A.D. Pilkinson <sup>98</sup>, M. Pinamonti <sup>64a,64c</sup>, J.L. Pinfold <sup>2</sup>, C. Pitman Donaldson <sup>92</sup>, D.A. Pizzi <sup>32</sup>, L. Pizzimento <sup>71a,71b</sup>, A. Pizzini <sup>116</sup>, M.-A. Pleier <sup>27</sup>, V. Plesanovs <sup>50</sup>, V. Pleskot <sup>138</sup>, E. Plotnikova <sup>77</sup>, P. Podberezko <sup>118b,118a</sup>, R. Poettgen <sup>94</sup>, R. Poggi <sup>52</sup>, L. Poggioli <sup>131</sup>, I. Pogrebnyak <sup>104</sup>, D. Pohl <sup>22</sup>, I. Pokharel <sup>51</sup>, G. Polesello <sup>68a</sup>, A. Poley <sup>148,163a</sup>, A. Policicchio <sup>70a,70b</sup>, R. Polifka <sup>138</sup>, A. Polini <sup>21b</sup>, C.S. Pollard <sup>130</sup>, Z.B. Pollock <sup>123</sup>, V. Polychronakos <sup>27</sup>, D. Ponomarenko <sup>109</sup>, L. Pontecorvo <sup>34</sup>, S. Popa <sup>25a</sup>, G.A. Popeneiciu <sup>25d</sup>, L. Portales <sup>4</sup>, D.M. Portillo Quintero <sup>163a</sup>, S. Pospisil <sup>137</sup>, P. Postolache <sup>25c</sup>, K. Potamianos <sup>130</sup>, I.N. Potrap <sup>77</sup>, C.J. Potter <sup>30</sup>, H. Potti <sup>1</sup>, T. Poulsen <sup>44</sup>, J. Poveda <sup>169</sup>, T.D. Powell <sup>145</sup>, G. Pownall <sup>44</sup>, M.E. Pozo Astigarraga <sup>34</sup>, A. Prades Ibanez <sup>169</sup>, P. Pralavorio <sup>99</sup>, M.M. Prapa <sup>42</sup>, S. Prell <sup>76</sup>, D. Price <sup>98</sup>, M. Primavera <sup>65a</sup>, M.A. Principe Martin <sup>96</sup>, M.L. Proffitt <sup>144</sup>, N. Proklova <sup>109</sup>, K. Prokofiev <sup>60c</sup>, F. Prokoshin <sup>77</sup>, S. Protopopescu <sup>27</sup>, J. Proudfoot <sup>5</sup>, M. Przybycien <sup>81a</sup>, D. Pudzha <sup>133</sup>, P. Puzo <sup>62</sup>, D. Pyatiibyantseva <sup>109</sup>, J. Qian <sup>103</sup>, Y. Qin <sup>98</sup>, A. Quadt <sup>51</sup>, M. Queitsch-Maitland <sup>34</sup>, G. Rabanal Bolanos <sup>57</sup>, F. Ragusa <sup>66a,66b</sup>, G. Rahal <sup>95</sup>, J.A. Raine <sup>52</sup>, S. Rajagopalan <sup>27</sup>, K. Ran <sup>13a,13d</sup>, D.F. Rassloff <sup>59a</sup>, D.M. Rauch <sup>44</sup>, S. Rave <sup>97</sup>, B. Ravina <sup>55</sup>, I. Ravinovich <sup>175</sup>, M. Raymond <sup>34</sup>, A.L. Read <sup>129</sup>, N.P. Readioff <sup>145</sup>, D.M. Rebuzzi <sup>68a,68b</sup>, G. Redlinger <sup>27</sup>, K. Reeves <sup>41</sup>, D. Reikher <sup>157</sup>, A. Reiss <sup>97</sup>, A. Rej <sup>147</sup>, C. Rembser <sup>34</sup>, A. Renardi <sup>44</sup>, M. Renda <sup>25b</sup>, M.B. Rendel <sup>112</sup>, A.G. Rennie <sup>55</sup>, S. Resconi <sup>66a</sup>, E.D. Ressegue <sup>16</sup>, S. Rettie <sup>92</sup>, B. Reynolds <sup>123</sup>, E. Reynolds <sup>19</sup>, M. Rezaei Estabragh <sup>177</sup>, O.L. Rezanova <sup>118b,118a</sup>, P. Reznicek <sup>138</sup>, E. Ricci <sup>73a,73b</sup>, R. Richter <sup>112</sup>, S. Richter <sup>44</sup>, E. Richter-Was <sup>81b</sup>, M. Ridel <sup>131</sup>, P. Rieck <sup>112</sup>, P. Riedler <sup>34</sup>, O. Rifki <sup>44</sup>, M. Rijssenbeek <sup>151</sup>, A. Rimoldi <sup>68a,68b</sup>, M. Rimoldi <sup>44</sup>, L. Rinaldi <sup>21b,21a</sup>, T.T. Rinn <sup>168</sup>, M.P. Rinnagel <sup>111</sup>, G. Ripellino <sup>150</sup>, I. Riu <sup>12</sup>, P. Rivadeneira <sup>44</sup>, J.C. Rivera Vergara <sup>171</sup>, F. Rizatdinova <sup>125</sup>, E. Rizvi <sup>90</sup>, C. Rizzi <sup>52</sup>, B.A. Roberts <sup>173</sup>, S.H. Robertson <sup>101,aa</sup>, M. Robin <sup>44</sup>, D. Robinson <sup>30</sup>, C.M. Robles Gajardo <sup>142d</sup>, M. Robles Manzano <sup>97</sup>, A. Robson <sup>55</sup>, A. Rocchi <sup>71a,71b</sup>, C. Roda <sup>69a,69b</sup>, S. Rodriguez Bosca <sup>59a</sup>, A. Rodriguez Rodriguez <sup>50</sup>, A.M. Rodriguez Vera <sup>163b</sup>, S. Roe <sup>34</sup>, A.R. Roepe <sup>124</sup>,

- J. Roggel <sup>177</sup>, O. Røhne <sup>129</sup>, R.A. Rojas <sup>142d</sup>, B. Roland <sup>50</sup>, C.P.A. Roland <sup>63</sup>, J. Roloff <sup>27</sup>, A. Romanouk <sup>109</sup>, M. Romano <sup>21b</sup>, A.C. Romero Hernandez <sup>168</sup>, N. Rompotis <sup>88</sup>, M. Ronzani <sup>121</sup>, L. Roos <sup>131</sup>, S. Rosati <sup>70a</sup>, G. Rosin <sup>100</sup>, B.J. Rosser <sup>132</sup>, E. Rossi <sup>162</sup>, E. Rossi <sup>4</sup>, E. Rossi <sup>67a,67b</sup>, L.P. Rossi <sup>53b</sup>, L. Rossini <sup>44</sup>, R. Rosten <sup>123</sup>, M. Rotaru <sup>25b</sup>, B. Rottler <sup>50</sup>, D. Rousseau <sup>62</sup>, D. Rousso <sup>30</sup>, G. Rovelli <sup>68a,68b</sup>, A. Roy <sup>10</sup>, A. Rozanov <sup>99</sup>, Y. Rozen <sup>156</sup>, X. Ruan <sup>31f</sup>, A.J. Ruby <sup>88</sup>, T.A. Ruggeri <sup>1</sup>, F. Rühr <sup>50</sup>, A. Ruiz-Martinez <sup>169</sup>, A. Rummler <sup>34</sup>, Z. Rurikova <sup>50</sup>, N.A. Rusakovich <sup>77</sup>, H.L. Russell <sup>34</sup>, L. Rustige <sup>36</sup>, J.P. Rutherford <sup>6</sup>, E.M. Rüttinger <sup>145</sup>, M. Rybar <sup>138</sup>, E.B. Rye <sup>129</sup>, A. Ryzhov <sup>119</sup>, J.A. Sabater Iglesias <sup>44</sup>, P. Sabatini <sup>169</sup>, L. Sabetta <sup>70a,70b</sup>, H.F-W. Sadrozinski <sup>141</sup>, R. Sadykov <sup>77</sup>, F. Safai Tehrani <sup>70a</sup>, B. Safarzadeh Samani <sup>152</sup>, M. Safdari <sup>149</sup>, P. Saha <sup>117</sup>, S. Saha <sup>101</sup>, M. Sahinsoy <sup>112</sup>, A. Sahu <sup>177</sup>, M. Saimpert <sup>140</sup>, M. Saito <sup>159</sup>, T. Saito <sup>159</sup>, D. Salamani <sup>34</sup>, G. Salamanna <sup>72a,72b</sup>, A. Salnikov <sup>149</sup>, J. Salt <sup>169</sup>, A. Salvador Salas <sup>12</sup>, D. Salvatore <sup>39b,39a</sup>, F. Salvatore <sup>152</sup>, A. Salzburger <sup>34</sup>, D. Sammel <sup>50</sup>, D. Sampsonidis <sup>158</sup>, D. Sampsonidou <sup>58d,58c</sup>, J. Sánchez <sup>169</sup>, A. Sanchez Pineda <sup>4</sup>, V. Sanchez Sebastian <sup>169</sup>, H. Sandaker <sup>129</sup>, C.O. Sander <sup>44</sup>, I.G. Sanderswood <sup>87</sup>, J.A. Sandesara <sup>100</sup>, M. Sandhoff <sup>177</sup>, C. Sandoval <sup>20b</sup>, D.P.C. Sankey <sup>139</sup>, M. Sannino <sup>53b,53a</sup>, Y. Sano <sup>113</sup>, A. Sansoni <sup>49</sup>, C. Santoni <sup>36</sup>, H. Santos <sup>135a,135b</sup>, S.N. Santpur <sup>16</sup>, A. Santra <sup>175</sup>, K.A. Saoucha <sup>145</sup>, A. Sapronov <sup>77</sup>, J.G. Saraiva <sup>135a,135d</sup>, J. Sardain <sup>99</sup>, O. Sasaki <sup>79</sup>, K. Sato <sup>164</sup>, C. Sauer <sup>59b</sup>, F. Sauerburger <sup>50</sup>, E. Sauvan <sup>4</sup>, P. Savard <sup>162,al</sup>, R. Sawada <sup>159</sup>, C. Sawyer <sup>139</sup>, L. Sawyer <sup>93</sup>, I. Sayago Galvan <sup>169</sup>, C. Sbarra <sup>21b</sup>, A. Sbrizzi <sup>64a,64c</sup>, T. Scanlon <sup>92</sup>, J. Schaarschmidt <sup>144</sup>, P. Schacht <sup>112</sup>, D. Schaefer <sup>35</sup>, L. Schaefer <sup>132</sup>, U. Schäfer <sup>97</sup>, A.C. Schaffer <sup>62</sup>, D. Schaile <sup>111</sup>, R.D. Schamberger <sup>151</sup>, E. Schanet <sup>111</sup>, C. Scharf <sup>17</sup>, N. Scharnberg <sup>98</sup>, V.A. Schegelsky <sup>133</sup>, D. Scheirich <sup>138</sup>, F. Schenck <sup>17</sup>, M. Schernau <sup>166</sup>, C. Schiavi <sup>53b,53a</sup>, L.K. Schildgen <sup>22</sup>, Z.M. Schillaci <sup>24</sup>, E.J. Schioppa <sup>65a,65b</sup>, M. Schioppa <sup>39b,39a</sup>, B. Schlag <sup>97</sup>, K.E. Schleicher <sup>50</sup>, S. Schlenker <sup>34</sup>, K. Schmieden <sup>97</sup>, C. Schmitt <sup>97</sup>, S. Schmitt <sup>44</sup>, L. Schoeffel <sup>140</sup>, A. Schoening <sup>59b</sup>, P.G. Scholer <sup>50</sup>, E. Schopf <sup>130</sup>, M. Schott <sup>97</sup>, J. Schovancova <sup>34</sup>, S. Schramm <sup>52</sup>, F. Schroeder <sup>177</sup>, H-C. Schultz-Coulon <sup>59a</sup>, M. Schumacher <sup>50</sup>, B.A. Schumm <sup>141</sup>, Ph. Schune <sup>140</sup>, A. Schwartzman <sup>149</sup>, T.A. Schwarz <sup>103</sup>, Ph. Schwemling <sup>140</sup>, R. Schwienhorst <sup>104</sup>, A. Sciandra <sup>141</sup>, G. Sciolla <sup>24</sup>, F. Scuri <sup>69a</sup>, F. Scutti <sup>102</sup>, C.D. Sebastiani <sup>88</sup>, K. Sedlaczek <sup>45</sup>, P. Seema <sup>17</sup>, S.C. Seidel <sup>114</sup>, A. Seiden <sup>141</sup>, B.D. Seidlitz <sup>27</sup>, T. Seiss <sup>35</sup>, C. Seitz <sup>44</sup>, J.M. Seixas <sup>78b</sup>, G. Sekhniaidze <sup>67a</sup>, S.J. Sekula <sup>40</sup>, L. Selem <sup>4</sup>, N. Semprini-Cesari <sup>21b,21a</sup>, S. Sen <sup>47</sup>, C. Serfon <sup>27</sup>, L. Serin <sup>62</sup>, L. Serkin <sup>64a,64b</sup>, M. Sessa <sup>58a</sup>, H. Severini <sup>124</sup>, S. Sevova <sup>149</sup>, F. Sforza <sup>53b,53a</sup>, A. Sfyrla <sup>52</sup>, E. Shabalina <sup>51</sup>, R. Shaheen <sup>150</sup>, J.D. Shahinian <sup>132</sup>, N.W. Shaikh <sup>43a,43b</sup>, D. Shaked Renous <sup>175</sup>, L.Y. Shan <sup>13a</sup>, M. Shapiro <sup>16</sup>, A. Sharma <sup>34</sup>, A.S. Sharma <sup>1</sup>, S. Sharma <sup>44</sup>, P.B. Shatalov <sup>120</sup>, K. Shaw <sup>152</sup>, S.M. Shaw <sup>98</sup>, P. Sherwood <sup>92</sup>, L. Shi <sup>92</sup>, C.O. Shimmin <sup>178</sup>, Y. Shimogama <sup>174</sup>, J.D. Shinner <sup>91</sup>, I.P.J. Shipsey <sup>130</sup>, S. Shirabe <sup>52</sup>, M. Shiyakova <sup>77</sup>, J. Shlomi <sup>175</sup>, M.J. Shochet <sup>35</sup>, J. Shojaei <sup>102</sup>, D.R. Shope <sup>150</sup>, S. Shrestha <sup>123</sup>, E.M. Shrif <sup>31f</sup>, M.J. Shroff <sup>171</sup>, E. Shulga <sup>175</sup>, P. Sicho <sup>136</sup>, A.M. Sickles <sup>168</sup>, E. Sideras Haddad <sup>31f</sup>, O. Sidiropoulou <sup>34</sup>, A. Sidoti <sup>21b</sup>, F. Siegert <sup>46</sup>, Dj. Sijacki <sup>14</sup>, J.M. Silva <sup>19</sup>, M.V. Silva Oliveira <sup>34</sup>, S.B. Silverstein <sup>43a</sup>, S. Simion <sup>62</sup>, R. Simoniello <sup>34</sup>, S. Simsek <sup>11b</sup>, P. Sinervo <sup>162</sup>, V. Sinetckii <sup>110</sup>, S. Singh <sup>148</sup>, S. Sinha <sup>44</sup>, S. Sinha <sup>31f</sup>, M. Sioli <sup>21b,21a</sup>, I. Siral <sup>127</sup>, S.Yu. Sivoklokov <sup>110</sup>, J. Sjölin <sup>43a,43b</sup>, A. Skaf <sup>51</sup>, E. Skorda <sup>94</sup>, P. Skubic <sup>124</sup>, M. Slawinska <sup>82</sup>, K. Sliwa <sup>165</sup>, V. Smakhtin <sup>175</sup>, B.H. Smart <sup>139</sup>, J. Smiesko <sup>138</sup>, S.Yu. Smirnov <sup>109</sup>, Y. Smirnov <sup>109</sup>, L.N. Smirnova <sup>110,s</sup>, O. Smirnova <sup>94</sup>, E.A. Smith <sup>35</sup>, H.A. Smith <sup>130</sup>, M. Smizanska <sup>87</sup>, K. Smolek <sup>137</sup>, A. Smykiewicz <sup>82</sup>, A.A. Snesarev <sup>108</sup>, H.L. Snoek <sup>116</sup>, S. Snyder <sup>27</sup>, R. Sobie <sup>171,aa</sup>, A. Soffer <sup>157</sup>, F. Sohns <sup>51</sup>, C.A. Solans Sanchez <sup>34</sup>, E.Yu. Soldatov <sup>109</sup>, U. Soldevila <sup>169</sup>, A.A. Solodkov <sup>119</sup>, S. Solomon <sup>50</sup>, A. Soloshenko <sup>77</sup>, O.V. Solovyanov <sup>119</sup>, V. Solovyev <sup>133</sup>, P. Sommer <sup>145</sup>, H. Son <sup>165</sup>, A. Sonay <sup>12</sup>, W.Y. Song <sup>163b</sup>, A. Sopczak <sup>137</sup>, A.L. Sopio <sup>92</sup>, F. Sopkova <sup>26b</sup>, S. Sottocornola <sup>68a,68b</sup>, R. Soualah <sup>64a,64c</sup>, A.M. Soukharev <sup>118b,118a</sup>, Z. Soumaimi <sup>33e</sup>, D. South <sup>44</sup>, S. Spagnolo <sup>65a,65b</sup>, M. Spalla <sup>112</sup>, M. Spangenberg <sup>173</sup>, F. Spanò <sup>91</sup>, D. Sperlich <sup>50</sup>, T.M. Spieker <sup>59a</sup>, G. Spigo <sup>34</sup>, M. Spina <sup>152</sup>, D.P. Spiteri <sup>55</sup>, M. Spousta <sup>138</sup>, A. Stabile <sup>66a,66b</sup>, R. Stamen <sup>59a</sup>, M. Stamenkovic <sup>116</sup>, A. Stampekkis <sup>19</sup>, M. Standke <sup>22</sup>, E. Stanecka <sup>82</sup>, B. Stanislaus <sup>34</sup>, M.M. Stanitzki <sup>44</sup>, M. Stankaityte <sup>130</sup>, B. Stapf <sup>44</sup>, E.A. Starchenko <sup>119</sup>, G.H. Stark <sup>141</sup>, J. Stark <sup>99</sup>, D.M. Starko <sup>163b</sup>, P. Staroba <sup>136</sup>, P. Starovoitov <sup>59a</sup>, S. Stärz <sup>101</sup>, R. Staszewski <sup>82</sup>, G. Stavropoulos <sup>42</sup>, P. Steinberg <sup>27</sup>, A.L. Steinhebel <sup>127</sup>, B. Stelzer <sup>148,163a</sup>, H.J. Stelzer <sup>134</sup>, O. Stelzer-Chilton <sup>163a</sup>, H. Stenzel <sup>54</sup>, T.J. Stevenson <sup>152</sup>, G.A. Stewart <sup>34</sup>, M.C. Stockton <sup>34</sup>, G. Stoica <sup>25b</sup>, M. Stolarski <sup>135a</sup>, S. Stonjek <sup>112</sup>, A. Straessner <sup>46</sup>, J. Strandberg <sup>150</sup>, S. Strandberg <sup>43a,43b</sup>, M. Strauss <sup>124</sup>, T. Strebler <sup>99</sup>, P. Strizenec <sup>26b</sup>, R. Ströhmer <sup>172</sup>, D.M. Strom <sup>127</sup>, L.R. Strom <sup>44</sup>, R. Stroynowski <sup>40</sup>, A. Strubig <sup>43a,43b</sup>, S.A. Stucci <sup>27</sup>, B. Stugu <sup>15</sup>, J. Stupak <sup>124</sup>, N.A. Styles <sup>44</sup>, D. Su <sup>149</sup>, S. Su <sup>58a</sup>, W. Su <sup>58d,144,58c</sup>, X. Su <sup>58a</sup>, N.B. Suarez <sup>134</sup>, K. Sugizaki <sup>159</sup>, V.V. Sulin <sup>108</sup>, M.J. Sullivan <sup>88</sup>, D.M.S. Sultan <sup>52</sup>,

- S. Sultansoy <sup>3c</sup>, T. Sumida <sup>83</sup>, S. Sun <sup>103</sup>, S. Sun <sup>176</sup>, X. Sun <sup>98</sup>, O. Sunneborn Gudnadottir <sup>167</sup>,  
 C.J.E. Suster <sup>153</sup>, M.R. Sutton <sup>152</sup>, M. Svatos <sup>136</sup>, M. Swiatlowski <sup>163a</sup>, T. Swirski <sup>172</sup>, I. Sykora <sup>26a</sup>,  
 M. Sykora <sup>138</sup>, T. Sykora <sup>138</sup>, D. Ta <sup>97</sup>, K. Tackmann <sup>44y</sup>, A. Taffard <sup>166</sup>, R. Tafirout <sup>163a</sup>, E. Tagiev <sup>119</sup>,  
 R.H.M. Taibah <sup>131</sup>, R. Takashima <sup>84</sup>, K. Takeda <sup>80</sup>, T. Takeshita <sup>146</sup>, E.P. Takeva <sup>48</sup>, Y. Takubo <sup>79</sup>, M. Talby <sup>99</sup>,  
 A.A. Talyshев <sup>118b,118a</sup>, K.C. Tam <sup>60b</sup>, N.M. Tamir <sup>157</sup>, A. Tanaka <sup>159</sup>, J. Tanaka <sup>159</sup>, R. Tanaka <sup>62</sup>, Z. Tao <sup>170</sup>,  
 S. Tapia Araya <sup>76</sup>, S. Tapprogge <sup>97</sup>, A. Tarek Abouelfadl Mohamed <sup>104</sup>, S. Tarem <sup>156</sup>, K. Tariq <sup>58b</sup>,  
 G. Tarna <sup>25b,f</sup>, G.F. Tartarelli <sup>66a</sup>, P. Tas <sup>138</sup>, M. Tasevsky <sup>136</sup>, E. Tassi <sup>39b,39a</sup>, G. Tateno <sup>159</sup>, Y. Tayalati <sup>33e</sup>,  
 G.N. Taylor <sup>102</sup>, W. Taylor <sup>163b</sup>, H. Teagle <sup>88</sup>, A.S. Tee <sup>176</sup>, R. Teixeira De Lima <sup>149</sup>, P. Teixeira-Dias <sup>91</sup>,  
 H. Ten Kate <sup>34</sup>, J.J. Teoh <sup>116</sup>, K. Terashi <sup>159</sup>, J. Terron <sup>96</sup>, S. Terzo <sup>12</sup>, M. Testa <sup>49</sup>, R.J. Teuscher <sup>162,aa</sup>,  
 N. Themistokleous <sup>48</sup>, T. Theveneaux-Pelzer <sup>17</sup>, O. Thielmann <sup>177</sup>, D.W. Thomas <sup>91</sup>, J.P. Thomas <sup>19</sup>,  
 E.A. Thompson <sup>44</sup>, P.D. Thompson <sup>19</sup>, E. Thomson <sup>132</sup>, E.J. Thorpe <sup>90</sup>, Y. Tian <sup>51</sup>, V.O. Tikhomirov <sup>108,ah</sup>,  
 Yu.A. Tikhonov <sup>118b,118a</sup>, S. Timoshenko <sup>109</sup>, P. Tipton <sup>178</sup>, S. Tisserant <sup>99</sup>, S.H. Tlou <sup>31f</sup>, A. Tnourji <sup>36</sup>,  
 K. Todome <sup>21b,21a</sup>, S. Todorova-Nova <sup>138</sup>, S. Todt <sup>46</sup>, M. Togawa <sup>79</sup>, J. Tojo <sup>85</sup>, S. Tokár <sup>26a</sup>, K. Tokushuku <sup>79</sup>,  
 E. Tolley <sup>123</sup>, R. Tombs <sup>30</sup>, M. Tomoto <sup>79,113</sup>, L. Tompkins <sup>149</sup>, P. Tornambe <sup>100</sup>, E. Torrence <sup>127</sup>, H. Torres <sup>46</sup>,  
 E. Torró Pastor <sup>169</sup>, M. Toscani <sup>28</sup>, C. Tosciri <sup>35</sup>, J. Toth <sup>99,z</sup>, D.R. Tovey <sup>145</sup>, A. Traeet <sup>15</sup>, C.J. Treado <sup>121</sup>,  
 T. Trefzger <sup>172</sup>, A. Tricoli <sup>27</sup>, I.M. Trigger <sup>163a</sup>, S. Trincaz-Duvoud <sup>131</sup>, D.A. Trischuk <sup>170</sup>, W. Trischuk <sup>162</sup>,  
 B. Trocmé <sup>56</sup>, A. Trofymov <sup>62</sup>, C. Troncon <sup>66a</sup>, F. Trovato <sup>152</sup>, L. Truong <sup>31c</sup>, M. Trzebinski <sup>82</sup>, A. Trzupek <sup>82</sup>,  
 F. Tsai <sup>151</sup>, A. Tsiamis <sup>158</sup>, P.V. Tsiareshka <sup>105,af</sup>, A. Tsirigotis <sup>158,w</sup>, V. Tsiskaridze <sup>151</sup>, E.G. Tskhadadze <sup>155a</sup>,  
 M. Tsopoulou <sup>158</sup>, I.I. Tsukerman <sup>120</sup>, V. Tsulaia <sup>16</sup>, S. Tsuno <sup>79</sup>, O. Tsur <sup>156</sup>, D. Tsybychev <sup>151</sup>, Y. Tu <sup>60b</sup>,  
 A. Tudorache <sup>25b</sup>, V. Tudorache <sup>25b</sup>, A.N. Tuna <sup>34</sup>, S. Turchikhin <sup>77</sup>, I. Turk Cakir <sup>3b,u</sup>, R.J. Turner <sup>19</sup>,  
 R. Turra <sup>66a</sup>, P.M. Tuts <sup>37</sup>, S. Tzamarias <sup>158</sup>, P. Tzanis <sup>9</sup>, E. Tzovara <sup>97</sup>, K. Uchida <sup>159</sup>, F. Ukegawa <sup>164</sup>,  
 G. Unal <sup>34</sup>, M. Unal <sup>10</sup>, A. Undrus <sup>27</sup>, G. Unel <sup>166</sup>, F.C. Ungaro <sup>102</sup>, K. Uno <sup>159</sup>, J. Urban <sup>26b</sup>, P. Urquijo <sup>102</sup>,  
 G. Usai <sup>7</sup>, R. Ushioda <sup>160</sup>, M. Usman <sup>107</sup>, Z. Uysal <sup>11d</sup>, V. Vacek <sup>137</sup>, B. Vachon <sup>101</sup>, K.O.H. Vadla <sup>129</sup>,  
 T. Vafeiadis <sup>34</sup>, C. Valderanis <sup>111</sup>, E. Valdes Santurio <sup>43a,43b</sup>, M. Valente <sup>163a</sup>, S. Valentini <sup>21b,21a</sup>,  
 A. Valero <sup>169</sup>, L. Valéry <sup>44</sup>, R.A. Vallance <sup>19</sup>, A. Vallier <sup>99</sup>, J.A. Valls Ferrer <sup>169</sup>, T.R. Van Daalen <sup>144</sup>,  
 P. Van Gemmeren <sup>5</sup>, S. Van Stroud <sup>92</sup>, I. Van Vulpen <sup>116</sup>, M. Vanadia <sup>71a,71b</sup>, W. Vandelli <sup>34</sup>,  
 M. Vandenbroucke <sup>140</sup>, E.R. Vandewall <sup>125</sup>, D. Vannicola <sup>157</sup>, L. Vannoli <sup>53b,53a</sup>, R. Vari <sup>70a</sup>, E.W. Varnes <sup>6</sup>,  
 C. Varni <sup>16</sup>, T. Varol <sup>154</sup>, D. Varouchas <sup>62</sup>, K.E. Varvell <sup>153</sup>, M.E. Vasile <sup>25b</sup>, L. Vaslin <sup>36</sup>, G.A. Vasquez <sup>171</sup>,  
 F. Vazeille <sup>36</sup>, D. Vazquez Furelos <sup>12</sup>, T. Vazquez Schroeder <sup>34</sup>, J. Veatch <sup>51</sup>, V. Vecchio <sup>98</sup>, M.J. Veen <sup>116</sup>,  
 I. Velisek <sup>130</sup>, L.M. Veloce <sup>162</sup>, F. Veloso <sup>135a,135c</sup>, S. Veneziano <sup>70a</sup>, A. Ventura <sup>65a,65b</sup>, A. Verbytskyi <sup>112</sup>,  
 M. Verducci <sup>69a,69b</sup>, C. Vergis <sup>22</sup>, M. Verissimo De Araujo <sup>78b</sup>, W. Verkerke <sup>116</sup>, A.T. Vermeulen <sup>116</sup>,  
 J.C. Vermeulen <sup>116</sup>, C. Vernieri <sup>149</sup>, P.J. Verschuuren <sup>91</sup>, M.L. Vesterbacka <sup>121</sup>, M.C. Vetterli <sup>148,al</sup>,  
 A. Vgenopoulos <sup>158</sup>, N. Viaux Maira <sup>142d</sup>, T. Vickey <sup>145</sup>, O.E. Vickey Boeriu <sup>145</sup>, G.H.A. Viehhauser <sup>130</sup>,  
 L. Vigani <sup>59b</sup>, M. Villa <sup>21b,21a</sup>, M. Villaplana Perez <sup>169</sup>, E.M. Villhauer <sup>48</sup>, E. Vilucchi <sup>49</sup>, M.G. Vincter <sup>32</sup>,  
 G.S. Virdee <sup>19</sup>, A. Vishwakarma <sup>48</sup>, C. Vittori <sup>21b,21a</sup>, I. Vivarelli <sup>152</sup>, V. Vladimirov <sup>173</sup>, E. Voevodina <sup>112</sup>,  
 M. Vogel <sup>177</sup>, P. Vokac <sup>137</sup>, J. Von Ahnen <sup>44</sup>, S.E. von Buddenbrock <sup>31f</sup>, E. Von Toerne <sup>22</sup>, V. Vorobel <sup>138</sup>,  
 K. Vorobev <sup>109</sup>, M. Vos <sup>169</sup>, J.H. Vossebeld <sup>88</sup>, M. Vozak <sup>98</sup>, L. Vozdecky <sup>90</sup>, N. Vranjes <sup>14</sup>,  
 M. Vranjes Milosavljevic <sup>14</sup>, V. Vrba <sup>137,\*</sup>, M. Vreeswijk <sup>116</sup>, N.K. Vu <sup>99</sup>, R. Vuillermet <sup>34</sup>, I. Vukotic <sup>35</sup>,  
 S. Wada <sup>164</sup>, C. Wagner <sup>100</sup>, P. Wagner <sup>22</sup>, W. Wagner <sup>177</sup>, S. Wahdan <sup>177</sup>, H. Wahlberg <sup>86</sup>, R. Wakasa <sup>164</sup>,  
 M. Wakida <sup>113</sup>, V.M. Walbrecht <sup>112</sup>, J. Walder <sup>139</sup>, R. Walker <sup>111</sup>, S.D. Walker <sup>91</sup>, W. Walkowiak <sup>147</sup>,  
 A.M. Wang <sup>57</sup>, A.Z. Wang <sup>176</sup>, C. Wang <sup>58a</sup>, C. Wang <sup>58c</sup>, H. Wang <sup>16</sup>, J. Wang <sup>60a</sup>, P. Wang <sup>40</sup>, R.-J. Wang <sup>97</sup>,  
 R. Wang <sup>57</sup>, R. Wang <sup>117</sup>, S.M. Wang <sup>154</sup>, S. Wang <sup>58b</sup>, T. Wang <sup>58a</sup>, W.T. Wang <sup>58a</sup>, W.X. Wang <sup>58a</sup>,  
 X. Wang <sup>13c</sup>, X. Wang <sup>168</sup>, Y. Wang <sup>58a</sup>, Z. Wang <sup>103</sup>, C. Wanotayaroj <sup>34</sup>, A. Warburton <sup>101</sup>, C.P. Ward <sup>30</sup>,  
 R.J. Ward <sup>19</sup>, N. Warrack <sup>55</sup>, A.T. Watson <sup>19</sup>, M.F. Watson <sup>19</sup>, G. Watts <sup>144</sup>, B.M. Waugh <sup>92</sup>, A.F. Webb <sup>10</sup>,  
 C. Weber <sup>27</sup>, M.S. Weber <sup>18</sup>, S.A. Weber <sup>32</sup>, S.M. Weber <sup>59a</sup>, C. Wei <sup>58a</sup>, Y. Wei <sup>130</sup>, A.R. Weidberg <sup>130</sup>,  
 J. Weingarten <sup>45</sup>, M. Weirich <sup>97</sup>, C. Weiser <sup>50</sup>, T. Wenaus <sup>27</sup>, B. Wendland <sup>45</sup>, T. Wengler <sup>34</sup>, S. Wenig <sup>34</sup>,  
 N. Wermes <sup>22</sup>, M. Wessels <sup>59a</sup>, K. Whalen <sup>127</sup>, A.M. Wharton <sup>87</sup>, A.S. White <sup>57</sup>, A. White <sup>7</sup>, M.J. White <sup>1</sup>,  
 D. Whiteson <sup>166</sup>, L. Wickremasinghe <sup>128</sup>, W. Wiedenmann <sup>176</sup>, C. Wiel <sup>46</sup>, M. Wielaers <sup>139</sup>, N. Wieseotte <sup>97</sup>,  
 C. Wiglesworth <sup>38</sup>, L.A.M. Wiik-Fuchs <sup>50</sup>, D.J. Wilbern <sup>124</sup>, H.G. Wilkens <sup>34</sup>, L.J. Wilkins <sup>91</sup>,  
 D.M. Williams <sup>37</sup>, H.H. Williams <sup>132</sup>, S. Williams <sup>30</sup>, S. Willocq <sup>100</sup>, P.J. Windischhofer <sup>130</sup>,  
 I. Wingerter-Seez <sup>4</sup>, F. Winklmeier <sup>127</sup>, B.T. Winter <sup>50</sup>, M. Wittgen <sup>149</sup>, M. Wobisch <sup>93</sup>, A. Wolf <sup>97</sup>,  
 R. Wölker <sup>130</sup>, J. Wollrath <sup>166</sup>, M.W. Wolter <sup>82</sup>, H. Wolters <sup>135a,135c</sup>, V.W.S. Wong <sup>170</sup>, A.F. Wongel <sup>44</sup>,  
 S.D. Worm <sup>44</sup>, B.K. Wosiek <sup>82</sup>, K.W. Woźniak <sup>82</sup>, K. Wright <sup>55</sup>, J. Wu <sup>13a,13d</sup>, S.L. Wu <sup>176</sup>, X. Wu <sup>52</sup>,

Y. Wu <sup>58a</sup>, Z. Wu <sup>140,58a</sup>, J. Wuerzinger <sup>130</sup>, T.R. Wyatt <sup>98</sup>, B.M. Wynne <sup>48</sup>, S. Xella <sup>38</sup>, J. Xiang <sup>60c</sup>,  
 X. Xiao <sup>103</sup>, M. Xie <sup>58a</sup>, X. Xie <sup>58a</sup>, I. Xiotidis <sup>152</sup>, D. Xu <sup>13a</sup>, H. Xu <sup>58a</sup>, H. Xu <sup>58a</sup>, L. Xu <sup>58a</sup>, R. Xu <sup>132</sup>, T. Xu <sup>58a</sup>,  
 W. Xu <sup>103</sup>, Y. Xu <sup>13b</sup>, Z. Xu <sup>58b</sup>, Z. Xu <sup>149</sup>, B. Yabsley <sup>153</sup>, S. Yacoob <sup>31a</sup>, N. Yamaguchi <sup>85</sup>, Y. Yamaguchi <sup>160</sup>,  
 M. Yamatani <sup>159</sup>, H. Yamauchi <sup>164</sup>, T. Yamazaki <sup>16</sup>, Y. Yamazaki <sup>80</sup>, J. Yan <sup>58c</sup>, S. Yan <sup>130</sup>, Z. Yan <sup>23</sup>,  
 H.J. Yang <sup>58c,58d</sup>, H.T. Yang <sup>16</sup>, S. Yang <sup>58a</sup>, T. Yang <sup>60c</sup>, X. Yang <sup>58a</sup>, X. Yang <sup>13a</sup>, Y. Yang <sup>159</sup>, Z. Yang <sup>103,58a</sup>,  
 W-M. Yao <sup>16</sup>, Y.C. Yap <sup>44</sup>, H. Ye <sup>13c</sup>, J. Ye <sup>40</sup>, S. Ye <sup>27</sup>, I. Yeletskikh <sup>77</sup>, M.R. Yexley <sup>87</sup>, P. Yin <sup>37</sup>, K. Yorita <sup>174</sup>,  
 K. Yoshihara <sup>76</sup>, C.J.S. Young <sup>50</sup>, C. Young <sup>149</sup>, R. Yuan <sup>58b,j</sup>, X. Yue <sup>59a</sup>, M. Zaazoua <sup>33e</sup>, B. Zabinski <sup>82</sup>,  
 G. Zacharis <sup>9</sup>, E. Zaffaroni <sup>52</sup>, E. Zaid <sup>48</sup>, A.M. Zaitsev <sup>119,ag</sup>, T. Zakareishvili <sup>155b</sup>, N. Zakharchuk <sup>32</sup>,  
 S. Zambito <sup>34</sup>, D. Zanzi <sup>50</sup>, S.V. Zeißenr <sup>45</sup>, C. Zeitnitz <sup>177</sup>, G. Zemaityte <sup>130</sup>, J.C. Zeng <sup>168</sup>, O. Zenin <sup>119</sup>,  
 T. Ženiš <sup>26a</sup>, S. Zenz <sup>90</sup>, S. Zerradi <sup>33a</sup>, D. Zerwas <sup>62</sup>, M. Zgubič <sup>130</sup>, B. Zhang <sup>13c</sup>, D.F. Zhang <sup>13b</sup>, G. Zhang <sup>13b</sup>,  
 J. Zhang <sup>5</sup>, K. Zhang <sup>13a</sup>, L. Zhang <sup>13c</sup>, M. Zhang <sup>168</sup>, R. Zhang <sup>176</sup>, S. Zhang <sup>103</sup>, X. Zhang <sup>58c</sup>, X. Zhang <sup>58b</sup>,  
 Z. Zhang <sup>62</sup>, P. Zhao <sup>47</sup>, Y. Zhao <sup>141</sup>, Z. Zhao <sup>58a</sup>, A. Zhemchugov <sup>77</sup>, Z. Zheng <sup>149</sup>, D. Zhong <sup>168</sup>, B. Zhou <sup>103</sup>,  
 C. Zhou <sup>176</sup>, H. Zhou <sup>6</sup>, N. Zhou <sup>58c</sup>, Y. Zhou <sup>6</sup>, C.G. Zhu <sup>58b</sup>, C. Zhu <sup>13a,13d</sup>, H.L. Zhu <sup>58a</sup>, H. Zhu <sup>13a</sup>,  
 J. Zhu <sup>103</sup>, Y. Zhu <sup>58a</sup>, X. Zhuang <sup>13a</sup>, K. Zhukov <sup>108</sup>, V. Zhulanov <sup>118b,118a</sup>, D. Ziemińska <sup>63</sup>, N.I. Zimine <sup>77</sup>,  
 S. Zimmermann <sup>50,\*</sup>, M. Ziolkowski <sup>147</sup>, L. Živković <sup>14</sup>, A. Zoccoli <sup>21b,21a</sup>, K. Zoch <sup>52</sup>, T.G. Zorbas <sup>145</sup>,  
 O. Zormpa <sup>42</sup>, W. Zou <sup>37</sup>, L. Zwalski <sup>34</sup>

<sup>1</sup> Department of Physics, University of Adelaide, Adelaide; Australia<sup>2</sup> Department of Physics, University of Alberta, Edmonton AB; Canada<sup>3</sup> <sup>(a)</sup> Department of Physics, Ankara University, Ankara; <sup>(b)</sup> Istanbul Aydin University, Application and Research Center for Advanced Studies, Istanbul; <sup>(c)</sup> Division of Physics, TOBB University of Economics and Technology, Ankara; Turkey<sup>4</sup> LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France<sup>5</sup> High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America<sup>6</sup> Department of Physics, University of Arizona, Tucson AZ; United States of America<sup>7</sup> Department of Physics, University of Texas at Arlington, Arlington TX; United States of America<sup>8</sup> Physics Department, National and Kapodistrian University of Athens, Athens; Greece<sup>9</sup> Physics Department, National Technical University of Athens, Zografou; Greece<sup>10</sup> Department of Physics, University of Texas at Austin, Austin TX; United States of America<sup>11</sup> <sup>(a)</sup> Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul; <sup>(b)</sup> Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; <sup>(c)</sup> Department of Physics, Bogazici University, Istanbul; <sup>(d)</sup> Department of Physics Engineering, Gaziantep University, Gaziantep; Turkey<sup>12</sup> Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain<sup>13</sup> <sup>(a)</sup> Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; <sup>(b)</sup> Physics Department, Tsinghua University, Beijing; <sup>(c)</sup> Department of Physics, Nanjing University, Nanjing;<sup>(d)</sup> University of Chinese Academy of Science (UCAS), Beijing; China<sup>14</sup> Institute of Physics, University of Belgrade, Belgrade; Serbia<sup>15</sup> Department for Physics and Technology, University of Bergen, Bergen; Norway<sup>16</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA; United States of America<sup>17</sup> Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany<sup>18</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland<sup>19</sup> School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom<sup>20</sup> <sup>(a)</sup> Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; <sup>(b)</sup> Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia<sup>21</sup> <sup>(a)</sup> Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; <sup>(b)</sup> INFN Sezione di Bologna; Italy<sup>22</sup> Physikalisches Institut, Universität Bonn, Bonn; Germany<sup>23</sup> Department of Physics, Boston University, Boston MA; United States of America<sup>24</sup> Department of Physics, Brandeis University, Waltham MA; United States of America<sup>25</sup> <sup>(a)</sup> Transilvania University of Brasov, Brasov; <sup>(b)</sup> Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; <sup>(c)</sup> Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; <sup>(d)</sup> National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; <sup>(e)</sup> University Politehnica Bucharest, Bucharest; <sup>(f)</sup> West University in Timisoara, Timisoara; Romania<sup>26</sup> <sup>(a)</sup> Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic<sup>27</sup> Physics Department, Brookhaven National Laboratory, Upton NY; United States of America<sup>28</sup> Departamento de Física (FCEN) and IFIBA, Universidad de Buenos Aires and CONICET, Buenos Aires; Argentina<sup>29</sup> California State University, CA; United States of America<sup>30</sup> Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom<sup>31</sup> <sup>(a)</sup> Department of Physics, University of Cape Town, Cape Town; <sup>(b)</sup> iThemba Labs, Western Cape; <sup>(c)</sup> Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; <sup>(d)</sup> National Institute of Physics, University of the Philippines Diliman (Philippines); <sup>(e)</sup> University of South Africa, Department of Physics, Pretoria; <sup>(f)</sup> School of Physics, University of the Witwatersrand, Johannesburg; South Africa<sup>32</sup> Department of Physics, Carleton University, Ottawa ON; Canada<sup>33</sup> <sup>(a)</sup> Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; <sup>(b)</sup> Faculté des Sciences, Université Ibn-Tofail, Kénitra;<sup>(c)</sup> Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; <sup>(d)</sup> LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; <sup>(e)</sup> Faculté des sciences, Université Mohammed V, Rabat; Morocco<sup>34</sup> CERN, Geneva; Switzerland<sup>35</sup> Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America<sup>36</sup> LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France<sup>37</sup> Nevis Laboratory, Columbia University, Irvington NY; United States of America<sup>38</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark<sup>39</sup> <sup>(a)</sup> Dipartimento di Fisica, Università della Calabria, Rende; <sup>(b)</sup> INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy<sup>40</sup> Physics Department, Southern Methodist University, Dallas TX; United States of America<sup>41</sup> Physics Department, University of Texas at Dallas, Richardson TX; United States of America<sup>42</sup> National Centre for Scientific Research “Demokritos”, Agia Paraskevi; Greece<sup>43</sup> <sup>(a)</sup> Department of Physics, Stockholm University; <sup>(b)</sup> Oskar Klein Centre, Stockholm; Sweden<sup>44</sup> Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany<sup>45</sup> Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany

- <sup>46</sup> Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany  
<sup>47</sup> Department of Physics, Duke University, Durham NC; United States of America  
<sup>48</sup> SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom  
<sup>49</sup> INFN e Laboratori Nazionali di Frascati, Frascati; Italy  
<sup>50</sup> Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany  
<sup>51</sup> II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany  
<sup>52</sup> Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland  
<sup>53</sup> <sup>(a)</sup> Dipartimento di Fisica, Università di Genova, Genova; <sup>(b)</sup> INFN Sezione di Genova; Italy  
<sup>54</sup> II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany  
<sup>55</sup> SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom  
<sup>56</sup> LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France  
<sup>57</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America  
<sup>58</sup> <sup>(a)</sup> Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; <sup>(b)</sup> Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; <sup>(c)</sup> School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; <sup>(d)</sup> Tsung-Dao Lee Institute, Shanghai; China  
<sup>59</sup> <sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany  
<sup>60</sup> <sup>(a)</sup> Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; <sup>(b)</sup> Department of Physics, University of Hong Kong, Hong Kong; <sup>(c)</sup> Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China  
<sup>61</sup> Department of Physics, National Tsing Hua University, Hsinchu; Taiwan  
<sup>62</sup> IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France  
<sup>63</sup> Department of Physics, Indiana University, Bloomington IN; United States of America  
<sup>64</sup> <sup>(a)</sup> INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy  
<sup>65</sup> <sup>(a)</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy  
<sup>66</sup> <sup>(a)</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano; Italy  
<sup>67</sup> <sup>(a)</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Fisica, Università di Napoli, Napoli; Italy  
<sup>68</sup> <sup>(a)</sup> INFN Sezione di Pavia; <sup>(b)</sup> Dipartimento di Fisica, Università di Pavia, Pavia; Italy  
<sup>69</sup> <sup>(a)</sup> INFN Sezione di Pisa; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy  
<sup>70</sup> <sup>(a)</sup> INFN Sezione di Roma; <sup>(b)</sup> Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy  
<sup>71</sup> <sup>(a)</sup> INFN Sezione di Roma Tor Vergata; <sup>(b)</sup> Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy  
<sup>72</sup> <sup>(a)</sup> INFN Sezione di Roma Tre; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy  
<sup>73</sup> <sup>(a)</sup> INFN-TIFPA; <sup>(b)</sup> Università degli Studi di Trento, Trento; Italy  
<sup>74</sup> Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck; Austria  
<sup>75</sup> University of Iowa, Iowa City IA; United States of America  
<sup>76</sup> Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America  
<sup>77</sup> Joint Institute for Nuclear Research, Dubna; Russia  
<sup>78</sup> <sup>(a)</sup> Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; <sup>(b)</sup> Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; <sup>(c)</sup> Instituto de Física, Universidade de São Paulo, São Paulo; Brazil  
<sup>79</sup> KEK, High Energy Accelerator Research Organization, Tsukuba; Japan  
<sup>80</sup> Graduate School of Science, Kobe University, Kobe; Japan  
<sup>81</sup> <sup>(a)</sup> AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; <sup>(b)</sup> Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland  
<sup>82</sup> Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland  
<sup>83</sup> Faculty of Science, Kyoto University, Kyoto; Japan  
<sup>84</sup> Kyoto University of Education, Kyoto; Japan  
<sup>85</sup> Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan  
<sup>86</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina  
<sup>87</sup> Physics Department, Lancaster University, Lancaster; United Kingdom  
<sup>88</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom  
<sup>89</sup> Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia  
<sup>90</sup> School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom  
<sup>91</sup> Department of Physics, Royal Holloway University of London, Egham; United Kingdom  
<sup>92</sup> Department of Physics and Astronomy, University College London, London; United Kingdom  
<sup>93</sup> Louisiana Tech University, Ruston LA; United States of America  
<sup>94</sup> Fysiska institutionen, Lunds universitet, Lund; Sweden  
<sup>95</sup> Centre de Calcul de l’Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne; France  
<sup>96</sup> Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain  
<sup>97</sup> Institut für Physik, Universität Mainz, Mainz; Germany  
<sup>98</sup> School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom  
<sup>99</sup> CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France  
<sup>100</sup> Department of Physics, University of Massachusetts, Amherst MA; United States of America  
<sup>101</sup> Department of Physics, McGill University, Montreal QC; Canada  
<sup>102</sup> School of Physics, University of Melbourne, Victoria; Australia  
<sup>103</sup> Department of Physics, University of Michigan, Ann Arbor MI; United States of America  
<sup>104</sup> Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America  
<sup>105</sup> B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk; Belarus  
<sup>106</sup> Research Institute for Nuclear Problems of Byelorussian State University, Minsk; Belarus  
<sup>107</sup> Group of Particle Physics, University of Montreal, Montreal QC; Canada  
<sup>108</sup> P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow; Russia  
<sup>109</sup> National Research Nuclear University MEPhI, Moscow; Russia  
<sup>110</sup> D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow; Russia  
<sup>111</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany  
<sup>112</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany  
<sup>113</sup> Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan  
<sup>114</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America  
<sup>115</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands  
<sup>116</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands  
<sup>117</sup> Department of Physics, Northern Illinois University, DeKalb IL; United States of America  
<sup>118</sup> <sup>(a)</sup> Budker Institute of Nuclear Physics and NSU, SB RAS, Novosibirsk; <sup>(b)</sup> Novosibirsk State University Novosibirsk; Russia  
<sup>119</sup> Institute for High Energy Physics of the National Research Centre Kurchatov Institute, Protvino; Russia  
<sup>120</sup> Institute for Theoretical and Experimental Physics named by A.I. Alikhanov of National Research Centre “Kurchatov Institute”, Moscow; Russia

- 121 Department of Physics, New York University, New York NY; United States of America  
 122 Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan  
 123 Ohio State University, Columbus OH; United States of America  
 124 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America  
 125 Department of Physics, Oklahoma State University, Stillwater OK; United States of America  
 126 Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic  
 127 Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America  
 128 Graduate School of Science, Osaka University, Osaka; Japan  
 129 Department of Physics, University of Oslo, Oslo; Norway  
 130 Department of Physics, Oxford University, Oxford; United Kingdom  
 131 LPNHE, Sorbonne Université, Université de Paris, CNRS/IN2P3, Paris; France  
 132 Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America  
 133 Konstantinov Nuclear Physics Institute of National Research Centre "Kurchatov Institute", PNPI, St. Petersburg; Russia  
 134 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America  
 135 <sup>(a)</sup> Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; <sup>(b)</sup> Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; <sup>(c)</sup> Departamento de Física, Universidade de Coimbra, Coimbra; <sup>(d)</sup> Centro de Física Nuclear da Universidade de Lisboa, Lisboa; <sup>(e)</sup> Departamento de Física, Universidade do Minho, Braga; <sup>(f)</sup> Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); <sup>(g)</sup> Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica; <sup>(h)</sup> Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal  
 136 Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic  
 137 Czech Technical University in Prague, Prague; Czech Republic  
 138 Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic  
 139 Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom  
 140 IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France  
 141 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America  
 142 <sup>(a)</sup> Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; <sup>(b)</sup> Universidad Andres Bello, Department of Physics, Santiago; <sup>(c)</sup> Instituto de Alta Investigación, Universidad de Tarapacá, Arica; <sup>(d)</sup> Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile  
 143 Universidade Federal de São João del Rei (UFSJ), São João del Rei; Brazil  
 144 Department of Physics, University of Washington, Seattle WA; United States of America  
 145 Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom  
 146 Department of Physics, Shinshu University, Nagano; Japan  
 147 Department Physik, Universität Siegen, Siegen; Germany  
 148 Department of Physics, Simon Fraser University, Burnaby BC; Canada  
 149 SLAC National Accelerator Laboratory, Stanford CA; United States of America  
 150 Department of Physics, Royal Institute of Technology, Stockholm; Sweden  
 151 Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America  
 152 Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom  
 153 School of Physics, University of Sydney, Sydney; Australia  
 154 Institute of Physics, Academia Sinica, Taipei; Taiwan  
 155 <sup>(a)</sup> E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; <sup>(b)</sup> High Energy Physics Institute, Tbilisi State University, Tbilisi; Georgia  
 156 Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel  
 157 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel  
 158 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece  
 159 International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan  
 160 Department of Physics, Tokyo Institute of Technology, Tokyo; Japan  
 161 Tomsk State University, Tomsk; Russia  
 162 Department of Physics, University of Toronto, Toronto ON; Canada  
 163 <sup>(a)</sup> TRIUMF, Vancouver BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto ON; Canada  
 164 Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan  
 165 Department of Physics and Astronomy, Tufts University, Medford MA; United States of America  
 166 Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America  
 167 Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden  
 168 Department of Physics, University of Illinois, Urbana IL; United States of America  
 169 Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia; Spain  
 170 Department of Physics, University of British Columbia, Vancouver BC; Canada  
 171 Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada  
 172 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany  
 173 Department of Physics, University of Warwick, Coventry; United Kingdom  
 174 Waseda University, Tokyo; Japan  
 175 Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel  
 176 Department of Physics, University of Wisconsin, Madison WI; United States of America  
 177 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany  
 178 Department of Physics, Yale University, New Haven CT; United States of America

<sup>a</sup> Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.<sup>b</sup> Also at Bruno Kessler Foundation, Trento; Italy.<sup>c</sup> Also at Center for High Energy Physics, Peking University; China.<sup>d</sup> Also at Centro Studi e Ricerche Enrico Fermi; Italy.<sup>e</sup> Also at CERN, Geneva; Switzerland.<sup>f</sup> Also at CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.<sup>g</sup> Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.<sup>h</sup> Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.<sup>i</sup> Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.<sup>j</sup> Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.<sup>k</sup> Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.<sup>l</sup> Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.<sup>m</sup> Also at Department of Physics, California State University, East Bay; United States of America.<sup>n</sup> Also at Department of Physics, California State University, Fresno; United States of America.<sup>o</sup> Also at Department of Physics, California State University, Sacramento; United States of America.

- <sup>p</sup> Also at Department of Physics, King's College London, London; United Kingdom.
- <sup>q</sup> Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg; Russia.
- <sup>r</sup> Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- <sup>s</sup> Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow; Russia.
- <sup>t</sup> Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria.
- <sup>u</sup> Also at Giresun University, Faculty of Engineering, Giresun; Turkey.
- <sup>v</sup> Also at Graduate School of Science, Osaka University, Osaka; Japan.
- <sup>w</sup> Also at Hellenic Open University, Patras; Greece.
- <sup>x</sup> Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- <sup>y</sup> Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- <sup>z</sup> Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest; Hungary.
- <sup>aa</sup> Also at Institute of Particle Physics (IPP); Canada.
- <sup>ab</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- <sup>ac</sup> Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- <sup>ad</sup> Also at Instituto de Fisica Teorica, IFT-UAM/CSIC, Madrid; Spain.
- <sup>ae</sup> Also at Istanbul University, Dept. of Physics, Istanbul; Turkey.
- <sup>af</sup> Also at Joint Institute for Nuclear Research, Dubna; Russia.
- <sup>ag</sup> Also at Moscow Institute of Physics and Technology State University, Dolgoprudny; Russia.
- <sup>ah</sup> Also at National Research Nuclear University MEPhI, Moscow; Russia.
- <sup>ai</sup> Also at Physics Department, An-Najah National University, Nablus; Palestine.
- <sup>aj</sup> Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- <sup>ak</sup> Also at The City College of New York, New York NY; United States of America.
- <sup>al</sup> Also at TRIUMF, Vancouver BC; Canada.
- <sup>am</sup> Also at Universita di Napoli Parthenope, Napoli; Italy.
- <sup>an</sup> Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- <sup>ao</sup> Also at Yeditepe University, Physics Department, Istanbul; Turkey.
- \* Deceased.