
КРАТКИЕ СООБЩЕНИЯ

SHORT COMMUNICATIONS

УДК 595.7+615.36

ИСПОЛЬЗОВАНИЕ НАСЕКОМЫХ ПРОТИВ ЗЛОКАЧЕСТВЕННЫХ ОПУХОЛЕЙ

Х. БОЗДОГАН¹⁾, Х. А. КУЭЛЛАР-КАРДОЗО²⁾

¹⁾Кыршехирский университет им. Ахи Эврана,
ул. Терме, 100, 40100, г. Кыршехир, Турция

²⁾Университет Ла Саль, ул. 2, 10-70, Богота, Колумбия

Кратко анализируются литературные данные, посвященные использованию насекомых из отрядов Hymenoptera (перепончатокрылые), Coleoptera (жесткокрылые), Diptera (двукрылые), Lepidoptera (чешуекрылые), Orthoptera (прямокрылые) и Blattodea (таракановые) в онкологических исследованиях.

Ключевые слова: насекомые; злокачественная опухоль; энтомотерапия; болезнь; онкология.

USING INSECTS AGAINST CANCER

H. BOZDOĞAN^a, J. A. CUÉLLAR-CARDOZO^b

^aKırşehir Ahi Evran University, Terme Caddesi, No. 100, Kırşehir 40100, Turkey

^bLa Salle University, Carrera 2, No. 10-70, Bogotá, Colombia

Corresponding author: H. Bozdoğan (hakan.bozdogan@ahievran.edu.tr)

In this work, the usage areas of some insect orders such as Hymenoptera, Coleoptera, Diptera, Lepidoptera, Orthoptera and Blattodea in oncological studies are discussed with some parameters.

Keywords: insects; cancer; entomotherapy; disease; oncology.

Образец цитирования:

Боздоган Х, Куэллер-Кардозо ХА. Использование насекомых против злокачественных опухолей. *Экспериментальная биология и биотехнология*. 2023;2:91–94 (на англ.).
EDN: CKBAJA

For citation:

Bozdoğan H, Cuéllar-Cardozo JA. Using insects against cancer. *Experimental Biology and Biotechnology*. 2023;2:91–94.
EDN: CKBAJA

Авторы:

Хакан Боздоган – доктор наук (энтомология); доцент кафедры растениеводства и животноводства профессиональной школы технических наук.

Хосе Алехандро Куэллер-Кардозо – магистр водных ресурсов исследовательской группы биоразведки и биоразнообразия Колумбии отдела фундаментальных наук.

Authors:

Hakan Bozdoğan, doctor of science (entomology); associate professor at the department of plant and animal production, vocational school of technical sciences.

hakan.bozdogan@ahievran.edu.tr

<https://orcid.org/0000-0002-6836-4383>

José Alejandro Cuéllar-Cardozo, master in water resources at the research group of bioprospection and biodiversity of Colombia, department of basic sciences.

josecuellar1094@gmail.com

<https://orcid.org/0000-0002-5831-6038>

Introduction

Cancer is actually a set of diseases related to an uncontrolled process in cell division where excessive and uncoordinated growth occurs, which can cause damage to the patient and even death [1; 2]. Currently, cancer is the main cause of death from disease worldwide [3], due to factors such as the complexity in the detection and treatment of those affected, which added to the fact of acquired resistance to drugs, make this condition a global public health problem [3; 4]. Therefore, the research and development of new technologies for the management of the disease is a priority issue on the agenda of many countries [3; 5].

Historical role of insects in oncological studies

In many cultures, especially in South and East Asia, insects have represented an important component of the diet and ancestral medicine of various peoples, so it was not unreasonable to think of their application in the treatment of diseases, including cancer [5; 6]. Initially, these investigations were focused on the consumption of insects in the diet, their nutritional contribution and their relationship with changes in the development of certain types of cancer, mainly limited to tissues related to the digestive system [6–8]. In this way, as new medicinal properties of insects are discovered, more and better research is being presented that highlights the use of chemical components of entomological origin in the detection and treatment of multiple types of cancer, in a process called entomotherapy [5; 6; 9; 10].

Current assessments in the application of insects in cancer

Currently, research linking insects to cancer can be divided into two main areas: tumor detection studies and symptom treatment analyses with entomochemical agents. Research in the first area, among which the work [11], highlights the use of insects as detectors of tumor activity in tissues from volatile organic components. A case of the above occurs with the use of ants and fruit flies, insects that have developed olfactory sensors allowing them to detect chemical compounds and those originating from cancerous activity, even with greater efficiency and faster training compared to the use of trained dogs for cancer detection [11–13]. At present, the use of insects as detectors is in the preliminary stages, so it is expected that more research will be focused on this topic in the coming years.

Research in the second area regarding the use of insects in tumor treatments are based on the fact that insects are organisms that evolved a variety of complex bioactive compounds that have been applied in drug design [10]. Multiple investigations have taken advantage of the antiproliferative, antiangiogenic and cytotoxic effects of some of these compounds as ways of fighting cancer, where several promising cases can be listed with taxonomic groups such as Hymenoptera (ants, wasps and bees), Coleoptera (beetles), Diptera (flies), Lepidoptera (butterflies and moths), Orthoptera (grasshoppers) and Blattodea (cockroaches) [4–6; 10; 14].

In the particular case of the order Hymenoptera, several investigations have been recorded in various families, such as the Formicidae, primarily the species *Solenopsis invicta* and *S. geminata*, which have cataloged the production of an alkaloid with the ability to inhibit pathological angiogenesis and thus, stop tumor growth [10; 15]. In the same hand, chemical compounds found in the genus *Tetraponera* have been used as cytotoxics in breast and colon cancer treatments [16]. On the other hand, the venom of various species of bees (known as apitoxin) has been used as an inducer of apoptosis in tumors from mammary gland, skin, bone marrow and kidney tissues [17–20]. Lastly, the group of wasps has been the least studied, since only the use of extracts of the species *Polistes mandarinus* as a cytotoxic in the control of cervical cancer has been recorded [21].

In the case of the order Coleoptera, multiple species have been described, among them *Epicauta hirticornis*, *Mylabris variabilis*, *Ulomoides dermestoides* and *Allomyrina dichotoma* stand out, from which compounds with activity as tumor growth inhibitors and promoters of cell apoptosis in mammary gland, stomach, lung, liver, prostate, cervix, ovary and colon tissues have been extracted [22–26]. In the case of the order Diptera, studies have been focused on two species, *Musca domestica* and *Sarcophaga argyrostoma*, where it has been observed that hemolymph and adipose cells from the larvae have a retarding and cytotoxic effect on tumor growth [5; 27].

Regarding other insect orders, studies have been more focused on a particular species. In the order Lepidoptera, the species *Byasa polyeuctes* has been described to present papilistatin, which is a carcinogenic growth-inhibiting compound in medical cases of leukemia [28]. On the other hand, in the order Orthoptera, the use of *Gryllus bimaculatus* extract has been described as a cytotoxic and inducer of apoptosis in cancer cells in the lungs [6]. Finally, the order Blattodea has presented a particular case where a single species, *Eupolyphaga sinensis*, whose adults produce a series of alkaloids and acetyldopamine dimers, has an inhibitory effect on the growth of tumors of more than 15 different types of cancer between which highlights lung, liver, colon, prostate, ovary, glioma, melanoma and mammary gland [26; 29; 30].

Conclusions

While the fight against cancer cells continues at full speed from many branches today, new alternatives are being developed with living groups, including insects, in order to try the untested. When the physiological and biochemical contents of insects, which symbolise an extremely crowded living group, are considered more comprehensively, specially defined proteins, immune system components and specially defined defense cells that can play an active role in the fight against cancer cells will be developed and shed light on possible new fighting methods.

Considering the existence of undiscovered insect species as well as the number of known insect species, these six-legged creatures increase the possibility of being hopeful on the way to the fight against the cancer of (created by) neoplastic cells. Although the limited outputs at hand do not yield satisfactory results for now, long-term studies are needed to explore the insect – cancer interaction.

References

1. Valent P, Bonnet D, De Maria R, Lapidot T, Copland M, Melo JV, et al. Cancer stem cell definitions and terminology: the devil is in the details. *Nature Reviews Cancer*. 2012;12(11):767–775. DOI: 10.1038/nrc3368.
2. Wronski SL. Defining cancer survivor and cancer survivorship: the who, what, and when. *Psicooncologia*. 2015;12(1):7–18. DOI: 10.5209/rev_PSIC.2015.v12.n1.48900.
3. Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, et al. Global cancer statistics – 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*. 2021;71(3):209–249. DOI: 10.3322/caac.21660.
4. Tonk M, Vilcinskas A, Rahnamaeian M. Insect antimicrobial peptides: potential tools for the prevention of skin cancer. *Applied Microbiology and Biotechnology*. 2016;100(17):7397–7405. DOI: 10.1007/s00253-016-7718-y.
5. Mahmoud S, El-Khashab LA, Moselhy W, Zayed A, Salama M. *In vitro* anti-cancer activity of larval hemolymph and fat body of flesh fly *Sarcophaga argyrostoma* (Diptera: Sarcophagidae). *Advances in Entomology*. 2020;8(2):93–105. DOI: 10.4236/ae.2020.82007.
6. Lim Hyun Jung, Byun Eui-Hong. Evaluation of anti-cancer activity of *Gryllus bimaculatus* water extract on non-small cancer lung cell via apoptosis. *Preventive Nutrition and Food Science*. 2021;26(4):453–458. DOI: 10.3746/pnf.2021.26.4.453.
7. Govorushko S. Global status of insects as food and feed source: a review. *Trends in Food Science & Technology*. 2019;91:436–445. DOI: 10.1016/j.tifs.2019.07.032.
8. Stull VJ. Impacts of insect consumption on human health. *Journal of Insects as Food and Feed*. 2021;7(5):695–713. DOI: 10.3920/JIFF2020.0115.
9. Dossey AT. Insects and their chemical weaponry: new potential for drug discovery. *Natural Product Reports*. 2010;27(12):1737–1757. DOI: 10.1039/c005319h.
10. Noble K, Rohaj A, Abegglen LM, Schiffman JD. Cancer therapeutics inspired by defense mechanisms in the animal kingdom. *Evolutionary Applications*. 2020;13(7):1681–1700. DOI: 10.1111/eva.12963.
11. Piqueret B, Bourachot B, Leroy C, Devienne P, Mechta-Grigoriou F, d’Ettorre P, et al. Ants detect cancer cells through volatile organic compounds. *iScience*. 2022;25(3):103959. DOI: 10.1016/j.isci.2022.103959.
12. Piqueret B, Sandoz J-C, d’Ettorre P. Ants learn fast and do not forget: associative olfactory learning, memory and extinction in *Formica fusca*. *Royal Society Open Science*. 2019;6(6):190778. DOI: 10.1098/rsos.190778.
13. Strauch M, Lüdke A, Münch D, Laudes T, Galizia CG, Martinelli E, et al. More than apples and oranges – detecting cancer with a fruit fly’s antenna. *Scientific Reports*. 2014;4:3576. DOI: 10.1038/srep03576.
14. Seabrooks L, Hu L. Insects: an underrepresented resource for the discovery of biologically active natural products. *Acta Pharmaceutica Sinica B*. 2017;7(4):409–426. DOI: 10.1016/j.apsb.2017.05.001.
15. Arbiser JL, Kau T, Konar M, Narra K, Ramchandran R, Summers SA, et al. Solenopsin, the alkaloidal component of the fire ant (*Solenopsis invicta*), is a naturally occurring inhibitor of phosphatidylinositol-3-kinase signaling and angiogenesis. *Blood*. 2007;109(2):560–565. DOI: 10.1182/blood-2006-06-029934.
16. Bosque I, Gonzalez-Gomez JC, Loza MI, Brea J. Natural tetraonerines: a general synthesis and antiproliferative activity. *The Journal of Organic Chemistry*. 2014;79(9):3982–3991. DOI: 10.1021/jo500446f.
17. Putz T, Ramoner R, Gander H, Rahm A, Bartsch G, Bernardo K, et al. Bee venom secretory phospholipase A2 and phosphatidylinositol-homologues cooperatively disrupt membrane integrity, abrogate signal transduction and inhibit proliferation of renal cancer cells. *Cancer Immunology, Immunotherapy*. 2007;56(5):627–640. DOI: 10.1007/s00262-006-0220-0.
18. Moon Dong-Oh, Park Sung-Yong, Choi Yung Hyun, Kim Nam Deuk, Lee Chan, Kim Gi-Young. Melittin induces Bcl-2 and caspase-3-dependent apoptosis through downregulation of Akt phosphorylation in human leukemic U937 cells. *Toxicon*. 2008;51(1):112–120. DOI: 10.1016/j.toxicon.2007.08.015.
19. Wang Chen, Chen Taoyong, Zhang Ning, Yang Mingjin, Li Bai, Lü Xiang, et al. Melittin, a major component of bee venom, sensitizes human hepatocellular carcinoma cells to tumor necrosis factor-related apoptosis-inducing ligand (TRAIL)-induced apoptosis by activating CaMKII-TAK1-JNK/p38 and inhibiting IκBα kinase-NFκB. *Journal of Biological Chemistry*. 2009;284(6):3804–3813. DOI: 10.1074/jbc.M807191200.
20. Jeong Yun-Jeong, Choi Yongsoo, Shin Jae-Moon, Cho Hyun-Ji, Kang Jeong-Han, Park Kwan-Kyu, et al. Melittin suppresses EGF-induced cell motility and invasion by inhibiting PI3K/Akt/mTOR signaling pathway in breast cancer cells. *Food and Chemical Toxicology*. 2014;68:218–225. DOI: 10.1016/j.fct.2014.03.022.
21. Ahn MY, Ryu KS, Lee YW, Kim YS. Cytotoxicity and L-amino acid oxidase activity of crude insect drugs. *Archives of Pharmacological Research*. 2000;23(5):477–481. DOI: 10.1007/BF02976576.
22. Crespo R, Villaverde ML, Girotti JR, Güerci A, Juárez MP, de Bravo MG. Cytotoxic and genotoxic effects of defence secretion of *Ulomoides dermestoides* on A549 cells. *Journal of Ethnopharmacology*. 2011;136(1):204–209. DOI: 10.1016/j.jep.2011.04.056.

23. Kim Young Min, Ku Min Jeong, Son Young-Jin, Yun Jung-Mi, Kim Seong Hwan, Lee Sang Yeol. Anti-metastatic effect of cantharidin in A549 human lung cancer cells. *Archives of Pharmacal Research*. 2013;36(4):479–484. DOI: 10.1007/s12272-013-0044-3.
24. Verma AK, Prasad SB. Antitumor effect of blister beetles: an ethnomedicinal practice in Karbi community and its experimental evaluation against a murine malignant tumor model. *Journal of Ethnopharmacology*. 2013;148(3):869–879. DOI: 10.1016/j.jep.2013.05.032.
25. Lee Ji-Eun, Jo Da-Eun, Lee An-Jung, Park Hye-Kyung, Youn Kumju, Yun Eun-Young, et al. Hepatoprotective and antineoplastic properties of *Protaetia brevitarsis* larvae. *Entomological Research*. 2014;44(6):244–253. DOI: 10.1111/1748-5967.12075.
26. Zhang Yanmin, Zhan Yingzhuan, Zhang Dongdong, Dai Bingling, Ma Weina, Qi Junpeng, et al. *Eupolyphaga sinensis* Walker displays inhibition on hepatocellular carcinoma through regulating cell growth and metastasis signaling. *Scientific Reports*. 2014;4:5518. DOI: 10.1038/srep05518.
27. Hou Lixia, Shi Yonghui, Zhai Pei, Le Guowei. Antibacterial activity and *in vitro* anti-tumor activity of the extract of the larvae of the housefly (*Musca domestica*). *Journal of Ethnopharmacology*. 2007;111(2):227–231. DOI: 10.1016/j.jep.2006.11.015.
28. Pettit GR, Ye Q, Herald DL, Hogan F, Pettit RK. Antineoplastic agents. 573. Isolation and structure of papilistatin from the papilionid butterfly *Byasa polyeuctes termessa*. *Journal of Natural Products*. 2010;73(2):164–166. DOI: 10.1021/np9004689.
29. Jiang Hai-Long, Luo Xiao-Hong, Wang Xiao-Zheng, Yang Jun-Li, Yao Xiao-Jun, Crews P, et al. New isocoumarins and alkaloid from Chinese insect medicine, *Eupolyphaga sinensis* Walker. *Fitoterapia*. 2012;83(7):1275–1280. DOI: 10.1016/j.fitote.2012.06.005.
30. Wang Feng-Xia, Wu Ning, Wei Jian-Teng, Liu Jia, Zhao Jin, Ji Ai-Guo, et al. A novel protein from *Eupolyphaga sinensis* inhibits adhesion, migration, and invasion of human lung cancer A549 cells. *Biochemistry and Cell Biology*. 2013;91(4):244–251. DOI: 10.1139/bcb-2013-0002.

Received 27.09.2022 / revised 13.03.2023 / accepted 12.06.2023.